Review of applied entomology

SERIES A
AGRICULTURAL

U. of ILL. LIBRARY
FEB 1 3 1973
CHICAGO CIRCLE





THE REVIEW OF APPLIED ENTOMOLOGY

SERIES A: AGRICULTURAL

Vol. 59

(1971)

ISSUED BY THE COMMONWEALTH INSTITUTE OF ENTOMOLOGY



LONDON:
COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56, QUEEN'S GATE SW7 5JR

Prepared and issued by the Commonwealth Institute of Entomology under the authority of the Executive Council of the Commonwealth Agricultural Bureaux.

© Commonwealth Agricultural Bureaux, 1972

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owner.

Commonwealth Agricultural Bureaux

EXECUTIVE COUNCIL

V. ARMSTRONG, Ph.D., Chairman To be nominated, Vice-Chairman

D. J. PARKINSON, O.B.E.

J. L. ORR E. G. HALLSWORTH, D.Sc.

To be nominated T. A. KHAN

A. NESARATNAM J. A. BROBBEY

Mrs. A. Z. ABIDIN

U. K. BELLO

To be nominated

H.E. THE HIGH COMMISSIONER

To be nominated

THE DEPUTY HIGH COMMISSIONER

Mrs. L. S. DORSET To be nominated

H.E. THE HIGH COMMISSIONER

W. D. SIMFUKWE J. S. MWAMBAZI O. A. SALLAH

R. E. CHANDISINGH

H.E. THE HIGH COMMISSIONER THE DEPUTY HIGH COMMISSIONER

I. D. RAMTOHUL

E. E. KUNENE K. R. BAIN D. M. KITCHING

Dr. R. GLEN, Secretary, Commonwealth Scientific Committee (Observer) Sir THOMAS SCRIVENOR, C.M.G., Secretary) Farnham House, Farnham Royal,

N. G. JONES, D.F.C., Assistant Secretary

New Zealand

United Kingdom

Canada Australia India Pakistan Cevlon Ghana Malaysia Nigeria Cyprus Sierra Leone

Tanzania Jamaica

Trinidad and Tobago Uganda Kenya Malawi Zambia The Gambia Guyana Botswana

Barbados Mauritius Swaziland

Dependent Territories

Slough SL2 3BN

COMMONWEALTH INSTITUTE OF ENTOMOLOGY

Director and Editor

R. G. FENNAH, M.A., Sc.D.

Assistant Director

A. H. PARKER, M.Sc., Ph.D.

Assistant Editors

R. F. AVERY M.A. and J. M. B. HARLEY, B.Sc.

Headquarters, Publication Office and Library-56, Queen's Gate, London SW7 5J England.

Identification Service-c/o British Museum (Natural History), Cromwell Road, London SW7 5BD, England.

ERRATA

Where both page and abstract numbers are given, the number of the line refers to its position in the abstract.

Page Abstract

7		column 3 line 7, delete "Plictran"
28	93	line 11 for "Drie-Die" read "Dri-Die"
62	221	line 5 for "SBP-1382" read "resmethrin (SBP-1382)"
		line 6 for "SBP-1390" read "bioresmethrin (SBP-1390)"
214	861	line 7 for "Curcurbita" read "Cucurbita"
216	869	line 2 for "ent." read "agric. Sci."
221	895	line 5 for "Cyprepedium" read "Cypripedium"
236	963	for "1268" read "12687"
388	1637	in title of abstract, for "Spaerophoria" read "Sphaerophoria"
454	1930	line 5 for "accidentalis" read "occidentalis"
512	2206	line 2 for "Zisiphus" read "Ziziphus"
600	2640	line 12 for "Popoudetta" read "Popondetta"
605	2663	line 1 for "Blackmann" read "Blackman"
619	2718	line 8 for "deodora" read "deodara"
656	2874	line 8 for "Cicadellid" read "Delphacid"
684	3013	line 3 for "trichlorethylene" read "trichloroethylene"
758	3351	line 2 for "nubilalis (Hb.)" read "furnacalis (Gn.)"
812	3586	line 14 for "Sirbus" read "Sorbus"
859	3821	line 6 for "1958" read "1968"

PRINTED IN GREAT BRITAIN
BY
THE EASTERN PRESS LTD.
OF LONDON AND READING

INDEX OF AUTHORS

References are to abstract numbers. A reference in heavy type indicates that a paper by he author has been noticed, and one in ordinary type indicates a mention of the author within an abstract.

Abate, A., 1912 Abbott, D. C., 7 Abdel-Bary, A. A., 1823 Abdel-Wahab, M. F., 3405 Abdul Aziz, Khan, 3275 Abdulkareem, A., 2673 Abdullah, M., 1378, 1379 Abdurahiman, U. C., 1579 Abe, Y., 3059 Abella, D. López-, 1651 Abernathy, C. O., 3197 Abo-El-Ghar, M., 3966, 3967 Abo El-Ghar, M. R., 94, 103, 3403 Abraham, E. V., 2201 Abrahão, J., 2021 Abreu, J. M. de, 988, 2286, 3813, 3828, 3979 Abubucker, A. H., 84 Abushama, F. T. E., 2299 Acanfora, D., 3724 Acioli de Oliveira, A., 3822, 3837 Acosta, J. C. Marín, 980, 981, 983, 985, 2015 Adachi, H., 51 Adair, H. M., 3239 Adam, Brother, 3036 dam, D. S., 2921 Adam, N. C., 3133, 3461 ideyemi, S. A. O., 1076, 1410, 1418 Adisoemarto, S., 1255 Adkisson, P. L., 922, 923, 1738, 1942, 3761 Adler, V. E., 2942 Association (New York) Afifi, A. M., 2697, 284, Afifi, S. A., 2647, 2719 Afify, A. M., 2156, 2296, 3400, 3409 Igarwal, H. C., 3767 Igarwal, R. A., 770, 874 Igee, H. R., 2936 Iggarwala, S. C., 3365 Igrawal, B. D., 2091 ıgui, N., 49, 50 th, H.-S., 407 Muwalia, P. J. S., 72 thmad, M. Iqbal, 1376, 1377 thmad, S., 672 thmed, H., 1530 thmed, K. A., 2071 thmed, M. I., 510-512 Ahmed, M. K., 102, 105, 106

ilkazyan, A. K., 3094

\izawa, K., 2282

kerberg, E., 777

Åkerblom, M., 2547 Akeson, W. R., 116, 129 Akey, D. H., 3682 Akhmedov, R. M., 719 Akino, K., 1904 Alabaster, J. S., 804 Alam, S. M., 1575 Alavidze, B. A., 3096 Albersheim, P., 690 Albert, P. J., 3640 Alcala, M. J., 685 Alekseeva, T. M., 1447 Aleksić, D., 1508 Aleksić, Ž., 1508 Aleshin, E. P., 4147 Alexander, N. J., 580 Alexandrescu, S., 278, 279 Alexandri, A. V., 278, 280 Alexopoulou, P., Vassilaina-, 4011 Ali, A. Maher, 95, 100, 101, 2060-2062 Ali, M., 158 Ali, S. Mohammad, 3082 AliNiazee, M. T., 948, 3234 Allan, G. G., 2488 Allan, W. C., 2982 Allcroft, R., 3178, 3179 Allen, D. C., 156 Allen, G. E., 2217 Allen, H. W., 3675 Allen, P. G., 3329, 3330 Allen, T. C., 661 Allen, W. R., 3633 Allison, R. M., 3874 Alma, P. J., 2236 Almeida, A. Antunes de, 1062 Almeida, D. Mascarenhas de, 315 Alumot, E., 3013 Alvarado, D., G., 986 Alvarez, C. C., 1716 Alves Ferreira, J., 3848 Alves Rafael, E., 1407 Amante, E., 2021 Amaral filho, B., Ferreira do, 3848 Amaral, J., Ferreira, do, 3847-3849 Amargier, A., 2147 Ameel, J. J., 1952 Amiot, A. Faivre-, 2605 Amitai. S., 255, 261, 1091, 3349, 3996 Amman, G. D., 1946, 3620 Amos, T. G., 2169 Amyx, C. M., 1695 Ananthakrishnan, T. N., 1373, 3083

Anas, R. E., 3744 Anasiewicz, A., 736 Anderson III, C. C., 1764 Anderson, D. M., 3001 Anderson, D. W., 3189 Anderson, J. P. E., 638 Anderson, L. D., 653 Anderson, R. C., 385, 2956, 3233, 3350 Anderson, R. F., 912, 2438 Anderson, W. H., 3001 Andersson, H., 1637 Andersson, K., 2119 Ando, S., 3060 Ando, Y., 46 Andrade, O., 357 Andreev, S. V., 1442 Andres, F., 3041 Andrewartha, H. G., 2167 Andrilenas, P. A., 1229 Androić, M., 3143, 3493 Andrzejewska, L., 2576 Ang, C. Y.-K. W., 1974 Angalet, G. W., 548 Angelov, P., 281 Anglade, P., 779, 780 Angle, B. J., 534 Angus, T. A., 2280, 3276, 3655 Anichkova, P. G., 1461 Annecke, D. P., 345, 2043, 3968 Anthon, E., 2425 Antoniou, A., 23, 417 Antunes de Almeida, A., 1062 Anufriev, G. A., 419, 2601 Appert, J., 1392, 3958, 3979 Applebaum, S. W., 334, 2079, 3596 Aquino, M. de L., Nascimento de, 3820 Arai, N., 752 Arambourg, Y., 3549 Aranda Centurión, B. R., 3669, 3824, 3825 Arbogast, R. T., 2915 Arce, M. G., 2032 Arevalo, I. S. de, 1277 Argauer, R. J., 1716, 1779, 3018 Arie, Z. Ben-, 4001 Armbrust, E. J., 671 Armstrong, G. J., 2210 Arnett, W. H., 2401 Arnold, B. C., 2208 Arnold, J. W., 3305 Arnott, H. J., 2214 Arnoux, J., 302 Arrand, J. C., 2457 Arroyo, M., 4022, 4023, 4062, 4063 Arruda, G. Pereira de, 1282, 3815-3822, 3833, 3835 Aruga, H., 1334 Asahina, E., 1560, 3338, 3343 Asakawa, M., 2500, 2635 Asano, S., 1021 Asayama, T., 1337, 2637 Ascher, K. R. S., 339, 1852, 2555, 3045

Ascher, W. C., 3689 Ashburner, M., 2177 Ashdown, D., 1743 Ashford, J. R., 4076 Ashraf, M., 935, 1679, 2195. 3283 Ashworth, R. J., 179 Askalany, S. A. El-, 2054, 2055 Askew, R. R., 2310 Askew, W. L., 3633 Asquith, D., 224, 670, 2950, 3289 Assem, M. A., 2050, 2059 Assem, M. A. H., 2699 Atanasov, N., 3457 Atjemis, A., 1744 Atlan, H., 3268 Attal, Z. M. El-, 2060 Attia, R., 2713 Attiah, H. H., 2065 Attri, B. S., 2516, 2524 Atwal, A. S., 873, 875, 1354, 2512, 3086 Atwood, C. E., 535 Auclair, J. L., 758, 3698, 3985 Auersch, O., 3425 Avakyan, G. D., 1471 Avar, P., 3726, 3727 Avasthy, P. N., 2100 Avery, D. J., 2238 Avidov, Z., 1389, 2496, 2497, 3973 Awad, M. H., 98 Awadallah, A. M., 2056 Axtell, J. D., 2777 Azab, A. K., 819, 2694, 2695 Aziz Khan, Abdul, 3275 Aziz, S. A., 2096

Bachelier, J. C., 2608 Bachiller, P., 4027 Bachman, S., 3121 Backham, C. M., 926 Badawy, A., 94, 97, 2692 Bagdasaryan, A. T., 3095 Baggiolini, M., 1129, 1550, 2158 Baicu, T., 1497 Bailey, E., 582, 1240, 1245 Bailey, L., 2275
Bailey, N. T. J., 3911
Bailey, S., 3
Bailey, S. W., 1309
Bailey, V. A., 4079
Bain, C. 734 Bajan, C., 734 Bakasova, N. F., 1445 Baker, C. R. B., 1155 Baker, C. S. Wood-, 26 Baker, J. M., 2642-2644 Baker, P. M., 2655 Baker, R. A., 2545, 2546 Baker, W. V., 535 Bakhetia, D. R. C., 872 Bakke, A., 1632, 3414 Bakkendorf, O., 3970

Bakker, W., 3952 Bakowski, G., 3111 Balachowsky, A. S., 2044 Balarin, I., 3155 Balázs, K., 298 3alazs, T., 2109 3alderston, C. P., 2418 Baldwin, M. K., 33 Baldwin, P. H., 3617 Balevski, A., 3443, 3457 3alinov, I., 3129 3all, A., 1846 3all, J. C., 2957 3allee, D. L., 655 3aloch, G. M., 502, 508 3alock, J. W., 132, 1741 3alogun, R. A., 1409, 1680 3als, E. J., 792 3alshin, M., 3973 Baltensweiler, W., 1131 3an, J., Nguyen-, 3959
3anerjee, B., 60, 2510
3anerjee, S. K., 418
3anfield Younghusband, H., 975, 2314 Banham, F. L., 1671, 1683, 2457 Baniță, E., 1496 Banks, C. J., 1539, 1646, 2080 Banks, W. A., 1770 Bänziger, H., 2225 Baranyovits, F., 790, 818 Barbagallo, S., 3165, 3488 Barbier, R., 312 Barbosa, P., 2939 Barbosa Coêlho, R., Sartori, 3855 Bărbulescu, A., 264 Barcant, M., 1273 Bardner, R., 812, 1639, 2078 Barger, J. H., 3220 Bar Ilan, A. R., 1237 Bariola, L. A., 1735, 2362, 2439 Jarké, H. E., 564, 2736, 2882 larker, R. J., 1715 Barlow, C. A., 1255 Barnes, B. W., 324, 325 larnes, D. K., 1774 larnes, K. K., 162 larnes, M. M., 604, 627, 970 larnett, J. W., 596, 934 laron, R. L., 3017 larou, J., 3931 larquet, A., 1915 arral, J. M., 701 larras, D. J., 3752 larras, S. J., 967, 2919 larrentine, B. F., 3725, 3731 arrés, P., 3513 arreto Costa, M., Coimbra, 3821 arrett, J. H., 2638, 2639 arrett jr., J. R., 2770

arrier, M. J., 2974

arry, R. M., 1752

Bartell, R. J., 1869 Barthel, W. F., 3729 Bartlett, A. C., 2944 Bartlett, B. R., 2772 Bartlett, F. J., 1770 Barton, L. C., 3233 Barton Browne, L., 1010 Bary, A. A. Abdel-, 1823 Basco, H. J., 3798 Bass, M. H., 3259 Bastos, J. A. Magalhães, 2490, 2491, 3827 Basu, A. C., 2674 Basu, A. N., 1582, 2677 Basu, R. C., 82 Batcheler, C. L., 1293 Bath, J. E., 1945, 2895 Batiashvili, I. D., 1105 Batiste, W. C., 199, 603, 608, 609, 3205 Baton, A. I., 4144 Bátora, V., 4095 Batov, A. I., 4144 Baudin, P., 3390 Bauer, W. R., 1685 Baum, H., 3394 Baurant, R., 3517, 3518 Baxter, C. C., 2908 Baxter, J. W., 170 Bayat, H., 3933 Beal, R. H., 409, 2778, 3245 Bean, J. L., 151 Beard, R. L., 3270 Beardsley, J. W., 1193 Beatson, S. H., 855 Beavers, J. B., 2378 Bechyné, J., 981, 2831 Beck, S. D., 2922, 3682 Becker, G., 2303, 2846 Becker, R. A., 1585 Beckham, C. M., 160, 1226 Beckwith, R. C., 3625 Bedding, R. A., 2866 Bedford, E. C. G., 350 Bedford, G. O., 1565 Bednarek, W., 3119-3122 Beglyarov [Begliarov], G. A., 3553, 4144, Behncken, G. M., 1311, 2312 Behrendt, K., 1833 Bei-Bienko, G. Ya., 2121-2132, 3578-3582 Beirne, B. P., 3619 Beitz, H., 444, 445, 3434 Beland, G. L., 116 Bell, H. L., 2000 Bell, M. R., 2221 Bell, R. A., 3246, 3248 Bellett, A. J. D., 424 Belosel'skaya, Z. G., 721 Belyaev, I. M., 2135 Belyea, G. Y., 2992 Bembassat-Ivanova, E., 1167 Ben-Arie, Z., 4001

Biedroń, S., 3114

Bénassy, C., 3547 Ben-Dov, Y., 1776, 4000 Ben-Dyke, R., 1853 Benedek, P., 2116, 2138 Beneš, V., 1807 Bengston, M., 1314, 3887, 3891 Benham jr., G. S., 1203 Benjamin, D. M., 2812 Bennett, F. D., 503, 2011, 2723, 3793 Bennett, H. J., 3745 Bennett, R., 2869 Bennett, R. G., 2233 Bennett, S. E., 2914 Benschoter, C. A., 368, 1938 Benson, W. W., 1096 Benz, G., 2267 Beran, F., 1544 Beratlief, C., 268, 269 Beratlief, Z. P., 1498 Berg, C. O., 854 Berger, R. S., 596, 934 Bergoin, M., 2315 Berim, N. G., 1845 Berisford, C. W., 1988, 3718, 3722 Berlowitz, A., 603 Bernardo, E. N., 493 Bernays, E. A., 1242, 4080, 4086 Beroza, M., 483-489, 607, 1692, 2421, 2429, 2759, 3212 Berry, D. W., 570, 597 Berry, R. E., 686, 694 Berryman, A. A., 906, 935, 971, 1679, 3283 Berti Filho, E., 3800, 3805 Bertran, M., 3510 Berville, P., 2610 Bes, A., 3149 Beshear, R. J., 381, 950, 1224 Betbeder-Matibet, M., 1392, 1393 Betzios, B. C., 3410, 3463 Bevenue, A., 2857 Beynon, K. I., 1525, 1526, 3184-3186, 4087, 4088 Bezerra de Carvalho, M., 1282, 3815, 3816 Bezut, M., 2610 Bhakthan, N. M. G., 416, 2910 Bhalla, O. P., 2516, 3364 Bharadwaj, R. K., 418, 3037 Bhaskaran, S., 61 Bhaskar Rao, T., 1578 Bhat, K. V., 2514 Bhat, Y. Ranganath, 501 Bhatia, D. R., 69, 72 Bhatia, G. N., 77 Bhatia, S. K., 1365 Bhattacharya, A., 1362 Bhattacharya, A. K., 1952, 3766 Bhattacharya, S. P., 462 Bhattacherjee, N. S., 2527 Bhavaraju, B., 3015, 3016 Biache, G., 3657 Bickley, W. E., 2449

Bielorai, R., 3013 Bienko, G. Ya. Bei-, 2121-2132, 3578-358 Bier, K., 3969 Bierl, B. A., 2429, 3212 Biernaux, J., 3519 Biever, K. D., 1214 Bigelow, R. S., 886 Biggar, J. W., 333 Bilewicz-Pawinska, T., 737 Biliotti, E., 4042 Bills, R. W., 2376 Bin, F., 3166 Bindra, O. S., 366, 872, 2105, 2150, 3085 3358, 3383, 3384 Binns, E. S., 3531 Birch, L. C., 2167 Bird, F. T., 1253 Bird, J., 2894 Birk, Y., 334 Birkardeşler, H., 2087 Birks, P. R., 3329, 3331 Bishara, I., 3172 Bishara, M. A., 2049 Bishara, S. I., 2051 Bishop, P. M., 2163 Bissell, T. L., 1789 Bitman, J., 29, 1230 Bitran, E. A., 3812 Bjegović, P., 1510, 3473 Black jr., E. R., 369 Black, J. H., 1234, 2070, 3204 Black, L. M., 2311, 2316 Blackman, R. L., 2663 Blair, B. D., 133 Blair, B. W., 355 Blake, G. M., 829 Blasdale, P., 2656 Błażejewska, A., 722 Blease, J. A., 2992 Bleiweis, S., 438 Bleszynski, S., 3956 Bletchly, J. D., 3534, 3535 Blickenstaff, C. C., 1956 Bliss jr., M., 183, 372, 2737 Blondheim, S. A., 393 Blum, A., 2083 Blum, M. S., 487, 577, 965 Blumberg, D., 2072 Blumenbach, D., 1916, 2552, 2613, 3160 3597 Blumenfeld, M., 336 Blumenthal, R. R., 1587 Bôas, A. M. Vilas, 1286 Boboye, S. O., 2430 Boch, R., 965 Bockholt, A. J., 618 Boczek, J., 3103, 3107, 3109, 3110, 358 3708 Bode, L. E., 2618 Bodor, J., 292, 293, 2140

Boemare, N., 4039 Boening, O. P., 676 Boer, M. H. den, 3525 Bogavac, M., 439, 3469 Bogawat, J. K., 244 Bogenschütz, H., 3415, 3436 Bohra, O. P., 1364 Boldt, P. E., 1214 3oldyrev, M. I., 917, 919, 4139 3oldyreva, E. P., 1466 Bolland, H. R., 477 3oller, E. F., 592, 4069, 4074 Bolton, G. C., 3729 Bombosch, S., 745 Bomfim Virgínio, R., 3837 Bonami, J. R., 1548 3onanni, R., 3724 Bonaventura, G., 2615 Bonch, E. I., 1448 Bond, J. A., 801 Bond, R. P. M., 2265 Bondarenko, A., 1846 Boness, M., 742, 3426 Bongers, W., 764, 1145 Bongiovanni, G. C., 4015 3onham, C. D., 120, 126, 220, 616, 639, 2798, 3222 Bonnemaison, L., 299, 300, 1085 300ne, R. S., 979 Booth, C., 3603 Boratyński, K., 3176 Borja, G. E., Moya, 3782 Bořkovec, A. B., 879 Borkowski, A., 4136 3orn, J. Trägner-, 2145 Borovkov, E. A., 1443 Borsellino, A., 1537 Bosch, J., 2113, 3420 losch, R. Van den, 177, 683, 1197, 1198, 2373, 3686 Noswell, A. L., 161 lot, J., 633, 1060, 2855, 3938 lottimer, L. J., 916 lottrell, D. G., 652 louček, Z., 343 loulard, M., 1814 loulton, J. J. K., 4090 loush, G. M., 2751, 3269, 3614 lovey, R., 1129 lowers, W. S., 164 lowman, M. C., 141, 204, 621, 1718, 2406, loyce, C. B. C., 2265, 4090 loyce, H. R., 2986 loyd, E. M., 1095 loyd, J. P., 2958 lozhko, M. P., 3569

racken, G. K., 31 radley, J. D., 20, 21

bradley, J. R., 953

Bradley, R. H. E., 1651 Brady, E., 2888 Brady, U. E., 551, 648, 2188, 2881 Brandt, J. F., 399 Branson, T. F., 2323 Brar, K. S., 3382 Braulio Ramon Aranda, C., 3669 Bravo Viana, G., 1798 Brazzel, J. R., 411, 2781 Brenière, J., 3956 Brès, N., 4039 Brett, W. J., 414 Breuning, S. von, 1352 Brewer, F. D., 2973 Brewer, R. H., 3901 Brewerton, H. V., 3862 Bricault, F. A., 2008 Bridges, E. T., 377 Briggs, J. B., 2238 Briggs, J. D., 2255 Bright jr., D. E., 1987 Brimblecombe, A. R., 3020 Britton, E. B., 1005 Brody, A. R., 3706 Bronisz, H., 2575 Bronskill, J. F., 394 Brook, T. S., 1758, 1769 Brookes, H. M., 518, 3896 Brooks, I. C., 1587 Brooks, M. A., 1856 Broomfield, P. S., 2176 Bro-Rasmussen F., 824, 1527 Broughton, W. B., 2665 Brown, B. B., 3975 Brown jr., B. W., 949 Brown, E. S., 319, 1063, 1817, 2658 Brown, G. A., 407, 2324 Brown, G. S., 2983 Brown, H. D., 2544 Brown, J. B., 217 Brown, K. W., 2539, 3395 Brown, L. R., 569 Brown, M. J. Campbell-, 469 Brown, S., 1223 Brown, S. J., 1757 Browne, F. G., 1174 Browne, L. Barton, 1010 Browning, R. M., 3188 Broza, M., 393 Bruneau de Miré, P., 2039 Brunel, E., 302 Bruning, D., 1142 Bry, R. E., 412, 2406, 2795, 3250 Bryan, D. E., 587, 606, 2944 Bryant, D. G., 913 Bryant, E. H., 2621 Bryce, I. J. Graham-, 4 Bucher, G. E., 2471 Buckland, C. T., 39 Buffam, P. E., 3247 Buford, W. T., 773, 1189

Bugbee, R. E., 115 Buhl, C., 1834, 2298 Bukshin, S. I., 4154 Bull, D. L., 131, 175, 612, 3008 Bullock, H. R., 3656 Bullock, J. A., 839 Bund, C. F. van de, 2247 Bunyan, P. J., 3 Burbutis, P. P., 1749 Burch, G. E., 3757 Burcombe, J. V., 1246 Burdajewicz, S., 1499, 2753 Burditt jr., A. K., 132 Burger, H. C., 2247 Burgerjon, A., 2266, 3657 Burges, H. D., 809, 2254-2285 Burgess, E. E., 2802, 2914 Burgmans, J., 898 Burke, J. A., 2549 Burkhardt, C. C., 598, 1937 Burkholder, W. E., 1589 Burnett, T., 1660 Burns, D. P., 3709 Burr, W., 627 Burrell, N. J., 810 Bursell, E., 490 Burt, E. C., 589 Burt, P. E., 5 Burton, R. L., 213, 554, 1756, 1762, 2189, 2454 Bush, G. L., 1169 Busvine, J. R., 1173, 2678 Butani, D. K., 2098, 3926 Butcher, J. W., 1863 Butler jr., G. D., 137, 587, 1773, 2432, 2920 Butler, L. I., 142 Butt, B. A., 942, 1731 Button, J. A., 3907 Butz, A., 941, 1238, 3758 Byers, J. R., 3298 Byrne, H. D., 2780 Bytinski-Salz, H., 262

Caballa, S., 3210
Caballero, F., 4022
Cade, S. C., 2959
Cadeilhan Giraudet, L., 3953, 3954
Caffarello, S., 3724
Cahill, W. P., 182, 1767
Cain, J. D., 3731
Caithness, T. A., 888
Calabretta, C., 3486
Calcote, V. R., 1784
Calderon, M., 1385
Calderón, W., 2797
Calilung, V. J., 2230
Callahan, P. S., 410, 2945
Callan, E. McC., 1870
Callenbach, J. A., 3246, 3248
Calnaido, D., 2198

Caloianu, M., 1494 Cals, P., 3657 Caltagirone, L. E., 2382 Calvert, D. J., 3777 Calza, R., 2019, 3830, 3832 Camargo, A., Hoffmann de, 3807, 3808, 3810, 3811 Camargo, L. A. A., 3857 Camatini, M., 1171 Cameron, E. A., 960, 1677 Cameron, R. S., 3232 Cammell, M., 2159 Campan, R., 3171 Campbell, A. E., 1667 Campbell, K. G., 3019, 3893 Campbell, M. A., 2376 Campbell, R. L., 2418, 2903 Campbell, W. A., 1585 Campbell, W. V., 2370, 3732 Campbell-Brown, M. J., 469 Campion, D. G., 857, 2867, 3357 Campos, G. Lopez, 3957 Campos, T. B., 3812 Camprag, D., 3138 Canard, M., 2075 Canerday, T. D., 2883, 2885 Cannon jr., W. N., 153, 2354, 3676 Cantelo, W. W., 2363, 2454, 2809 Cantu, E., 221 Čapek, M., 2475 Capoor, S. P., 871 Capriles, J. Maldonado, 2722, 3002 Carayon, J., 3963 Cardoso, H. Leite, 2037, 2038 Carle, P., 4046 Carles, J. P., 786 Carlisle, D. B., 1168 Carlson, C. V., 1234 Carlson, E. C., 2415 Carlson, N. P., 184 Carlson, R. L., 3696 Carlysle, T. C., 2945 Carman, G. E., 258 Carmona, M. M., 3504 Carnauba, T., 2832 Carnegie, A. J. M., 3947, 3948 Carneiro Deveza, M., 1815, 1816 Carolin, V. M., 2428 Carpenter, G. P., 640 Carrero, J. M., 2111 Carter, F. L., 389, 390 Carter, R. L., 2908 Carthon, M., 2915 Cartier, J. J., 1653 Carvalho, E. Pôrto de, 1282, 3814, 38 11 3817-3819, 3835 Carvalho, J. C. M., 2836 Carvalho, J. Passos de, 2037, 2038 Carvalho, M. Bezerra de, 1282, 3815, 381 Carvalho, R. P. L., 3804, 3809

Casagrande, R. A., 2451

'ásares Moizant, R., 2017 lasida, J. E., 2872, 3615 assidy, J. E., 328, 330 l'astro, P. R. C., de, 3826 'audwell, A., 2608, 2609 aumo, B., 4099 aussin, R., 3517 auwenberghe, R., Van, 3594 avalloro, R., 4016, 4020, 4060, 4072 avazza, B. Schieti-, 1537 eballos, P., 3495, 4028 ecil, H. C., 29 enturión, B. R., Aranda, 3824, 3825 lepelák, J., 2579-2592 ermeli L., M., 987, 2016, 2830, 3003-3005 erná, V., 1807 haboussou, F., 786 Thacko, M. J., 2677) hada, H. L., 689 rhadha, K. L., 2105 hadli, A., 1083 hadwick, C. E., 1308, 3321, 3894 hadwick, J. S., 2219 hadwick, P. R., 3181 hahal, B. S., 71, 3358 hakrabarti, S., 82 hakravarti, B. P., 3923 hakŭrov, K., 3458 halfant, R. B., 1217, 1712, 2885, 2886 halkov, A. A., 4144 Ihallinor, S. K., 1583 hamberlain, R. W., 475 hamberland, E., 1980 hambers D. L., 1714, 1763, 1778, 1957, 2947, 4050, 4052, 4066 hambon, J. P., 301, 4045 hamkrachang, P., 1769 hamp, B. R., 469 hand, N., 2791 handler, A. E. F., 318 handra, B. K., Nagesha, 3361 handrasekharan, N. R., 3920 hang, G. Y., 2218 hannabasavanna, G. P., 1349, 2104, 3361 haplin, C. E., 1723, 2761 hapman, J. A., 3624 hapman, P. J., 2902 hapman, R. F., 4080, 4086 hapot, H., 3979 haran Singh, 69, 76 harity, L. F., 3690 hatard, P. M. W., 1960 hatterjec, P. B., 3979 hatterjee, P. N., 57 haudhary, J. P., 874, 2523, 3085, 3086 haudhary, L. B., 1358 haudhry, A. N., 3363 Chaudhry], Ghul[l]am-Ullah, 510-512, 1376, 1377

Chaudhry], M. Ismail, 1376, 1377

hawla, R. P., 877

Chebib, F. S., 2625 Cheikh, M., 4061 Chemsak, J. A., 1928 Chen, G. T., 958, 1562 Chen, J. T., 3017 Cheng, H. H., 1662, 2471, 2821 Cheng, Hong-ming, 2499 Cheng, Lanna, 2645, 4078, 4079 Chepetilnikova [Shchepetil'nikova] V. A. 3551, 3554 Cherevatova, A. S., 3097 Cherrett, J. M., 2838 Cherry, D. S., 3695 Cherry, E. T., 2404, 2409, 2738 Chesnokova, E. G., 2133 Chestnut, T. L., 3704 Chhabra, K. S., 68 Chiang, H. C., 949 Chia-tung, Yeh, 3355 Chiba, M., 1272 Chiba, T., 2501 Childs, D. P., 1725 Ching H. Tsao, 550, 559 Ching-chieh, Yu, 550, 559 Chippendale, G. M., 3700 Chisholm, D., 636, 3604 Chiu, Ren-jong, 2311 Chiykowski, L. N., 978, 1936, 2468 Chłodny, J., 733 Chmielewski, W., 3116, 3117, 3123 Chohan, J. S., 2105 Chopra, S. L., 877, 3007, 3087 Choumakov [Chumakov], E. M., 3542 Chowdhuri, A. N., 82, 1363 Chremos, J. H., 3699 Christudas, S. P., 3377 Chu, Hsien-ming, 962, 1533, 1534, 3755 Chu, Hsiu-t'ing, 3355 Chudnoff, M., 979 Chumakova [Tchoumakova], B. M., 3548 Chung-chia, Huang, 1961 Chung-shih, Ma, 3354 Chvála, M., 2584 Chyczewski, J., 3110 Cicero, J., 968 Cichy, D., 434 Cirio, U., 4055 Clark, J. D., 660, 969 Clarke, J. F. G., 3336 Clarke, R. G., 2419 Clausen, K. Voldum-, 1527 Clayphon, J. E., 2683 Cleave, H. W. Van, 2343 Clemen, R. B., 383 Clément, P., 2610 Clements, R. F., 822 Cleveland, M. L., 930, 1730, 2393, 2808 Cleveland, T. C., 2221 Clinch, P. G., 3877, 3880 Cline, L. D., 130 Clockedile, S. H., 1785

Close, R. C., 480 Coaker, T. H., 41, 788, 826, 2654 Coaldrake, J. E., 1316 Cochaux, P., 904 Code, W. R., 2986 Coelho, A., Dias, 3950 Coêlho, R., Sartori Barbosa, 3855 Coenen-Saraber, C. M. A., 757 Coggins, R. E., 2651 Coghill, K. J., 799, 811 Cohen, I., 1382 Cohen, J., 1382 Cohen, L. M., 936 Cohen, M., 1387 Cohen, S., 425 Coicev, A., 267 Coimbra Barreto Costa, M., 3821 Colburn, R. B., 224, 670, 2950, 3711 Cole, C. L., 131 Cole, L. R., 831 Coles, L. W., 2410, 2925 Comeau, A., 36, 147 Common, I. F. B., 1008 Compere, H., 247 Cone, W. W., 2753, 2754 Conner, R. M., 3647 Contini, E. de, 2020 Contini, C., 3477 Cook, D. A., 2429 Cooke, A. S., 3608 Cooke, J., 1241 Cooke, J. A. L., 22 Cooksey, K. E., 2224, 2264 Cooper jr., A. S., 468 Cooper, C. V., 1765 Cope, O. B., 1865 Copeland, W. W., 1792 Coppedge, J. R., 175, 2960 Copper, W. A., 1677 Corbel, J. C., 337, 1093 Corbett, J. R., 331, 827 Corcoran, E. F., 3743 Cordes, R. E., 998 Cornes, M. A., 1072, 1075, 1076, 1078, 1410, 2042 Cory, L., 3746, 3607 Costa, M., Coimbra Barreto, 3821 Coster, J. E., 966 Costilla, M. A., 2024, 2025, 3798 Coulon, J., 1584, 3512, 3513 Coulson, R. N., 1228, 1687, 2460 Coulter, W. K., 2428 Cousin, M. T., 1826, 1827, 2605 Coutin, R., 2860 Coutts, H. H., 795 Couturier, A., 1159 Covassi, M., 4018, 4021 Cowan, C. B., 134 Cowan jr., C. B., 2439 Cox, J. L., 2179 Coyne, J. F., 2352

Craig, C. H., 2163 Cramp, S., 16, 18 Crane, G. L., 2485 Crane, P. S., 2739 Cranham, J. E., 791 Crawford, C. S., 467, 2907 Creighton, C. S., 3242 Cremlyn, R. J. W., 3356 Cress, D. C., 2325 Crête, R., 1978 Crewe, R. M., 577 Crittenden, C. R., 591, 1696 Croft, B. A., 622, 1930, 2326 Cromartie, E., 3739 Cross, W. H., 118, 2358, 3264, 3704 Crosse-Upcott, A. R. W., 352 Crosskey, R. W., 2175, 3870 Crossland, J. L., 2800 Crouzel, I. S. de, 991, 997 Crowe, T. J., 838, 1818, 2541 Crowell, H. H., 694 Crowley, N. C., 1310 Crumley, F. G., 2406 Cruttwell, R. E., 3794 Cruz, C., 601 Cruz, L. C., 2286-2294 Cucchi, N. J. A., 2030 Cuevas, P., 3497, 4027 Culver, D. J., 218 Cunningham, I. C., 3311 Cunningham, J. C., 3631 Cunningham, R. T., 684, 2947, 3254, 405 4066 Cunnington, A. M., 3708 Currò, G., 1912 Curry, J. P., 3708 Curtis, C. E., 969 Cuthbert jr., E. R., 2941 Cuthbert jr., F. P., 3238, 3260 Cuthbert, R. A., 1733, 3220 Cuthbert, R. B., 3242

Dabrowski, Z. T., 2577, 2761, 2762, 310³. Dacre, J. C., 3886
Dadd, R. H., 3698, 3764, 3985
Dafauce, C., 3498
Daftari, A., 3512
D'Aguilar, J., 3440
Dahlgren, R. B., 3749
Dahlman, D. L., 1931
Dahlsten, D. L., 544, 1677
Dahm, P. A., 145, 1613
Dalaya, V. P., 3084, 3360
dalla Montà, L., Panizza, 4014

Cymorek, S., 2300, 3533

Czaplicki, E., 1501, 3116 Czarnecky, D., 3508, 3509

Czeglédi-Jankó, G., 3726, 3727

Czajkowska, B., 3115

Danard, A. S., 2007

Dancesco, P., 1083 Jang, K., 1366 Daniali, M., 3930 Daniels, N. E., 2405 Daniels jr., S. C., 3764 Danks, H. V., 1267 Danna, G. F., 468 Danthanarayana, W., 3044, 3988 Dantsig, E. M., 2569 Darchen, R., 311 Jargan, K. S., 3926 Daricheva, M. A., 428 a Rocha, M. A. L., 1281 Das, S. C., 3380 Jashevskii, V. I., 430 a Silva Miranda, H., 2022 Daterman, G. E., 590, 1991)augherty, D. M., 364, 954)aum, R. J., 2221, 3213 Daumal, J., 4042 Dauterman, W. C., 599)avatchi, A., 3936 Davich, T. B., 118, 685, 2435, 2440, 3213 David, B. V., 2205 David, J., 1546 David, W. A. L., 3273 Davidson, A., 2373, 2540, 3691 Davidson, J. A., 380, 2906 Davies, D. E., 2232 Davies, J. C., 1820 Javies, J. M., 2240 Davies, M. S., 3181 Davies, R. G., 3176 Davis jr., B. S., 1587 Davis, B. W., 3238 Davis, C. S., 1234, 3205 Davis, D. G., 2393, 2808 Davis, D. W., 367, 2938 Davis, F. M., 369, 613 Pavis, G. R. F., 3302, 3303 Davis, J. J., 520-522, 3026, 3313, 3315 Pavis, R., 407, 561, 564, 1222, 1223, 2882 vavis, R. B., 136, 2961 Pavis, V. W., 1229 Pavýdova. D. D., 708 lawson, P. S., 478 lay, A., 2941 Jay, C. L., 2618 tay jr., J. W., 3745 lay, W. H., 548, 2410, 2930 e Abreu, J. M., 988, 2286, 3813, 3828, 3979 e Almeida, A. Antunes, 1062 e Almeida, D. Mascarenhas, 315 lean, G. J., 1648 lean, G. J. W., 352 lean, H. A., 2793

Deang, R. T., 496

e Arevalo, I. S., 1277

e Aquino, M. de L., Nascimento, 3820

de Arruda, G. Pereira, 1282, 3815-3822, 3833, 3835 Deay, H. O., 2770 DeBach, P., 248, 1236, 3360 DeBarr, G. L., 2792 DeBeer, P. R., 1404 Debolt, J. W., 119 DeBoo, R. F., 1665 de Bund, C. F. van, 2247 de Camargo, A. Hoffmann, 3807, 3808, 3810, 3811 de Carvalho, E. Pôrto, 1282, 3814, 3815, 3817-3819, 3835 de Carvalho, J. Passos, 2037, 2038 de Carvalho, M. Bezerra, 1282, 3815, 3816 de Castro, P. R. C., 3826 Decker, G. C., 2384, 2385 de Conti, E., 2020 de Crouzel, I. S., 991, 997 de Feytaud, 4032 de Fluiter, H. J., 1143 deFreitas, A. S. W., 3605 Degtyareva, E. N., 1430 De Jong, P., 78 Dekle, G. W., 2186, 3201 Delage, B., 311 Delanoue, P., 3550 Delattre, R., 3963 DeLoach, C. J., 3670, 3688 DeLong, D. M., 1862 De Lotto, G., 353, 2417 del Rivero, J. M., 4025, 4026 de Luca, Y., 785, 4033, 4034 Delucchi, V., 3360 de Magalhães Silva, G., 4070 de Meirleire, H., 1161 de Mello, O. F., 2020 de Menezes, M., 2023 de Miré, P. Bruneau, 2039 Demolin, C. 3492 Demong, N. J., 388 de Murtas, I. D., 4055 den Boer, M. H., 3525 den Bosch, R. Van, 177, 683, 1197, 1198, 2373, 3686 Denmark, H. A., 227, 1775, 2879, 3723 Dennis, N. M., 2795, 3250 Denys, C. J., 1244, 1986 de Oliveira, A., Acioli, 3822, 3837 de Oliveira Quartau, J. A., 2173 Deonier, D. L., 2999 DePew, L. J., 1719, 2403 de Polania, I. Z., 1277 dePury, J. M. S., 1822 der Geest, L. P. S. van, 2285 der Goot, V. S. van, 2245 der Laan, P. A. van, 2285 der Linde, R. J. Van, 2302 de Ruette, R., 527 Derzhavina, M. A., 4156 de Santis, L., 2172, 3854, 3858

Deshpande, B. V., 2530 Deshpande, R. R., 862 Desmoras, J., 3133 de Sousa Melo, J., 1062 de Souza Leão Veiga, A., 3834, 3835 Dessouki, S. A. El-, 2297, 2844, 3402 de Stacul, M. Velasco, 701 Dethier, V. G., 751, 1590 Deuse, J., 1069 Devauchelle, G., 2157 Deveza, M. Carneiro, 1815, 1816 de Viedma, M. G., 4029 de Villiers, V., 1059 Dew, D., 399 Dewey, J. E., 1708 de Wilde, J., 746-773 Dhamdere, S. V., 1369 Dhamdhere, S. V., 87, 2530 Dhanarajan, G., 3079, Dhari, Kewal, 3925 Dharmadhikari, P. R., 507, 509, 2514 Diadetchko[Dyadechko], M. D., 3546 Dias Coelho, A., 3950 Dibble, J. E., 3203 Dibley, G. C., 1647 Dicke, R. J., 2909 Dickerson, W. A., 219, 691 Dickerson jr., W. A., 2448 Dickinson, R. A., 3296 Dieleman, F. L., 768, 783 Dikasova, E. T., 1842 Dilbeck, J. D., 2883 Dimitrov, D., 3447 Dimond, J. B., 1678, 2992 Dinesh Rao, H,. 2677 Dinkins, R. L., 2781 Dinther, J. B. M., van, 3991 Dirlbek, J., 2587-2589 Dirlbek, K., 2588 Dirlbeková, O., 2589 Dirsh, V. M., 3965 di Stefano, M., 4019 Dittrich, V., 2852, 3404 Diveley II, G. P., 1181 Dixon, A. F. G., 1153, 2160, 2183, 2659, 4081, 4085 Dixon, R. K., 3301 Dmoch, J., 3108 do Amaral filho, B., Ferreira, 3848 do Amaral, J., Ferreira, 3847-3849 Doane, C. C., 3651, 3705 Doane, J. F., 537 Doberlitz, G., 443 Dobrivojević, K., 441, 1519, 3147 Dochkova, B., 3128 Doğan, N., 2088 Doggett, H., 1704 Dogra, G. S., 581 Doharey, K. L., 1366 Doherty, J. D., 3017 Dokiichuk, T. A., 3577

Dolan, J. W., 661 Dolphin, R. E., 930, 1730 Dominick, C. B., 594, 2192, 2381 Don, H., 1711, 2788 Donahaye, E., 1385 Donahue, J. P., 3668 Donchev, K., 3449 Dondale, C. D., 2988 Donley, D. E., 3709 Donninger, C., 2224 Doolittle, R. E., 965 Dorge, S. K., 3084 Dorough, H. W., 136, 218, 1780, 3734 Dorzia, N., 261, 1091, 1383, 3349 dos Santos, G. V., 3851 Dougan, G. P., 1259 Dougherty, E. M., 2223, 3218, 3219 Douglas, W. A., 369, 1736 Douka, H., Gelti-, 4004 Dov, Y. Ben-, 1776, 4000 Dowling jr., C. F., 3237 Downing, R. S., 536, 1672, 3638 Dowse, J. E., 2210, 2212 Drake, E. F., 1348 Drea jr., J. J., 548 Dresner, E., 1709 Drew, R. A. I., 1004 Drewe, N. W., 3187 Drocan, R., 280 Dronka, K., 1112, 3111 Drooz, A. T., 634, 1263, 3677 Drouin, J. A., 1664 Drummond, F. H., 1871 Druzhelyubova, T. S., 1446 Dry, W. W., 4082 Duarte Lopes, M., 3823 Duarte Rodrigues, P., 2173 Duckworth, W. D., 3665 Ducoff, H. S., 2800 Dudik, W., 1113 Duffield, R. M., 2661 Duffus, J. E., 2898 Duffy, J. R., 2455, 2998, 3748 Dugdale, J. S., 3870 Duijm, M., 2243 Dulmage, H. T., 209, 2276, 2278 Dumas, B. A., 3200 Dumas, T., 39 du Merle, P., 3494, 3556 Dumitrescu, I., 278 Dun, G. S., 2640 Dunez, J., 2603 Dunkel, F. V., 3269 Dunn, J. A., 1522 Dupnik, T. D., 633, 664 Dupree, M., 196, 1226 Dupuis, G., 3215 Durand, Y., 304 Durant, J. A., 1221 Durbešić, P., 3159 Duthoit, J. L., 2609

Dutrecq, A., 2606 Dutt, D. K., 78 Duval, E., 2849 Duvlea, I., 3441 Dyadechko, N. P., 1438 Dyadyechko, N. P., 4145 D'yakonova, E. A., 2558 D'yakova, Yu. T., 2135)yck, V. A., 918 Dyer, E. D. A., 2010 Oyer, M. I., 2997 Dyk, L. P. van, 1059, 1403 Dyke, R. Ben., 1853 Dykstra, W. W., 1690 Dyte, C. E., 464, 807, 1557, 2170 Dzhibaldze, K. N., 1108

l'ads, C. O., 569 arle, N. W., 124, 154, 690, 1196 lastop, B. E., 2840 astop, V. F., 1539 laton, J. L., 3692 libeling, W., 1860 liberhardt, L. L., 3612 liberhardt, S. A., 3243 lbing, W., 844 cobichon, D. J., 1689 conomopoulos, A. P., 675, 1964 iden, W. G., 4075

dson, E. F., 12 dwards, C. A., 1525, 1526, 1555, 4087,

4088

dwards, G., 642

Adwards, L. J., 375, 2939 dwards, M. J., 1525, 1526, 3184-3186,

4087, 4088 dwards, R., 453 gbert, A., 880 hara, S., 1571 thlers, W., 2193, 2194

hrhardt, D. A., 181 hrhardt, W., 3406 Lichhorn, O., 499, 2848

idmann, H. H., 1629

idt, D. C., 538, 1263, 1754 ighar, M. R. A., 2366 ikenbary, R. D., 2913, 2925 ivaz, J., 3933

l-Askalany, S. A., 2054, 2055

1-Attal, Z. M., 2060

Ibadry, E. A., 2296, 2366, 2718, 3403 Ibenhawy, E. Z., 2296 Ildefrawi, M. E., 2077

Elder, G. B., 561

Ilder, R. J., 1312, 1313, 3890 I-Dessouki, S. A., 2297, 2844, 3402

Clerdashvili, N. L., 1105 Elgarhy, M. S., 2060

ll-Gazzar, L. M., 3405

El-Ghar, M. Abo-, 3966, 3967

El-Ghar, M. R. Abo, 94, 103, 3403

Elgin jr., J. H., 128 El-Hafez, A. A., 94 El-Haidari, H., 3600

El-Halfawy, M., 2052-2055 El-Hariri, G., 2534, 2535, 3599 Elizarov, Yu. A., 2130

El-Kady, M. H., 100, 101, 2065 Ellaby, S., 3273

Ellertson, F. E., 631 Elliott, M., 1531, 3615 Elliott, W. M., 1523 Ellis, J. A., 2

Ellis, P. E., 1168 El-Miniawi, S. F., 2701-2704 El-Minshawy, A. M., 2712

El-Naggar, M. Z., 2049 El-Nahal, A. K. M., 99 El-Raffie, M. S., 94

El-Sayed, M. M., 98 Elsey, K. D., 1934, 3263

El-Sherif, A. R., 2059 Elson, P. F., 2998 El'takhtavi, M. M., 1432

Embree, D. G., 2469 Emschermann, F., 3399

Enkerlin, S. D., 4055

Enns, W. R., 113, 228, 3282 Enrody-Younga, S., 2689

Enukidze, N. E., 4150 Epard, S., 1550

Ercegovich, C. D., 183 Ertle, L. R., 217

Esbjerg, P., 1633 Esguerra, N. M., 497

Esmaïli, M., 3936 Español, F., 4031 Espinosa, L. R., 649 Espul, J. C., 702, 703

703, 1288 Esser, H. O., 3215

Estesen, B. J., 182 Etheridge, D. E., 3979

Etienne, J., 2152, 3945, 3946

Eto, M., 1616, 2499 Eto, R., 3059 Ettershank, G., 3328

Evans, D., 531, 3637

Evans, D. E., 357, 1067, 2035

Evans, W. P., 8-19

Evaristo, F. Neves, 1061, 1397, 1398

Evenhuis, H. H., 2249, 3527

Everett, T. R., 1750 Everly, R. T., 929

Evers, C., 231

Every, R. W., 674

Ewen, A. B., 581 Ewens, W. J., 476

Ezzat, M. A., 2056, 2058, 2703, 2704

Ezzat, Y. M., 2708, 2719

Fabietti, C. E., 96 Fahey, J. E., 655 Fahim, M. S., 2869 Fahmy, M. A. H., 1702 Fairbanks, L. D., 3757 Fairchild, M. L., 169, 688, 1736, 2361 Faivre-Amiot, A., 2605 Falcon, L. A., 2256, 2373 Fam, E. Z., 93 Fares, F., 2056, 2057 Farias, G. J., 2947 Farkas, G., 297 Farmer, W. J., 2193, 2194 Farrell, J. A. K., 340 Fasulati, K. K., 3589 Fattah, Y. M., 3600 Fatzinger, C. W., 382, 1944, 3689 Faust, R. M., 2223, 2320, 3218, 3219 Feakin, S. D., 2620 Fedorintchik, N. S., 3545 Feeny, P., 388 Feeny, P. P., 3635 Felley, D. R., 2962 Felton, J. C., 1149 Fenemore, P. G., 1893, 3863, 3872, 3873, 3879 Fennah, R. G., 1287, 1566 Fergason, V. L., 169 Ferguson, D. E., 3747 Fernandes, A. M. S. Silva, 2854 Fernandez, A. T., 163 Ferreira, A. R., Horta, 3951 Ferreira, J., Alves, 3848 Ferreira do Amaral filho, B., 3848 Ferreira do Amaral, J., 3847-3849 Ferrer, A. Giménez, 2034 Ferro, D. N., 1953 Ferron, P., 2154, 3557 Feytaud, de, 4032 Fields, E. S., 2794 Filipek, P., 1503 Filmer, R. S., 2441 Filshie, B. K., 2213 Fimiani, P., 1120 Finch, S., 41 Fincher, G. T., 558 Findlay, G. M., 3605 Findley, W. R., 2364 Finlayson, D. G., 180 Finley, M. T., 3747 Finnegan, R. J., 2977 Finnigan, B., 373 Firman, I. D., 1047 Fischer, M., 1111, 2307, 3515, 3583 Fischetti, D. L., 703 Fishelson, L., 1386 Fisher, G. T., 643 Fisher, R. C., 2178, 3163 Fisher, R. W., 1259 Fishwick, F. B., 6 Fisk, F. W., 1948

Fitzgerald, T. D., 401 Fjeld, P., 3607, 3746 Fjelddalen, J., 1165 Flaherty, B. R., 1208 Flaherty, D. L., 943, 3206 Flanders, S. E., 249, 461, 2813 Flechtmann, C. H. W., 3669, 3822, 3824, 3825 Fleschner, C. A., 2452, 2718, 2767 Flessel, J. K., 194, 2442 Fletcher, B., 2751 Fletcher, K. E., 812 Fletcher, L. W., 3 Flint, R. A., 3190 Floru, S., 280 Floyd, E. H., 635, 2408, 2768 Fluiter, H. J. de, 1143 Fluker, S. S., 1193 Foiles, L. L., 1732 Fondacaro, J. D., 941 Fontana, P. G., 1564 Fontemachi, E. C., 2029 Foote, B. A., 392 Foott, W. H., 2984, 2985 Forbes, A. R., 1675 Force, D. C., 1941 Ford, B. J., 28 Ford, E. B., 462 Ford, J. B., 2838 Ford, J. H., 3729 Ford, M. G., 1531 Forrest, J. M. S., 3774 Fort, S. W., 633 Fossel, A., 3439 Fouillet, P., 1546 Founk, J., 1781 Fowler, J. F., 2319 Fox, A. S., 1229 Fox, C. J. S., 2758 Fox, R. C., 3664 Fox, R. E., 3899 Fraenkel, G., 746 Frank, J. H., 2011 Frankenhuyzen, A., van, 3524 Franklin, R. T., 553, 1228, 1687, 246M 2465, 2817, 3718, 3721 Franz, J. M., 1132, 2271 Fraval, A., 1825, 4041 Frazer, B. D., 1675 Freal, J. J., 1915 Fredeen, F. J. H., 3748 Free, J. B., 491 Freeman, J. A., 1551 Freeman, T. N., 3284 Freitag, J. H., 2901 Freitag, R., 1257, 3288 Freitas, A. S. W., de, 3605 French, F. L., 1561 French, J. R. J., 519 French, N., 814, 1645

Fresneau, M., 1086

Frick, K. E., 956 Fries, G. F., 29 Fries, G. R., 3011 Friesen, H. A., 1683 Frosheiser, F. I., 2486 Frost, K. R., 182 Frost jr., M. H., 3234 Frost, S. W., 203 Fuester, R. W., 1950, 2410 Fuhremann, T. W., 3214 Fujii, K., 2624 Fujimoto, M. S., 148 Fujita, T., 1610 Fukamachi, B., 3054 ukami, J., 1022, 1023, 1620 Fukaya, M., 49, 50, 1031 ukuda, H., 2504 Fukunaga, K., 1022, 1023, 1620, 2500, 2635 lukuoka, H., 3057 iukuto, T. R., 1702, 2871 Fuller Lewis, P., 798 Fullerton, D. G., 162 Fulton, H. G., 180 Fulton, W. C., 525, 2814 Furdík, M., 1588 Furmanec, D., 3975 rurr, R. E., 2450, 2779 Fürtunov, Kh., 3445, 3451 ye, R. E., 120, 126, 131, 220, 616, 639,

Gabardo, J. C., 1281
Gabica, J., 1096
Gadallah, A. I., 2763, 2776
Gagné, W. C., 2836
Galacqac, N., 3041
Galecka, B., 732
Gall, G. A. E., 1552
Gallagher, J., 2373
Gallo, A., 3171
Gallo, D., 3800
Gallun, R. L., 1202
Galochkina, L. A., 4147
Galvez, G. E., 1276
Galvez-E., G. E., 2197
Gambaro, P. I., 3481
Gamez, R., 3795

1726, 2798, 3222 ytizas, E., 3401, 4071

Jamez, R., 3795
Janesalingam, V. K., 2178
Jaresalingam, V. K., 2178
Jaresalingam, V. K., 2178
Jaresalingam, V. K., 2189
Jaresal, R. I., 940, 1274, 1275, 2487, 2488, 3696
Jarcia, C., 3659
Jarcia, J. A., 626
Jarcia, M. F., 990, 994, 1289, 2030
Jard, I., 3643
Jardenas, M. R., 1277
Jardiner, B. G., 1530
Jardiner, L. M., 1271
Jarrett, S. D., 2425

Gary, N. E., 1591 Gaskin, D. E., 3869 Gastler, G. F., 222 Gaston, L. K., 386, 387, 957, 1247, 2756, 3683, 3701 Gates, H., 1998 Gawande, R. B., 2726 Gay, F. J., 2317, 3335, 3895, 3903 Gazzar, L. M., El-, 3405 Gebauer, É. Ya., 4143 Gebhardt, M. R., 2618 Gebre Medhin, Shitaye, 2541 Geer, B. W., 575 Geering, Q. A., 801 Geest, L. P. S. van der, 2285 Geier, P. W., 3904 Geistlinger, N. J., 1670 Gelperin, A., 1866 Gelti-Douka, H., 4004 Gentry, C. R., 141, 219, 1761, 2383, 2448 Geoffrion, R., 1160, 1162 George, C. R., 3778 George, W. G., 1199 Georgevits, R., 3466 Georgiev, G., 3128 Georgiev, I., 3446 Gerard, B. M., 2288 Gerbachevskaya, A. A., 2568 Gerber, G. H., 2321 Gerhardson, B., 3541 Gerhardt, P. D., 182, 1767 Gerling, D., 253, 460, 3702 Germanov, A., 282 Gerolt, P., 1529 Gerson, U., 2497, 3973 Gerwen, A. C. M. van, 1010 Getchell, A. S., 2992 Gewecke, M., 1810 Ghai, S., 1581 Ghai, Swaraj, 1576 Ghani, M. A., 502, 508 Ghar, M. Abo-El-, 3966, 3967 Ghar, M. R. Abo El-, 94, 103, 3403 Gharib, A., 3929 Ghauri, M. S. K., 242, 1887, 2668 2669, Ghesquiere, J., 2043 Ghobrial, M., 2059 Ghose, S. K., 867 Ghosh, A., 1750 Ghosh, A. K., 114 Ghouri, A. S. K., 856 Ghul[l]am-Ullah [Chaudhry], 510-512, 1376, 1377 Giandomenico, N., 1122 Giannotti, J., 2157, 2609, 3508, 3509 Gibbs, A. J., 2317 Gibson, F. A., 1003 Gibson, K. E., 186 Gibson, L. P., 2932 Gibson, T., 593

Gil, H., 1288

Gilbert, L. I., 416, 2910 Gilbert, M. D., 187 Gilgan, M. W., 1474 Gilham, E. M., 4094 Giliomee, J. H., 1402 Gill, C. C., 2479, 2482 Gillenwater, H. B., 172, 1765 Gillier, P., 108 Gilyarov, M. S., 1851 Giménez Ferrer, A., 2034 Ginku, A. I., 4157, 4159 Girard, D. H., 1917, 1918 Girardeau jr., J. H., 1218, 2387, 3716 Giraudet, L. Cadeilhan, 3953, 3954 Giray, H., 2086 Girolami, V., 4016, 4020 Gish, C. D. 3751 Given, B. B., 894 Glancey, B. M., 2163 Glass, E. H., 147, 2365 Glass, N. R., 2989 Głogowski, K., 1501, 1504, 3116 Glumac, S., 1506 Goble, H. W., 2980 Gochnauer, T. A., 546 Godfrey, G. L., 3779 Goeden, R. D., 964, 1192, 2443, 2771 Goeldner, H., 2143 Gogia, U. K., 3780 Goh Kee, Guan, 2227 Goix, J., 301 Gokulpure, R. S., 2206 Goldenberg, S., 1879 Gołębiowska, Z., 1540, 3114, 3588 Golubenko, N. N., 1104 Gomaa, E. A., 2843, 3409 Gomes Medeiros, A., 2290 Gomulinski, M. S., 1921 Gonçalves, M. L., 3391 Gonçalves, R. C., 3836 Gonen, M., 4005 Gonzalez, D., 177, 360, 683, 1734, 1947, 1955, 2070, 2772, 3204 Goodwin, R. H., 2213 Goonewardene, H. F., 176, 2441 Goos, A., 4126 Goos, M., 4126 Goossens, P. A., 3991 Goot, V. S. van der, 2245 Gorbatyuk, N. M., 3560 Gordon, C. H., 3011 Gordon, H. T., 2803 Gordon, R., 1380 Gordon, R. D., 3673 Gorlenko, M. V., 2135 Gorshkov, N. V., 1476-1479 Gorÿshin, N. I., **432** Goryunova, E. S., 1445 Gorz, H. J., 129 Gösswald, K., 446, 3969 Gostick, K. G., 788, 1542, 2655

Gothilf, S., 252, 257, 4001, 4006 Gouger, R. J., 540 Gough, D., 3653 Gough, H. C., 344 Gough, R. H., 2729 Gould, G. E., 184, 655, 927 Gould, H. J., 813, 1640, 1650 Goulding, R., 823 Gourret, J. P., 1826 Govindu, H. C., 2204 Goyer, R. A., 909, 2812, 3632 Goytía, E., 979 Grace, T. D. C., 43, 3992 Graf, P., 3421 Graham, C. W., 813 Graham, H. M., 163, 216, 673, 1188, 1782, 2445, 2760, 2783, 3251 Graham, J. E., 1255 Graham-Bryce, I. J., 4 Granados, R. E., 1802 Granhall, I., 776, 1544 Grant, G. G., 2182, 2433, 3681 Grau, P. A., 1965 Graves, G. N., 1713 Graves, J. B., 958 Gray, B., 1899, 1993, 2784 Greathead, D. J., 1818, 1885, 2537, 3397 Greaves, T., 2210, 2211, 2212 Green, A. A., 473, 1179 Green, H. B., 1966 Green, N., 119, 484 Greenbank, D. O., 1992 Greenberg, L., 2216 Greenberg, S., 261, 1387, 1089-1091, 2072 Greene, G. L., 197, 659, 1768, 3224, 323 Greene, J. F., 3000 Greening, H. G., 3028 Greenstock, D., 1847, 1848 Gregory, B. G., 3649 Gressitt, J. L., 1351, Gribakin. F. G., 2129 Griffith, P. H., 396 Griffiths, D. C., 808 Griffiths, K. J., **529** Grigorov, I., 289 Grigorov, S., 739, 3127, 3455 Grijpma, P., 233, 1274, 1275 Grimal'skiĭ, V. I., 2137 Grimble, D. G., 156, 1194 Grinberg, T., 3997 Grinfel'd, E. K., 720 Grisdale, D., 398, 2991 Grison, C., 1827 Grison, P., 2284, 4030 Grissinger, E. H., 3729 Groen, J. B., 3987 Grosch, D. S., 205 Grosvenor, A. E., 176 Grover, P., 3370 Gruev, B., 282, 283, 1838 Grujić, D., 3476

Grünberg, A., 259 Grundmann, A. W., 1187 Gruys, P., 3523 Grylls, N. E., 3307 Grzelak, K., 3756 Guagliumi, P., 1283, 1284, 1287, 1795, 3843-3846 Guan, Goh Kee, 2227 Guan Soon, Lim, 1574, 2227 Gueldner, R. C., 486, 1710, 2435 Guerra, A. A., 619, 3656 Guerrieri, G., 4055 Guimarães, J. Monteiro, 3505 Guirgis, I. I., 2062 Gukasyan, A. B., 1843 Gullà, M. C., 1912 Gulyaev, P. I., 431 1805-1809.

Gunther, F. A., 653, 1520, 2547-2551, 2853-2857, 3592 Gunther, J. D., 1520, 1805-1809, 2547-2551. 2853-2857, 3592

Guppy, J. C., 1256, 2995, 3290, 3618 Gupta, A. K. Sen, 332

Gupta, B. N., 3177 Gupta, J. C., 1051, 1354, 2682 Gupta, M., 2518

Gupta, S. K., 1580 Guram, M. S., 73

Gurney, B., 1151 Gusev, G. V., 3554 Guss, P. L., 2375

Gustafsson, M., 2269 Guthrie, F. E., 2553, 2870 Guthrie, W. D., 572

Gutierrez, A. P., 1197-1198, 1922-1925 Gutierrez, J., 477, 3237, 3389

Guy, R. H., 1721 Gyotoku, N., 3070

Habeck, D. W., 2879 Habib-ur-Rehman, 508 Habu, A., 1570 Habu, N., 2636

Hackerott, H. L., 624, 2790

Hackwell, G. A., 1249 Haddad G., O., 2831 Haddow, B. C., 816, 817

Haden, D., 3875

Hadlington, P., 3019, 3892 Hadzibeyli, Z. K., 1107

Hadzistevic, D., 780 Hafez, A. A. El-, 94

Hafez, M., 2056-2058, 2710, 2851

Hafiz, I. A., 511

Hagel, G. T., 122, 610 Hagen, K. S., 1682, 2473 Haggag, Y. M., 2051

Haggag, Y. M. Y., 93

Hagstrum, D. W., 1201, 1720

Hagstrum, W. R., 1201

Haichenya, P. A., 3589 Haidari, H., El-, 3600 Hain, F. P., 912

Haine, E., 2840

Haisch, A., 4056, 4068 Hak, R. R. Iss-, 2045

Hale, L. D., 951

Hale, R. L., 633, 1756, 2804 Halfawy, M. El-, 2052-2055 Halfhill, J. E., 944, 1967

Halgren, L. A., 370-371, 938 Halkka, L., 2862 Halkka, O., 2862

Hall, D. G., 2869

Hall, D. W., 3174 Hall, I. M., 539, 2215, 3652, 3653

Hall, W. J., 2719 Halliday, D., 1073 Halliwell, R. S., 2892

Halperin, J., 1795

Haltebourg, M., 2066, 2067 Halteren, P. Van, 1408 Hamamura, Y., 1592 Hamid, M. A. K., 3594

Hamilton, D. W., 600, 2376, 2399, 2775

Hamilton, E. W., 184 Hamilton, K. G. A., 1983 Hamm, J. J., 2396

Hammad, S. M., 2706, 2712

Hamner, A. L., 411

Hampton, R. B., 649, 2378 Hampton, R. O., 122, 2897

Hamstead, E. O., 693 Hanley, A. V., 2191

Hanna, M. A., 103, 662, 2693 Hannothiaux, M., 1082

Hansch, C., 1611

Hansen, E., 3017 Hanson, F. E., 1593 Haponova, A. F., 707 Happ, G. M., 1951, 2184, 3760

Hara, K., 3054

Harakly, F. A., 2714, 2715 Harcharan Singh, 64, 70, 75

Harcourt, D. G., 899, 2815, 3281, 3618,

Hardee, D. D., 118, 486, 685, 1710, 2358, 2362, 2435

Harding, C., 484 Harding, J. A., 215, 2444

Hardwick, D. F., 230, 1686, 2619, 3279,

Hardy, D. L., 1321, 3907

Hardy, R. J., 1295-1298, 1301, 3905

Hardy-Smith, J., 474, 2657

Hare, W. W., 127 Harein, P. K., 172, 405

Hariri, G. El-, 2534, 2535, 3599

Harlan, D. P., 562 Harlan, H. J., 2364

Harman, D. M., 1932

Harnden, A. A., 3285 Harp, S. J., 2963 Harpaz, I., 2874, 3648, 3654 Harpaz, I., 26/4, 36/6, 36/6, 46/7, 10/7, Harris, C. R., 2785, 3742 Harris, E. J., 2374, 4057 Harris, F. A., 3239 Harris, H. M., 2204 Harris, H. R., 3664 Harris, K. M., 1877, 2665 Harris, K. R., 1206 Harris, P., 31, 1861 Harris, S. J., 29 Harris, W., 1888 Harris, W. B., 3904 Harrison, D. L., 1889, 3878, 3882-3884 Harrison, F. P., 3258 Harrison, R. A., 885 Harrow, K. M., 3862 Harry, O. G., 1538 Hart, J. R., 123 Hart, W. G., 378, 2414 Hartisch, J., 444, 3434 Hartley, G. S., 1855 Hartmann, J. F., 1585 Hartmann, M. J., 2327 Hartsell, P. L., 615 Hartsock, J. G., 2770 Hartstack jr., A. W., 1697 Harvey, T. L., 624, 2790 Harwalkar, M. R., 2755 Hasegawa, T., 2501 Haskell, P. T., 40, 756, 2616 Haskins, F. A., 129 Hassan, A., 2295 Hassan, A. A., 94 Hassan, M. H., 2060 Hassan, S. A., 3168 Hassan, S. M., 103, 1823, 2366, 3403 Hassanein, M. A., 2717 Hassanein, M. H., 104 Hassell, M. P., 1152, 2631 Hastings, E., 2923 Hatchett, J. H., 1202 Hathaway, D. O., 944, 1731 Hattori, I., 1038, 1907 Hatzinikolis, E. N., 3132, 3464, 3979, 4012, 4013 Haufler, M., 2106 Haus, J., 1587 Haverty, M. I., 178 Hawkes, R. B., 956 Hawlitzky, N., 3507 Hawthorne, J. C., 3729 Hayashi, K., 3918 Hayashiya, K., 48 Haynes, J. W., 2440

Häyrinen, T., 4106 Hays, D. B., 1968 Hazan, A., 3765 Head, S. W., 1178, 1583, 1586 Healy, W. B., 3878 Heath, E. D., 793 Heath, R. G., 30, 3737 Heathcote, G. D., 2652 Hebrant, F., 1248 Hedden, O. K., 1233 Hedin, P. A., 486, 1710, 2435, 3213 Hedlin, A. F., 1268, 2009 Hegdekar, B. M., 1748 Heikinheimo, O., 1627 Heikkenen, H. J., 140 Heimpel, A. M., 2274, 3218, 3219 Hein, A., 3169 Heinisch, E., 444, 3434 Heinrich, B., 2346 Heinrichs, E. A., 112, 2917 Heisler, C. R., 2401 Helle, W., 477 Helm, J. L., 169 Helms, T. J., 2281 Heming, B. S., 2370 Hemming, C. F., 109 Hench, K. W., 1234 Henderson, C., 3740 Henderson, C. A., 369, 613 Henderson, C. F., 2031 Hendricks, D. E., 163, 2439 Hendricks jr., L. C., 3205 Hennessy, D. J., 1617 Hensley, S. D., 200 Henzell, R. F., 3868, 3876 Hepner, L. W., 1221, 1771 Herbert, H. J., 1264, 1995 Herbert, I. V., 2838 Herfs, A., 744 Herfs, W., 3419 Herman, E., 4127 Hermanson, H. P., 653 Herold, F., 2484 Herrebout, W. M., 3408, 3413 Herrewege, J. van, 1546, 3974 Hertel, G. D., 912 Hertveldt, L., 3230 Hess, E. H., 309 Heuser, S. G., 2171, 3183 Hewitt, G. B., 1186 Hewitt, W. B., 3203 Hewlett, P. S., 846, 2166 Hewson, R., 2650 Hey, A., 1828 Hibbs, E. T., 662, 2904 Hickey, L. A., 955 Hicks, B. W., 136 Hidalgo-Salvatierra, O., 2489 Highland, H. A., 1721 Higuchi, T., 3052, 3061 Hildahl, V., 1665

Hildebrandt, A. C., 114 Hill, A. R., 3532 Hill, B. G., 2687 Hill, E. G., 6 Hill, K. R., 1695, 2794 Hill, L., 1245, 3994 Hill jr., R. R., 128, 625 Hill, S. O., 2411 Hillal, H., 2716 Hille Ris Lambers, D., 3164 Hills, F. J., 2899 Hills, T. M., 2740, 3256 Hilton, D. F. J., 2349 Himel, C. M., 2880 Hindy, B., 2720 Hink, W. F., 2277 Hintz, J. V., 2997 Hirabayashi, D. L., 1212 Hiranniah, B. V., 472 Hirano, C., 2633 Hirao, T., 752 Hirose, Y., 1327-1328 Hisamatsu, S., 2508 Hitchcock, B. E., 1175 Hochmut, R., 1490 Hocking, B., 2691 Hocking, H., 513 Hodgson, C. J., 245, 358, 1052, 2648 Hodgson, E., 1933 Hodjat, S. H., 1876, 2081, 3928, 3937-3944 Hoelscher, C. E., 2793 Hoffman, J. D., 217, 691 Hoffman, R. L., 566 Hoffmann, C. H., 404 Hoffmann de Camargo, A., 3807, 3808, **3810**, 3811

Hogan, T. W., 1564, 1878 Hokun', T. A., 709 Holborn, J. M., 3181 Holbrook, F. R., 148 Holcomb, R. W., 2556 Hollaway, W. T., 2449 Hollingsworth, J. P., 1697 Hollingsworth, M. J., 1246 Hollingworth, R. M., 1615 Holloway, R. L., 3199 Hollweg, G., 290 Holmes, H. B., 2322 Holmes, N. D., 2464 Holt, G. G., 3772 Holt, W. R., 3676 Holzapfel, E. P., 1001 Homonnay, F., 295 Honczarenko, J., 3585 Honěk, A., 2728 long-ming, Cheng, 2499 Hooper, G. H. S., 516, 1006, 1751, 4048, 4054, 4064

Hopkins, A. R., 2388, 2413, 2936, 3687,

Iopewell, W. W., 913

3707

Hopkins, H. G., 3191 Hopkins, S. H., 226 Hopkinson, D., 1064-1066 Hori, K., 42 Horikiri, M., 3054 Horio, S., 3078 Horler, D. F., 313, 316 Horne, R. W., 878 Horokhovs'kyi, M. O., 705 Horsburgh, R. L., 3289 Horstmann, K., 447 Horta Ferreira, A. R., 3951 Horton, G. A., 17 Horváth, J., 2141 Hosaka, Y., 977 Hosking, G. P., 236 Hosny, M. M., 2045-2047, 2297, 2844, 3402 Hostounský, Z., 4112 Houghtaling, J. E., 134, 2783 House, H. L., 760, 3287, 3291, 3763, 3768 Hovanitz, W., 766 Howe, D. E., 687 Howell, J. F., 144, 3221 Howell, J. O., 2402 Howitt, A. J., 1892 Howland, A. F., 593 Hoy, M. A., 943 Ho-yan, Liu, 2311 Hoyt, C. P., 963, 972, 3875 Hoyt, S. C., 1200 Hrdý, I., 2725 Hrutfiord, B. F., 3696 Hsiao, H. S., 1249 Hsiao, T. H., 374, 771 Hsien-ming, Chu, 962, 1533, 1534, 3755 Hsiu-t'ing, Chu, 3355 Hsiu-yü, Ts'ai, 3352 Huang, Chung-chia, 1961 Huba, A., 2110 Huber, J. T., 3010 Hubicka, J., 2571, 2573 Huchet, T. M., 2603 Huddleston, E. W., 1743 Huddleston, P. M., 118 Hudon, M., 2828 Hudson, N. M., 518, 1299, 3904 Hudspeth, W. N., 2328 Huesmann, H., 4101 Huffaker, C. B., 2626, 2629-2631, 3206 Huger, A. M., 545 Huggans, J. L., 572 Hughes, P. R., 1235 Hukuhara, T., 1334, 2218 Hull, H. M., 1520 Hull, R., 878 Hungerford, C. M., 2432 Hunnego, J. N., 3883 Hunt, O. J., 2401 Hunt, P., 3307 Hunter, P. E., 232, 560, 1219, 2187, 2918, 3719

Hunter-Jones, P., 23, 3939, 3940 Huque, H., 588 Hurpin, B., 1086, 1801, 2146, 2154 Hurst, G. W., 2237, 2241 Hussain, C. A., 1177 Hussein, E. M. K., 1235 Hussey, N. W., 789, 1151, 2254-2285 Huştiu, I., 268 Huston, F., 3661 Huston, P., 812, 1639 Hutt, R. B., 1701, 2806 Hutzinger, O., 2162 Hyde, M. B., 810 Hyeon, S. B., 1602 Hyer, A. H., 2436

Iacob, N., 274 Ibrahim, M. M., 2064, 2707, 2710, 2721 Ibrahim, S. H., 2063 Iglisch, I., 3407 Ignoffo, C. M., 144, 676, 2217, 2277, 2876, 3267, 3643, 3644, 3649, 3659 Igue, T., 3810 Ilan, A. R. Bar, 1237 Ilharco, F. A., 3506 Il'ichev, V. V., 721 Il'inskaya, N. B., 1098 Ilnytzky, S., 2964 Imamkuliev, A. G., 1099 Immendoerfer, G., 2113 Imms, A. D., 3528 Imnadze, T. S., 3417 Inaizumi, M., 3913 Ingangi, J. C., 1692 Ingle, S., 2414 Ingle, S. J., 378 Inglis, A., 3740 Ingram, B. F., 3316 Injac, M., 1507, 3150, 3474 Inoue, K., 3069 Inserra, S., 3485 Ionescu, M., 267, 271 Iperti, G., 3555, 4043 Iqbal Ahmad, M., 1376, 1377 Ironside, D. A., 3313, 3315 Irvine, H. B., 1975 Isart, J., 3500, 4024 Ishaaya, I., 2076, 3762, 4089 Ishiguro, T., 3915 Ishihara, T., 1324, 2507 Ishii, S., 1033, 1594 Ishikawa, S., 752, 1032 Ishikura, H., 1035 Ishira, T., 1887 Ismail, I. I., **2694**, **2695** Ismail [Chaudhry], M., 1376, 1377 Isoe, S., 1602 Israel, P., 2199, 2672, 3381 Issa, G. I., 2296 Iss-Hak, R. R., 2045

Itayama, T., 3066 Itô, Y., 2498, 2632 Itria, C. D., 2033 Ivanov, S., 285, 286, 287 Ivanov, V. P., 2131 Ivanova, E. Bembassat-, 1167 Ivany, M. L. Szent-, 240 Ivany, M. L. Szent-, 240 Iwahashi. O.. 2632 Iwai, P. J.. 3277 Iwao, S., 3295 Iwatani, K., 3078 Iyatomi, K., 1614, 3916

Jacklin, S. W., 121, 585

Jackson, C.E., 2070, 3204 Jackson, C. G., 587, 606, 2944 Jackson, G. J., 3650 Jackson, H. B., 2913 Jackson, M. D., 3732 Jacky, F., 1159 Jacob, D., 3700 Jacobs, S. N. A., 20 Jacobson, L. A., 1266 Jacobson, M., 119, 484, 1595, 3260, 3771 Jacques jr., R. L., 2394 Jadot, R., 3521, 3522 Jafri, R. H., 3275 Jagadish, A., 3083 Jakubowska, J., 3118 Jaleel, M. A., 588 Jalil, M., 466 Jalloul, A., 3598 Jamal, S. M., 511 James, M. T., 523, 2013 Jamieson, W. D., 2162 Janarthanan, R., 84 Janas, J., 723 Janes, M. J., 197 Janes, N. F., 1531, 3615 Janke, C., 3435 Jankó, G., Czeglédi-, 3726, 3727 Jansen, W. P., 695, 2329, 2757 Jao, L. T., 2803 Jaques, R. P., 543, 1260, 3661 Jarvis, J. A., 3859 Jarvis, J. L., 614 Jasič, J., 2725, 4113 Javadi, I., 1928, 2782 Jay, E., 1223 Jay, E. G., 172, 2330 Jayaraj, S., 1488, 2099, 2841, 3081 Jayaraman, S., 2734 Jayarathnam, K., 89 Jefferies, D. J., 2242 Jefferson, R. N., 1183, 2946 Jeffs, K. A., 4092 Jenkins, C. F. H., 1320 Jenkins, J. N., 192, 651, 773, 1189, 17 2764

lenkins, R. P., 1229 lenkins, R. Y., 748 rennings, D. M., 3 tennings, D. T., 3684 tensen, D. D., 2877 ensen, G. L., 198, 647 ensen, S., 32 enser, G., 2139 jeppson, L. R., 622, 1809 epson, W. F., 19 lerath, M. L., 1812 ternberg, N., 159 ester, C. W., 2399, 2775 ewess, P. J., 4090 iménez, A., 4022, 4023, 4062, 4063 johnels, A. G., 32 johnson, E. R., 3925 johnson, G. V., 157, 585 nohnson jr., J. C., 621 10hnson, N. E., 3232 nohnson, W. L., 3740 johnston, H. R., 409, 3245 johnstone, D. R., 1055 oko, T., 3801 oly, R., 1158 tones, C. J., 3648 tones, C. P. Lloyd-, 3606 tones, E. L., 1305, 3904 sones, G. A., 152, 1745 ones, J. M., 1644 ones, J. S. L., 3178 ones, L. S., 627 ones, M. G., 24, 344 ones, P. A., 222, 698 ones, P. Hunter-, 23, 3939, 3940 ones, R. F., 4090 ones, R. L., 1706, 3697 ones, S. C., 674 ones, W. M., 1695

ones, S. C., 674
ones, W. M., 1695
ong, C., 3621
ong, P. De, 78
oos, J., 608, 609
oosse, E. N. G., 3987
ordović, M., 3141
orge, M. L., 1407
oseph, K. J., 1579
oseph, K. V., 3376
oshi, B. G., 1368, 2200
oshi, H. C., 1361
otwani, M. G., 1356
oubert, J. J., 2685
oubert, P. C., 1404
ournet, P., 2117
owett, D., 1820
oyce, R. J. V., 797
olb jr., G. L., 1969, 2928, 3694
old, W. W., 3294
oldge, F. D., 195, 654

ılia, J. F., 107

Imalon, J., 498

ump, R. Tan Jun, 997

Jun Jump, R. Tan, 997 Jurimas, J. P., 952, 955, 1692 Jurzitza, G., 3398 Jussila, R., 4109

Kabacik-Wasylik, D., 3125 Kabanov, V. A., 1101 Kabir, S. M. H., 3252 Kadłubowski, W., 1113 Kado, M., 2499 Kadoum, A. M., 1764 Kadunce, R. E., 2992 Kady, M. H., El-, 100, 101, 2065 Kagan, F., 728 Kahrs, R. A., 329, 330 Kailidis, D. S., 741, 3430, 3466 Kaitazov, A., 3444 Kajita, H., 1348 Kakihara, T., 3051 Kakoti [Kakoty], N. N., 2510, 3379 Kalali, G. H., 3932 Kalinin, L. B., 430 Kalmoukos, P. E., 3410, 3465 Kalode, M. B., 2199 Kaloostian, G. H., 117, 143 Kamasaki, H., 207, 361 Kamath, M. K., 504 Kamburov, S. S., 3225 Kamel, A. A. M., 2048 Kamel, A. H., 93, 2647, 2713, 2717 Kamenkova, K. V., 1457, 1464 Kamhi, J., 1852 Kamiński, E., 1500 Kamm, J. A., 633, 664 Kandiah, U., 1875, 1884 Kaneko, T., 1024 Kanevcheva, I. S., 4147 Kangas, E., 2250, 3427 Kapała, T., 3103 Kaplanis, J. N., 1857 Kapoor, I. P., 2741 Kapoor, V. C., 2522 Kapustina, O. V., 1465 Karabash, Yu. A., 1421 Karaman, Z., 2305 Karczewska, M., 4134 Karg, J., 433, 735 Karg, W., 1835, 3433 Kashyap, C. S., 3594 Kasparyan, D. R., 3582 Kaspers, H., 2144 Kassai, T., 3982 Kas'yanova, E. T., 4149 Katayama, H., 2493 Katiyar, K. N., 1576 Katiyar, K. P., 166, 4058 Kato, T., 1900, 3910 Kaurava, A. S., 1369 Kavadia, V. S., 62, 3921 Kawahara, S., 3062

Kawai, S., 44, 2505 Kawakita, T., 3918 Kawano, Y., 2857 Kawatski, J. A., 2434 Kayano, H., 326 Kayumbo, H. Y., 91 Kazancioğlu, K., 2088 Kazano, H., 2500, 2635 Kazantseva, I. K., 1467 Kazaure, I., 1073 Keane, W. T., 1914 Kearby, W. H., 183, 372 Kearsey, M. J., 324, 325 Kee Guan, Goh, 2227 Keeley, L. L., 397 Keep, E., 1803 Kehat, M., 1089, 1090, 2072 Kehr, W. R., 605, 3227 Keiser, I., 1694, 3217 Keller, E., 2118 Keller, J. C., 2439 Kellock, A. W., 1304 Kelsey, J. M., 887 Kelsey, L. P., 1749 Kempf, W. W., 2835 Kenchington, W., 1858 Kennedy, A. D., 3680 Kennedy, B. H., 677, 1733 Kennedy, J. S., 747 Kennedy, M. V., 3239 Kennedy, P. C., 2353, 3241 Kennett, C. E., 1777 Kenten, R. H., 1150, 3977 Kerezov, D., 3448 Kerr jr., T. W., 3262 Kerrich, G. J., 349 Kerridge, P., 91 Kesten, U., 3412 Kevan, D. K. McE., 1562, 1563 Kewal Dhari, 3925 Key, K. H. L., 1868 Keynäs, K., 1630 Khadzhibeili, Z. K., 1107 Khaire, S. N., 2755 Khalaf, K. T., 1206 Khalil, F. A., 2048 Khalilov, B. B., 4138 Khan, Abdul Aziz, 3275 Khan, D. U., 2071 Khan, R. M., 1361 Khanna, S. S., 2097 Khare, R. D., 2095 Kharizanov, A., 3459 Khlistovskii, E. D., 3100 Kicherov, V. P., 1486, 1487 Kieckhefer, R. W., 595 Kilany, S. M., 2366, 3403 Kilian, L., 2400 Killick, R., 327 Killinen, R. G., 2431 Kim, K. C., 949

Kim, S. K., 1959 Kimbrough, J. W., 540 Kimmel, E. C., 3615 Kimmins, J. P., 3297 Kincade, R. T., 1771 Kincaid, R. R., 141 Kind, T. V., 2132 Kindler, S. D., 155, 605, 3227 King, R. C., 608, 609 Kingsolver, J. M., 3672 Kinzelbach, R. K., 1170 Kinzer, H. G., 379 Kirchner, H. A., 1832 Kirchner, W., 446 Kiritani, K., 1044 Kirk, V. M., 2934, 2943 Kirkov, K., 3456 Kirkpatrick, R. L., 1722 Kirollos, J. Y., 2904 Kishaba, A. N., 119, 593 Kishi, Y., 52 Kishino, K., 1902, 3909 Kishiyama, J., 2899 Kishore, Prem, 1577 Kisimoto, R., 3056 Kiskin, P. Kh., 4154, 4155 Kislev, N., 3648, 3654 Kislow, C., 2939 Kistner, D. H., 1347 Kiyoku, M., 1326, 1903 Klapperich, J., 3424 Klassen, W., 154 Klauznitser, B., 1104 Klechkovskii, E. R., 1469 Klein, M., 2874 Kleinhout, J., 2306 Kleinjan, J. E., 1243, 3770, 3775 Klimetzek, D., 3969 Klochko, M. D., 1459 Klostermeyer, E. C., 2754 Klun, J. A., 174 Kmitowa, K., 734 Knapp, J. L., 1736 Kneitz, G., 446 Knight, F. B., 1194 Knight, R. L., 1803 Knorr, L. C., 1775, 2105 Knowles, C. O., 181, 332, 672 Knox, F. E., 621 Knülle, W., 125 Knutson, L. V., 854, 1204, 1638, 2646 Knyazeva, N. I., 2125, 2134 Kobachidze [Kobakhidze], D. N., 3417 Kobachidze [Kobakhidze], T. D., 3417 Kobara, R., 2634 Kobayashi, K., 3076 Kobayashi, M., 1034, 1334, 3072, 3274 Kobayashi, R. M., 1714 Kobayashi, S., 2494 Kodirah, S. M., 2065 Koehler, C. S., 647, 2538, 2903

Koehler, P., 2940 Kogan, M., 964, 1192 Lögler, E. Müller-, 2148 Cöhler, P., 999 Cohno, M., 3064 Kok, Loke Tuck, 1534, 3755 Kok, M. L., 1881 Kokina, R. V., 4144 Kokke, R., 2164 Lokuev, 2712 Lolbe, W., 2142, 2144 Lolbye, S. M., 3017 Colobolotskii, G. V., 2558 Colubajiv, S., 1491 Comarova, O. S., 4044 Comosińska, H., 1115 Comura, M., 1714 Kondakov, N. I., 4142 Conečný, V., 1588 Lonijn, A. M., 3596 Lonikov, A. S., 1478 Constantinova, G. M., 3544 Contev, Kh., 3446 löppä, P., 4105 lorcz, A., 724, 4123 Coretskaya, Z. M., 1423 Cornilov, V. G., 1445 Corol', I. V., 4144 Cosać, D., 3145 loślińska, M., 725 Losztarab, M., 565, 3680 Lot, J., 4130 Lotter, E., 235 Loura, A., 2052-2055 Lousalya, G., 61 Lováč, J., 4095 Lovačević, Z., 3153 Lovachevski, I., 285-289 Lovačičová, J., 4095 Lovàcs, A., 4099 Lovtun, I. V., 704 Lowalska, T., 731 doyama, K., 53, 1905 A.oyama, S., 3076 sloyama, T., 2680 Lozlov, M. A., 3578 ramer, C. L., 3529 rczal, H., 1140 reitzer, J. F., 30 rieg, A., 545, 2260, 2273, 2283, 3658 rieger, R. I., 187, 202, 2447, 2873, 3781 riegl, M., 3421 drimbas, C. B., 2073 ring, J. B., 206 rishna Menon, P., 4096 rishnamurthy, C. S., 61 rishnamurthy, K., 860

rishnan, G., 1372

ristensen, E., 450

rithayakiern, V., 2918

rnjaić, S., 1518, 3475

Kropczyńska, D., 3101, 3112 Krueger, H. R., 2791 Kruitwagen, E., 583 Krysan, J. L., 2375 Krywienczyk, J., 3276, 3655 Krzysztofowicz, A., 3107 Ksiażek, J., 1502 Kučera, M., 2262 Kudina, Zh. D., 1422 Kudryavtsev, G. I., 1479 Kuehl, R. O., 1726 Kugler, J., 4005 Kuhl, G., 2153, 3508, 3509 Kuhlman, D. E., 2416, 2742 Kuhn, C. W., 2484 Kuhn, P. J., 2745 Kulkarni, H. Y., 2900 Kulkarni, S. M., 2515 Kulman, H. M., 140, 1864, 1988, 3722 Kumamoto, K., 3067 Kumar, R., 870 Kundu, G. G., 1577, 2518 Kunkel, H., 3770 Kuno, E., 2627 Kunze, L., 1140 Kuo, J. S., 1659 Kurdyukov, V. V., 1441 Kurentsov, A. I., 1475 Kurian, C., 868, 3919, 3927 Kurihara, M., 46 Kurihara, N., 1612 Kurir, A., 2845 Kurosawa, M., 841 Kurosu, Y., 2500, 2635 Kurtti, T. J., 1856 Kusano, T., 51 Kushwaha, K. S., 88 Kuszala, C., 2608 Kutsch, W., 1176 Kuwahara, Y., 3917 Kuwatsuka, S., 1619, 2499 Kuzitowicz, Z., 3119-3121 Kwolek, W. F., 542

Laan, P. A. van der, 2285 Lacote, J. P., 1826 Lacy, M. L., 1920 Ladd jr., T. L., 1692 Laemmlen, F. F., 2730, 2890 Lafrance, J., 1654-1655 LaFuente, M., 4026 Lagar, A., 3499 Laidlaw, R. A., 2644 Laigo, F. M., 3038 Laine, L., 1628 Laing, D. R., 1682 Laing, J. E., 2626 Lakocy, A., 729 Lakshminarayana, K. V., 3375 Lakshminarayana, V., 4096

Lal, Rattan, 62, 869, 2202, 2519, 2520, 3921 Lall, B. S., 3924 Lallukka, R., 2862 Lambers, D. Hille Ris, 3164 Lambert, J., 303 Lambropolou, M., 4004 Lammerink, J., 3881 Lamont, T. G., 3739 Landis, B. J., 942 Lang, J. H., 412, 2406, 2795, 3250 Lang, J. M., 646 Lange, R., 3436 Lange, W. H., 2899 Langford, G. S., 3711 Langley, P. A., 4051, 4065 Lanier, G. N., 2993, 3623, 3626 Lanna Cheng, 2645, 4078, 4079 Lapierre, H., 1825 Laplante, J.-P., 306 Lappa, N. V., 710, 1426, 1436 Lara, F., Mesquita, 3806, 3809 Lara Neto, P., 3803 Larini, L., 3857 L'Arrivee, J. C. M., 546 Larrue, J., 2608 Larsen, W. E., 162 Laryea, A. A., 2294 Laseter, M. W., 3213 Lasheen, A. M., 1723 Lassota, Z., 3756 Laster, M. L., 1771, 2450, 3239 Latkowski, W., 2575 Lattin, J. D., 3668 Laudého, Y., 4043 Lauer, F. I., 925 Laughlin, R., 3989 Laux, W., 321, 843, 1556, 1916, 2613, 3162, Lavabre, E. M., 2287, 2865, 3960 Lawko, C. M., 3660 Lawrence, P. A., 883 Lawson, F. R., 217, 3240, 3688 Laxminarayana, K., 2807 Lazarov, A., 285-289, 3453 Lea, A., 354 Leal, A. A. Ramalho, 2022 Leăo Veiga, A., de Souza, 3834, 3835 Leath, K. T., 2481 Lebedev, G. I., 3543 Le Berre, J. R., 761 LeCato III. G. L., 946, 1929 Lech, W., 4135 Leclant, F., 1826, 2610, 3347, 4035 Lee, B., 1011 Lee, C. Y. L., 1714, 1763 Lee, D. F., 828 Lee, H. Y., 2509 Lee, P. E., 975, 2314 Lee, Y. W., 3015, 3016 Leech, R. E., 1257

Leeling, N. C., 1919 Leenheer, J. A., 2952 Lefter, G., 275 Legg, J. T., 1150, 3977 Leggett, J. E., 126, 2358 Legner, E. F., 2453 Legowski, T. J., 1642, 1643 Lehman, W. F., 611, 1711, 2788 Lehman, W. F., 611, 1711, 2766 Lehmann, W., 1836 Lehner, P. N., 880 Lehoczky, J., 296 Leib, E., 740 Leigh, T. F., 177, 683, 2070, 2436, 3204 Leite Cardoso, H., 2037, 2038 Lekić, M., 3148 Lekomtseva, S. N., 2135 Lemeni, V., 267, 3442 Lempke, B. J., 2246 Lenoir, A., 761 Leonard, D. E., 574, 602, 1681, 3223, 36308 Leonard, M. D., 696, 933, 1787-1789, 36717 Leong, K. L. H., 2331 Leonide, J. C., 338 LeRoux, E. J., 899, 2821, 3642 Łęska, W., 3113, 4125 Leskova, A. Ya., 1454 Leston, D., 346 Letey, J., 2193 Le Torch, J. M., 786 Leuck, D. B., 204, 621, 666, 1718, 1766 2398 Levinson, H. Z., 1237 Lewandowski, A., 3122 Lewin, V., 3304 Lewis, K. R., 140 Lewis, P. Fuller, 798 Lewis, T., 836, 1647 Lewis, W. J., 1728, 2360, 2810, 3697 Lhoste, J., 303, 784, 820 Li, Lien-ch'ang, 3353 Li, Pao-lan, 3354 Libby, J. L., 1415, 2042 Lichtenstein, E. P., 331, 638, 2427, 3214 Liebermann, J., 996 Lien-ch'ang, Li, 3353 Lienk, S. E., 667, 2365, 2902 Likventov, A. V., 1460 Lim, Guan Soon, 1574, 2227 Lim, H. C., 1563 Lima filho, J., Souto, 3833 Lin, T., 218 Lincoln, A. C., 1733 Lincoln, C., 3198, 3199 Linde, R. J. Van der, 2302 Linder, R. L., 3749 Lindgren, D. L., 948, 1742, 2390 Lindley, C. D., 796 Lindquist, D. A., 1735, 3237 Lindquist, E. E., 1254, 2819 Lindquist, O. H., 533, 1269, 3285 Lindsten, K., 3541

:Lingren, P. D., 1697, 1735 Lints, C. V., 3610 Lints, F. A., 3610 Lionnet, J. F. G., 3397 Lipa, J. J., 2268, 3590, 3591, 4129 Lipes, J. E., 2014 Lipski, Z., 4126 Little, C. H. A., 1754 Liu, Ho-yuan, 2311 Lloyd, J. E., 158, 1859 Lloyd, N. C., 3029, 3904 Lloyd-Jones, C. P., 3606 Lodos, N., 1080, 2289, 2291, 3397 Lofgren, C. S., 1770 Lofty, J. R., 1639 Logan, D. M., 1261 Loke Tuck Kok, 1534 Lombard, P., 570 Lomura, M., 1763 Long, D. L., 3529 Long, J. S., 3261

Longoria, R. R., 630 Lönsjö, H., 1636 Lopatina, N. G., 2133 Lopes, M. Duarte, 3823 López, G. Martínez, 1276 López-Abella, D., 1651 Lopez Campos, G., 3957

Lopez D., F., 361, 1741, 1957, 4069

Lord, K. A., 4092 Lore, R., 180

Loschiavo, S. R., 34, 2827, 3272 Lotfy, M. S., 2048

Lotto, G. De, 353, 2417 Loughner, G. E., 2743 Lourenço, F. Martins, 1407

Louw, J. F., 2686

Loux, E., 1166 Love, J. N., 415 Lovins, R. E., 335 *Lowe, A. D., 889 Lowe, H. J. B., 2667 Lowe, M. D., 3868

4Lower, H. F., 1303, 3904

Lowry, W. L., 1747 Löyttyniemi, K., 4107 Lozovoř, D. I., 1439

Lu, Y. T., 1039 Luca, Y. de, 785, 4033, 4034 Lucas, J. A. W., 2248 Luckmann, W. H., 2376

Ludke, J. L., 3747 Luff, M. L., 27

Lukefahr, M. J., 134, 626, 2783, 3251

Luk'yanovich, F. K., 1880 Lum, P. T. M., 1208

Lund, A. E., 2270 Lund, H. O., 558

Luppova, A. N., 429 Lusk, G. J., 415

Lustig, E., 3017

Lüthy, P., 2280, 3646 Luuring, B. B., 1648 Lydin, L. V., 1731

Lynn, C. D., 3203 Lyon, D. J., 1696

Lyon, D. J. de B., 1411 Lyon, J. P., 3552

Lyon, R. C., 2397

Lyon, R. L., 1703, 1757, 2796

Lyons, L. A., 530, 1265 Lysenko, O., 2262

Lyubenov, Ya., 285-289

Ma, Chung-shih, 3354 Ma, Wei-chun, 755

Maas, P. W. T., 1800

Mabrouk, A. A., 2048 McAlpine, J. F., 3634

McBeth jr., C. A., 2106 McBride, T. D., 3529 McCambridge, W. F., 3710

McCarty, R. T., 2106

Macaulay, E. D. M., 2080 McClanahan, R. J., 1781, 2986

McClusky, R. K., 748 McComb, D., 590

McComb, M., 1746 McCoy, C. W., 2417

MacCuaig, R. D., 3536 McDaniel, J. R., 1399

Macdonald, P. D. M., 4079

McDonough, L. M., 2753 McDougall, G. A., 2975

McDowell, L. L., 3729

Maceljski, M., 1134, 1516 McEnroe, W. D., 400, 402

McEwen, F. L., 195, 654

McFadden, T. L., 3242 McFarland, S. U., 1183

Macfarlane, D., 1083

McFarlane, J. A., 241, 3976 MacFarlane, J. H., 1196

Macfarlane, J. J., 2209 Macfarlane, J. R., 1871

McGarr, R. L., 189, 209, 630, 1698, 1699,

McGaughey, W. H., 223, 1727

MacGibbon, D. B., 3894

McGinnis, A. J., 34 McGovern, T. P., 607, 1692, 2421, 2759

McGrath, H. J. W., 3862 McGregor, M. D., 3280

McGuire, J. U., 1700 McInnes, R. S., 2210, 2212

Mackauer, M., 1674

MacKay, M. R., 3666 McKay, S., 4081

McKibben, G. H., 2435, 3213

Mackie, J. J., 920, 1258

Mackiewicz, S., 727, 730

McKinley, D. J., 1053 Mackley, J. W., 585 McLaren, G. F., 1890 McLaughlin, R. E., 651, 2221, 2259 McLean, D. L., 3703 McLeod, B. B., 1666 McLeod, J. M., 2004 MacLeod, R., 2311 McMillian, W. W., 171, 1227, 2189, 2799, 2884 McMullen, L. H., 2010 McMullen, R. D., 3621 McMurtry, J. A., 155, 2462, 2767, 2931 McNew, R. W., 2955 MacPhee, A. W., 1676, 1994 McPherson, J. E., 2822, 2823, 2948 McWilliams, J. M., 204 Madden, J. L., 1886 Maddox, D. M., 1190 Maddox, J. V., 2384, 2385 Maddrell, S. H. P., 2872 Madge, D. S., 1416 Madjar, V. Melamed-, 256, 4002 Madkour, A., 104 Madkour, A. M., 2063 Madrigal Sánchez, L. R., 2489 Madsen, H. F., 620, 1672, 2467 Magalhães Bastos, J. A., 2490, 2491, 3827 Magalhães Silva, G., de, 4070 Magistretti, G., 702 Magor, J. I., 3332 Mahadeven, V., 3177 Maharaj, S., 503 Mahdihassan, S., 2196 Maher Ali, A., 95, 100, 101, 2060-2062 Mahon, J. A., 3902 Mahto, Y., 1365, 2522 Maillow, C. 1662 Mailloux, G., 1663 Maines, W. W., 2376 Maini, P., 4099 Maitlen, J. C., 2753 Majumdar, N., 1362 Majumder, S. K., 2868 Makarenko, G. N., 1456 Makarova, L. A., **1446** Makings, P., 1177 Makino, S., 3064 Makita, F., 1021 Maksimović, M., 1511, 3467 Mal'chenkova, N. I., 713, 3567, 3574 Maldonado Capriles, J., 2722, 3002 Malekghassemi, B., 3440 Malik, R. A., 66 Malkova, L. K., 2560 Mallea, A. R., 992 Mallis, A., 2185 Malone, T. C., 2181 Maltby, H. L., 3233 Mamontova-Solukha, V. O., 707 Mandel'shtam, Yu. E., 2123 Mangat, B. S., 74, 190, 3257

Manglitz, G. R., 116, 129, 208 Mangum, C. L., 2760, 3656 Manigold, D. B., 3738 Manjunath, T. M., 504, 2676 Mannesmann, R., 2303 Manolache, C., 265, 272 Mansingh, A., 1262 Manson, D. C. M., 514, 3866, 3867 Mansur, P. A. Simón, 703 Mansur, P. S., 1288 Manukyan, Z. S., 2564 Mapother, H. R., 794 Maramorosch, K., 159, 1802 Marble, V. L., 611, 1711, 2788 Marchoux, G., 4035 Marcílio jr., J., 3949 Marco, S., 334 Marcu, O., 2207 Mardon, D. K., 2650 Marduel, C., 3180 Mardzhanyan, G. M., 2564 Mareș, M., 280 Mariau, D., 107, 1799, 2040, 2041, 3961, 3962 Marie, A. S., 98 Marín Acosta, J. C., 980, 981, 983, 985 Markelova, E. M., 1100 Markin, G. P., 1184, 2411 Markkula, M., 782 Marks, L. S., 968 Marks, T. G., 816 Marović, R., 1511 Marques, E. J., 3844, 3845 Marr, T. A., 1096 Marrow, G. S., 3011 Marschall, K. J., 884 Marsh, P. M., 3702 Martel, J., 820 Martel, P., 900 Martens, B. K., 1442 Martens, P. H., 3520 Martigoni, M. E., **3277** Martin, B. B., 2163 Martin, H., 1854, 2557 Martin, J. S., 576 Martín, L. E. San, 989 Martin, M. M., 576 Martin, W. E., **3736** Martínez López, G., 1276 Martínez R., G. J., 2018 Martinovský, J., 2579 Martins Lourenço, F., 1407 Martouret, D., 2266 Martyn, E. J., 1294 Marzke, F. O., 1722 Marzso, L. Szalay-, 2115 Masaki, S., 1030 Masatsugu, F., 54 Mascarenhas de Almeida, D., 315 Maskell, F. E., 1639, 1642

Maslov, A. D., 1110 Mason, H. C., 13 Mason, M. G., 3906 Mason, R. R., 170, 2474, 2826 Mason, W. H., 3693 : Massey, C. L., 2924 Masud, Z., 4095 Masurat, G., 1829, 1830 Materu, M. E. A., 1064-1066, 1821 Mathai, P.-J., 4035 Mathen, K., 868, 3919, 3927 Mathenge, W. M., 357 Matheny, E. L., 2917 Mather, W. B., 2226 Mathew, J., 3919 Mathur, R. B., 1340, 2095, 2670 Mathur, Y. K., 2531 Mathys, G., 775, 1544, 2158 Matibet, M. Betbeder-, 1392, 1393 Matkovskii, K., 1846 Matolín, S., 4114 Matsubara, F., 48 Matsuda, R., 1028 Matsumoto, B. M., 1292 Matsumoto, K., 2837 Matsumoto, Y., 1596 Matsumura, F., 757, 3009, 3614 Aatsutani, S., 3047 Matsuzawa, H., 1901 Matter, M. M., 2156 Matthes, P., 3432 Matthew jr., D. L., 928 Matthews, F. R., 2792 Aatthews, G. A., 1055 Aatthews, H. B., 3009

Aatthews, R. W., 3720 4attson, A. M., 329, 330, 2575 /lattson, W. J., 1786 Matviyevs'kii, O. S., 1844 Matzenbacher, L. B., 2376 Mauldin, J. K., 411

Maury, Y., 1824
Maurya, R. C., 2206
Maxwell, F. G., 192, 773, 1736, 1753, 2764
Mayland, P. G., 598
Mazeed, M. M., 2064

Mazokhin-Porshnyakov, G. A., 2128

Mazur, T., 735 1ead, F. W., 227, 2879, 3723 1eals, D. W., 2382

1eats, A., 847

.1edeiros, A. Gomes, 2290 1edhin, Shitaye Gebre, 2541

1edler, J. T., 114 1edley, R. D., 584 1edved, R. A., 2452 1edvedev, S. I., 2566 leeks, R. L., 3612 1ehra, B. P., 2206 lehra, C. K., 861

lehrotra, K. N., 3776

Mehta, R. C., 2074 Meirleire, H. de, 1161 Meisch, M. V., 618, 2380 Meisner, J., 339, 1852

Melamed-Madjar, V., 256, 4002 Mellado, L., 4022, 4023, 4062, 4063 Mello, E. J. R., 3830

Mello, O. F. de, 2020 Mel'nikov, N. N., 2853, 3592

Melo, J. de Sousa, 1062

Menco, B., 3596

Mendonça filho, A. F., 3844, 3845 Mendoza P., V., 3003

Menêzes, C., 1285, 3844, 3855 Menezes, M. de, 2023

Menier, J. J., 310 Menn, J. J., 3012 Menon, G. R., 1581 Menon, M. Ramanatha, 3377 Menon, M. G. Ramdas, 1576, 2522 Menon, P., Krishna, 4096

Mentjelos, J., 1744

Menzer, R. E., 3691 Merdan, A. I., 2851, 3400

Merker, E., 3438 Merle, P. du, 3494, 3556 Merzheevskaya, O. I., 718

Mesnil, L. P., 1342

Mesquita Lara, F., 3806, 3809

Messieha, Mimi, 2889 Metcalfe, D. R., 34 Metcalfe, J. R., 348, 2666 Meter, C. L. Van, 173 Metha, P. N., 2538 Metts, C. E., 1721 Metwally, A. G., 2046

Meyer, J., 1166 Meymerit, J. C., 786

Meynadier, G., 2147, 2151, 2153 Miah, M. S. A., 2197 Michael, P. J., 1318, 1321

Michel, M. F., 2155

Michel, M. F., 2155
Mick, D. L., 145
Middelem, C. H., Van, 3730-3735
Middlekauff, W. W., 932
Migunda, J., 3396
Mihăilescu, S., 265, 272
Mikhailov, A. I., 1480, 1481
Mikhailskii, Ya., 2570
Mikhals K. 4084

Mikkola, K., 4084

Milby, T. H., 1913 Milender, G. V., 1109 Miles, E. J., 1695, 2794 Miles, P. W., 767

Miller, C. A., 2975 Miller, C. D., 359 Miller, C. D. F., 3290

Miller, D. E., 198 Miller, W. J., 533

Milliger, L. E., 2905 Millot, P., 3510

Mills, A. C., 333 Mills, J. T., 2765 Mills, R. B., 165 Milošević, B., 3154 Milstead, J. E., 2789 Mimi Messieha, 2889 Minasyan, M. E. Ter-, 1880 Miner, F. D., 3200 Miniawi, S. F. El-, 2701-2704 Minnoch, M. W., 3685 Minoranskii, V. A., 2563 Minshawy, A. M. El-, 2712 Minyard, J. P., 486 Miquel, E., 4026 Miquel, J., 3268 Miranda, H. da Silva, 2022 Miré, P. Bruneau de, 2039 Mirzayans, H., 3932, 3934, 3944 Mishra, B. C., 2199 Miskimen, G. W., 362 Miskus, R. P., 2796 Misra, S. S., 83 Missonnier, J., 302, 3440, 3972 Mistric, W. J., 3732 Mistric jr., W. J., 2392 Mital, R. K., 866, 3362 Mital, V. P., 85 Mitchell, B. L., 1056 Mitchell, E. R., 406, 555, 1217, 1712 Mitchell, H. C., 3264 Mitchell, W. G., 219 Mitić-Mužina, N., 440, 1513 Mitlin, N., 415, 2440, 3773 Mitra, D. K., 1750 Mitry, S. H., 3966, 3967 Mitsuhashi, J., 43, 47, 53, 1046, 1905, 3972 Mitsui, T., 1022, 1023, 1620 Mittler, T. E., 763, 1243, 1856-1867, 1940, 1943, 3698, 3764, 3770, 3775, 3985 Mityaev, I. D., 2864 Miyabara, R., 1778 Miyahara, K., 3059 Miyahara, M., 3070 Miyahara, Y., 3050, 3062 Miyamoto, J., 1618 Miyashita, K., 2498 Miyata, T., 1614 Miyatake, Y., 2506 Mladinov, L., 3156, 3158 Mochida, O., 1042, 1045, 1332 Mochil'skii, K. M., 1449 Modi, B. N., 86, 3388 Modin, J. C., 3728 Moeck, H. A., 2470, 2820 Moericke, V., 750 Mogi, M., 1335 Mohamed, K., 1823 Mohamed, M. H., 2706 Mohammad Ali, S., 3082 Mohler, J. H., 471 Mohyee, M. I., 3405

Mohyuddin, A. I., 505 Moilliet, T. K., 536, 3638 Moiseeva, T. S., 1458 Moizant, R. Cásares, 2017 Mol, J. C. M., 1889, 3878 Möllhoff, E., 4100, 4102 Momoi, S., 1343 Monaco, R., 3490 Monro, H. A. U., 39 Monsarrat, P., 2151 Monsion, M., 2603 Montà, L., Panizza dalla, 4014 Monteiro Guimarães, J., 3505 Mookherjee, P. B., 1356, 1357 Moore, C. A., 687 Moore, G. E., 682, 3650 Moore, J. B., 1808 Moore, K. M., 3893 Moore, N. W., 8-19, 2242, 3046 Moore jr., R. F., 201, 1191, 1207 Moorehead, G. E., 3233 Moorhouse, J. E., 747 Morales, G., 2111 Mordue, A. J., 756, 3994 Mordue, W., 806 More, C. A., 1989 Moreau, J. P., 304, 2605 Moreno, D. S., 3771 Moreno, S. S., 2378 Morgade, C., 1915 Morgan, C. V. G., 534 Morgan jr., H., 2404 Morgan, J. W., 2643 Morgan, L. W., 168, 926 Morgan, N. G. , 794 Morge, G., 3634 Mori, H., 1350 Morice, I. M., 3881 Morillo, C., 3503 Morin, D., 3962 Morin, J. P., 2040, 3961 Moriyama, S., 1350 Morrill, W. L., 595, 1768 Morris, D. S., 3904 Morris, O. N., 547 Morris, R. D., 3292 Morris, R. F., 525, 2814 Morrison, F. O., 3301 Morrison, R. D., 2925 Morrison, W. P., 467 Morse, R. A., 3038 Moser, J. C., 232, 1597, 1954, 2911, 3674 Mostafavi, M., 3937 Motoyama, N., 599 Moucha, J., 2585 Mound, L. A., 342, 2231, 2664, 3333, 3857 Mount, D. A., 2370 Mountier, N. S., 892 Mourikis, P. A., 4011, 4071 Moustafa, M. A., 2702-2704 Moutous, G., 4046

Mouzin, T. E., 930, 1730 Mowat, D. J., 803, 2612 Moya Borja, G. E., 3782 Moye, H. A., 3730 Mrkva, R., 1489 Muche, W. H., 2599 Muecke, W., 3215 Mueller, K. E., 3955 Muhammad, S., Varisai, 3920 Mühle, E., 2596 Muini, M., 3941, 3943 Muir, R. C., 790 Aukerjea, T. D., 58, 3378 Aukerji, M. K., 2995, 3281, 3627 Mukhin, E., 1846 Mulhern, B. M., 3739 Mulkern, G. B., 749 Mullen, M. A., 2332 Müller, F. P., 2598 Müller, H. J., 2300 Müller, H. P., 2839 Muller, H. W. K., 1139 Müller-Kögler, E., 2148 Mulloney, B., 421 Munakata, K., 1598 Muniappan, R., 689, 2333, 2446 Munroe, E., 526, 528, 907, 908, 2825 Munson, J. D., 644 Munson, R. E., 113 Munteanu, L., 2607 Munz, K., 2484 Murakami, S., 3918 Murakami. Y., 1572 Muramatsu, Y., 3911 Murata, T., 3051, 3053, 3055, 3070 Murayama, D., 1039 Murdie, G., 852, 853 Murphy, R. T., 328, 329, 330 Murray, R. W., 921 Murtas, I. D., de, 4055

Murtas, I. D., de, 4055 Mushataque, M., 508 Musick, G. J., 688, 2361, 2377

Austea, D., 266 Authu, M., 472 Auto, T., 1599

Mutuura, A., 526, 907, 908 Mužina, N. Mitić-, 440, 1513

Ayartseva, S. N., 428 Ayjak, P., 3124 Aynhardt, M. J., 3968

Hachev, P., 3454
Hachman, G. A., 1915
Hadel, D. J., 4049, 4054, 4063
Hagaich, B. B., 2529
Hagano, M., 3052, 3061
Hagaraja, H., 2150
Hagarkatti, S., 2150
Hagasawa, S., 1021

Nagata, T., 2504, 3057 Nagatomo, S., 3071 Nagel, W. P., 401 Nagesha Chandra, B. K., 3361 Naggar, M. Z. El-, 2049 Nagui, A., 2709 Nahal, A. K. M. El-, 99 Nair, M. R. G. K., 2521 Nakagawa, S., 2374, 2947, 3254 Nakajima, M., 1589-1607, 1610 Nakamura, K., 326, 3911 Nakamura, T., 3051 Nakanishi, A., 2496 Nakano, O., 3801-3803 Nakashima, M., 3060 Nakashima, Y., 3077 Nakasuga, T., 3052, 3061 Nakasuji, F., 1044, 1327, 1328 Nakata, M., 3078 Nakazima, S., 3077 Namekata, T., 2020 Nandra, K. S., 3007 Nappi, A. J., 1381 Nappi, A. J., 1381 Naqvi, S. M. Z., 1962 Nariani, T. K., 865 Narzikulov, M. N., 3559 Nascimento de Aquino, M. de L., 3820 Nasonova, M. V. Pribylova-, 3101 Nasr, E. A., 2699, 2700, 2707 Nasr, E. S. A., 2050 Nasr, H. A., 99 Nasu, S., 1037, 2877 Natchev, P., 1167 Nation, J. L., 1705, 2935 Naton, E., 3416 Natzinikolis, E. N., 3462 2364 Nault, L. R., Naum, A., 265 Naumov, F. V., 1485 Navarro, C., 3002 Nayar, R. M., 878 Neal jr., J. W., 2334, 2449 Nedel'ko, A. T., 430 Needham, P. H., 1646, 3613 Neel, W. W., 562, 2367 Neilson, W. T. A., 3226 Nel, J. J. C., 1401, 2543, 2686 Nel, M. D., 1400 Nemec, S. J., 922, 923 Nepesova, M. G., 428 Nereuță, O., 274 Nesbitt, H. H. J., 1659 Nesbitt, J. Noble-, 422, 1528, 1536 Neto, P., Lara, 3803 Neto, S., Silveira, 3804-3807 Nettles jr., W. C., 1691 Neuffer, G., 1136 Neunzig, H. H., 1939 Neves Evaristo, F., 1061, 1397, 1398 Neville, A. C., 1

Newman, J. F., 8

Nuzzaci, G., 3482, 3489

Newsom, L. D., 1729 Newton, K., 1290 Newton, R. C., 128, 625 Nguyen, Thanh-Xuan, 3516 Nguyen-Ban, J., 3959 Niazi, F. R., 1750 Nichols, J. O., 1263 Nicholson, A. J., 4079 Nielsen, B. O., 1634 Nielsen, D. G., 3783 Nielson, H. Søndergård, 451 Nielson, M. W., 611, 1711, 2400, 2788 Niemczyk, E., 726, 3111, 4116, 4135 Niemczyk, H. D., 194, 2442 Nieves, M., 3003 Niffenegger, D., 1725 Nigam, P. C., 2002 Nijholt, W. W., 2477, 3624 Nijveldt, W., 1278 Nikitin, M. I., 1308, 3894 Nikulin, A. A., 2565 Ning-hua, Tsai, 3351 Nirula, K. K., 870 Nisharadze [Nizharadze], T. G., 3417 Nishida, J., 48 Nishida, T., 1292 Nishimura, A., 977 Nishino, T., 2503, 3065, 3066, 3075, 3914 Niven, B. S., 1553, 1554 Noakes, D. N., 1853, 1854 Noble-Nesbitt, J., 422, 1528, 1536 Noblet, R., 1219, 2187 Noblet, M., 2052, 2055 Noda, M., 3053, 3055 Nøddegaard, E., 1527 Nogami, T., 3060 Nogina, L. A., 4142 Noguchi, A., 3645 Noguchi, H., 1018, 1020 Nohara, K., 1329 Nomoura, K., 1038 Nonveiller, G., 1068, 1394 Noordink, J. P. W., 1143 Nordin, J. H., 2661 Norman, P. A., 591 Norman, R. F., 12 Norris, D. M., 962, 1534, 3755 Norris, J. R., 2224, 2263 Norris, M. J., 1208, 3759 North, D. T., 3772 Nosky, J. B., 630, 1699 Nour, H., 2716 Novák, D., 1493 Novák, K., 2301, 2725 Novak, V., 1490 Nowacka, B., 4119 Nozato, K., 1336 Nuorteva, M., 1624, 1625, 1628, 1629, 4110 Nuorteva, P., 1625, 4109 Nuttall, R. M., 3986 Nutti, P., 2019 Nutting, W. L., 959

Nyiira, Z. M., 1182, 1205, 1819, 2679 Oatman, E. R., 149, 225, 360, 573, 6232 2767, 2787 Oboite, A. U., 1419 O'Brien, R. D., 1608-1623 Obrtel, R., 738 Ochynski, J., 2575 O'Connor, B. A., 1291 Odak, S. C., 1369, 2530 Oestreicher, M. I., 3609 Ofori, C. S., 2688 Ogden, J. C., 1849-1850 Ogden, R. L., 3227 O'Heffernan, H. L., 1558 Ohgushi, R., 2503, 3065, 3066, 3914 Ohinata, K., 132, 4052 Ohira, H., 3080 Ohkawa, H., 1616 Ohta, T., 3066 Okada, T., 45, 1027, 3063 Okamoto, R., 4050 Okołów, Cz., 4131 Oksanen, H., 2250 Okumura, G. T., 1685 Okuno, T., 1341 Okutani, T., 3912 Olander, R. M., 575 Oliveira, A., Acioli, de, 3822, 3837 Oliveira Quartau, J. A. de, 2173 Oliver, A. D., 167 Oliver, B. F., 192, 1753, 2764 Oliver, W. N., 186 Olivera, L. E. K., 2022 Oloffs, P. C., 3182 Olson, W. H., 603 Olsson, M., 32 Onazi, O. C., 2042 O'Neil, J. B., 127 Onizuka, S., 3059 Ono, K., 3914 Ono, M., 54 Onogi, S., 1043 Onsager, J. A., 142, 1701, 1732 Oommen, C. N., 2521 Oouchi, H., 3916 Opheim, M., 1635 Ordosgoitty, A., 2831 Orlando, A., 2022, 2832, 3831 Orlob, G. B., 974 Orlov, L. M., 1482-1484 Ormières, R., 2147, 4043 Orphanides, G., 177 Orphanides, G. M., 1734, 1947, 1955, 27 Orphanidis, P. S., 3133, 3134, 3410, 3466 3465, 4009 Osakabe, M., 1333 Osaki, N., 2637

Osborn, A. W., 1760

Osborn, M., 376 Osborn, M. G., 2106 Osborne, G. O., 963, 972, 3875 Osborne, J. C., 3010)sburn, M., 557, 3244 Dsgood, E. A., 1678 Ishima, Y., 2499 dsisanya, E. O., 1412, 3980, 3981 Jsores, V. M., 3798 Jst, R. W., 2431 Jstafichuk, V. G., 716, 3546, 3565, 3573 Jstmark, H. E., 2748 Jtake, A., 1325, 1331, 1908, 1909, 3348 Dtkhmezuri, L. T., 3090 otte, D., 1790 otterlind, G., 32 Ottoboni, F., 1913 udinet, R., 302 putram, I., 857, 2006 everby, J. E., 1725 Iverman, J. L., 3192 wen, D. F., 1535 wens, J. C., 1743 wyeniran, J. O., 1075

aauwe, K. L., 388 addick, R. G., 1561, 3032 admanaban, M. D., 2201 adovani, I., 124 adula, A. L., 2335 ady, S. M., 3529 age, F. D., 3021, 3888 age, M., 2796 (aim, U., 3640 (ais, M. H., 1398) al, S. K., 3363 aliwal, Y. C., 2313, 3253, 3662 almoni, Y., 1391 indey, K. K., 858 indey, N. D., 1359 indey, R. C., 3922 indey, S. N., 79, 80, 2511 indey, Y. D., 81 linetsos, C. P., 3430 inić, D., 3467 inis, A., 481, 2149, 4036 ınizza dalla Montà, L., 4014 10-lan, Li, 3354 apendick, R. I., 3741 ipp, J., 3999 ipworth, D. S., 825, 1958 iradis, R. O., 902, 1657 irasram, S., 234 irdy, K. W., 2003 rrent, B., 901 rrker, B. L., 617, 658

ırker, D. L., 2938, 3685

zaki, K., 3982 zburn, G. W., 1257

zer, M., 2084

Parker, F. D., 945, 1772, 2379, 3240 Parker, R., 2965 Parr, J. F., 3741 Parra, J. R., Postali, 3808 Parrott, W. L., 651, 773, 1707, 1189 Parshad, B., 1355, 1367, 3583 Parsons, D. A., 3729 Partida, G. J., 628 Paschke, J. D., 385, 3233, 3350 Pasol, P., 265 Pass, B. C., 173, 377 Passlow, T., 3024, 3312, 3317-3319 Passos de Carvalho, J., 2037, 2038 Paszek, E. C., 2429 Patana, R., 587, 606 Pataryas, H. A., 4004 Patel, H. K., 2681, 2811 Patel, J. K., 2513 Patel, K., 1585 Patel, N. G., 2681 Patel, P. B., 2513 Patel, R. C., 2513 Patel, R. K., 864, 2528 Pathak, M. D., 772, 3041, 3042, 3210 Patil, K. C., 3614 Patrick III, C. R., 2966 Patrick, J. C., 200 Patsakos, P. G., 3465 Patterson, R. S., 2747 Patton, R. L., 3753 Paugh, E. J., 585 Paulian, F., 1495 Pawar, J. G., 862 Pawinska, T. Bilewicz-, 737 Pawlowski, P. J., 2733 Paxton jr., W. A., 1937 Payne, E. O., 1891 Payne, J. A., 2383 Payne, L. B., 201 Payne, T. L., 1247, 2937 Peach, M. J., 168 Peacock, J. W., 1948 Peakall, D. B., 881 Pedigo, L. P., 383 Peifer, F. W., 631, 674 Peleg, B. A., 185 Pelekassis, C. E. D., 3134 Pelet, F., 1129 Pemrick, S. M., 1238, 3758 Pendleton, I. R., 541, 2220 Peracchi, A. L., 3856 Percy, J. E., 488, 1661 Perdomo, A., 3237 Pereira de Arruda, G., 1282, 3815-3822, 3833, 3835 Pereverzev, D. S., 1452 Pérez Z., R., 3005 Perkes, R. R., 2336 Perrin, H., 1545 Perron, J. P., 1656, 1978, 1979, 2828 Perron, R. C., 3725

Perrott, D. C. F., 1893, 3885 Perry, T., 2919 Personius, K. E., 2422 Perttunen, V., 2250, 4106 Perugia, G., 4015 Pesarini, C., 3480 Peschel, R., 1830 Peschken, D., 1683 Peschken, D. P., 3641 Peteanu, S., 277 Peterle, T. J., 35, 3612 Peters, D., 2316 Peters, D. C., 2394, 3256 Peters, R. A., 3179 Petersen, G., 2600 Peterson, A. G., 2424 Petkov, V., 3453 Petre, Z., 1494 Petre, Z., 1474
Petrovitz, R., 3935
Pétry, J., 3518
Petry, H. B., 2416
Petry, J. J., 2005
Pfadt, R. E., 158 Pfeiffer, C., 301 Pfrimmer, T. R., 2779 Phalak, V. R., 2677 Phillipp, J. S., 3678 Phillips, F. T., 4094 Phillips, J. H. H., 905, 1984, 3622 Phillips, J. R., 3198, 3199 Phillpott, D. E., 3268 Phipps, J., 482, 1417, 3299 Piart, J., 1813 Piasecka, J., 2572 Pickard, L. S., 2911 Pienkowski, R. C., 2402 Pienkowski, R. L., 946, 1929, 1988 Pierantoni, R., 1537 Pierce, N. W., 1770 Pietanza, U., 3483 Pigatti, A., 3832 Pigatti, P., 3832 Pillai, P. R. P., 472 Pilon, J. G., 1663 Pimentel, D., 2780 Pinnell, R. E., 1772, 2379, 3240 Pinnock, D. E., 2789 Pipa, R., 579 Pipkin, S. B., 475 Piras, L., 3477 Pisano, P., 3477 Pitman, G. B., 139, 365, 2766, 2774 Pitre, D., 901 Pitre, H. N., 656, 2769 Pivar, G., 3151 Pivar, G. A., 1515 Plapp jr., F. W., 1621 Plasman, A., 3517, 3520 Platner, G. R., 360, 573, 2787 Platonova, V. G., **1440** Plaut, H. N., 4098

Pless, C. D., 2404. 2409 Plewka, T., 4130 Plokhikh, V. S., 1102 Plotnikova, S. I., 2122 Plugaru, S. G., 712, 3558, 3563, 3568, 3570 Poddubnyi, A. G., 3562 Podolenko, A. A., 4160 Podoler, H., 2079 Poe, S. L., 3282 Poinar jr., G. O., 2222, 2261 Pointel, J. G., 1395 Poitout, S., 2153, 4037 Polan, C. E., 3010 Polania, I. Z. de, 1277 Połcik, B., 4121 Polivka, J. B., 1233 Polk, K. L., 1743 Pollard, D. G., 849 Polles, S. G., 1970 Polson, A., 2878 Polyakov, I. Ya., 2112 Pond, D. D., 687, 1989 Ponnuswami, M. K., 65 Ponsen, M. B., 1147 Pontin, A. J., 1154 Poole, M. L., 3906 Popov, A. V., 2127 Popov, P., 288 Popova, V., 3131, 3450 Porath, A., 250 Porshnyakov, G. A., Mazokhin-, 2128 Porter, D. M., 2423 Porter, R. D., 2180 Portier, G., 302 Pôrto de Carvalho, E., 1282, 3814, 3811 3817-3819, 3835 Posada O., L., 1277 Pospelov, S. M., 426 Postali Parra, J. R., 3808 Pottinger, R. P., 890, 891, 1890, 3642 Poulter, F., 3288 Power, J. B., 3865 Pradhan, A. G., 3084 Prakasa Rao, P. S., 2672, 3381 Prakash, G., 2103 Pramanik, L. M., 2674 Prasad, S. N., 2089, 2090, 3366-3374 Prasertphon, S., 479 Prates, H. Sabino, 2833, 2834, 3838, 3839 Prędki, S., 2754, 3111 Preiss, F. J., 380 Prem Kishore, 1577 Prem Singh, 860 Press jr., A. F., 405 Press, J. W., 1765 Prestt, I., 2242 Pribylova-Nasonova, M. V., 3101 Price, P. W., 1926, 2735, 2990 Pridantseva, E. A., 3098 Priester, L. E., 3733 Prieto, A. P., 3643

rimak, T. A., 1429, 1431 rints, E. Ya., 714, 715, 3572 ristavko, V. P., 1425 ritchard, G., 1013 -obert, A. J., 2838 rocaccina, D. J., 968 coctor, J. H., 818 octor, J. R., 905, 1984, 3622 oeseler, G., 442, 1831 okopy, R. J., 592, 4067 out, M., 2610 routy, R. M., 3739 roverbs, M. D., 1261 uszyński, S., 1114, 3591 yke, P. I., 3032 zyborowski, T., 3124 rzybylski, Z., 1839, 1840, 3586 schorn-Walcher, H., 499, 743, 1133, 1342 miatti, A. E., 2030 ijol, A. Rodríguez, 993 .inj, G. K., 859 ıri, P. D., 3382 urrington, F. F., 939 ıtman, W. L., 1684, 1982, 1997, 2458,

2816 pttarudraiah, M., 2203 sittler, B., 363 skhova, V. T., 4140

adri, N. N., 2196
uartau, J. A. de Oliveira, 2173
dednau, F. W., 1996, 2466
meinnec, Y., 3171
memer, J., 1824
nevedo, C., 3005
mitana, F. J., 2031
mitana, V., 3229

niot, J. M., 2157 ireshi, A. H., 1073, 1074, 1076, 1077,

1079 irreshi, M. W. H., 1971 irreshi, S. S., 1378 irreshi, Z. A., 165

heja, A. K., 2967

latikainen, M., 2862

libb, R. L., 953, 1934, 2553, 3688

lichvelishvili, E. V., 3092

lidcliffe, E. B., 925, 1774

lidcliffe, J. E., 1891, 1894

lidjabi, G., 3930

lidkevich, V. A., 1841

lidoev, A. K., 3089

lidu, E., 1846

lidulescu, E., 2607

lifael, E. Alves, 1407

liffie, M. S. El-, 94

ligab, M. T. H., 3604

lihalkar, G. W., 2755

Rahman, A. K. M. M., 3252 Rahman, M., 138 Rai, P. S., 246, 2968 Rainey, R. C., 263, 1817 Rajasekhara, K., 3784 Rajendran, M. K., 501 Rakhmanova, A. V., 2567 Rakotondrainibe, C., 1396 Ralston, D. F., 2393, 2808 Ram, Shri, 1371, 2101, 2103, 2526 Ramalho, Leal, A. A., 2022 Ramanatha Menon M., 3377 Ramaseshiah, G., 507, 2514 Ramdas Menon, M. G., 1576, 2522 Rameshwar Singh, 1358 Ramírez, E., 166, 4058 Ramomski, J. L., 1911 Ramon Aranda, C. Braulio, 3669 Ramsey, H. L., 3228 Ramzan, M., 2523, 3086 Ranaivosoa, H., 1392 Randell, R. L., 3016 Randhawa, N. S., 2105 Randles, J. W., 1310 Randolph N. M., 210, 618, 1210, 2380, 2391, 3734 Raney, H. G., 2925, 2969 Ranganath Bhat, Y., 501 Rangarajan, M., 3923 Rao, B. R. Subba, 246 Rao, D. G., 871 Rao, G. N., 1049 Rao, H. Dinesh, 2677 Rao, P. S., Prakasa, 2672, 3381 Rao, R. S. N., 1368 Rao, T. Bhaskar, 1578 Rao, V. P., 504, 2677 Rapley, P. E. L., 1295 Raros, R., 3041 Raske, A. G., 1737. 2978 Rasmussen, F. Bro-, 824, 1527 Rasmy, A. H., 100, 101, 910, 1676, 1994, 2824 Rathore, Y. S., 1360 Rattan Lal, 62, 869, 2202, 2519, 2520, 3921 Rauch, F., 303, 784, 820 Raulston, J. R., 1693 Raun, E. S., 2281 Rautapää, J., 4111 Rautou, S., 779 Rava, B. C., 3380 Rawat, R. R., 86, 87, 861, 1360, 2525, 2671, 3388 Rawlins, W. A., 2747 Rawnsley, J., 2690 Ray, L., 2388, 3687, 3707 Ray, S. K., 2675 Raychaudhuri, D. N., 82 Raychaudhuri, S. P., 1750

Rayner, J. M., 787 Razvyazkina, G. M., 3098

Read, D. C., 2459, 3216 Read, D. P., 3635 Read, K. L. Q., 4076 Rebelles Reis, P., 3808, 3810, 3811 Reddy, D. B., 1374, 1895, 1896 Reddy, G., 1780 Redfern, R. E., 1700, 1724, 1779, 2421, 2759 Redlinger, L. M., 2810 Reed, D. K., 378, 591, 1696 Reed, J. K., 3733 Reed, W., 91 Rees, C. J. C., 754 Rees, N. E., 395 Reichart, G., 291, 293 Reichel, W. L., 3739 Reichelderfer, C. F., 3218, 3219 Reicheuterier, C. P., 3216, 3217 Reichmuth, W., 1473 Reid, R. W., 1998 Reinert, J. A., 2970 Reinert, R. E., 3750 Reis, P. Rebelles, 3808, 3810, 3811 Remaudière, G., 3347 Rentz, D. C., 932 Renvall, S., 2547 Renwick, J. A. A., 882 Retallack, M. E., 1474 Retnakaran, A., 391, 398, 586, 3211, 3636 Rey, J. M., 3501, 3502, 3971, 4073 Rey, R., 1911 Reyes, A. V., 495 Reynolds, H. T., 2705, 2916 Reynolds, L. M., 2548 Rhoates, W. C., 921 Rhode, R. H., 185, 2797, 3237, 4053, 4059 Rhodes, R. A., 2276 Rhodes, S. T., 3693 Riad, A. A., 2051 Rice, R. E., 1953, 2916 Richards, O. W., 2234 Richardson, C. D., 633 Richardson, E. G., 121 Richardson, H. P., 2482 Richardson, J., 423, 2312, 2877, 3663 Richeson, J. S.. 1705, 2935 Richmond, C. A., 216, 2445 Ricker, D. W., 2443, 2771 Ricou, G., 2849 Riddiford, L. M., 632, 633, 1239 Ridgill, B. J., 379 Ridgway, R. L., 175, 1735, 2362, 3008 Riding, I. L., 1811 Riedl, T., 4117 Riga, A., 3522 Rikhter, V. A., 1106 Riley, J., 1070, 1071, 1074 Rimes, G. D., 1319 Ringlund, K., 778 Rings, R. W., 629, 2368 Riordan, D. F., 3641 Riotte, J. C. E., 2987 Rioux, G., 1980

Ris Lambers, D. Hille, 3164 Ritchie, A. R., 3884 Ritchot, C., 1658 Ritter, F. J., 757, 1472 Rittershausen, E., 2940 Rivard, I., 2614 Rivera, J. C., 703 Rivero, J. M., del, 4025, 4026 Rivnay, E., 4003 Rizvi, S. K. A., 2096 Rizvi, S. M. A., 2097 Roa, F. G., 1277 Roach, S. H., 2388, 3687, 3707, 3761 Roan, C. C., 1806 Robbins, W. E., 124, 1857, 3616 Robbs, C. F., 3836, 3856 Robert, P. H., 2146, 2154, 4038 Robert, Y., 1824, 3972 Roberti, D., 3487 Roberto, N. H., 1733, 3220 Roberts, D. W., 2258, 3271 Roberts, H., 243 Roberts, R. B., 2796 Roberts, R. J., 515 Roberts, S. J., 671 Robertson, I. A. D., 90, 92 Robertson, O. T., 1188 Robinson, J., 33 Robinson, J. F., 174 Robinson, P. P., 146 Robinson, R., 1559 Robinson, R. W., 1976 Robinson, W. H., 3785 Rocha, M. A. L. da, 1281 Rochow, W. F., 2896 Rock, G. C., 599, 2752 Rodina, K. I., 1462 Rodrigues, M. da C., 3392, 3393 Rodrigues, P. Duarte, 2173 Rodriguez, C. P., 495 Rodríguez, J. G., 466, 1723, 2761, 2762 Rodríguez Pujol, A., 993 Roehrich, R., 4044 Roelofs, W. L., 36, 147, 2165 Roff, C., 3040 Rogochaya, L. G., 1434 Rogoff, M. H., 2265, 3643 Rohwer, G. G., 1695 Roig, F. J., 4025, 4026 Roland, G., 3521, 3522 Rolfe, S. W. H., 800 Roman, M., 280 Romankow, W., 727, 1116, 4124 Romaňuk, M., 1094 Romașcu, E., 265, 267 Romenko, T. M., 1841 Rondon, J. A., 1351, 1352 Roohi, R. A., 1379 Root, R. B., 3635 Root, R. V., 1211 Roovers, M., 1081

sander, R. W., 961 :scoe, E. H., 644 se, A. H., 2981 se, H. A., 1006 sel, A., 1009 : sen, D., 251 senkranz, E., 2893 ss, D. A., 907, 908, 1668, 1670, 2976 ss, H. H., 2750 ss, I. J., 466 ss, J. G. M., 3880 ssetti, V., 2020 ssetto, C. J., 3804, 3810, 3811, 3841 Issiter, P. D., 3314, 3889 thschild, G. H. L., 463, 3345, 3346 ton, L. M., 1954 lughan, J. A., 828 well, C. H. F., 110 wlands, D. G., 464, 465, 2550 zkošný, R., 1204, 2590 bin, R. E., 1183, 2946 dall, K. M., 1858 dinsky, J. A., 915, 1251 dman, J. E., 1889 drum, M., 3771 sette, R. de, 527 mmel, D. R., 1738 tnion, H. I., 420 pérez, A., 3496 ppel, R. F., 1921 sk, H. W., 142 ss, K., 2108 ssel, R. J., 3984 ssell, G. B., 3863, 3872 ssell, L. M., 845 ssell, M. J., 1316 ssell, M. P., 936 sso, L. F., 1118, 1125, 1128 th, D. S., 1268, 2009 žička, Z., 2301, 2725 an, R. B., 584, 2929 gg, T., 1163, 1164 skiewich, D. P., 328

Id, W. A., 3857

Irio, C. A., 386, 387, 3683

Da, F., 663, 2395, 2437, 2461

Dine, B. N. E., 1315

Dino Prates, H., 2833, 2834, 3838, 3839

Drosky, C. W., 2949, 3670

Lowska, B., 3108

Ed, A., 3979

Tanyik, L., 1737

Dawa, T., 1022, 1023

Day, J. G., 2372, 3015, 3016

Dini, V. M., 3926

Dota, T. S., 1262, 3300, 3624

Du, H. R., 2525

Di, B. S., 3383

ni, M. L., 68, 2791, 3385

St. Julian, G., 542 Saita, A., 1171 Saito, T., 1601, 1614, 3915, 3916 Sakai, H., 3051 Sakai, M., 1609 Sakan, T., 1602 Sakata, H., 3066 Salam, F. A., 95 Salama, A., 2712 Salavin, R. J., 991 Sal'chenko, V. L., 3575 Saldarriaga V., A., 1277 Saleh, S. M., 2061 Saliba, L. J., 3043 Salkeld, E. H., 1252 Salonen, M., 1624 Salt, F. J., 3179 Salvatierra, O. Hidalgo-, 2489 Šály, A., 1588 Salz, H. Bytinski-, 262 Samaniego V., A., 2487 Samedov, I. I., 4138 Samsináková, A., 2148 Samuels, A. J., 1913 Sanchez, F. F., 497 Sanchez, J., 2894 Sánchez, L. R., Madrigal, 2489 Sánchez R., H. A., 1798 Sanders, A. M., 1316 Sanderson, D. M., 1853 Sandhu, G. S., 876, 3384 Sandhu, J. S., 2094 Sandmeyer, E. E., 2401 Sandness, J. N., 2462 Sandru, I., 273 Sanford, K. H., 1995 Sang, J. H., 1241 Sankaran, T., 501 San Martín, L. E., 989 Sannasi, A., 2190, 3602 Sannomiya, M., 326 Sans, W. W., 2785, 3742 Santis, L. de, 2172, 3854, 3858 Santos, G. V., dos, 3851 Saraber, C. M. A., Coenen-, 757 Sarai, J. S., 3385 Sardar Singh, 67, 73 Sarić, A., 3142 Sarid, J. N., 860 Sarkar, A. R., 59 Sarkisyan, S. M., 3094 Sarmiento, R., 2759 Sárospataki, G., 296, 297 Sartor, C. F., 2367 Sartori Barbosa Coêlho, R., 3855 Sarup, P., 2520 Sasakawa, M., 1041 Saschenbrecker, P. W., 1689 Sathiamma, B., 3927 Sato, A., 1043 Satory, R. J., 897

Saunders, G. W., 1317, 3022, 3025 Saunders, J. L., 678 Saunders, R. C., 374 Săvescu, A., 270 Savory, J. G., 2642, 2643 Săvulescu, A., 1494 Sawicki, R. M., 3613 Saxena, D. K., 1360, 2517, 2671 Saxena, K. N., 769, 2074, 2773 Saxena, P. N., 2337 Saxena, R. C., 2773 Saxena, S. C., 341 Sayed, M. M. El-, 98 Scalla, R., 2315 Scarbrough, A. G., 1199, 1213 Schaefer, P. W., 3705 Schalk, J. M., 208, 2338 Schedl, K. E., 1016, 1017, 1087, 1390, 1405, 1406, 1897, 3422 Schenk, J. A., 909, 3632 Schieti-Cavazza, B., 1537 Schilling, F. A. E., 3975 Schimitschek, E., 2304 Schindler, U., 3406 Schmid, J. M., 2463, 2818 Schmidt, G. T., 1195 Schmidt, K. -J., 842 Schmidt, L., 3157 Schmitz, G., 2036, 3963 Schmulbach, J. C., 2434 Schmutterer, H., 3167 Schneider, A. M., 2184 Schneider, E. L., 3217 Schneider, I., 915, 1251 Schneider, P., 448 Schneiderman, H. A., 336 Schnitzler, W. H., 2839, 2850 Schofer, G. A., 3626 Schönherr, J., 457, 3437 Schonhorst, M. H., 1711, 2788 Schooneveld, H., 764 Schoonhoven, L. M., 40, 746-773 Schread, J. C., 697, 924 Schröder, D., 499 Schroder, R. F. W., 193 Schroeder, M. E., 3760 Schroeder, W. J., 1778 Schuder, D. L., 413, 931 Schulten, G. C. M., 1050 Schultz, G. A., 2751 Schultze, G., 449, 4104 Schulz, K. R., 24, 27, 3214 Schulze, J. A., 3738 Schumaker, G., 3243 Schütte, F., 1834, 2298 Schüttmann, W., 1910 Schvester, D., 4046, 4047 Schwartz, J. L., 1703, 2397 Schwartz, P. H., 600, 2775, 2399 Schwartz jr., P. H., 952, 955 Schwarz, M., 1724, 3260

Schwarz, R. E., 2020 Schweiger, H., 3998 Schwenke, W., 3423 Scognamiglio, A., 1122 Scopes, N. E. A., 1524, 1641 Scott jr., C. M., 408 Scott, D., 3886 Scott, D. R., 1935 Scriven, G. T., 2931 Scudamore, K. A., 2171, 3183 Scudder, G. G. E., 1002, 1867 Seabrook, W. D., 2994, 3640 Seam, J. C., 1363 Seba, D. B., 3743 Sechriest, R. E., 2416 Sęczkowska, K., 2574 Seecof, R. L., 973 Sekhon, S. S., 3358 Seki, M., 3059 Sekulić, R., 3138 Selhime, A., 361 Selhime, A. G., 2417 Selim, H. A., 2063 Selle, R., 36 Selman, I. W., 1875, 1884 Semenyak, S. A., 709 Sender, C., 4040 Sen Gupta, A. K., 332 Sengupta, N., 2093 Seo, S. T., 132, 1714, 1763 Seppänen, E. J., 4108 Sepros, I., 2120 Serat, W., 3607, 3746 Şerban, M., 279 Serghiou, C. S., 2389 Serikov, O. Ya., 3589 Seshadri, A. R., 1488 Seshagiri, A., 2102 Sethumadhavan, T. V., 509 Sethunathan, N., 1568, 3210 Seureau, C., 1092 Seutin, E., 3517, 3520 Sexton, O. J., 309 Seybert, J. P., 940 Shade, R. E., 2777 Shagov, E. M., 717 Shalaby, F., 2710 Shah, A. H., 2870, 3786 Shahjahan, M., 3787 Shamiyeh, N. B., 2802 Shandil, R. L., 2516 Shands, W. A., 146, 1785 Shankland, D., 2224 Shankland, G. R., 817 Shanks jr., C. H., 373, 668, 679 Shanks, V., 3883 Shapiro, A. M., 3788 Shapiro, I. D., 1452 Shapiro, M., 2876, 3267, 3644, 3649 Shapiro, V. A., 1463 Sharafi, G., 158

urawy, M., 2716 urifi, S., 1180, 1928, 2782 urma, G. C., 3193 urma, J. C., 88 urma, M. L., 305, 900, 903, 1981, 2168 tirma, P. B., 3087 urma, P. L., 2516, 2524, 3365 .urma, R. K., 2756, 2916 .tırma, S. K., 657, 1364 arma, S. P., 2097 urma, T. R., 63 uronova, M. V., 3566 arp, P. L., 575 Junak, K. K., 1972 iver, T. N., 626, 1693, 1707 vkatsishvili, L. D., 3090, 3093 .w, D. A., 1262 .w, G. D., 3310 .w, G. G., 188 .w, J. G., 637, 649, 1957 .w, M. J. P., 833-835 .w, M. W., 2241, 2656 dley, D. G., 1321 er jr., C. F., 157 ets, T. J., 179, 3732 Phata, K. K., 38, 2698 hata, T., 2711 khurina, T. A., 1457 ldahl, J. A., 1235, 1927 pard, M., 1219, 2187 ppe, W., 2542, 3170 rif, A. R. El-, 2059 rwell, I. R., 1010 ta, I. B., 2139 tty, K. S., 78 vchenko, M. G., 2853 w-Mei, Yeh, 2719 bazaki, A., 2632 eh, T. R., 2265 ga, M., 1327-1330, 1339, 2496 gematsu, H., 57, 3645 kata, E., 1039, 1802 lova, M. Yu., 4143 mada, K., 3076 manuki, H., 1716 nde, V. K. R., 657 ndo, H., 1612 nkaji, N., 1906 pton, W. A., 1322 raki, T., 1040 rke, D. B., 87 shido, T., 1620 taye Gebre Medhin, 2541 naraev, G. E., 1452 eb, A. M., 102, 105, 106, 2048 beib, A. M., 2047 koohian, A., 3937 ok, R. S., 3617 rey, H. H., 386, 633, 957, 1183, 1247, 603, 1756, 2756, 2804, 2916, 3683, 3701,

983

Shorrocks, B., 4077 Short, D. E., 2339 Shorthouse, M., 3179 Showers, W. B., 3789 Shri Ram, 1371, 2101, 2103, 2526 Shulov, A., 2082, 3994 Shulov, A. S., 111 Shuman, D. H., 3609 Shutyaeva, M. A., 2558 Shuvakhina, E. Ya, 1450 Sicker, W., 1916, 2613, 3162, 3597 Siddall, J. B., 3611 Siddorn, J. W., 2658 Sidhu, A. S., 1354, 2512 Sidhu, H. S., 3753 Sidlyarevich, V. I., 1445 Sidor, C., 3470 Sierpiński, Z., 1138, 4118, 4122, 4133 Signoret, P. A., 2604 Sikura, A. I., 1420, 1427 Sikura, L. V., 1427, 1428 Silva, G., de Magalhães, 4070 Silva, P., 2286, 2290, 2293, 3850–3854, 3979 Silva, W. J., 3811 Silva Fernandes, A. M. S., 2854 Silva Miranda, H. da, 2022 Silveira, A. C., 3807 Silveira Neto, S., 3804-7 Silver, J. K. G., 2905 Silverstein, R. M., 485, 1533, 1589-1607 Sil'vestrov, A. D., 721 Simmonds, F. J., 500, 3337 Simmons, E. A., 1070, 1071 Simón, J., 3237 Simón Mansur, P. A., 703 Simova-Tošić, D., 441 Simpson, G. W., 146, 1785 Sinclair, E. R., 1760 Singer, S., 3643 Singh, B., 3358, 3924 Singh, Charan, 69, 76 Singh, D. S., 2520 Singh, G., 3383 Singh, H., 2202 Singh, H. G., 866, 3362 Singh, H. N., 3776 Singh, H. P., 3177 Singh, J. P., 1375 Singh, K., 873, 875 Singh, N., 2519 Singh, O. P., 1370, 2094 Singh, P., 3291, 3763 Singh, Prem, 860 Singh, R., 2513 Singh, Rameshwar, 1358 Singh, R. P., 1355, 1367 Singh, S., 366, 3382 Singh, S. R., 2518 Singh, Sardar, 67, 73 Singh, T. P., 1358 Singh, Z., 863, 2102

Sinha, R. C., 978, 1936, 2313, 3662 Sinha, R. N., 2359, 2386, 2625, 2765 Sinitsyna, E. E., 2130 Sinoir, Y., 1547 Sircar, P., 1356, 1357 Sivagami, R., 2205 Sivasubramanian, P., 3920 Skepper, A. H., 1306 Skinner, J. L., 1766, 2398 Skoog, F. E., 1186, 2412 Skovsgaard, J. P., 2010 Skrentny, R. F., 2 Skuhravá, M., 2581, 2582, 3126, 3431 Skuhravý, V., 2301, 2583, 3126, 3428 Slade, M., 3611 Sláma, K., 307, 765, 1094 Sliwa, E., 4133 Śliwiński, Z., 4132 Sloan, C. E., 2440 Slonovskii, I. F., 4153 Sly, J. M. A., 821 Slykhuis, J. T., 2480 Small, D. N., 212 Smereka, E. P., 2744 Smetnik, A. I., 1420, 1424 Smiley, R. L., 3674 Smilowitz, Z., 135, 1212, 3679 Smirnoff, W. A., 1652, 2001, 2472 Smith, A. M., 524 Smith, B. C., 917 Smith, C. F., 680, 1739 Smith, C. L., 135 Smith, D. B., 589 Smith, D. C., 4093 Smith, D. N., 2642 Smith, D. S., 1949 Smith, F. D., 2392 Smith, F. F., 161, 211, 1783 Smith, F. G. E., 2286 Smith, G. A., 2644 Smith, G. E., 3813 Smith, G. J., 2978 Smith, J. C., 1729, 2423, 2426 Smith, J. Hardy-, 474, 2657 Smith jr., J. S., 2363, 2809 Smith, J. W., 2746 Smith jr., J. W., 1192, 2340 Smith, K. M., 2214 Smith, L. B., 2827, 3293 Smith, L. O., 2425 Smith, R. F., 1856-1867 Smith, R. H., 150, 2971, 3259 Smith, R. L., 674 Smith, S., 3741 Smith, S. G., 2174 Smith, S. H., 2901 Smith, V. K., 2778, 3245 Smith jr., W. O., 2761 Smithwick, E. E. B., 3194 Smythe, R. V., 389, 390, 757, 2908 Snee, R. D., 601

Snider, R. J., 568, 1863 Snow, J. W., 168, 554, 1706, 1728, 1767 1792, 2350, 2360, 2454 Snowball, G. J., 1307, 3897, 3898 Soares, T., 2519 Sobetskii, L. A., 4156 Sobrinho, J. T., 2832 Soeda, Y., 55 Soehardjan, M., 1146, 2244, 3526, 3527 Sogoyan, L. N., 1451 Sogoyan, R., 1444 Sohi, A. S., 366 Sohi, G. S., 71, 876 Sola, E., 2611 Solar, J. M., 2345 Solly, S. R. B., 3882-3884 Solomon, M. E., 3708 Solukha, V. O. Mamontova-, 707 Somberg, J. C., 2184 Sømme, L., 1164, 1804 Søndergård Nielsen, H., 451 Sonnet, P. E., 1724 Soo Hoo, C. F., 1010 Soon, Lim Guan, 1574, 2227 Soper, R. S., 3646 Sorensen, E. L., 2790, 3235 Sorm, F., 307, 1094 Sorour, F. A., 3173 Soslau, G., 2732 Soto, P. E., 2807 Soultanopoulos, C. D., 3133 Sousa Melo, J. de, 1062 Southgate, B. J., 1880 Souto Lima filho, J., 3833 Souza Leão Veiga, A. de, 3834, 3835 Sower, L. L., 957, 2341, 2946, 3701 Spadafora, R. R., 125, 2801 Spann, J. W., 30 Sparks, A. N., 213, 1728, 2454, 2799, 281 Spasskii, A. A., 4153-4160 Specht, H. B., 636, 1999, 2824 Spencer, K. A., 229 Spencer, N. R., 3249, 4066 Spencer, W. F., 2193, 2194 Sphon, J. A., 3017 Spitler, G. H., 615, 660 Spitzer, K., 3864 Spradbery, J. P., 830, 850 Sprague, J. B., 2455, 2998 Spyropoulos, G. S., 3462 Sreenivasam, D. D., 3195 Sreenivasan, T. N., 865 Srinivasalu, N., 3920 Srivastava, A. S., 2095 Srivastava, M. L., 1367 Srivastava, P. N., 3698, 3985 Srivastava, R. P., 79–81, 244, 3923 Srot, M., 1492 Stacey, W., 3860 Stachyra, T., 1505 Stacul, M. Velasco de, 701

Stadelbacher, E. A., 2779 Stadnitskii, G. V., 1485, 2568, 2863 Stafford, E. M., 2763, 2776, 3203, 3234 Stairs, G. R., 2257 Stajković, B., 3470 Staley, D. H., 3676 Standlea, P. P., 3265 Stanić, V., 3994 Stanković, A., 3138, 3139 Stanley, J. M., 594, 2448 Stanley, M. S. M., 1187 Stannard, L., 2878 Staples, R., 155, 696, 2757 Stapley, J. H., 3308 Stark, A., 3014 Starks, K. J., 692, 1704, 2925, 3243 Starks, K. L., 2446 Staron, T., 2605 Stary, P., 1123, 1124, 1126, 1127 Starý, J., 2580 Staten, R. T., 2342, 3212 Stavraki, H., 3135 Stavrakis, G., 3135 Stearns, L. M., 2972 Stefano, M., di, 4019 Stegmaier jr., C. E., 2749 Stehr, F. W., 1755, 2451, 2822, 2823, 3233 Steiner, H., 2113, 3418, 3420 Steinhaus, E., 2285 Stephan, S., 1830 Stephen, W. A., 3039 Stephenson, J. W., 854, 2646 Stepien, Z., 3112 Sterling, W. L., 1942, 2369 Sternburg, J. G., 1199, 1213 Sternlicht, M., 37, 837, 1388, 1879 Stevens jr., H. J., 208 Stevenson, D. E., 1048 Stevenson, J. H., 805 Stevenson, R. E., 2005 Stewart, D. C., 3181 Stewart, D. K. R., 2758, 3604 itewart, J. A., 2410 itewart, K. W., 2905 itewart, P. A., 1759 iteyskal, G. C., 3667 itickland, R. E., 571 Still, G. W., 1730 Stinner, R. E., 3790 stoakley, J. T., 2239 stobiecki, T., 1505, 1805 Stock, R. D., 3267 stoetzel, M. B., 2906 Stoeva, R., 289, 3130 Stokes, R. A., 175 Stollár, Š., 2586 Stoltz, L. P., 1723, 2761

Stolyarov, M. V., 4137

Stone, J. D., 383

Stoner, A., 1740

Storey, C. L., 2420

Stormann, C. L., 146 Story, G. E., 2892 Stowert, W. J., 1817 Straby, A. E., 1977 Stradimova, L. A., 3088 Stradling, D. J., 4083 Straub, R. W., 1736 Streams, F. A., Strebler, G., 3511 Streibert, P., 2852 Streu, H. T., 601 Strickland, A. H., 2114 Stride, G. O., 351 Stringer, C. E., 1770, 2163 Strohecker, H. F., 932 Strong, F. E., 583, 1235, 1927, 2371 Strong, L., 2660 Strong, R. G., 628, 1717 Strümpel, H., 1135 Strunkova, Z. I., 3091 Strydom, D. K., 1402 Stubbs, L. L., 3032, 3334 Studziński, A., 728 Suárez, J. H., 992 Subba Rao, B. R., 246 Suchy, M., 307 Suda, D. Y., 684 Sudd, J. H., 1413 Sudia, W. D., 475 Sudimac, V., 3471 Suett, D. L., 4097 Sugden, B. A., 1673 Sugimoto, T., 1041 Sugino, T., 3911 Sugiyama, H., 56 Sugonyaev, E. S., 4137 Suguwara, R., 1599 Sullivan, D. J., 3686 Sullivan, W. N., 1695, 1700 Sultan, J. A., 3600 Summers, C. G., 2780, 3791 Sun, Y. P., 1623, 3925 Sundaram, R. M., 2532 Sundaramurthi, V. T., 2673 Suplicy filho, N., 2019, 2830-2832 Surlikar, V. V., 3386 Suski, Z. W., 3104–3106 Süssking, C., 396 Suta, V., 276, 280 Sutherland, O. R. W., 763, 3754, 3871, Šutić, D., 1508 Sutter, G. R., 2375 Sutton, R., 361 Svec, H. J., 2785 Sviderskii, V. L., 2124, 2134 Svoboda, J. A., 1857, 3616 Swailes, G. E., 2926 Swaine, G., 2228 Swaraj Ghai, 1576 Sweedman, R., 1306 Sweeney, R. C. H., 2309

Swift, F. C., 645, 1691
Swirski, E., 261, 1091, 1383, 1387, 2076, 3349, 3762, 4089
Switzer, B., 3304
Sy, M., 2593, 2594
Sylvén, E., 1631, 1636
Sylvester, E. S., 423, 976, 2312, 2897, 3663
Sylvester, N. K., 1583
Syme, P. D., 3628
Symmons, P. M., 109
Szabo, K., 3012
Szalay-Marzso, L., 2115
Szczepański, H., 3584
Szent-Ivany, J. J. H., 240
Szent-Ivany, M. L., 240
Szewczyk, M., 3109

Taber III, S., 879 Tachikawa, T., 1323 Tadić, M., 1512, 3145, 3472 Tadmor, U., 2079
Taft, H. M., 201, 1191, 1207, 2388, 2413, 2936, 3687, 3707 Tahori, A. S., 3765, 4008 Tahvanainen, J. O., 1211 Takahashi, F., 2495, 3917 Takahashi, N., 1022, 1023 Takahashi, Y., 974 Takasaki, T., 3053, 3055 Takeuchi, K., 3344 Takeuchi, S., 3074 Takezawa, H., 1338 Takizawa, H., 3078 Talamé, M., 1122 Talati, G. M., 2954 Talerico, R. L., 3255 Talgeri, G. M., 3360 Talhouk, A. S., 3526 Talmadge, K., 690 Tamaki, G., 942, 944 Tamaki, Y., 44, 1018-1020, 2505, 3048 Tamura, S., 1022, 1023 Tanada, Y., 479, 549, 2218 Tanaka, K., 1043 Tanaka, M., 3072 Tanaka, M., 4050, 4066 Tanaka, T., 2500, 2635 Tanasijević, N., 436, 3137 Tandon, G. N., 848 Taniguchi, E., 2499 Tan Jun Jump, R., 997 Tann, H. L., 4091 Tanno, K., 1532, 3338-3343 Tanskií, V. I., 1469 Tapia, E. A., 2033 Tappan, W. B., 3730 Taranukha, M. D., 706 Tardif, J. G. R., 2429 Tashiro, H., 2422 Tassan, R. L., 2473

Tatton, O'G. J., 7 Tauber, C. A., 1244, 1986, 3769 Tauber, M. J., 1244, 1986, 3769 Tawfik, M. F. S., 2694-2696, 2709 Taylor, A., 3 Taylor, G., 3273 Taylor, H. J., 3868 Taylor, J. H., 1567 Taylor, J. M., 3530
Taylor, J. W., 2465
Taylor jr., J. W., 2817
Taylor, L. R., 832, 4082
Taylor, R. W. D., 2617 Taylor, S. C., 1169 Taylor, T. A., 1209 Taylor, W. E., 2078 Tchoumakova [Chumakova], B. M., 3548 Teakle, R. E., 3266 Tebb, G., 1156 Tedders, W. L., 2383, 3244 Tedders jr., W. L., 376, 557, 642 Teetes, G. L., 210, 618, 1210, 2380, 2391 Teich, I., 260 Telenga, N. A., 1420 Tembe, V. B., 3386 Templado, J., 3503 Tenório, E. C., 1285 Teobaldelli, A., 3479 Teotia, T. P. S., 858, 1359, 1370, 3922, 392 Terada, H., 3066 Terán B., J., 2017 Terán B., J. B., 982 Terauds, A., 1299, 1300 Tereznikova, E[Ye]. M., 427, 2559 Ter-Minasyan, M. E., 1880 Terranova, A. C., 2805 Tette, J., 147 Tette, J. P., 2165 Thakur, M. L., 57 Thames jr., W. H., 226 Thanh-Xuan, Nguyen, 3516 Thatcher, R. C., 2911 Thewke, S. E., 228, 363 Thienes, J. R., 674 Thirugnanasuntharan, K., 2198 Thoizon, G., 3514, 3972 Thomas, B., 4091 Thomas, C. E., 2483 Thomas, C. M., 2709 Thomas, G. M., 544 Thomas, H., 2595 Thomas, J. B., 1987 Thomas, J. G., 851, 3235 Thomas, W. P., 893 Thompson, A. C., 486, 1710 Thompson, A. R., 1525, 1526, 4087, 4081 Thompson, M. J., 124, 1269, 1857, 3616 Thompson, N. P., 3730 Thompson, R. H., 6, 1540 Thomson, E. M., 2279 Threadgill, E. D., 3239

hurston, R., 152, 1745, 1780, 3224 hygesen, T., 451 icheler, J. H. G., 1143 i ielecke, H., 2597 "ien Wen, 3354 Filton, E. W., 2031 imbers, G. E., 1267 imchenko, V. I., 2136 imofeeva, O. A., 4160 ippins, H. H., 196, 381, 384, 926, 950, 1215, 1224, 3717 irgari, S., 3940 itova, É. V., 1468 itschack, E., 3429 iwari, C. B., 874 iwari, R. D., 864 coba, H. H., 119, 484, 593, 2378 obias, V. I., 3580, 3581 'odd, J. W., 2883 ogashi, I., 2492 okgaev, T., 428 omašević, B., 1514 Tombes, A. S., 2912 omikawa, I., 1694, 3217 ominić, A., 437, 1509, 3146 omlinson jr., W. E., 665, 681 omoroga, M., 271 omov, V., 284 onks, N. V., 1683 orch, J. M. Le, 786 forgersen, T. R., 3286 forii, T., 1036 oroptsev, V. V., 4147 orres, J., 3229 Pošić, D. Simova, 441 ouza, E. E., 994 ownshend, B. G., 600, 2399, 2775

oye, S. A., 1414 joyoda, K., 3058

rägner-Born, J., 2145

ravassos Filho, L., 3799 raynier, R. M. M., 1990, 3983

relka, D. G., 392 remblay, E., 1119, 1121 remewan, W. G., 20, 21 riggiani, O., 3484

ripathi, R. L., 462, 867, 2526 ripconey, D., 2878, 3278

rombetti, G., 4099 ron', N. M., 1437 ruchan, J. G., 3196 ruchlik, Š., 1588, 4095 rujillo, G., 984 ryapitsyn, V. A., 3579 sai, J. H., 1945, 2895

is'ai, Hsiu-yü, 3352 sai, Ning-hua, 3351

sao, Ching H., 550, 559 seng, Yueh-chu L., 3691

siropoulos, G. J., 947 sitsipis, J. A., 1940, 3775

Tsivilev, I. V., 3576 Tsukuda, R., 1326, 1903 Tsumuki, K., 1614 Tsutsui, K., 1043 Tsvetkov, D., 3452

Tsyplenkov, E. P., 1449, 1470 Tuck Kok, Loke, 1534, 3755

Ţucra, I., 271 Tudor, I., 2207 Tulisalo, U., 781 Tumlinson, J. H., 486 Tunstall, J. P., 1054 Tuppen, R. J., 4092

Turco, C. P., 226

Turica, A., 2026-2027 Turner, J. W., 3309, 3310

Turner, N., 2351 Turner, W. K., 3690 Turnock, W. J., 1664 Tuset, J. J., 4026 Tuzet, O., 2147 Tvermyr, S., 456

Tweedie, M., 3528 Tweedie, W. R., 1322

Twinn, D. C., 9 Tyshchenko, G. F., 432

Tyshchenko, V. P., 2126 Tzanakakis, M. E., 947, 3440

Uchida, M., 1338 Uchida, N., 3053 Uchiyama, K., 3344 Uebel, E., 1142 Uemura, M., 3074 Ueno, N., 3050, 3062

Ullah, [Chaudhry] Ghul[l]am-, 510-512, 1376, 1377

Ullah, Zaka-, 511 Ullrich, K., 1837 Ulrich, H., 1137 Underwood, G. R., 1985 Unterstenhöfer, G., 1148 Upcott, A. T. W., Crosse-, 352

Urago, T., 2374, 3254 Urban, R. E., 1973 Uremović, V., 3154

Uri, L., 3139 Usherwood, P. N. R., 420, 1176

Usman, S., 3387

Uspenskaya, G. D., 2135

Uspenskaya, N. V., 3099 Ust'yan, A. K., 2564 Usua, E. J., 25, 641

Utida, S., 1029, 2502

Vacke, J., 3541 Vago, C., 2147, 2157, 2609 Vail, P. V., 539, 2215, 3652, 3653 Vaĭnshteĭn, V. A., 4152

Vaishampayan, S. M., 863, 2102 Vallo, V., 2725 Valloton, R., 3491 Valsangiacomo, F. J., 2027 Valset, K., 3540 Van Cauwenberghe, R., 3594 Van Cleave, H. W., 2343 van de Bund, C. F., 2247 Van den Bosch, R., 177, 683, 1197, 1198, 2373, 3686 van der Geest, L. P. S., 2285 van der Goot, V. S., 2245 van der Laan, P. A., 2285 Van der Linde, R. J., 2302 Vanderveken, J., 2606 Vanderwal, H., 2976 Vanderzant, E. S., 190, 633, 759, 3699 van Dinther, J. B. M., 3991 van Dyk, L. P., 1059, 1403 van Frankenhuyzen, A., 3524 van Gerwen, A. C. M., 1010 Van Halteren, P., 1408 van Herrewege, J., 1546, 3974 Van Meter, C. L., 173 Van Middelem, C. H., 3730-3735 van Rossem, 2247 Van Velsen, R. J., 840 Van Zyl, H. J., 1402 Vappula, N. A., 2253 Varisai Muhammad, S., 3920 Varley, G. C., 2161 Varma, B. K., 63 Varma, G. C., 3384 Varshney, R. K., 2532, 3601 Vasechko, H. I., 711 Vashadze, V. N., 1097 Vashchinskaya, N. V., 2562 Vashisth, K. S., 2529 Vasić, K., 435, 3136 Vasil'ev, R. A., 4144 Vasiljević, L., 1507, 3140, 3468 Vassilaina-Alexopoulou, P., 4011 Vasyurin, S. T., 3099 Vaughan, A. P., 2800 Vea, E. V., 2424 Veeresh, G. K., 2203 Veiga, A. de Souza Leão, 3834, 3835 Velasco de Stacul, M., 701 Vélez, G. R., 3792 Velitskaya, I. S., 1453 Velsen, R. J. Van, 840 Ventocilla, J. A., 2286, 2292, 3813, 3829, 3853 Vepsäläinen, K., 2251 Vereecke, A., 3230 Vereshchagin, B. V., 3558, 3559, 3569, 3571 Vergani, A. A., 2028 Verma, A. N., 869 Verma, B. R., 2519 Vermeulen, J. B., 1403 Vernalha, M. M., 1279-1281

Vernier, J. M., 1088 Vernon, J. D. R., 1645, 2653 Verzhutskii, B. N., 3577 Veyrunes, J. C., 2315 Viana, G. Bravo, 1798 Viator, D. P., 2731 Vickers, G. G., 4076 Vickery, V. R., 1562, 1563 Vidano, C., 2875 Viedma, M. G. de, 4029 Viggiani, G., 1117, 3478 Vikhanskii, Yu. D., 4148 Viktorov, G. A., 4151 Vilas Bôas, A. M., 1286 Vilbaste, 1626 Vilk, E., 2219 Villacorta, A., 3246, 3248 Villiers, V. de, **1059** Vil'yamson V. I., **4146** Vincent, L. E., 1742, 2390 Vinopal, J. H., 2871 Vinson, S. B., 937, 3752 Viramo, J., 2252 Virendra Kavadia, 62, 3921 Virgínio, R., Bomfim, 3837 Visalakshi, A., 3376 Viswanath, S. M., 871 Visweswariah, K., 2868 Vité, J. P., 139, 365, 578, 882, 2766 Vlasov, Yu. I., 1462 Voigt, E., **294** Voldum-Clausen, K., 1527 Volk, S., 745 von Breuning, S., 1352 Voskresenskaya, A. K., 2121 Voûte, A. D., 2847 Vukasović, P., 1506 Vysotskaya, S. O., 2566

Wachs, H., 2191 Wadhi, S. R., 2519 Wafa, A. K., 38, 100-102, 105, 106, 3404 3411 Wahab, M. F., Abdel-, 3405 Waite, G. K., 3319 Wakabayashi, N., 1724 Wakerley, S. B., 815 Walcher, H. Pschorn-, 499, 743, 1133, 134 Waldbauer, G. P., 1199, 1213, 1952, 3766 (Walker, D. W., 3229 Walker jr., J. K., 652 Walker, K. C., 2551 Walker, L., 184 Walker, P. R., 582, 1240, 1245 Walker, T. J., 399 Walker, W. F., 164 Wallace, H. A. H., 2625 Wallace, M. M. H., 1014, 1873, 1874, 3901

Waller, J. B., 896, 897, 1892

Walley, G. S., 3629

Wallner, W. E., 1919 Walstad, J. D., 2438 Walstrom, R. J., 222, 698 Valton, G. S., 3270 Valton, P. D., 2069 Van, M. T. K., 1569 Vang, J. C. H., 3760 Vang, J. S., 1758 Varakomska, Z., 736 Vard, A., 895 Vard, C. R., 1743 Vard, L. K., 2649 Vardecker, A. L., 137, 2920 Vardojo, S., 762, 1144 Vare, G. W., 178, 182, 1746, 1767, 1806 Varelas, D., 1130 Varner, R. E., 113, 2012 Varren, G. L., 2003 Varren, L., 3472 Varren, L. O., 1216, 1220 Varthen, D., 484 Warthen jr., J. D., 3771 Wasylik, D. Kabacik-, 3125 Watanabe, C., 1026, 1344, 1573 Watanabe, H., 1041, 3274 Watanabe, T., 3918 Watanabe, Y., 3073 Waterhouse, D. F., 2554, 3992 Waterhouse, J. S., 911 Waters, R. M., 2794 Waters, W. E., 403 Watkins, B. J., 1725 Vatmough, R. H., 356 Watson, A., 2159-2161 Watson, J. A., 2829 Watson, T. F., 162, 1713, 2921, 2928, 3678, 3694 Vatt, K. E. F., 1250 Vatts, J. G., 379, 1185 Vatts, J. W., 11 Vay, M. J., 2159 Vearne, G. R., 669, 1012 Veatherston, J., 488, 1661 Veaving, A. J. S., 470, 1058 Vebb, R. E., 161, 211, 585, 1783 Veber, H., 2602 Vebster, J. M., 1380 Vebster, W. J., 517, 3904 Veems, H. V., 3201 Veems jr., H. V., 2186, 3201, 3723 Vegler, R., 320 Vegorek, W., 1501 Veibel, J., 3268 Vei-chun, Ma, 755 Vei-chün, Wu, 3351 Veighton, D. M., 815 Veiner, B. A., 542 Veir, S. B., 2662

Veiser, J., 2255

Veismann, L., 2725

Veiss, M. J., 2347

Wellenstein, G., 2578 Wellington, W. G., 914, 3295, 3660 Wells, A. L., 1920 Wen, T'ien, 3354 Wendell, Snow, J., 168, 554, 1706, 1728 1762, 1792, 2350, 2360, 2454 Wene, G. P., 191 Wenzel, R. L., 2013 Werner, F. G., 961 Weselch, R. M., 2348 Wesselinoff, G., 447 West, T. F., 1855 Westdal, P. H., 2482 Westigard, P. H., 570, 597, 2786 Wetherly, A. H., 2317, 3335, 3895 Wetzel, T., 2596, 2842 Whalley, P. E. S., 2235 Wharton, G. W., 3706 Wheatley, G. A., 802 Wheatley, P. E., 838 Wheeler jr., A. G., 2476 Wheeler, W. B., 3730 Whellan, J. A., 3397 Whisenant, B. R., 551 Whitcomb, W. H., 563 White, C. E., 671 White, E. B., 1236 White, E. G., 347, 2629, 2630 White, J. H., 176 White, L. D., 1701, 2806 White, R. E., 2927 White, T. C. R., 1015, 1872 Whitten, C. J., 612 Whitten, M. J., 669 Whittingham, W. F., 638 Wiackowska, I., 4115 Wiackowski, S. K., 1112, 4115, 4119, 4127, 4128 Wickerham, L. J., 3277 Wickham, J. C., 3181 Widstrom, N. W., 171 Wiemeyer, S. N., 2180 Wiendl, F. M., 3800, 3840, 3841, 3842 Wienke, E., 2304 Wientjens, W. H. J. M., 1472 Wiese, I. H., 2855 Wilbur, D. A., 165 Wildbolz, T., 2109 Wilde, G. E., 2419 Wilde, J. de, 746-773 Wilde, W. H. A., 917, 919, 1270, 1688 Wilkes, A., 3298 Wilkin, D. R., 473 Wilkins, R. M., 2488 Wilkinson, C. F., 187, 202, 2873 Wilkinson, J. D., 364, 954 Wilkinson, R. C., 1705, 2750, 2935 Wilkon, R. C., 2934 Willard, W. K., 3695 Willemse, F., 2229 Williams, C. M., 308, 1642

Williams, D. J., 1882, 1883 Williams, I. H., 180 Williams, J. R., 2535 Williams, P., 454, 3031, 3033 Williams, R. N., 635, 2408, 3800 Williamson, D. L., 578 Williamson, G. D., 2456 Williner, G. J., 995 Willis, G. H., 3741 Willis, J. H., 883 Willis, N. P., 1933 Wilson jr., A. J., 3744 Wilson, B. W., 3023 Wilson, C. A., 2781 Wilson, F., 2554, 3160, 3175, 3360 Wilson, G. S., 10 Wilson, L. F., 2353, 2822, 2823, 3241 Wilson, M. C., 2777 Wilson, N. L., 167 Wilson, N. S., 627 Winchester, J. M., 3187 Winder, J. A., 3852 Wingfield, M. T., 1216, 1220 Winks, R. G., 1007 Wintrebert, D., 1084 Wiseman, B. R., 171, 1227, 2189, 2799, 2884 Wiśniewski, J., 3124 Witt, J. M., 1767 Wiygul, G., 415, 3773 Wnuk, A., 4120 Wojcik, Z., 2576 Wojnarowska, P., 1114 Wolcott, R. M., 2953 Wolf, W. W., 593 Wolfe, F. H., 3304 Wolfenbarger, D. A., 189, 209, 221, 630, 673, 1698, 1699, 1747, 3251 Womack, H., 127 Wong, H. R., 532, 1666, 1667 Wong, T. T. Y., 2393, 2808 Wood, D. L., 1533, 1589-1607 Wood jr., E. A., 2407, 3236 Wood, F. A., 3296 Wood, G. W., 212, 214, 3296 Wood, R. F., 14 Wood, R. O., 1669 Wood-Baker, C. S., 26 Woodruff, R. E., 227, 2186, 3201, 3723 Woodville, H. C., 1645 Wool, D., 2622, 2623, 2628 Woolever, P., 579 Wouters, C. J. J., 651 Wright, A. N., 3184 Wright, B. J., 827 Wright, D. W., 2654 Wright, R. H., 254 Wright, W. E., 3030 Wroniszewska, A., 3756 Wu, Wei-chün, 3351

Wurster, C. F., 3609

Wyatt, I. J., 1649 Wysoki, M., 1387

Xuan, Nguyen, Thanh-, 3516

Yadav, H. N., 3362 Yadav, T. D., 1356, 1357 Yadava, D. R., 1359 Yadava, H. N., **866** Yagi, S., 49, 50 Yakimavichyus, A. B., 3581 Yamada, K., 3070 Yamada, M., 1606 Yamaguchi, T., 3066 Yamamoto, E., 3068, 3077 Yamamoto, I., 55, 1607-1623 Yamamoto, R., 1607 Yamamoto, R. T., 748 Yamamoto, S., 3074 Yana, A., 1081 Yancey, D. L., 1722 Yano, K., 1345, 1346, 1349, 3908 Yaraguntaiah, R. C., 2204 Yasinski, F. M., 3247 Yasumatsu, K., 1025, 3908 Yates III, H. O., 552, 556, 1225, 2887 Yathom, S., 1384, 4007 Yatsumatsu, K., 1329 Yazgan, S., 3287 Yeadon, D. A., 468 Yeargan, D. R., 2752 Yeates, M. N. D. B., 1817 Yefremova, T. G., 2136 Yeh, Chia-tung, 3355 Yeh, Shew-Mei, 2719 Yen, Yü-hua, 3351 Yendol, W. G., 2258 Yerington, A. P., 3202 Yinon, U., 459, 2082, 3995 Yonce, C. E., 121, 1761 Yoshimoto, C. M., 2478, 2996, 3639 Youdeowei, A., 2042 Young, H. Y., 2856 Young, J. R., 1706, 2396 Young, R. W., 3010, 3735 Young, S. C., 2344 Younga, S. Enrody-, 2689 Younghusband, H. Banfield, 975, 2314 Yousef, A. A., 3411 Yu, Ching-chieh, 550, 559 Yudina, L. A., 2134 Yueh-Chu L. Tseng, 3691 Yü-hua, Yen, 3351 Yüksel, M., 2085 Yurkiewicz, W. J., 471 Yushima, T., 44, 1018-1020, 2633


Zabik, M. E., 2318 Zacharie, G., 3436

Zaets, V. G., 1541, 4141 Zahavi, M., 4008 Zaher, M. A., 38, 2693, 2698, 2843, 3409, 3411 Zaka-Ullah, 511 Zakharchenko, N. L., 1435 Zaki, M. M., 103, 2705, 3966, 3967 Zakladnoĭ, G. A., 4148 Zaman, M. B., 511 Zan, B., 2022 Zarea, N., 1180 Zavon, M. R., 1914 Zawirska, I., 3105 Zayed, S. M. A. D., 2295 Zelcer, A., 3648, 3654 Zelený, J., 732, 2725, 2727 Zemlin, A. G., 4147 Zepp, D. B., 176 Zetter, J. L., 648 Zettler, F. W., 2891 Zettler, J. L., 2888

Zhavoronkov, N. I., 2558

Zhavoronkova, T. N., 2561

Zhigaev, G. N., 1433 Zhukovskii, S. G., 1455, 1447, 1448 Zile Singh, 863, 2102 Zimmermann, E. C., 1000, 1898 Zinkovskaya, L. A., 3561 Zinter, D., 2422 Zinter, M., 2422 Zitko, V., 2162 Živanović, V., 1517 Živojinović, D., 3144, 3467, 3470 Zlatanov, S., 3460 Zlotkin, E., 3994 Zocchi, R., 4017, 4018 Zouliamis, N., 1119 Zouros, E., 2073 Zouros, E. G., 4010 Zuber, M. S., 169 Zukowska, A., 2573 Zuska, J., 2592 Zwick, R. W., 631, 674 Zwölfer, H., 506, 743, 1133, 1861, 3161 Zyl, H. J. Van, 1402



GENERAL INDEX

In the case of scientific names of arthropods, the abstract references are cited only der the generic headings. Chemical compounds having numerical prefixes (biss, etc.) are indexed under these prefixes, but the prefixes o-, m- and p- (ortho, meta id para), O-, N-, P- and S- to indicate positions of radicals, and normal, secondary d tertiary are ignored for alphabetisation.

acarus hystrix, causing virus-like symptoms on Lolium spp., 442; reared on Agropyron repens and winter wheat infected Agropyron mosaic virus, in Ontario, 2480 agrotis alternata, life-history of, in Ohio, 2368 ar (see O-Methyl O-4-Bromo-2,5-dichloro-

ohenyl Phenylphosphonothioate)

breviatus, Diaprepes dominalis, Balclutha Mominator, Aptesis

dullahius shameemae, gen. et sp. n., from pear ree in W. Pakistan, 1378

elia grandiflora, attractiveness of flowers of,

no Trichoplusia ni, 2433 pelmoschus (see Hibiscus)

grallaspis pictor sp.n., causing leaf-spotting

ion orchids in Britain, 1883

ies, Dendrolimus superans on, in Soviet Union, 430; distribution of Adelges spp. on,

ies alba, virus infection of Choristoneura murinana on, in Germany, 457; Ibalia drewseni parasitising pests of, 850; Adelges iniceae on, in British Columbia, 1669; susceptibility of, to secondary insect attack, 2304; Deladenus wilsoni sp.n. from Rhyssa persuasoria on, in Czechoslovakia, 2866; Siricids on, in Yugoslavia, 3476

ies amabilis, attractants in, to Trypodendron

lineatum, 2820

ies balsamea, Adelges piceae on, in Newfoundland, 913; juvenile hormone activity in wood and bark extracts of, in Canada, 1262; parasites of Dasineura balsamicola on, in Maine, 1678; control of Choristoneura fumiferana on, through induced plant-insect Brunswick, asynchrony in New 1754; Adelges piceae on, in Maritime Provinces, 1992; fungus diseases affecting Adelges viceae on, in Quebec, 2472; method for sampling winter larvae of Choristoneura fumiferana on, in Canada, 2975; oviposition by Choristoneura fumiferana on, 2991

vies bornmülleriana, Adelges nordmannianae

on, in Turkey, 2848

vies cephalonica, insect pests of, in Greece,

3466

vies cilicica, Ibalia drewseni parasitising pests

of, 850 vies concolor, preference for, by Hemerocampa pseudotsugata in California, 170; virus disease of Hemerocampa pseudotsugata on, in California, 544; Adelges piceae on, in British Columbia, 1669; Hemerocampa pseudotsugata on, in California, 1677; sampling methods for Hemerocampa pseudotsugata on, 2474

Abies fraseri, Adelges piceae on, in North

Carolina, 1946

Abies grandis, responses of, to attack by Scolytus ventralis in Washington State, 906; effect of resin flow in, on attack behaviour and brood survival of Scolytus ventralis in Idaho, 3283

Abies lasiocarpa, Adelges piceae not found on,

in British Columbia, 1669

Abies nordmanniana, Marchalina caucasica sp.n. on, in U.S.S.R., 1107; infested by Cinara piceae in U.S.S.R., 3101

abietaria, Eupithecia abietella, Dioryctria (see D. abietivorella)

abietina, Pristiphora

abietis, Cryphalus; Dasychira; Ernobius; Hylobius; Megastigmus

abietivorella, Dioryctria

Ablerus, first record of, in Africa, 345

Abraxas grossulariata, on berry-fruit bushes in Soviet Union, 3571

abruptorius, Exenterus

Abscisic Acid, not affecting Choristoneura larvae, 1754

absinthii, Macrosiphum

absistalis, Lamprosema (see L. diemenalis)

absoluta, Scrobipalpula

aburianus. Sympiesis

Abutilon theophrasti, Systena frontalis on, 2394

AC 5727 (see m-Isopropylphenyl Methylcarba-

Acacia, Macropulvinaria acaciae on, in Sudan, 358; insect associations with, in Tanzania and Kenya, 2691; Sinoxylon sudanicum on, in Egypt, 2720; gall-forming thrips and allied species from, in Australia, 3333

Acacia ataxacantha, Caryedon pallidus on, in Nigeria, 1880

Acacia drepanolobium, association with ants in Tanzania and Kenya, 2691

Acacia farnesiana, development of Ectomyelois ceratoniae on, 257; Xyleborus and Platypus spp. attracted by wood from, 2487; Ectomyelois ceratoniae on, in Israel, 4006

Acacia Gum, effect of, on parasitism of eggs of Heliothis zea by Trichogramma pretiosum,

Acacia harpophylla, Othnonius batesi as pest of pasture formerly under, in Queensland, 3310 Acacia leucophloea, Schizomyia orientalis on, in

India, 2091

Acacia phyllodes, intra-gall variation in Brithothrips fuscus on, in Australia, 2231

Acacia tortuosa, Aegeriid preying on Ceroplastes caesalpiniae on, in Venezuela, 3665

acaciae, Macropulvinaria

acalle, Sympiesis

Acalymma vittatum, transmitting strains of cowpea mosaic virus, 2757; response of, to electric light traps in Indiana, 2770

Acanthiophilus helianthi, Centaurea americana new host plant for, in India, as pest of C. cyanus in Hungary, 2522

Acanthocinus aedilus, as natural enemy of Myelophilus piniperda, 1492 Acantholyda erythrocephala, on pine in Yugo-

slavia, 435

Acantholyda hieroglyphica, on pine in Yugoslavia, 435

Acantholyda posticalis, on pine in Yugoslavia, 435

Acantholyda serbica sp.n., on pine in Yugoslavia, 435

Acanthomia horrida, damage to pulses by, in Tanzania, 1821

Acanthomia tomentosicollis, damage to pulses by, in Tanzania, 1821

Acanthomytilus bicuspis, redescription of, 2719 Acanthomytilus intermittens, redescription of 2719

Acanthomytilus sacchari, redescription of, 2719 Acanthoscelides obtectus, allenic ester produced by males of, 316; susceptibility of, to pyrethrins and piperonyl butoxide in Kenya, 470; as pest of seeds of ornamental plants in U.S.S.R., 1097; effects of feeding on, 1506; infestation of maize and beans by, in field in Uganda, 1819; in New South Wales, 3027; infestation and control of, in bean seeds in Bulgaria, 3448; effects of substrate and pairing on oviposition and longevity of, 3475; control of, in beans by synergised pyre-thrins in Kenya, 3976; movement of larvae of, in layers of beans 4033; behaviour of, in stored beans, 4034

Acanthoscelides tridenticulatus sp.n., recorded from seed-pods of Mimosa strigillosa in Texas, 916

acanthus, Prosocheyla

Acaphylla theae, insecticides against, on tea in India, 58; on pea in India, 1049; on camellia in Victoria, 3327; insecticides against, on tea in India, 3378

Acarapis woodi, as causal agent in 'Isle of Wight' or acarine disease of honey bees, 3036

Acaricides, evaluation of, against Tetranychids, 2437; guide to new, 2557; against mite populations, 2577

Acarina, bioecology of, 1863

acariphagus, Scolothrips

Acarocheyla impolita sp.n., associated with Dendroctonus frontalis in Louisiana, 3674

Acarocheyla virginiensis, associated with Dend droctonus frontalis in Louisiana, 3674

Acarus, methods of applying insecticided against, in barge holds, 3513

Acarus farris, development of, on fungi, 3115 in stored sugar-beet seed in Poland, 3123

Acarus siro, overwintering possibilities of, i. stored wheat in Rumania, 268; infestation and control of, in stored products, 1540 influence of age and radiation dose-rate of effects of gamma radiation on, 2324; cor relation between, and environmental vary ables in bulk grain ecosystems, 26251 response of, to fungi associated with stored food commodities, 2909; action of high frequency electric fields and convection head on, 3114; development of, on fungi, 3115 determination of chitin in, 3119; effect d fumigation with methyl bromide on, 3120 effect of ionising radiation on, 3121; toxiciti of methylallyl chloride to, 3122; in stores sugar-beet seed in Poland, 3123; developed ment of populations of, on various food stuffs, 3708

Acer grandidentatum, Lambdina punctata on, i

Utah, 3685

Acer negundo, effect of, on haemolymph profi teins of Hyphantria cunea reared on, 2634. Acer pseudoplatanus, quality and availability

food for Drepanosiphum platanoides on, Britain, 2160; effect of Drepanosiphus platanoides on growth of, 2659; predators of Drepanosiphum platanoides on, in Britaia 3984; aggregation in Drepanosiphum plate noides on, in Britain, 4081; Adalia bipunctar preying on, Drepanosiphum platanoides on, Britain, 4085

Acer rubrum, Heterocampa biundata on Vermont, 643; unsuccessful transfer Melanaspis obscura from pin oak to, 2906

Acer saccharum, feeding behaviour of Heters campa guttivitta on, 156; feeding responses subterranean termites to, in Mississippi, 387 natural enemies of Heterocampa spp. on, Vermont, 643; unsuccessful transfer of Me anaspis obscura from pin oak to, 2906

Aceratagallia sanguinolenta, on soy bean Mississippi, 1771; potato yellow dwarf vir

in cell culture of, 2311

Aceria, resistance in sugarcane to, 777 infestation and control of, on mango Brazil, 3856; on olive in Greece, 3979; who streak mosaic virus transmitted by special of, in Soviet Union, 4147

Aceria cottieri, structure and growth of gaz caused by, on Coprosma robusta, in Nov. Zealand, 2208

Aceria erinea, on walnut in Victoria, 3327; c walnut in Greece, 4012

Aceria ficus, fig mosaic transmitted by, in Ind and United States, 2529

Aceria granati, on pomegranate in Greece, 40%

Aceria guerreronis, damage caused by, coconut in Dahomey, 107; control of, coconut in Brazil, 3820

Aceria halesiana, as sp.n. from Georgia, 2730 Aceria mangiferae, reaction of varieties mango to, in Brazil, 3810

veria medicaginis, on lucerne in Victoria, 13327

veria neocynodonis, on Agropyron repens in :Victoria, 3327

reria oleae, on olive in Greece, 3979, 4012

veria ononidis, causing virus-like symptoms on Ononis repens and O. spinosa, 442 eria sheldoni, attraction of coloured light

for, 37; bionomics of, on Citrus, 837; fertilization and post-embryonic stages of, 1879; on Citrus in Victoria, 3327; on lemon

and orange in Greece, 4012

beria tenuis, on Bromus inermis, 1167 Peria tristriatus, on walnut in Greece, 4012 eria tulipae, in Indiana, 928; distribution of wheat streak mosaic virus-like particles in, 1974; in transmission tests of Agropyron mosaic virus, 2480; on plants in Bulgaria, 13455

eriana, Gypsonoma eris, Phenacoccus

cetaldehyde, attractiveness of, to Trypoden-

dron lineatum, 2820

cetaldehyde 3,4-Dichlorophenyl 2-(2-ethoxyethoxy)ethyl Acetal, juvenile hormone activity resulting from, in Tenebrio molitor, 2421 cetals, juvenile hormone activity of, 2421

cetate, metabolism of, by males of Schisto-

cerca gregaria, 582

cetic Acid, in diet for Heliothis virescens, 1693; in diet for Ostrinia nubilalis, 2140

cetone, extracts of plants in, 373; Oncopeltus fasciatus treated with tretamine in, 675; as solvent, in studies on effect of hormones on Drosophila melanogaster, 2177; as solvent in extraction of dieldrin and γ-BHC from wheat, 2372; as solvent for extraction of dieldrin in soil, 3015, 3016

cetonitrile, as solvent in extraction of dieldrin and y-BHC from wheat, 2372; as soil extrac-

tion solvent for dieldrin, 3016

10-Acetoxy-cis-7-hexadecen-1-ol ineffective as attractant for males of Lymantria dispar, 2429

12-Acetoxy-cis-9-octadecen-1-ol, ineffective as attractant for males of Lymantria dispar, 2429

-Acetyl Carbaryl (see 1-Naphthyl N-Acetyl-N-methylcarbamate)

·Acetylamino-2-methylbenzimidazole, use of, in rearing Lymantria dispar, 1447

cetylcholine Chloride, in diet for Agrotis spp. 719

cetylcholinesterase, cetylcholinesterase, activity of, du development of Celerio euphorbiae, 3756 during chaea catella, artificial diet for, 1060

chaea finita, artificial diet for, 1060

chaea janata, body weight of, in relation to host plant, 81; parasitised by Trichogramma achaeae sp.n. on castor in India, 2150; on guava in India, 2527; defoliating cacao flush in Papua and New Guinea, 2640

chaeae, Trichogramma

1cheta domesticus, pheromone-like dispersant affecting distribution of, 309; chlordecone baits against, in Britain, 855; development of DNA body during oogenesis of, 1959; effects of anticholinesterase compounds on embryology of, 2327; effect of y-radiation on life expectancy and reproduction of, 2918

Achras zapota, Anastrepha ocresia on, in Florida, 567

Achroia grisella, susceptibility of larvae of, in a wax powder, to Bakthane L-69, 2697

Achromycin (see Tetracycline Hydrochloride) Achrysocharis leptocerus, parasitising Coelaenomenodera elaeidis in Ivory Coast, 2040

Achrysocharis pulcherrimus sp.n., reared from galls on mango in Africa, 349

Achrysocharis purpurissatus sp.n., as parasite of Dipterous leaf-miners on coffee in Africa, 349

Achrysopophagus aegyptiacus, reared from Chilocorus bipustulatus in Israel, 459

aciculata, Agathis aciculatus, Mastrus acidovalva, Pristiphora

Acigona ignitalis, damaging Eichhornia crassipes in South America, 3793

acinaciformis, Coptotermes

Acleris gloverana, laboratory mating of, 1991; parasites of, in Alaska, 3286

Acleris variana, pathogenicity of commercial preparations of Bacillus thuringiensis for,

Acmopolynema hervali, parasitising Mahanarva posticata, in Brazil, 1283

Acoustics, studies on, of Circulifer tenellus

Acraea encedon, inheritance of sex ratio in, feeding on Commelina sp. in Sierra Leone, 1535

acraea, Estigmene

Acricid (see Binapacryl) Acrida lata, cytogenic studies on natural

populations of, 326 Acrida turrita, infected by Serratia marcescens, 3923

Acrididae, Diptera parasitic on, 338; Gregarines from, 1093; attacking tobacco in Queensland, 3311

Acridoidea, Gregarine parasites of, 337; in Sierra Leone, 482; life cycles of some tropical African, 1417; influence of, on primary production of meadow in Poland, 2576; of Congo, 3965

Acridology, summaries of papers at international study conference on, 317

Acridomyia sacharovi, suitability of, as parasite of grasshopper species in U.S.A., 395

acrobasidis, Sympiesis

Acrobasis, Campoletis pyralidis sp.n. para-sitising species of, in Canada, 3629

Acrobasis carpinivorella sp.n., on Carpinus caroliniana in U.S.A., 1939

Acrobasis caryae, on Carya tomentosa in Tennessee, 112; examining trap collections for, attacking pecan in Georgia, 557; on Carya spp. in U.S.A., 1939

Acrobasis caryivorella, Sympiesis acrobasidis recorded from, in U.S.A., 359

Acrobasis elyi sp.n., on Carya tomentosa in U.S.A., 1939

Acrobasis indigenella, Sympies recorded from, in U.S.A., 359 Sympiesis acrobasidis

Acrobasis juglandis, Sympiesis acrobasidis recorded from, in U.S.A., 359; examining trap collections for, attacking pecan in Georgia, 557

Acrobasis nuxvorella sp.n., on Carya illinoensis

in U.S.A., 1939

Acrobasis vaccinii, effect of trap height on catches of, on cranberry in Massachusetts, 665; nocturnal activity of, on cranberry in Massachusetts, 681

Acrocercops chionosema, damaging Macadamia in Queensland, 3313

Acronicta (see Apatele)

Acrostalagmus aphidum, not observed infesting Sipha flava on sugar-cane in Puerto Rico, 362

Acrosternum hilare, light traps for, on tobacco in Virginia, 594; effect of, feeding on soy-bean seeds, in Kansas, associated with Nematospora coryli, 2419

Actia interrupta, as parasite of Choristoneura

occidentalis, 2428

Actinidia polygama, attractants for Chrysopidae from, 1602

Actinothrips bondari, on Pellicularia koleroga on cacao in Brazil, 3854

aculeatus, Haplothrips; Macromischoides

Aculodes mckenziei, in transmission tests of Agropyron mosaic virus, 2480

Aculops lycopersici, on tomato in Victoria, 3327; on tomato in Greece, 4012

Aculops pelekassi, pesticides screened against, on orange seedlings, 591; plastic-lined containers reducing toxicity of insecticides to, 1696; on Citrus in Paraguay, 3669, 3824; on orange and lemon in Greece, 4012

Aculus benakii, on olive in Greece, 3979

Aculus cornutus, morphology, biology and ecology of, in Georgia, 2736; on peach in Victoria, 3327

Aculus fockeui, causing virus-like symptoms on Prunus, 442

Aculus mckenziei (see Aculodes)

Aculus schlechtendali, effect of insecticides against Cydia pomonella on populations of, on apple in British Columbia, 620; on apple in Soviet Union, 3095; tricyclohexyltin hydroxide against, on apple in British Columbia, 3638

acuminata, Aelia

acuta, Leptocorisa; Macrorhaphis; Plusia

acutus, Dinarmus; Scaphytopius

Acvrthosiphon (see Macrosiphum)

Acactylidium beeri, attacking Gynaikothrips ficorum on fig in Brazil, 3815

Adalia bipunctata, preying on Anuraphis devecta in Bulgaria, 739; oviposition responses of, to juniper, 917; food seeking and survival in, 919; evaluation of, as predator of aphids in Britain, 1151; limitations of, as predator of Drepanosiphum platanoides in Britain, 4085; attacking aphids in Poland, 4115

adamsoni, Porotermes

Adelencyrtus femoralis, A. miyarai previously recorded as, in Mauritius, 2536

Adelencyrtus inglisiae, as parasite of Quadraspidiotus perniciosus in Rhodesia, parasitising Coccids in Fiji and 1399: Africa, 3968

Adelencyrtus miyarai, as parasite of Aulacaspin tegalensis in Mauritius, 2536; parasitisin Aulacaspis spp. on sugar-cane in Ryukyu Is.I Mauritius and Fiji, 3968

Adelges, attacking spruce and other conifere in Britain, 2240; area of distribution and biological control of species of, 2848

Adelges nordmannianae, on Abies bornmülleriang in Turkey, 2848

Adelges piceae, biological control of, in Canada 499; insecticides against, on Abies balsamer in Newfoundland, 913; occurrence of, o Abies alba and A. concolor in British Column bia, 1669; factors affecting population of, o Abies fraseri in North Carolina, 1946 ecology of, on Abies balsamea in Maritima Provinces, 1992; fungus diseases affecting, o Abies balsamea in Quebec, 2472; failure of introduced predators against, in North America, 2848

Adelges tardus, parathion and γ-BHC agains on spruce in Belgium, 3517

Adelgidae, ecology and collection of, in Europe 3421

Adelina, infecting Trogoderma variabile il Canada, 3272

Adelphocoris lineolatus, effect of, in delayini regrowth of lucerne, 625; on lucerne i Czechoslovakia, 738; damage to lucerne by in Minnesota, 1774

Adelphocoris ticinensis suturalis, properties o

salivary amylases of, 42

Aden, protection of dried sea-fish Dermestes frischii in, 1179 Adhesive, use of Gascardia mimosae for making

in Egypt, 2647

Adhesive Traps, for aphids and Cicadellid 122; for Adoxophyes orana, 1019; for Cere titis capitata, 1709; for Pectinophora gossz piella, 2916; for Empoasca spp., 3806; fo Tetranychus telarius, 3891

Adiantum, insect moulting-hormone activity i in New Zealand, 3872

adjunctus, Dendroctonus
Adolfol E+M (mixture of parathion are methylparathion), in sprays against Myz persicae and Macrosiphum euphorbiae, 202

Adonia variegata, as predator of thrips, 1431 as predator of Myzus persicae in Iran, 3933 attacking cotton pests in Afghanistan, 413". adonidum, Pseudococcus

Adoryphorus couloni, damaging pasture Tasmania, 1302

Adoxophyes, sp. of, defoliating cacao flush Papua and New Guinea, 2640

Adoxophyes orana, on peach in Hungary, 29! mating behaviour of, in Japan, 1018; so pheromone production in, 1018, 102 attractiveness to males of, of ultraviol lamps and virgin females in Japan, 101) artificial control of mating activity of, Japan, 1020; injurious to fruit trees in Franci 1161; Agathis oranae sp.n., reared from, apple in Japan, 1573; on apple in Holland 2249; susceptibility to insecticides of, rearrant on artificial diet, 3048

Adoxophyes reticulana (see A. orana) Adris tyrannus amurensis, attractants of vegot table origin for, 1601

dspersa, Chrysopa dstrictus, Pterostichus dusta, Leschenaultia dvena, Ahasverus

dvisory Committee on Pesticides and other Toxic Chemicals in Britain, Report of, 2641 dzuki Bean (see Phaseolus angularis)

edes aegypti, adaptation of cell lines of, to alien culture medium, 43; effectiveness of (+)-trans-chrysanthemate of (±)-allethrolone against, 3181; abnormal sex ratio in. 3917; effect of insecticides on cell cultures of, 3992

edes atropalpus, kojic acid as insecticidal mycotoxin in cultures of, 3270

edilus, Acanthocinus

egeria exitiosa, emergence of, on peach in North America, 680; mating activity of, 1739; baits for Cydia molesta also attracting, on peach in Georgia, 1761

egeria myopaeformis, role of sex attractants

for, 1467

legeria pictipes, baits for Cydia molesta also attracting, on peach in Georgia, 1761 egeria scitula, baits for Cydia molesta also

attracting, on peach in Georgia, 1761 egeria tipuliformis, damage to currants by, in Hungary, 298; bionomics, and control of, on berry-fruit bushes in Soviet Union, 3571 Pgopodii, Cavariella

egopodium podagraria, in diet for Agrotis spp., 719

Aspidiotus vgyptiacus, Achrysopophagus; ostreaeformis (see Quadraspidiotus pyri); Phyllotetranychus (see P. aegyptium) egypti, Aedes

egyptium, Phyllotetranychus

egyptococcus, gen.n. for Phenacoccus inermis and new synonym of Mirococcus, 2708 elia acuminata, induction of diapause in, on

wheat in Slovakia, 2728 selia rostrata, on cereal crops in Turkey, 2084;

damage to wheat by, in Turkey, 2085 'nea, Amara; Tischeria

eneolamia selecta, infesting sugar-cane and pasture in Brazil, 3845; on grasses in Brazil,

neus, Chalcodermus; Discodes; Meligethes; Philonthus

eolothrips fasciatus, preying on Cydia fune-brana in U.S.S.R., 1104 eolothrips intermedius, on lucerne in Czechoslovakia, 738; in Ukraine, 1438; as natural enemy of Thrips tabaci in Poland, 2574; attacking cotton pests in Afghanistan, 4137

quale, Trogoxylon qualis, Diaphanogryllacris

erial Application, of eggs and larvae of Chrysopa carnae, 2432

erobacter, isolation of, from Dendroctonus frontalis, 682

erobacter aerogenes, in Leptinotarsa decem-

lineata, 1425

erosols, effect of meteorological conditions on spray distribution of, 795; use of laser holography for studying behaviour of insecticidal, 2796

esculus hippocastanum, as good phenological indicator of development of Psylla mali in Poland, 1839; oviposition of Leptinotarsa decemlineata coinciding with end of flowering of, in Poland, 1840

Aesiotes leucurus, use of dicrotophos against, in

New South Wales, 3892

aestivum, Apion (see A. trifolii)

Aetalionidae, classification of higher categories of, 2961

aethiops, Microctonus aetnensis, Macrosiphum

afer, Nephotettix

affinis, Pissodes; Pseudosarcophaga; Stenotus

affinitalis, Loxostege

Afghanistan, Pectinophora gossypiella on cotton in, 1443; pests and their natural enemies on cotton in, 4137

Africa, Rhyparochromus sordidus attacking groundnuts in. 108: Hemilecanium imbricans and H. theobromae in, 245; Azotus, Ablerus and Physcus spp. in, 345; Eulophidae associated with oil palm, coffee and mango in, 349; Coccoidea in, 353; Pulvinaria and related genera in, 358; Ostrinia nubilalis on maize in 526; Lepidopterous larvae attacking cotton in, 1053; Euchromia formosa in bananas exported from, 2246; effect of lunar cycle on trap catches of Spodoptera exempta in eastern, 2658; pests of tropical crops in, 2865; Dacus ciliatus in, 3201; biological control of insects and weeds in, 3397; Helopeltis spp. in, 3963

Africa, East, Tortricids in, 357; Spodoptera exempta and its control in, 1063; crop pests in, 1822; Euchromia formosa recorded from, 2246; biological control of sugar-cane pests in, 2536; natural enemies of Aulacaspis spp.

on sugar-cane in, 2537

Africa, West, Caryedon pallidus in, 1880; cacao Mirids in, 2287; control of Distantiella theobroma and Sahlbergella singularis on cacao in, 2288; Coelaenomenodera elaeidis on cacao in, 3961

africana, Crematogaster; Gryllotalpa; Panka;

Parerupa; Pulvinaria

africanus, Ceroplastes; Closterocerus; Gastrimargus; Lyctus

Afroccidens lodosi gen. et sp.n., attacking cocoa in Ghana, 242; attacking cocoa in Ghana,

2289 Afroccidens sympatrica gen. et sp.n., attacking

cocoa in Ghana, 242; attacking cocoa in Ghana, 2289

Afrotettix, gen. et sp.n., from South Africa,

Agallia constricta, on soy bean in Mississippi, 1771; potato yellow dwarf virus in cell culture of, 2311

Agallol, applied with soil insecticides to sugar-

cane, 2094

Agapanthus umbellatus, Vryburgia lounsburyi

on, in France, 481

in medium for Drosophila melanogaster, 100; in diet for Cydia pomonella, 144; additives in, in diet for Dioryctria abietivorella 382; in diets for Saturniids and Pediasia teterrella, 632-633; in diet for Agrotis spp., 719; in diets for insects, 759; in diet for Leptinotarsa decemlineata and Pieris brassicae, 762; in diet for Cydia molesta, 1682; in

diet for Heliothis virescens, 1693; in diet for Ips calligraphus, 1705; in diet for Heliothis zea, 1756; in diet for Anarsia lineatella, 2425; in diet for Spodoptera exigua, 3100; in diet for Cydia pomonella, 3221; in medium for Cephus cinctus, 3248; in diet for Itoplectis conquisitor, 3287; in food medium for Costelytra zealandica, 3871; in diet for Diatraea saccharalis, 3991

Agarose-gel Electrophoresis, use of, to investigate effects of food plants on haemolymph proteins of Hyphantria cunea, 2634

Agasicles, sp. of, introduced into California,

Agathis aciculata, parasitising larvae of Earias biplaga, 1205

Agathis annulipes, parasitising Croesia semi-

purpurana in Quebec, 904

Agathis metzneriae, parasitising Metzneria lappella in North Dakota, 939

Agathis oranae sp.n., reared from Adoxophyes orana on apple in Japan, 1573

Agathis pumila, competition and co-operation between Chrysocharis laricinellae and, parasitising Coleophora laricella on larch in Quebec, 1996; parasitising Coleophora laricella on larch in Canada, 2466

Agave sisalana, Scyphophorus interstitialis on, in Tanzania, 1064-1066

Agelaius phoeniceus, daily rhythm and seasonal change in diet of, feeding on insects in Ontario, 2997

Agelastica alni, thermal preference of, 1113 Ageneotettix deorum, manner of pickup of ULV malathion by, in Wyoming, 158

agilis, Linnaemya; Protolachnus (Eulachnus) Agistemus exsertus, pesticides against, on cotton, 2366; effectiveness of, as egg predator of Tetranychus cinnabarinus, in Egypt, 2843; development and reproduction of, on pollen and insect diets, 3403, 3409; misidentified as A. fleschneri in Egypt, 3409

Agistemus fleschnert, A. exsertus formerly referred to as, 2843; A. exsertus misidentified

as, in Egypt, 3409

Agonoxena argaula, on coconut in Fiji, 3035 agrestis, Psammotettix

Agria affinis (see Pseudosarcophaga affinis)

Agriculture, review of persistent organochlorine pesticides used in, in Britain, 2641 Agrilus ater, bionomics and ecology of, in U.S.S.R., 1102

Agrilus biguttatus, in association with Melanophila picta on poplar in Greece, 741

Agrilus viridis, soil fertilisers protecting forest trees against, in Germany, 3438

Agriotes, feeding deterrents and baits against, 808; on cereal crops in Turkey, 2084; control of, in soil by insecticides in Nova Scotia, 2758 Agriotes gurgistanus, effectiveness of heptachlor against, on maize in U.S.S.R., 709

Agriotes meticulosus, natural enemies and control of, on cotton in Afghanistan, 4137

Agriotes ponticus, bionomics and ecology of, in U.S.S.R., 1101

Agriotes sputator, seed treatment for control of. on maize in Bulgaria, 288; effectiveness of heptachlor against, on maize in U.S.S.R., 709

Agriotes ustulatus, seed treatment for control of, on maize in Bulgaria, 288; incidence of in soil in lucerne fields in Poland, 3585

Agriphila plumbifimbriella, reproduction in, ir New Mexico, 2907

Agriphila ruricolella, effect of temperature orc hatching of, 2917

Agritox (see Trichloronate)

Agromyza, outbreak of species of, on lucerner in Massachusetts, 198

Agromyza vicifoliae, sp. of Agromyza closele related to, in Massachusetts, 198

Agromyzidae, of Canada and Alaska, 229

Agropistis limbatus, as pest of Jasminum angustic folium in India, 85

Agropyron repens, inefficient as food-plant for Hylemya coarctata in Britain, 1642; Abacarum on, 2480; Haplodiplosi hystrix reared marginata on, in Germany, 339 neocynodonis on, in Victoria, 3327 3399; Aceria

Agropyron smithii, Melanoplus sanguinipes ord

in Montana, 2412

Agrostis, preference for, in Chorthippus para lelus in Britain, 4080 Agrostis alba, larvae of Oscinella frit causing

yellow heart condition of, 2596 Agrostis stolonifera, inefficient as food-plant fo

Hylemya coarctata in Britain, 1642 Agrostis tenuis, sheep feeding on, treated with insecticides in New Zealand, 1889; damagi to, by Costelytra zealandica in New Zealand

1894 Agrothereutes ultimus, parasitising Pectinophony gossypiella in California, 1953

agrotidis, Smithiavirus

Agrotis, on onion in India, 79; identification of in Rhodesia, 355; on safflower in Queers land, 3021; on cotton in New South Wale 3030; trichlorphon against, on lucerne Queensland, 3319; on rape in Wester Australia, 3907

Agrotis crassa golickei, in light-traps in lucer field in Iran, 3944

Agrotis exclamationis, effect of diet on growing of, 719

Agrotis exclamationis serena, in light-traps lucerne field in Iran, 3944

Agrotis fucosa (see A. segetum)

Agrotis ipsilon, rearing of, 190; bionomics ard control of, on maize in Rumania, 267; par sitised by Microplitis feltiae in U.S.A., 30 effect of diet on growth of, 719; send synthetic bean media for rearing of, 1326; cereal crops in Turkey, 2084; effect of ter perature on development of, in Japan, 251, susceptibility of, to Biospore 2802, 28, development of, 3257; Bacillus thuringier against, 3400; in light-traps in lucerne fi in Iran, 3944

Agrotis ipsilon aneituma, adult activity of,

New Zealand, 3864

Agrotis munda (see Euxoa radians)

Agrotis orthogonia, sprays against, on wheat

Kansas, 1719

Agrotis segetum, effect of diet on growth 719; semi-synthetic bean media for ream of, 1326; forecasting of flight-dates of, 14 susceptibility of, to Bacillus thuringier 1454; virus in parasites of, in Soviet United

1457; effect of chemical treatments on, 1468; granulosis virus of, in U.S.S.R., 1842; effect of temperature on development of, in Japan, 2501; competitive ability of males of, sterilised with tepa, 3099; on maize in Yugoslavia, 3152; in light-traps in lucerne field in Iran, 3944; bionomics and control of, in Soviet Union, 4145

grypon flaveolatum, Monochaeta albicans in combination with, against Operophtera

brumata in Nova Scotia, 1133

hasverus advena, fumigants against, in stored cacao in Nigeria, 1070, 1071; fumigation of bagged groundnuts against, in railway waggons in Nigeria, 1074

ino, Tipula

insliei, Chrysocharis

iolopus thalassinus, biology of, in Egypt, 2721 ir pollution, probable effects of, on insects,

1250

ircraft, application of insecticides by, 158, 624, 659, 674, 686, 796, 797, 921, 1055, 1057, 1138; distribution and settling rate of gaspropelled micronised dust in, 1695; insecticidal aerosols applied by, 1700; insecticides applied by, 1757, 1817; application of bacterial preparations from, 1843; application of insecticides by, 1919, 2068, 2070; distribution of encapsulated mirex baits from, for control of Solenopsis saevissima richteri, 2411; sprays of monocrotophos applied from, 2413; sprays of oxydemetonmethyl applied from, against pests of Pinus sylvestris in Ohio, 2418; treatment of, against insects, 2794; application of naled by, 3040; application of insecticides by, 3134, 3237, 3239, 3358, 3446

irfields, insects and birds on, in New Zealand,

'kar (see Chlorobenzilate)

ikermes andersoni, transference of, to Cribrolecanium, 353

kton (see O.O-Diethyl O-2-Chloro-1-(2,5dichlorophenyl)vinyl Phosphorothioate)

glabama, baits for Solenopsis saevissima in, 1770; resistance in tomatoes to Heliothis zea in, 2883; Heliothis spp. on soy bean in, 2971; Heliothis zea on soy beans in, 3259

dabama, imported uniparental race of Tricho-gramma pretiosum in eggs of, in U.S.A., 1955 l'abama argillacea, on Carica papaya in Venezuela, 983

Hanine, in diet for Agrotis spp., 719

ascensis, Pissodes

laska, Agromyzidae of, 229; parasites of Acleris gloverana in, 3286; Choristoneura conflictana in, 3625; insecticide residues in

seals in, 3744
batorius, Trachysphyrus
lberta, Dioryctria spp. in, 907; laboratory ecology of Euxoa ochrogaster in, 1266; releases of Altica carduorum against Cirsium arvense in, 1683; Monochamus spp. in logs of Pinus contorta in, 1737; Pissodes terminalis in, 2005; Ibalia gigantea associated with wood wasps in, 2996; Sterna hirundo in. 3304; Blissus canadensis sp.n. in, 3630 bicans, Cyzenis; Monochaeta

biguttalis, Epipagis

albodentata, Dasychira alboguttata, Oncopera albopunctatus, Rhynocoris

Alcohol, adsorption of γ BHC from, on selected adsorbents, 333; used in method for separating eggs of Ctenicera destructor from soil, 537

alcyonipennella, Coleophora (see C. frischella)

Alder (see Alnus)

Aldicarb, toxicity of, to Aphis fabae, 2; soil treatment with, against Epilachna varivestis, 161; in granules against Frankliniella spp., 168; fate of, in soil, 175; residues of, in soil and pine trees, 183; soil treatment with, in granules against pests of beans, 610; phytotoxicity of, to orange, soil treatment with, against Panonychus citri, 637; soil treatment with, against Panonychus citri, 649; soil treatment with, ineffective against Otiorhynchus sulcatus, 678; effectiveness of, against Macrosiphum rosae and Tetranychus cinnabarinus, failing to control Aonidiella aurantii, 1090; and tomato pests in Nigeria, 1415; effectiveness of, against Orosius argentatus, 1561; soil treatment with, ineffective against Conotrachelus hicoriae, 1784; toxicity and anticholinesterase activity of, in Tetranychus telarius, 2077; soil and seed treatments with, in granules against Tetranychus telarius, 2088; against Epitrix hirtipennis, 2192; against Diabrotica undecimpunctata howardi, 2426; granules of, against Pemphigus populitransversus, 2444; against Hyalesthes obsoletus and Thomasiniana lavandulae on lavender in France, 2605; slow release formulations of, for soil applications, 2960; in granules against Schizaphis graminum, 3236; against Aphrophora saratogensis, 3241; and milorganite, in granules against Pissodes strobi, 3262; toxicity of soil treatments with, to mites and Aphis gossypii, 3531

Aldicarb Sulphone, residues of, in broad beans,

Aldicarb Sulphoxide, residues of, in broad beans, 2

aldrichii, Medetera

Aldrin, residues of, in foodstuffs, 6; in baits, dusts, and sprays against *Chrotogonus* trachypterus, 71; treatment of storage receptacles with, 75; against lucerne pests, 88; in soil drenches against termites, 89; residues of, in soil and sugarbeet, 142; response of Diabrotica longicornis to, 184; soil treatment with, against Agrotis ipsilon, 267; favourable effect of soil treatment with, on beet plants, 278; seed treatment with, against Agriotes sputator and A. ustulatus, 288; resistance to, in Myzus persicae, 299; conversion of, to dieldrin by subcellular components of pea plant, 331; soil treatment with, against Lachnosterna consanguinea, 657; toxicity of, to Otiorhynchus ovatus and O. sulcatus, 668; treatment with, giving intermediate results against Otiorhynchus sulcatus, 678; soil treatment with, in granules against Leptinotarsa decemlineata, 730; in sprays against Tipula spp., 787; soil treatment with, in sprays against Cyclocephala signaticollis, Heterogomphus pauson and Graphognathus

leucoloma, 989; effectiveness of, against Scyphophorus interstitialis, 1064, 1065, 1066; in emulsion sprays, applied to lac sticks, in tests for the control of Eublemma amabilis and Holcocera pulverea, 1362; against Lixus juncii, 1516; and Panogen, as seed dressing against mites, 1540; seed treatments with. against Thrips tabaci, 2048; against Coptotermes spp., 2212; residue alterations of, in potatoes during processing, 2345; against Melanotus communis, 2370; against larvae of Conoderus sp. and Lachnosterna cribrosa in Texas, 2405; epoxidation of, to dieldrin by Chlamydotheca arcuata, 2434; evaluation of slaughter products of animals poisoned with; in use against cotton pests in Uzbekistan, 2558; risks arising from persistent use of, in Britain, 2641; reducing uptake of fertiliser, 2688; persistance of, in soils, 2758; susceptibility of Coptotermes formosanus to, applied to soil, 2778; bioassay of residues of, with Musca domestica, 2964; in-furrow treatments of, against Rhopalosiphum rufiabdominalis, 3062; seed treatment with, in dusts against Gryllotalpa gryllotalpa, 3090; epoxidation of, to dieldrin by cell-free pea root preparations, 3182; carbon reducing uptake of, from soil, 3214; persistence of soil treatment with, against Reticulitermes, 3245; in sprays against coffee root mealybug complex, 3394; against Blaniulus guttulatus and Archiboreoillus pallidus, 3519; against Cosmopolites sordidus, 3723; occupational exposure to, 3726; residues of, in river sediment and water, 3729; residues of, in soil, 3742; residues of, in pheasants, 3749; in glue for protection of plywood panels, 3862; effect of temperature on action of, on Sitophilus granarius, 4126

Aleurocanthus spiniferus, bionomics and overwintering of, on Citrus in Japan, 3910

Aleurocanthus woglumi, review of work on, in Mexico, 1957

Aleurodicus cocois, biological control of, on Anacardium occidentale in Brazil, 3835

Aleurolobus barodensis, resistance in sugarcane to, 770

Aleuropteryx juniperi, feeding on Carulaspis juniper in Britain, 2649

Aleyrodes proletella, infesting strawberry in Germany, 1831

Aleyrodes spiraeoides, parasites of, on strawberry in California, 225

Aleyrodidae, parasites of, on Citrus in Israel, 251; of Central Asia and Kazakhstan, 2569

aleyrodis, Thysanus Alfalfa (see Lucerne)

alfalfae, Austroasca

Alfa-tox, containing methoxy-DDT and dia-zinon, 3200

Algae, dispersal of, by Coleoptera, 2905

Algeria, Ostrinia nubilalis mauretanica from, 526; Phanerotoma flavitestacea parasitising Ectomyelois ceratoniae in, 4042

algoensis, Habrolepis aliena, Plectris alienus, Psammotettix Aliesterase, activity of, in insecticide resistant and susceptible strains of Myzus persicaes

Alkyl Aryl Polyether Glycols, insecticides with: applied to soil against Otiorhynchus sulcatus 678

Alkylarylpolyoxyethylene, insecticides applied to soil against Otiorhynchus sulcatus

Allethrin, effect of, on insects, 303; knockdowr effect of, on insects, 784; and Freon-11 and -12, in aerosols against Anastrepha ludens 1700; effectiveness of, against insects, 3181 |

Alligatorweed (see Alternanthera phylloxeroides) allochroos, Frankliniella

Allograpta obliqua, as predator species on cabi bage in California, 573

Allotropa, as parasite of Planococcus kraunhia on persimmon and Citrus in Japan, 3072 Alloxysta curvicornis, toxicity of insecticides to

4127

dl-2-Allyl-4-hydroxy-3-methyl-2-cyclopenten 1-one, effects of, on insects, 303; knockdown

effect of, on insects, 784
Allyl Isothiocyanate, *Phyllotreta* spp. and, 388 chemoreceptory cells in Lepidoptera sensitivi to glucosides in, 753; in diets for Tribolium castaneum and Corcyra cephalonica, 8599 attractive effect of, on Hylemya floralist 2839; attractiveness of, to Diaeretiella rapaega 3635

Almond, development of Ectomyelois ceratonia on, 257; Ectomyelois ceratoniae on, il Western Australia, 1318; pollen of, as foot for Amblyseius limonicus, 1383; Eurytom amygdali on, in Greece, 1744; Amyelo transitella on, in California, 2382; Capnode tenebrionis on, in Soviet Union, 3096; over position by Amblyseius spp. feeding c pollen of, 3349; Eurytoma amygdali on, i Jordan, 3424; effect of, on oviposition fecundity and development of Ephest cautella, 3922; Ectomyelois ceratoniae on, Israel, 4006; Eriophyes padi on, in Greeca 4012; phosphamidon residues in, Eurytons amygdali on, in Israel, 4098

alni, Agelastica Alnus, Psallus ambiguus as predator of Psyl mali and Bryobia spp. on, in Poland, 726

Alnus crispus, effect of, as food-plant Choristoneura conflictana in Alaska, 3625 Alnus glutinosa, damaged by Fenusa dohrni Holland, 3524

Alopecosa kochi, insecticides against, 1720

Alphacel (see Cellulose Powder)

Alphitobius diaperinus, characters for separation of, 380; sexual dimorphism in, 564; bild nomics of, 2882; morphology and chemist of odoriferous gland of, 3691

Alphitobius laevigatus, characters for separation of, 380

alpinus, Coccus; Miramella

Alsike Clover (see Trifolium hybridum)

Alsophila pometaria, contact toxicity of insecrip cides to reared larvae of, 1757; oviposition in preferences of, on oak in Virginia, 3255 Altermetoponia flava sp.n. on sugar-cane

Queensland, 523

ermetoponia rubriceps, flight of, in Queensnd, 1312; bionomics of, in California, 2903 rnanthera phylloxeroides, Vogtia malloi on, Argentina, 1190; Amynothrips andersoni ad Agasicles sp. introduced into California

13ainst, 2443 arnaria alternata, Tyrophagus brauni in ultures of, 742; as food for stored-product sects, 2359; Hypogastrura tullbergi feeding

in, in laboratory, 2765

nata, Abagrotis

rnatus, Monochamus; Nabis

vaea ficifolia, as wild host of Pexicopia mal-

·lla in Soviet Union, 3094

aea rosea, Phytoseius plumifer failing to Evelop on, 38; Aphis gossypii overwintering n, in Japan, 3913

ca caerulescens, as pest of weeds in India.

a carduorum, releases of, against Cirsium evense in Canada, 1683; method for obtaing P32-labelled eggs of, 3641

remies of, on oak in Soviet Union, 3563 etude, infestation of Chilo zonellus on maize

relation to, 1051

Iminium Foil, number of aphids over strips 1, 206; protecting sugar-beet against aphids nd viruses, 2652

vatoides, Anastrepha

sum dasycarpum, resistance in, to Rhopalobhum erysimi pseudobrassicae, 614 bilis, Eublemma

wnita muscaria, 1,3-diolein in, attracting usca domestica, 1599

. ra aenea, incidence of, in soil in lucerne lds in Poland, 3585

ra familiaris, incidence of, in soil in lucerne

lds in Poland, 3585

rantus, Hymenia recurvalis on, in Delhi, 67; as food-plant of Disonycha glabrata, 31

wrantus retroflexus, Hyalesthes obsoletus on,

:08; Systena frontalis on, 2394 Aryllidaceae, Vryburgia lounsburyi on, in **ance, 481

..tella, Dioryctria

thes c-nigrum, sterilising effect of tepa on, .0; Smithiavirus agrotidis sp.n. transmitted 3590; rearing and effects of inbreeding on,

Aurocoelus, Pediobius

siguella, Eupoecilia (Clysia)

wiguus, Psallus

(see under Fenitrothion)

Alycoleus platyderus, preying upon Maharva posticata in Brazil, 1283

lymerus (see Mesopolobus)

Alypelta cocophaga, causing premature nut-Ill of coconut in Pacific Islands, 3308

Iypelta nitida, damaging Macadamia in dueensland, 3313

lyseius, response of populations of, on ange to cessation of spraying in Egypt, 0; preying on Steneotarsonemus madecassus Madagascar, 3389

lyseius chilenensis, feeding habits, and ovisition of, on various food substances, 3349 Amblyseius concordis, response of, to prey density in California, 2462

Amblyseius duncansoni sp.n., from mites on apple in Nova Scotia, 2824

Amblyseius engaddensis, sp.n., in Israel, 3996 Amblyseius fallacis, insecticide resistance in, on apple in North Carolina, 599; predation by, on Panonynchus ulmi as measured by insecticidal check method in New Jersey, 645; effect of temperature on control of Tetranychus telarius by, in greenhouses in Canada, 1660; as predator of Tetranychid mites, 1729; toxicity of some insecticides to organophosphorus-resistant species of, in North Carolina, 2752; as predator of Tetranychus mcdanieli in Ontario, 2988; harmful effect of inbreeding on closed populations of, 3282

Amblyseius finlandicus, effect of pesticides on, in apple orchards in Poland, 2577; bionomics of, preying on mites in Poland, 3102; over-

wintering of, in Poland, 3103

Amblyseius gossipi, effect of different prey

species on, 2296

Amblyseius hibisci, resistance to parathion in, in California, 1777; feeding habits, and oviposition of, on various food substances, 3349

Amblyseius largoensis, response of, to prey density, in California, 2462; feeding, development and reproduction of, on various food substances, 3225

Amblyseius limonicus, effect of diet on feeding development and oviposition of, in Israel, 1383; predation by, on Oligonychus punicae

on avocado in California, 2931

Amblyseius swirskii, toxicity of acaricides to, preying on *Phyllocoptruta oleivora* on *Citrus* in Israel, 261; toxicity of insecticides to, on Citrus in Israel, 1091

ambrosiae, Macrosiphum

Am. Cyanamid 12415 (see O,O-Diethyl Phosphorothioate O-Ester with 6-Hydroxy-3(2H)pyridazinone)

Amelanchier, Campylomma verbasci on, 3621 America, Central, Sepedon macropus in, 1345; catalogue of Diptera in, 2013; Gerstaeckeria

spp. in, Vinsonia stellifera in, 3201

America, North, revision of genus Euxoa in, 230; revision of species of Pnigalio and Sympiesis of, 359; Ostrinia spp. on maize in, 526; Sciopithes obscurus infesting berry crops and ornamental plants in, 679; Pemphigus populivenae in, 707; native parasites attacking introduced pests in, 743; Dioryctria spp. in, 907-908; Sepedon macropus in, 1345; new biotype of Schizaphis graminum on sorghum in, 1743; key to Anobiidae in, 2927; insects damaging acorns of Quercus macrocarpa in, 2932; corrections to catalogue of Diptera of, 2949; biosystematics of Hopping's group IX of genus Ips in, 2993; Hydrellia spp. in, 2999; Psammotettix in, 3000; revision of Heliothidine genera and list of species in, 3279; biosystematics of genus Ips in, 3623; Blissus canadensis sp.n. in, 3630; Microweisea and Cryptoweisea peninsularis gen. et sp.n. in, 3673

America, South, Sepedon macropus in, 1345; catalogue of Diptera in, 2013; Vinsonia stellisera in, 3201; list of Eriophyidae in 3669; insects and mites damaging Eichhornia crassipes in, 3793

americana, Meromyza; Periplaneta; Schistocerca

americoferus, Nabis

Amidithion, compatibility of fungicides with, against pests of plum, 280; safety period for cherry after treatment with, against Rhagoletis cerasi, 445; and fenitrothion, toxicity of to beet weevils, 3128; and fenitrothion, against Heliothis armigera, 3130

Amine Stearates, resistance to rainwashing of DDT powders formulated with, 4094

Amino Acids, as feeding stimulants for Lygus hesperus, 583; chemoreceptory cells sensitive to, in Lepidoptera, 753; in diet for Leptinotarsa decemlineata and Pieris brassicae, 762; stimulating feeding in insects, 771; in artificial diets for *Myzus persicae*, 1243; in composition of haemolymph of *Ephestia kueh*niella, 2178; in phloem sap stimulating reproduction of Drepanosiphum plantanoides, 2183; composition of free, of larva of Eublemma amabilis, 2532; in diet for Itoplectis conquisitor, 3287; in diet for Macro-siphum pisum, 3682; in haemolymph of larvae of Costelytra zealandica, 3875; content of, in leaves and galls of grape vine varieties susceptible and resistant to Phylloxera vitifoliae, 4157; in leaves and galls on grape vine, 4159

Aminocarb, against Rhagoletis pomonella, 902; in sprays against Epiphyas postvittana, on apple in Tasmania, 1299, 1300; in aerial sprays against Choristoneura pinus pinus, 1665; toxicity of N-acyl derivatives of, to Spodoptera littoralis, 1702; toxicity of, against sawflies and forest tent caterpillar, 2002; in emulsion sprays against Hvlurdrectonus araucariae, 2784; against Homona coffearia,

Amiphos (see Ethoate-methyl)

Amitermes laurensis, infestation and control of in Queensland, 3025

amitinus, Ips

Ammalo arravaca, plant-specificity Eupatorium spp. in Trinidad, 3794 of.

Ammonium Fluosilicate, use of, in grain protection, 93

Ammonium Nitrate, insecticides combined with, 730; reducing cabbage virus transmission by Myzus persicae, 1875

Ammonium Phosphate, in traps for Ceratitis capitata, 4022

Ammonium Sulphate, effect of, on fecundity of Saccharosydne saccharivora on sugar-cane, 348; in baits for Dacus oleae, 3465

amoenus, Eumerus

Amphibolus venator, effectiveness of, as predator of stored-product pests in India, 3386

Amphimallon majalis, resistant to chlorinated hydrocarbon cyclodiene insecticides in New York, 2422

Amphimallon solstitiale, numbers of, in beet fields in Soviet Union, 708; infestation and control of, in Poland, 4133

Amphitornus coloradus, manner of pickup of ULV malathion by, in Wyoming, 158

Amphix discoidea, predatory action of, Phytophthora palmivora in cacao pods. Brazil, 2290

Amphorophora lactucae, multiplication of sos. thistle vellow vein virus in, 423; transovare passage of sowthistle yellow vein virus in, 97! relationship between lettuce necrotic yellol virus and activity of, in South Australia, 131. peanut mottle virus transmitted by, Queensland, 1311; effect of dosage on incuttion period of sowthistle yellow vein virus 2312; infection of cell cultures of, with sos thistle yellow vein virus, 2316; in traps of Venezuela, 2830; infection of, by sowthis yellow vein virus, 3663; on currants s Poland, 4115; Anthocoris pilosus preying & on black currant in Poland, 4123

Amphorophora rubi, gene from Rubus occidi; talis for resistance to strains of, 1803

ampla, Lymantria

AMPMC, against planthoppers and less

hoppers, 2635

Amrasca devastans, sprays against, on coth in India, 873; growth, longevity and repeduction of, on Hibiscus esculentus in labor, tory, in India, 2773; effect of combin sprays, fertilisers and hormones on, cotton in India, 3926

Amrasca terraereginae, on Helianthus annuu: Queensland, 3316

Amritodus, as new genus for Idiocerus atkinsal 419

Amritodus atkinsoni, aerial sprays against, mango in India, 3358

Amsacta moorei, pupae of, parasitised Atherigona orientalis in India, 2531

amurensis, Adris tyrannus amydraula, Batrachedra

Amyelois transitella, invasion rate and infe tion pattern of, on almond in Caliform 2382; effects of γ-radiation on reproduct in, 3780

amygdali, Eurytoma; Hyalopterus; Scolytus i amygdalinus, Brachycaudus

Amylostereum, non-preference for, in Rhyd persuasoria, 830; Ibalia drewseni respond to cultures of, 850

Amynothrips andersoni, introduced into C fornia, 2443

anacardii, Helopeltis

Anacardium occidentale, Helopeltis anacad attacking, in Mozambique, 1398; Lymans ampla fed on leaves of, 2203; mites one Mozambique, 3392; Selenothrips rubrocini on, in Brazil, 3833; Aleurodicus cocois on Brazil, 3835; effect of, on oviposition, feed dity and development of Ephestia cauta 3922; Helopeltis spp. on, in Africa, 39636

Anactinothrips distinguendus, on Pelliculus koleroga on cacao in Brazil, 3854 Anaeolopus dorsalis, infected by Serri

marcescens, 3923

Anaesthesia, effects of, on subsequent man behaviour of *Plodia interpunctella*, 551

Anagasta kuehniella (see Ephestia) Anagrapha, key to, in Florida, 567

Anagrus, sp. of, egg-parasite of Afroccidens s 2289; sp. of parasitising eggs of rice pli hoppers in Japan, 3348

agrus armatus, misidentification for A. laveolus in Jamaica, 2666

agrus atomus, as egg-parasite of Tettigella iridis, 2235

agrus atomus form incarnatus, parasitising ggs of Tettigella viridis in stems of Juncus pp., 2235

agrus flaveolus, parasitising Saccharosydne accharivora, in Jamaica, 2666

agrus nr. flaveolus, parasitism of eggs of aodelphax striatella by, 1325; parasitising aodelphax striatella in Japan, 1908, 1909 agyrus, reducing Edwardsiana spp. in Soviet iJnion, 1100

agyrus pseudococci, parasitising Phenacoccus

uceris in France, 2149

agyrus schoenherri, Phenacoccus aceris parapitised by, in France, 2149

le, Sinoxylon

alis, Callosobruchus

anas comosus, residues of bromide fumigants

in, 132

ania verbascalis, distribution, abundance, natural enemies and food-plants of, in West Pakistan, suitability of, for introduction ligainst Xanthium strumarium in Australia, 502

aphes, sp. nr. fuscipennis parasitising eggs

of Oulema melanopus, 3350

taphes flavipes, dispersal and development of, following field release against Oulema melahopus in Indiana, 385; establishment of, ligainst Oulema melanopus in Michigan and Indiana, 1755; bionomics of, parasitising eggs of Oulema melanopus, 2956; establishment of, against *Oulema melanopus*, 3233; evaluation of European cultures of, 3350; evaluation of European cultures of, 4. lemae sp.n. distinguished from, 3970

aphes lemae sp.n., misidentified as Patasson valkenburgica, reared from Oulema Oulema melanopus and Lema lichenis in Poland, Yugoslavia and France, 3970

caphothrips concinnus, attacking crops and brnamental plants in Victoria, 3326

:aphothrips flavicinctus, seasonal fluctuations of, on Panicum maximum in India, 3083

aphothrips fragariae, attacking crops and prinamental plants in Victoria, 3326

aphothrips obscurus, males of, not found on

ereals in Finland, 4105

arsia lineatella, infestation and control of, on peach and apricot in Rumania, 277; DNCammonium against, on peach in Bulgaria, 289; on peach in Hungary, 292; Cydia nolesta on peach following wilting damage by, in Hungary, 293; distribution of, 1502; artificial diet for rearing, sex pheromone broduced by laboratory-reared females, 2425 as platyrhynchos, insecticide impairment of reproduction in, 30; insecticides in wings of, 3737

astatus bifasciatus, A. japonicus misidentified

as, 1327

astatus disparis, as synonym of A. japonicus,

1327

astatus japonicus, parasitising Dendrolimus spectabilis on pine in Japan, 1327; as parasite of Lymantria dispar in Yugoslavia, 1518 astomosis, Pygaera

Anastrepha, sprays against, on Citrus reticulata in Brazil, 3831

Anastrepha alveatoides, numbers of, in baittraps in Argentina, 2029

Anastrepha edentata, in Florida and Puerto Rico, 2186

Anastrepha fraterculus, review of, in Argentina, 2024; infestation and control of, on peach in Venezuela, 3003

Anastrepha ludens, pathogens and pests associated with laboratory cultures of, 207; A. suspensa reared on diet for, 361; insecticidal aerosols against, 1700; mortality of, from CO₂ generated in buried mangos and oranges in Mexico, fumigation with CO₂ of stored grapefruit infested with, 1741; review of work on, in Mexico, 1957; lure for, rearing and sterilisation of, 4069

Anastrepha mombinpraeoptans, attacked by

fungi in laboratory, 207

Anastrepha ocresia, on Achras zapota, guava and grapefruit in Florida, 567

Anastrepha suspensa, rearing of, 361; rearing, sterilisation, trapping and control of, Florida, 4069; research on, in Florida, 4075 Anathix puta, on Populus tremuloides in Quebec, 1652

Anatis ocellata, bionomics of, preying on Schizolachnus pineti in Germany, 3412

anceps, Conomelus

anchorago, Pharoscymnus Anchovy, Northern (see Egraulis mordax)

Ancylis comptana, Symplesis fragariae sp.n. recorded from, in U.S.A., 359; effect of natural enemies on, on strawberry in Italy, 3481

ancylivorus, Macrocentrus

andersoni, Akermes; Amynothrips

Andropogon lateralis, Lorryia panitae on, in Paraguay, 3825

aneituma, Agrotis ipsilon

Aneristus ceroplastae, parasitising Ceroplastes sinensis in New South Wales, 3897

Anethole, attractiveness of, to Popillia japonica, 176; and eugenol, attractiveness of, to bees, 600; in mixture with eugenol in traps for Popillia japonica, 2399; as bait in traps for Popillia japonica, 2775

angaleti, Apanteles angelicae, Trioxys

Angola, treatments for control of pests of coffee in, 1407; list of plant pests in, 2037, 2038; Diparopsis tephragramma on cotton in, 3953; Aspidomorpha dissentanea and other

pests on sweet potato in, 3954 angusticollis, Zootermopsis

angustigena, Trypeta

Anicetus communis, attacking Gascardia destructor in South Africa, 1307

Anilastus ebeninus, in competition with other parasites of Pieris rapae, 1458

Animals, organochlorine residues in marine and freshwater, in Britain, 2641

Animert V-101 (see Tetrasul)

anisocentra, Homadaula

Anisoplia austriaca, numbers of, in beet fields in Soviet Union, 708; on cereal crops in Turkey, 2084

Anisoplia segetum, numbers of, in beet fields in Soviet Union, 708; on cereal crops in Turkey, 2084

Anisopteromalus calandrae, as parasite of Sitophilus oryzae in stored cereals in Rumania, 269

Anisota rubicunda (see Heterocampa biundata) Annona cherimolia, insect pests of, in Brazil, 3837

Annona squamosa, insect pests of, in Brazil, 3837

annulata, Sciara

annulicornis, Halyomorpha

annulipes, Agathis

Anobiidae, key to North American genera of, 2927

Anobium punctatum, distribution of, in New South Wales, 519; wood breakdown and nitrogen utilisation by, in Pinus sylvestris in Britain, 2644; effect of liquid eradicants in preventing emergence of, from wood in Britain, 3530; fungi in sapwood of pine affecting suitability of wood for development of, 3534; effect of seasonal differences in nitrogen content of pine sapwood on development of, 3535; insecticides in glue to protect plywood from, in New Zealand, 3862

Anomala, economic importance and descriptions of new species of, in Pakistan, 1379

Anomala ashrafii, sp.n., description and economic importance of, in Karachi, 1379

Anomala flavipes, attacking fruit in India, 3365

Anomala flavipes, attacking fruit in India, 3365

Anomala lineatopennis, attacking fruit in India, 3365

Anomala qadrii, sp.n., description and economic importance of, in Karachi, 1379

Anomala rufiventris, attacking fruit in India, 3365

Anomala shafqati, sp.n., description and economic importance of, in Pakistan, 1379

Anomalon latro, Erigorgus femorator referred to as, 3494

Anomis flava, bionomics of, on cotton and Hibiscus esculentus in Mali, 2036; on cotton in New South Wales, 3030

Anomis sabulifera, insecticides against, or Corchorus spp. in East Pakistan, 2071

Anoplolepis custodiens, influence of temperature and humidity on weight loss of, in South Africa, 2686

Anoplolepis longipes, sympatric associations with Iridomyrmex humilis and Pheidole megacephala, in Hawaii, 1193

Anoxia villosa, flight and spread of, in Rumania, 265

Antarctica, DDT in snow in, 35

Antennopsis gallica, on Reticulitermes spp. in Florida, 540

antestiae, Gryon

antevolens, Anthocoris

Anthela varia, virus of, on Macadamia tetraphylla in Queensland, 3266

Antheraea eucalypti, adaptation of cell lines of, to alien culture medium, 43; effect of insecticides on cell cultures of, 3992

Antheraea pernyi, artificial diet for, 632; tests of reception by males, of female sex pheromone of, 1239

Antheraea polyphemus (see Telea)

Anthio (see Formothion)

Anthocoptes ribis, bionomics and control of, c, currants in Soviet Union, 4141

Anthocoridae, attacking Gynaikothrips ficorum on fig in Brazil, 3815

Anthocoris, preying on Anuraphis spp. Bulgaria, 739

Anthocoris antevolens, insecticides against Cyapomonella detrimental to, on pear in Cafornia, 603

Anthocoris confusus, action of systemic aphicident on, 1523; as predator of Drepanosiphul platanoides in Britain, 3984

Anthocoris gallarumulmi, biology and behavioi of, in Poland, 2572

Anthocoris nemoralis, as predator of apple pes in Poland, 724

Anthocyanins, chemoreceptory cells sensiting to, in Lepidoptera, 753

Anthocoris nemorum, as predator of apple per in Poland, 724; preying on Cydia funebrar in Soviet Union, 1104; action of system aphicides on, 1523; as predator of Drepara siphum platanoides in Britain, 3984; attaca ing aphids in Poland, 4115; destroyin Phyllonorycter pyrifoliella on apple in Sovy Union, 4139

Anthocoris pilosus, bionomics of, preying aphids in Poland, 4123

Anthomyiidae, parasitic on Acrididae, 338 Anthonomus grandis, use of traps baited we males against, on cotton in Texas, 11 ecdysone analogue sterilising adults of, 12 winter survival of, in cotton fields in Arizon 126; ultra-low volume ground equipment control of, on cotton, 127; populations after spraying campaign in Texas a Mexico, 131; sterility induced in, with butanediol dimethanesulphonate, 154; effe of nitrogen fertilisation and insecticides of on cotton in Georgia, 160; insecticia against, on cotton in Texas, 189; dimeta sulfoxide not improving toxicity of inse cides to, 201; pyrethroid not effective again on cotton in Texas, 221; effect of insecticity on egg production of, 411; absorption a metabolism of glycine in irradiated adults t 415; sex attractant of, 486; analysis of por lations of, on cotton in South Carolina, 6 toxicity of insecticides to, on cotton i Texas, 630; effect of soil surface temperatal on survival of, in fallen cotton squares Arizona, 639; eliminating Glugea gasti fri genetic stocks of, 651; activity of own wintered and summer-generation adults on cotton in Texas, 652; long-range disper of, determined with traps baited with ma in Mexico, 685; enzymes of, degrace polysaccharides of cotton, 690; physicaspects of artificial diet for, 759; factors resistance and susceptibility of cotton other hosts to, 773; insecticides against, 9 studies on larvae of, in Mississippi, 111 attractancy of terpenoids and related pil constituents to, 1710; distribution of, cotton in relation to winter habitats in Tel 1738; seasonal rates of increase of, in Tel 1942; bait tests containing feeding stimul and Glugea gasti or Mattesia grandis agail

Louisiana, 2221; traps for, in United tates, 2358; seasonal movement of, in Texas. 1362; on cotton in Texas, 2369; traps baited ith males of, for determining spring emerance of overwintered weevils, 2388; attracveness of formulations of grandlure to, 1435; shipment of large numbers of, 2440; in cotton in Mississippi, 2779; empirical hodel for predicting distribution of, on cotin in Arizona, 2798; bisulfan in, and in ortified diet, 2805; size and number of spray roplets on, 2880; movement of, to and om cotton field in South Carolina, 2936; se of, for testing aldicarb for soil applicaons, 2960; control of, on cotton in Arkansas. 1198; method for increasing attractiveness 6, of bait containing cotton-seed oil, 3213; nating of, on cotton in Mississippi, 3264; opulation dynamics of, on cotton in South :arolina, 3687; qualitative analysis of mino acids in, requirements of, for arginine h diet, 3699; list of parasites of, 3704; attraction of wing traps and cotton trap Hots baited with males of, 3707; effects of :-radiation on utilisation of glycine carbons in josynthesis of RNA and amino acids in,

Phoxanthum, as food plant for Chorthippus

arallelus in Britain, 4080

viracina, Pheidole viracinus, Hyperodes

threnus flavipes, scent of females of, not tractive to males of *Trogoderma granarium*, 237

threnus sarnicus, status of, in Britain, 453 threnus verbasci, humidity discrimination in,

hriscus cerefolium, Aphis sambuci sambuci

n, in Germany, 3407

hriscus sylvestris, nutrients in, for Hylemya

rassicae, 41

ribiotics, of varieties of Bacillus thurinensis, 541; in diet for Hylemya antiqua, 3633 sicheta, feeding on egg-masses of Lymnaeid and Succineid snails in Sweden, 1638

cicholinesterase Compounds, effects of, on inbryology of Acheta domesticus, 2327 ifeedants, for insect pest control, 2555

goni, Pulvinaria

simicrobial Control, aposymbiosis as posble method for, in arthropods, 2283

qua, Hylemya (Delia); Orgyia

hirrhinum majus, unsuitable for larval feeding

iy Eulocastra argentisparsa, 501

raulti on grasses in Brazil, 1282; chemical introl of, on pangola grass in Brazil, 2019; oscovery, distribution and food-plants of, in araguay, records of, in Caribbean area and buth America, 2034; as pest of Rhodes ass in Queensland, 3020; Neodusmetia angwani introduced against, on forage asses in Brazil, 3821

racol (see Zinc Propylenebisdithiocarba-

late)

is, suppression of, in control of Aonidiella surantii on Citrus in South Africa, 350; reying on eggs of Plodia interpunctella, 495; reying on Heliothis zea on cotton in

Arkansas, 563; method for studying honeydew of aphids collected by, 720; selective removal of soil particles by, 1413; limitations of use of smoke generators emitting dieldrin against, 2641; catalogue of, of Chile, 2835; artificial nesting material used in propagating, 2977; infestation of *Cinara piceae* associated with nests of, in Soviet Union, 3101; as possible predators of *Saissetia oleae* in Italy, 3489; beneficial species of, in Germany and Switzerland, 4103

Anua tirhaca, artificial diet for, 1060

Anuraphis devecta, bionomics, natural enemies and control of, on apple in Bulgaria, 739; effect of maternal and larval experience on

morph determination in, 3774

Anuraphis helichrysi, as vector of sharka virus disease, 774; insecticides against, on peach in India, 872; as vector of sharka disease of apricot in Switzerland, 1129; biology and control of, on peach in India, 2516; transmitting chrysanthemum mosaic virus and aspermy virus, 2603

Anuraphis mali (see A. plantaginea)

Anuraphis persicae, seasonal development of, on peach in Yugoslavia, 440

Anuranhis parsicagnicar (see A

Anuraphis persicaeniger (see A. persicae)
Anuraphis plantaginea, sterilising effect of tepa
on, 300; bionomics, natural enemies and
control of, on apple and Plantago in Bulgaria,
739; on apple in Poland, 4115, 4134

Anuraphis radicola, on apple in Poland, 4134

anxia, Lachnosterna

Aonidia lauri, on Laurus nobilis in Poland, 1115 Aonidiella aurantii, effect of annual spray treatments on population of, on oranges in California, 258; economic threshold and forecasting of treatment against, on Citrus in Israel, 259; biological control of, on Citrus in South Africa, 350; Aphytis melinus released against, on lemon in Argentina, 997; insecticides against, on roses in Israel, 1089; aldicarb failing against, on roses in Israel, 1090; parathion against, affecting Gascardia destructor on Citrus in South Africa, 1307; crawlers of, as food for Amblyseius limonicus, 1383; azinphos-methyl against, on roses in Israel, 2072; method for determining death in, 2076; development and reproduction of Amblyseius largoensis on, 3225; Amblyseius spp. feeding on, 3349; on Citrus in Jordan, 3424; Aphytis melinus introduced against, in Sicily, 3485; invertase and amylase activity in, 3762; method for isolating sex pheromone of, 3771; infestation and control of, on Citrus in Argentina, 3798; on rose in Brazil, strain of, unable to develop on Citrus sinensis and C. limonia in Brazil, 3850; fate of Comperiella bifasciata in, in South Australia, 3901; on apple and pear in Mozambique, 3951; parasitism of, by Habrolepis rouxi on Citrus in South Africa, 3968; parasitised by Aphytis coheni and A. chrysomphali on Citrus in Israel, 3973; iodine test for mortality of, after insecticide treatment in Israel, 4089

Aonidiella citrina, attacking Hemisarcoptes dzhashii sp.n. on Citrus in Soviet Union, 1108; fate of Comperiella bifasciata in, in South

Australia, 3901

aonidiellae, Lestodiplosis aonidum, Chrysomphalus

Apamea finitima, damaging barley in New Brunswick, 1989

Apanteles, parasitising larvae of Heliothis armigera and Earias biplaga, 1205; unreliable as control agent against Pectinophora scutigera in Queensland, 1315; parasitising Schizomyia orientalis in India, 2091; parasitism of Cydia leucostoma by, on tea in India, 2093; parasitising Phthorimaea operculella in India, 3359

Apanteles angaleti, parasitising Archips occiden-

talis on coffee in Kenya, 357

Apanteles chilonis, biology of, parasitising Chilo suppressalis, 1348

Apanteles circumscriptus, parasitising Phyllonorycter spp., 1795; parasitising norycter pyrifoliella on apple in Soviet Union, 4139

Apanteles colemani, parasitising larvae of

Euproctis lunata, 2511

Apanteles congregatus, parasitising Manduca sexta, 2409; effects of carbofuran and disulfoton on, 2738; multiple parasitism involving, preventing eggs of Winthemia manducae from hatching in Manduca sexta, 3688

Apanteles dignus, parasitising Keiferia lycopersicella on tomato in California, 623

Apanteles flavipes, biology of, parasitising Chilo suppressalis, 1348; introduced from Mauritius into Madagascar against Chilo sacchariphagus, 1392; parasitising larvae of Sesamia inferens in Sarawak, 3346

Apanteles fumiferanae, parasitising larvae of

Choristoneura occidentalis, 2428

Apanteles glomeratus, not effective against Pieris rapae in Missouri, 945; spatial pattern of parasitism of, to larvae of Pieris rapae crucivora on cabbage in Japan, 1041; in competition with other parasites of *Pieris rapae*, 1458; and *Pieris brassicae*, 1463; rearing method for, 1772; field distribution of, parasitising Pieris rapae crucivora in Japan, 1901; ineffective parasitism of *Pieris rapae* by, in presence of A. rubecula, 3240; infection of, with Nosema mesnili in Czechoslovakia, 4112

Apanteles haywardi, parasitising Cydia molesta in Argentina, 994

Apanteles inclusus, parasitising Dendrolimus pini on pine in Hungary, 2138

Apanteles judaicus sp.n., in Israel, 3999

Apanteles marginiventris, parasitising Plathypena scabra on lucerne and soy bean in Missouri, 1752; rearing method for, 1772; bionomics of, 1963; ineffective as parasite of Trichoplusia ni in Mississippi, 2769

Apanteles medicaginis, mate-finding by males of, in Britain, 831

Apanteles plutellae, ineffective for biological control of Plutella xylostella, 2509

Apanteles rubecula, mutilating larvae of Pieris rapae, 138; tests with, for introduction against Pieris rapae in Missouri, 945; in competition with other parasites of Pieris rapae, 1458; rearing method for, 1772; released against Pieris rapae in Missouri, 3240

Apanteles ruficrus, parasitising Plutella xyl stella in India, 2201; parasitism of Hyphantricunea by, in Yugoslavia, 3145

Apanteles scutellaris, parasitising Keiferia lyco persicella on tomato in California, 623

Apanteles sesamiae, parasitising larvae Sesamia calamistis in Mauritius, 2536; pan sitising Chilo partellus in Mozambique, 33% Apanteles starki, parasitising Eucosma rescs soriana on pine in Idaho, 909; parasitisis Eucosma rescissoriana on Pinus monticola la

Idaho, 3632

Apanteles stenomae, parasitising Goniotern spp. in Brazil, 3799

Apanteles taragamae, reared from galls Cydia tricentra on Crotalaria juncea in Inda

Apanteles ugandaensis, parasitising occidentalis on coffee in Kenya, 357 Apatele rumicis, thermostability of phone

periodic reaction of, 432

APC (see 4-Diallylamino-3,5-dimethylphere

Methylcarbamate)

Apechthis ontario, parasitising Croesia sere purpurana in Quebec, 904; competition between Itoplectis quadricingulatus and, l Galleria mellonella, 2929

Aphaenogaster, as pasture pests in Queensland 1317

Aphanosperma occidentalis sp.n., feeding Hakea spp. in Western Australia, 1005

Aphanosperma orientalis sp.n., in Austra' 1005

Aphanostigma piri, varietal susceptibility pear trees to attack by, in Israel, 13: Aphanus (see Rhyparochromus)

Aphelinidae, differential mortality of sexes a sex differentiation in, 461; parasitisa

aphids in France, 2155

Aphelinus, parasitising Aphis gossypii and ot aphids in India, 507; eggs of Charips vict

suppressed by, 1922

Aphelinus asychis, parasitising Myzus persir and other aphids in India, 507; bionomin and host relations of, in Oklahoma, 29% 2925; parasitism by, of aphid pests sorghum, 2969

Aphelinus chaonia, variations in pigmentate of, in France, 2155

Aphelinus flavipes, parasitising Myzus persit and other aphids in India, 507; failing to a trol infestation of Aphis gossypii on cucum ber in Britain, 1650; parasitising aphidse France, 2155

Aphelinus howardii, not attacked by Cham victrix, 1922; hyperparasitism of, parasitist Macrosiphum euphorbiae in California, 3

Aphelinus humilis, parasitising Macrosiphum in India, 507

Aphelinus mali, parasitising aphids and E. soma lanigerum in India, 507; parasitist Eriosoma lanigerum on apple in Argenta 703; efficiency of, in controlling Erioso.

lanigerum, 1466 Aphelinus nikolskajae, parasitising Pemphis sp. in India, 507

Aphelinus semiflavus (see A. asychis)

Aphelinus varipes, parasitising aphids in France 2155

id, Black Citrus (see Toxoptera aurantii) ,id, Mustard (see Rhopalosiphum erysimi) idan (see O,O-Diisopropyl S-Ethylsulphivlmethyl Phosphorodithioate)

aidiines, attacking Anuraphis spp. in Bularia, 739; in Italy, 3487

vidius ervi, effect of, on Macrosiphum pisum : Czechoslovakia, 1127

vidius gifuensis, parasitising Myzus persicae

in radish in Japan, 1330

idius matricariae, parasitising Toxoptera arantii in Soviet Union, 1123; as parasite of Myzus persicae, 1524

didius nigripes, hyperparasitism of, paratising Macrosiphum euphorbiae in California,

didius platensis, effect on Aphis craccivora of

arasitism by, 1085

idius ribis, attacking aphids in Poland, 4115 idius rubifolii, sp.n., parasitising Masonphis on Rubus parviflorus in British Colum-

ia, 1674

: idius smithi, effect of, on colonies of Macrophum pisum, in Washington State, 944; htroduction of, against Macrosiphum pisum Czechoslovakia, Poland and Ukraine, 127; in Macrosiphum pisum, parasitised by tharips victrix in California, 1197; associted with Charips victrix, 1198; parasitised y Charips victrix, 1923, 1924; rearing of, for Elease against Macrosiphum pisum, 1967

idivora, Leucopis puncticornis; Phaenobremia

oidoidea, bibliography of, 2168

aids, movements made during withdrawal of ylets by, 26; insecticides controlling, on dolanum melongena in India, 73; in India, 82; ispersal of, infected with virus from clover beans, 122; on maize in Ohio, 133; aldiarb applied to soil against, on Pinus sylvestris n Pennsylvania, 183; determining number of, ver reflective surfaces, 206; parasites of, on *(itrus* in Israel, 251; Aphelinid parasites of, in India, 507; list of, in New York, 696; nethod for studying honeydew of, collected dy ants, 720; Chrysopa predators of, on rotaon crops and in shelter belts in Poland, 732; lietary influences on polymorphism of, 763; nethods for monitoring insecticide resistace in, 790; ultra low volume sprays against, n roses, 793; effectiveness of pirimicarb gainst, 818; of India, 862; of California, 33; of agricultural importance in Venezuela, 87; insecticides to determine damage by, to otton in Mozambique, 1061; effect of isecticides against, on natural enemies in oland, 1112; on Lonicera spp. in Norway, 165; winged, trapped over grain fields in teorgia, 1222; ecological studies on, in upan, 1339; Syrphid larvae attacking, in apan, 1341; toxicity of resmethrin to, 1587; Norway, 1627; dichlorvos controlling nwanted parasites of, 1785; in New Jersey, 787, 1788; in District of Columbia, Maryind and Virginia, 1789; sprays against, on orghum in Uganda, 1820; sprays against, n oats in Michigan, 1921; parasites of, as osts for Charips victrix, 1922-1925; as ectors of Johnsongrass mosaic virus on naize in Mississippi, 1972; in Venezuela,

2016; Aphelinids parasitising, in France, 2155; faunistic study of, in Philippines, 2230; microbial control of, 2269; taxonomic study of spp. of, occurring in Oklahoma, 2343; model of plant-to-plant movement of, 2621; recommendation against use of DDT against, on fruit crops, 2641; protection of sugar-beet against, 2652; relationship of movements of, over host plant to spatial distribution, 2667; Menochilus sexmaculatus, Coccinella septempunctata and Syrphid larvae predacious on, in West Bengal, 2675; seasonal changes in abundance of, and their predators in Egypt, 2694; list of, from Gujarat State, 2811; fluctuation of populations of, in Aragua State, Venezuela, 2830; catches of, in southern Germany, 2840; control of, on lettuce in Holland, 2861; control measures against, on beet in California, 2899; embedding procedure for study of feeding by, 2939; in Venezuela. 3004; disulfoton granules against, on fruit trees in Japan, 3078; attacking groundnut in Queensland, 3312; on fruit trees in Victoria, 3322; in India, 3364; on Gerbera jamesonii in Rumania, 3442; on sorghum in Bulgaria, 3446; in Portugal, 3506; specificity of infection of, by Entomophthora, 3514; biological control of, 3552; of Moldavia, 3559; on oak and beech in Soviet Union, 3569; attack on, by sawflies, 3577; parasitism of, by *Diaeretiella rapae*, 3635; in Massachusetts, 3671; beet mosaic transmitted by, in New York, 3791; disulfoton against, on rape in New Zealand, 3881; on rape in Western Australia, 3907; on apple and pear in Mozambique, 3951; pea leaf-roll transmitted by, 4041

Aphidula (see Aphis)

Aphis, malathion against, on cotton in Middle East and Africa, 796; spp. of, in traps in Venezuela, 2830; sp. on Callicarpa japonica in Japan mistaken for A. gossypii, 3913

Aphis clerodendri, on Clerodendron trichotomum in Japan, 3913

Aphis craccivora, transmission of rosette disease of groundnuts by, in India, 61; effects of different food-plants on, 493; as vector of pea mosaic virus in India, 865; as vector of virus disease of papaya in Venezuela, 980; effect on, of parasitism by Aphidius platensis, 1085; biological control of, on Citrus in Soviet Union, 1123; vector of subterranean clover stunt disease, not transmitting red leaf virus disease of clover in Victoria, 1304; peanut mottle virus transmitted by, in Queensland, 1311; predation response of Harmonia axyridis to density of, 1335; associated with Citrus decline in India, 2105; infesting Moringa oleifera in southern India, 2205; transmitting groundnut mottle virus in Venezuela, 2484; rearing of Lysiphlebus testaceipes in, on different host plants, possible release of Lysiphlebus testaceipes against, on groundnuts in India, 2514; heterogeneity of bean leaves as sources of virus for, in Florida, 2891; as pest of legume seed crops in Queensland, 3022; attacking groundnut in Queensland, 3312; sprays against, on bean in Iran, 3942

Aphis donacis, natural mortality of winter eggs

of, 305

Aphis fabae, insecticides against, on broad beans in Britain, 2; locomotory behaviour of Syrphus balteatus after contact with, 318; transmission of beet viruses by, in Poland, 723; effect of crop rotation on damage by, in Germany, 745; host-plant colour and, 750; nutrition of, on chemically defined diets, 758; damage assessment aspects of, on beans in Britain, 813; aggregation and transformation of counts of, on beans, 832; effects of population density on alienicolae of, 833-835; integrated control problems with, on beet, 1833; lighting system for production of sexual forms of, 1940; effects of foodplant on reproduction of, 2080; aggregation of, in relation to food-plants in Britain, 2159; on sugar-beet in open beds in Britain, 2652; distribution and movement of, on Vicia faba in Britain, 2667; weeds in beet fields as source of yellows virus for, in Belgium, 3522; control of, on beans in Mozambique, 3950; Entomophthora spp. in, in France, 3972; daily rhythm of activity of, in Poland, 4121; Anthocoris pilosus preying on, in Poland, 4123

Aphis farinosa, as alternative host for Lysiphlebus ambiguus and Trioxys angelicae, 1123 Aphis forbesi, bionomics of, on strawberry in Yugoslavia, 3148

Aphis frangulae, occurrence of complex of, on potato and other plants in northern Germany, 2595

Aphis frangulae beccabungae, food-plants of, in northern Germany, 2595

Aphis frangulae capsellae, food-plants of, in northern Germany, 2595

Aphis frangulae testacea, food-plants of, in northern Germany, 2595

Aphis gossypii, effect of nitrogen fertilisation and insecticides on, on cotton in Georgia, 160; on banana in Honduras, 231; parasitised by Aphelinus sp. in India, 507; Diaeretiella rapae reared from, in India, 509; nutrition of, on chemically defined diets, 758; unable to transmit mosaic virus of Hibiscus manihot, 840; sprays against, on cotton in India, 873; as vector of virus disease of papaya in Venezuela, 980; on Carica papaya in Venezuela, 983; Coccinellids as predators of, in Britain, 1150; peanut mottle virus transmitted by, in Queensland, 1311; control measures against, on cucumber in Britain, 1640; Aphelinus flavipes failing to control infestation of, on cucumber in Britain, 1650; on potato in India, 2095; associated with Citrus decline in India, 2105; attempts to rear Lysiphlebus testaceipes in, on different host plants, 2514; food plants of complex of, in northern Germany, 2595; transmitting mosaic virus of Buddleia davidii, 2604; seasonal abundance of, on cotton and okra in Egypt, 2694; Phaenobremia aphidovora predacious on, in Egypt, 2695; Leucopis puncticornis aphidivora reared on, 2696; Cycloneda sanguinea limbifer preying on, on Hibiscus in Cuba, 2727; outbreak of, on guava treated with DDT, 2832; as vector of banana mosaic virus in Puerto Rico, 2894; use a for testing aldicarb for soil application 2960; on cotton in New South Wales, 303 on Helianthus annuus in Queensland, 333 insecticides against, harmful to Phytoseius persimilis on cucumber in Britain, 353 primary and secondary food-plants of, I Japan, 3913; sprays against, on cotton a tobacco in Iran, 3940; infestation, nature enemies and control of, on cotton in Afghantan, 4137

Aphis grossulariae, on berry-fruit bushes : Soviet Union, 3571

Aphis nasturtii, race of, avoiding potato

northern Germany, 2598

Aphis nerii, as vector of virus disease of papar in Venezuela, 980; on Carica papayara Venezuela, 983; as alternative host for Liphlebus spp., 1123; unable to transmit banama

mosaic virus, 2894

Aphis pomi, effect of insecticides on, on apin British Columbia, 620; reproduction on apple under experimental autumnal ciditions in Nova Scotia, 1999; on apple Poland, 4115; Psallus ambiguus preying in Poland, 4116; Anthocoris pilosus preyeon, in Poland, 4123; on apple in Poland, 4

Aphis punicae, seasonal changes in abundal of, on *Duranta* in Egypt, **2694**; prefere prey of *Phaenobremia aphidovora* in labor

tory, 2695

Aphis ruborum longisetosus subsp.n., in In-

Aphis sambuci, food-plants of, in German 3407

Aphis sambuci picta, food-plants of, in Comany, 3407
Aphis sambuci sambuci, food-plants of,

Germany, 3407

Aphis sambuci sambucina, food-plants of Germany, 3407

Aphis schneideri, on berry-fruit bushes in Soil

Union, 3571; on currants in Poland, 411; Aphis spiraecola, systemic insecticides again on Cotoneaster horizontalis in Connection 157; parasitised by Aphelinus mali in Info 507; as vector of virus disease of papaya Venezuela, 980; on Carica papaya in Vizuela, 983; sexual reproduction of, Spiraea hypericifolia in Brazil, 2023; unit to transmit banana mosaic virus, 2894

Aphis verbasci, seasonal changes in abundasi of, on Buddleia in Egypt, 2694; as prefet prey of Phaenobremia aphidovora in labus

tory, 2695

Aphodius, numbers of, in beet fields in Scott Union, 708

Aphodius howitti (see A. tasmaniae)

Aphodius pseudotasmaniae, insecticides agas in pastures in Tasmania, 1294, 1295, Aphodius rufipes, larval morphology of, 40 Aphodius tasmaniae, attacking pasturer Victoria, 3034; on pasture in South Australia

3329
Apholate, as chemosterilant for *Choriston in fumiferana*, 586

Aphrodes bicinctus, on lucerne in Czeche vakia, 738; bionomics of, in Ontario, 246% maize in Yugoslavia, 3469

phrophora saratogensis, insecticides against, on Pinus resinosa in Michigan, 3241

hycus apicalis, parasitism by, of Phenacoccus aceris in France, 2149

phycus flavus, parasitising Saissetia olege in Italy, 3489

vhycus helvolus, parasitising Ceroplastes sinensis in New South Wales, 3897

phycus punctipes, as parasite of Eulecanium prunastri, 1513

hytis, species of, parasitising Quadraspidiotus perniciosus in Rhodesia, 1399

phytis chrysomphali, as parasite of Aonidiella aurantii in Israel, 3973

phytis coheni, as parasite of Aonidiella aurantii lin Israel, 3973

vhytis diaspidis, parasitising Phenacaspis pinifoliae on pine in Ouebec, 900

vhytis hispanicus, as parasite of Parlatoria pergandii in Israel, 2497

phytis holoxanthus, as parasite of Chrysomohalus aonidum in Israel, 249, 250

vhytis lignanensis, artificial selection for genetical adaptation to temperature extremes in, in California, 1236

phytis maculicornis, parasitising Parlatoria

pleae in Soviet Union, 1099

hytis melinus, released against Aonidiella aurantii on lemon in Argentina, 997; introduced for control of Aonidiella aurantii on demon in Sicily, preyed on by Iridomyrmex chumilis in Sicily, 3485; establishment of, against Aonidiella aurantii in Israel, 3973

hytis mytilaspidis, parasitising Phenacaspis vinifoliae on pine in Quebec, 900

icalis, Aphycus; Diopsis; Longitarsus; Nepho-.tettix

vion, Hymenopterous parasites of, in Britain, 454; species of, associated with wild Leguminosae near Leningrad, 2567; larvae of, attacking seeds of Vigna unguiculata in Uganda, 2679

pion arrogans, on winter leguminous crops in Israel, 256; parasites of, on Vicia sativa in

Israel, 4002

ion aestimatum, on lucerne and Vicia sativa in Yugoslavia, 3137

ion aestivum (see A. trifolii)

ion apricans, on Trifolium pratense in Yugoslavia, 3137

ion assimile, on Trifolium pratense in Yugoslavia, 3137

ion carduorum, bionomics and control of, on

Cynara in France, 3510 ion corchori, endrin against, on Corchorus capsularis in India, 462; endrin and parathion

against, on jute in India, 867 ion dichroum, on Trifolium pratense in Yugoslavia, 3137

ion nigritarse, as pests of seeds of fodder plants in Soviet Union, 1097

ion pisi, on lucerne in Yugoslavia, 3137 ion seniculum, on winter leguminous crops in Israel, 256; on Trifolium pratense and T. repens in Yugoslavia, 3137

ion tenue, on lucerne in Yugoslavia, 3137 ion trifolii, on winter leguminous crops in Israel, 256; damaging beans in Britain, 1644; on Trifolium pratense in Yugoslavia, 3137

Apion varipes, on Trifolium pratense in Yugoslavia, 3137

Apion virens, on Trifolium pratense in Yugo-slavia, 3137

Apis dorsata, Tropilaelaps clareae in colonies of, in India, 3037; Tropilaelaps clareae in colonies of, in Philippines, 3038

Apis florea, infected by Serratia marcescens,

3923

Apis mellifera, effect of insecticides on, 104; pheromones of, 1591; colour vision of, 2128; Tropilaelaps clareae in colonies of, in Philippines, 3038; mites in colonies of, in India and Vietnam, 3039

Apis mellifera caucasica, signalling distance in,

2133

Apocynum cannabinum, Systema frontalis on, 2394

Apoderus sissu, Lathromeroides reared from eggs of, damaging young leaves of Dalbergia sissoo, 1355

apomecynoides, Diaxenopsis Aporia crataegi, in China, 3353 Aporodes (see Noctuelia)

Aposymbiosis, possible method for antimicro-

bial control of arthropods, 2283

Apple, Scolytus nitidus on, in Kashmir, 66; deposits of acaricides on, 95; pulp of immature fruit of, in diet for Cydia pomonella, 144; traps for Argyrotaenia velutinana on, in New York State, 147; toxicity to bees of sprays applied to, in Rumania, 279; Stigmeila malella on, in Bulgaria, 285; Leucoptera scitella on, in Bulgaria, 286; Cydia molesta on, in Hungary, 293; metabolism of N'-(4-chloro-o-tolyl)-N,N-dimethylformamidine by seedlings of, 332; feeding response of *Cydia* pomonella to extracts of, applied to Styropor disks, 339; Typhlodromus occidentalis on, in Utah, 367; Parlatoria pittospori on, in Victoria, 517; Quadraspidiotus perniciosus on, in British Columbia, 534; predacious mites on, in North Carolina, 599; insecticides applied to, in Vermont, 617; Cydia pomonella and other insects and mites on, in British Columbia, 620; Amblyseius fallacis preying on Panonychus ulmi on, in New Jersey, 645; Syrphus sp. preying on Eriosoma lanigerum on, in Argentina, 703; Malacosoma neustria on, in Soviet Union, 710; effect of insecticides on Quadraspidiotus perniciosus on, in Soviet Union, 714, 715; predator bug fauna on, in Poland, 724; Arachnida overwintering in bark of, in Poland, 725; Psallus ambiguus as predator of Psylla mali and Bryobia spp. on, in Poland, 726; Anuraphis devecta and A. plantaginea on, in Bulgaria, 739; mite infestation of Fusicladium dendriticum on seedlings of, 742; Panonychus ulmi on, in Britain, 791; Rhopalosiphum insertum and Psylla mali on, in Britain, 794; effect of Panonychus ulmi on yield of, in Britain, 811; Panonychus ulmi on, in Britain, formetanate not toxic to, 815; Panonychus ulmi on, in Britain, 817; Lepidosaphes ulmi on, in Quebec, 901; Rhagoletis pomonella on, in Quebec, 902; Cydia molesta on, in Ontario, 905; Cydia pomonella and other pests of, in Indiana, 930; Myzus persicae preferring peach to, 942; Cydia molesta

reared on, 994; Parlatoria oleae on, in Soviet Union, 1099; Edwardsiana spp. on, in Soviet 1100; pests and diseases of, 1141; Stigmella malella on, in Holland, Cydia pomonella on, in France, 1162; bionomics and control of Cydia pomonella on, in South Australia, 1303; Cydia pomonella on, in Queensland, 1314; Ectomyelois ceratoniae on, in Western Australia, 1318; a new record of Eubrachis indica, as a serious pest of, in India, 1363; rootstocks of, susceptible to woolly aphid, 1402; Hoplocampa testudinea on, in Ukraine, 1421; Cydia pomonella on, in Soviet Union, 1429; Cydia pomonella on, in Ukraine, 1434; Leucoptera scitella as leaf-miner of, 1517; Agathis oranae sp.n. reared from Adoxophyes orana on, in Japan, 1573; damaged by Cenopalpus pulcher in India, 1576; Neocypholaelaps pradhani sp.n. on flowers of, in India, 1580; Ceresa bubalus on, in Quebec, 1657; pests of, in British Columbia, 1672; mites associated with, in Nova Scotia, 1676; Rhagoletis pomonella on, in Indiana, 1730; in diet for Oryctes spp., 1801; parasitism of Cydia pomonella on, in Germany, 1836; Psylla mali on, in Poland, 1839; Malacosoma neustria on, in Soviet Union, 1841; Panonychus ulmi on, in Nova Scotia, 1995; reproduction of Aphis pomi on, under experimental autumnal conditions in Nova Scotia, 1999; pests of, in Turkey, 2086; arthropods on, in Germany, 2113; predicting yield and yield losses of, from estimates of pest populations in Britain, 2114; scab, mildew and spider mites on, in Germany, 2142; Lymantria ampla on, in India, 2203; Panonychus ulmi damaging leaves of, in England, 2238; pests of, in New York State, 2365; Argyrotaenia velutinana on, 2393; Archips argyrospilus and Tetranychus mcdanieli on, in British Columbia, 2467; bionomics of Eulecanium bituberculatum on, 2562; effect of pesticides on Tetranychidae and Phytoseiidae on, in Poland, 2577; recommendation against use of endrin and DDD against pests of, 2641; organophosphorus-resistant species of Amblyseius fallacis from, 2752; Phytoseiidae on, in California, 2767; Amblyseius duncansoni on, in Nova Scotia, 2824; Tortricid fauna of, in New York State, 2902; mites and insects on, in Pennsylvania, 2950; Tetranychus mcdanieli on, in Canada and U.S.A., 2988; determining carbanolate residues in, 3018; Campylomma livida on, in New South Wales, 3029; Cerambyx dux on, in Malta, 3043; Eriophyid mites on, in Soviet Union, 3095; Panonychus ulmi on, in Poland, 3111; Panonychus ulmi on, in Greece, 3132; Hyphantria cunea on, in Yugoslavia, 3145; migration of Byturus urbanus from, to raspberry in Yugoslavia, 3147; residues of tetrachlorvinphos on, 3185; Rhagoletis pomonella on, 3226; Diaphnidia capitata on, in Pennsylvania, 3289; pests of, in India, 3365; integrated control on, in Germany, 3420; pests of, in Bulgaria, 3443; Tetranychids on, in Bulgaria, 3458; Yponomeuta padellus malinellus on, 3471; Cirrospilus vittatus parasitising leaf-miners on, in Holland, 3526,

3527: characteristics of swellings on, cause or by Eriosoma lanigerum, 3561; development of Pieris brassicae in relation to ripening of in Poland, 3586; Campylomma verbasci on 3621; Panonychus ulmi and Aculus schleche tendali on, in British Columbia, 36381 Phyllonorycter spp. on, in North American 3642; Panonychus ulmi on, in New Zealandh 3859; susceptibility of varieties of, for Tetranychus telarius in Queensland, 38878 Tetranychus telarius on, in Queensland, 3891 pests of, in Australia, 3904; Zeuzera pyrinis on, in Iran, 3930; Euzophera bigella and Cydic pomonella on, in Iran, 3936; pests of, in Mozambique, 3951; aphids on, in Poland 4115; Psallus ambiguus preying on pests of in Poland, 4116; Lepidoptera on, in Poland 4117; aphids on, in Poland, 4134; Cydic pomonella on, in Soviet Union, 4138; Physics lonorycter pyrifoliella and natural enemies on, in Soviet Union, 4139

Apple Butter, in poison baits for Tapinomy sessile, 1758

Apple Maggot (see Rhagoletis pomonella) Appolonius errabundus sp.n., description of

approximatus, Pissodes

Apricot, Scolytus nitidus on, in Kashmir, 660 Anarsia lineatella on, in Rumania, Rhagoletis pomonella infesting, in New Yorl State, 667; sharka virus disease of, in Europer 774; Myzus persicae preferring peach to 942; aphids as vectors of sharka disease of, i. Switzerland, 1129; pests and diseases of 1141; Ceratitis capitata on, in Morocce 2066, 2067; Capnodis tenebrionis on, in Soviet Union, 3096; release of sterile adults • Ceratitis capitata on, in Italy, 4055

Apricot Jam, as bait for Tapinoma sessile, 175 Aprostocetus, reared from Atherigona nudise Echinochloa colonum and Panicus

miliare in India, 1577

apterus, Himacerus; Pyrrhocoris

Aptesis abdominator, competing with oth: parasites of Operophtera brumata in Europy 1133

Aptesis basizona (see Pleolophus basizonus) Aptesis indistinctus, bionomics and host el ploitation by, in Quebec, 1926; relationshi with coexisting parasitoids of Neodiprical swainei, in Quebec, 2735

Aquila chrysaetus, insecticide residues in, 37.4

Arabia, Dacus ciliatus in, 3201

Arabinose, failure of, as feeding stimulant f Sitona cylindricollis, 129; in cotton degrad by enzymes of Anthonomus grandis, 698 effect of, in diet on Callosobruchus chinensm 2079; in diet for Myzus persicae, 3764

D-Arabinose, toxicity of, to Hylemya brassical

L-Arabinose, toxicity of, to Hylemya brassice

Arabitol, failure of, as feeding stimulant f Sitona cylindricollis, 129

D-Araboascorbic Acid, in diet for Myay persicae, 3775

Arachnida, preying on *Chilocorus bipustula* in Israel, **459**; overwintering in bark of app 10

in Poland, 725; of Malawi, 2309; predators of Odontotermes latericius in Zambia, 2542 :adus cinnamomeus, on pine in Soviet Union.

aecerus fasciculatus, attacking sugarcane in

Cameroun Republic, 1068 Imbourgi, Hylemya

ramite, with carbaryl, toxicity of, to cotton.

raneida, predacious on Pectinophora gossyviella in California, 2772

aneum, Oligonychus

aneus cucurbitinus, pre ambiguus in Poland, 4116 preying on

aucaria angustifolia, Calligrapha polyspila as sest of, in Brazil, 1279; Elasmopalpus ligno-

sellus as pest of, in Brazil, 1280

aucaria cunninghamii, biology, ecology and control of Vanapa oberthuri on, in New Guinea, 2638; control of Hylurdrectonus raucariae on, in New Guinea, 2784

nucariae, Hylurdrectonus

poreus, Typhlodromus

chiboreoiulus pallidus, control of, on beet in

Belgium, 3519

chips argyrospilus, integrated control of, on apple in British Columbia, 1672; biology and control of, on apple in British Columbia,

chips crataeganus, on apple in Ukraine, 1423; reffect of low temperature on eggs of, 1490 chips occidentalis, bionomics, parasitism and control of, on coffee in Kenya, 357

chips rosanus, on apple in Holland, 2249; on bil-bearing rose in Soviet Union, 3566; on perry-fruit bushes in Soviet Union, 3571 chytas incertus, effect of temperature on,

Attacking Spodoptera frugiperda, 3808 ticus, Phaeogenes

etium minus, Metzneria lappella in seed heads of, in North Dakota, 939 ctium tomentosum, Metzneria lappella in seed heads of, in North Dakota, 939

buata, Chlamydotheca; Coccinella

eca catechu, Raoiella indica on, in India, 65; pionomics of Coccotrypes carpophagus in, in ndia, 2521

eca Nut (see Areca catechu)

enostola brevilinea, in Finland, 1630

a, Microgramme aula, Agonoxena

ge ochropus, on oil-bearing rose in Soviet Jnion, 3566

ze rosae (see A. ochropus)

eae, Mastrus

entarius, Athysanus

entatus, Orosius entifera, Plusia

gentina, thrips on cotton and other crops in, '01; Phyrdenus muriceus on tomato in, 702; Syrphus sp. preying on Eriosoma lanigerum on upple in, 703; pests of potato in, 989; Cydia nolesta on peach in, 990, 994; Colias lesbia on lucerne in, 991; Quinta cannae on Canna p. in, 992; Toxoptera citricida and suspected virus disease in Citrus in, 993; Grammadera lara damaging cultivated plants in, 996; Aphytis melinus released against Aonidiella urantii on lemon in, 997; Tephrinopsis subumbrata damaging Ceratonia siliquain, 999; Vogtia malloi on Alternanthera phylloxeroides in, 1190; sexual reproduction of Cavariella aegopodii in, 1288; Scolytus rugulosus on cherry in, 1289; papers on fruit-flies read at symposium in, 2024–2030; Colias lesbia on lucerne in, 2031; Euphorocera havwardi parasitising Colias lesbia on lucerne in, 2032; Macrosiphum pisum on lucerne in, 2033; Aonidiella aurantii on Citrus in, 3798

Argentine Ant (see Iridomyrmex humilis)

argentisparsa, Eulocastra

argillacea, Alabama

Arginine, lack of, in diet affecting reproduction in Pseudosarcophaga affinis, 1748; requirements of Anthonomus grandis for, in diet,

argissa, Elachertus

Argopistes (see Agropistis)

Argyresthia fundella, on fir in Greece, 3466

Argyresthia thuiella, on Thuja spp. in Connecticut, 924

Argyrogramma, key to, in Florida, 567

argyrogrammos, Pyroderces

Argyroploce lacunana, effect of natural enemies of, on strawberry in Italy, 3481

argyrospilus, Archips

Argyrotaenia citrana, susceptibility of, to insecticides, 1703

Argyrotaenia dorsalana, defoliating trees in Oregon and Washington, 2428

Argyrotaenia velutinana, sex pheromone of, 36; sex-pheromone trapping for control of, on apple in New York State, 147; Bacillus thuringiensis against, on apple in Indiana, 930; sex attractant of, 2165; populations developing on apple untreated with pesticides, 2365; traps for, in Indiana, 2393; effect on Plodia interpunctella of exposure to synthetic sex pheromone of, 2881

argyrotaeniae, Meteorus

Arhopalus ferus, attack by, and control of, on Pinus spp. in New Zealand, 236; in Spain, 3499

Arhopalus rusticus, in Spain, 3499

Arhopalus syriacus, identification of, on pine in Spain, 3499

aridis, Opius

arietis, Clytus

aristolochiae, Lagosinia; Pulvinaria

Aristotelia (possibly A. subdecurtella), attacking Myriophyllum spp. in Pakistan, 508

Arizona, wintertime soil temperatures in, 120; winter survival of Anthonomus grandis in cotton fields in, 126; Lygus hesperus on lucerne in, 137; Pectinophora gossypiella on cotton in, 162; pesticide drift in, 182; Pyrrhalta luteola on Ulmus pumila in, 191; Eucelatoria sp. in, 606; survival of Anthonomus grandis in fallen cotton squares in, 639; Dioryctria cambiicola in, 907; termites in, 959; larvae of *Phyllophaga* spp. in, 961; *Therioaphis trifolii* in, 1711; *Pectinophora gossypiella* on cotton in, 1713; *Heliothis zea* on cotton in, 1726; on-target deposits from aerial application of insecticides in, 1767; temperature effects on Macrosiphum pisum on lucerne in, 2400; relative resistance of lucerne clones to aphids in, 2401; pheromonemaze trap for Trichoplusia ni in, 2431; Chrysopa carnea in tests for control of Heliothis spp. in, 2432; light traps for Pectinophora gossypiella in, 2439; sampling methods for Hemerocampa pseudotsugata on Abies concolor in, 2474; Zonosemata vittigera in, 2771; evaluation of lucerne cultivars for resistance to Therioaphis maculata in, 2788; model for predicting distribution of Anthonomus grandis on cotton in, 2798; Telenomus utahensis as egg-parasite of Pentatomids in, 2928; Ips hoppingi in, 2993; temperature in parts of cotton plant in, 3222; population growth of Pectinophora gossypiella in, 3678; Telenomus utahensis parasitising Chlorochroa uhleri and C. sayi in, 3694

Arkansas, Agrotis ipsilon parasitised by Microplitis feltiae in, 363; predators of Heliothis zea on cotton in, 563; emergence of Aegeria exitiosa in, 680; Phyllobaenus singularis preying upon Rhyacionia frustrana on pine in, 1216; Mastrus argeae parasitising Neodiprion taedae linearis in, 1220; Heliothis zea and Anthonomus grandis on cotton in, 3198; movement of Heliothis zea in, 3199; Hypera postica on lucerne in, 3200; Leptinotarsa

decemlineata in, 3473

Arma custos, preying on Cydia funebrana in

Soviet Union, 1104

Armenia, Dociostaurus maroccanus in, 1471; bionomics of Eulecanium bituberculatum on apple in, 2562; Hypera postica in, 2564

armeniaca, Baeognatha armigera, Eucelatoria; Heliothis

arotis, Persectania

Arprocarb, fumigant action of, against Distantiella theobroma, 1080

arravaca, Ammalo

Arrenoclavus (see Copidosoma)

Arrhenatherum elatius, Oscinella frit causing total white ear condition of, 2596

arrogans, Apion

Arrowroot (see Maranta arundinacea)

Arsenic, in sprays against Rhagoletis pomonella 902; residues of, in food, 4093

Arsenic Trioxide, against Coptotermes spp., 2212

Artemisia, Macrosiphum artemisiae meridionalis on, in Sicily, 3488

artemisiae, Macrosiphum; Rhizaspidiotus (Aspidiotus)

Arthropods, grease-film extraction of, from soil, 188; environmental chamber for rearing and irradiation of, 407; defensive secretions of, 488; regularities in adaptations of, to terrestrial life, 1851; production and chemistry of fibrous proteins secreted by, in form of silks and threads, 1858; sorptive dust in control of, 1860; list of, on sugarcane in Jamaica, 2011; effect of insecticide applications on predacious, 2781; predacious, not suppressing populations of *Protolachnus agilis*, 2418; preliminary list of pest species of, of Yemeni Arab Republic, 2533; of field and plantation crops, handbook for recognition and control of, in Ethiopia, 2541; correlation between, and environmental variables in bulk grain ecosystems, 2625; device for microinjection

of, with biological liquids, 3508; intercepted in quarantine in New South Wales, 3894

Artichoke (see Cynara) artifex, Cardiaspina

Artificial Diet, for rearing Anarsia lineatella 2425

Artificial Media, production of pathogens in 2276

arundinis, Hyalopterus (see H. amygdali) arundinis, auct., Hyalopterus (see H. pruni) Arytaina genistae, on broom in Britain, 356 f Arytaina spartii (see A. spartiophila)

Arytaina spartiophila, on broom in Britain, 35: Arzama densa, damaging Eichhornia crassipes is

Florida and Louisiana, 3793

Asaphes lucens, Ephedrus reported as new hour

record for, in California, 3686
Aschersonia aleurodis, infecting Dialeurode citrifolii on Citrus in Salvador, 2014

Asclepias, Helopeltis seredensis, sp.n. on, i Africa, 3963; seeds of, in diet for Oncopeltial fasciatus, 3985

Ascogaster quadridentata, parasitising To tricinae larvae in Holland, 2249

Ascogaster rufidens, parasitising Olethreutina larvae in Holland, 2249

Ascorbic Acid, deterring feeding in Sitoro cylindricollis, 129; in diet for Cydia pomonelle 144; in diets for Saturniids and Pediasa, teterrella, 632-633; in diet for Agrotis spp. 719; in diets for Achaea spp. and Amstirhaca, 1060; in artificial diets for Myzes persicae, 1243; in diet for Cydia molesser 1682; in diet for Heliothis zea, 1756; in diet for Ostrinia nubilalis, 2140; in diet for Spodoptera exigua, 3100; in diet for Cyclopomonella, 3221; in diet for Myzus persical 3775; in diet for Diatraea saccharalis, 399 Persical Cyclopomonella, diet for Diatraea saccharalis, 399 Persical diet for Myzus persical specific Acid in diet for Myzus per

L-Ascorbic Acid, in diet for Myzus persical 3775

Ascospora beijerinkii, chemical control of, plum in Rumania, 280

Ascotis selenaria reciprocaria, insecticio against, on coffee in Kenya, 1067

Aseminae, from Laos, 1351 Ash (see *Fraxinus excelsior*)

Ash, Mountain (see Sorbus aucuparia)

ashrafii, Anomala

Asia, Ostrinia spp. on maize in, 526; Ichna monid parasites of rice stem borers in, 1345; Sciomyzids collected in rice-fields in, 1346; key to rice stem borers in, 1346; suitabilityt malathion for use in climatic conditions s 1567; Trichogramma parasitising Hypsip robusta in, 2489; Aleyrodidae of Centur 2569; Vinsonia stellifera in, 3201

Asolcus, parasitising Eurygaster integriceps Bulgaria, adverse effects of insecticides of 3444

asparagi, Crioceris

Asparagine, absent from haemolymph Devorgilla canescens, 2178

Asparagus, residues of bromide fumigants 132; damaged by *Grammadera clara* Argentina, 996; thrips on, in British Colubia, 1671; *Myzus persicae* associated w virus disease of, in Europe, 3169

Asparagus Fern (see Asparagus plumosus)

: aragus plumosus, damaged by Scutigerella inmaculata in Denmark, 451

en (see Populus tremuloides)

. ?ratus, Misumenops

sergillus, species of, infecting thrips, 1438; food for stored-product insects, 2359; orrelation between, and arthropods in bulk rain ecosystems, 2625; attacking adults of eucopis puncticornis aphidivora, 2696

pergillus echinulatus, stored-product mites

eveloping on, 3115

rergillus flavus, attacking eggs of Aphis onacis, 305; pathogenicity of, to Dendroconus frontalis, 682; response of Acarus siro 5, 2909

vergillus fumigatus, infecting Malacosoma mericanum and M. disstria, 2001; storedroduct mites not developing on, 3115

pergillus niger, isolation of, from Dendroc-19nus frontalis, 682

bergillus parasiticus, on Drosicha stebbingi in

India, 2671

pergillus repens, response of Acarus siro to. 909; stored-product mites developing on, 1115

pergillus ruber, stored-product mites not eveloping on, 3115

shondylia mikii, control of, on lucerne in Bulgaria, 3449

phondylia sesami, infestation and control of,

In Sesamum in India, 3920

vidaspis longilobus, redescription of, 2719 idioti, Habrolepis

bidiotiphagus, species of, parasitising Quadrapidiotus perniciosus in Rhodesia, 1399

vidiotiphagus lounsburyi, parasitism of Unapis citri by, in Venezuela, 982

vidiotus artemisiae (see Rhizaspidiotus)

vidiotus capensis, Habrolepis algoensis sp.n. eared from, in South Africa, 3968

vidiotus destructor, surveys made in conhection with biological control of, in São Comé and Principe, 500

vidiotus hederae (see A. nerii)

pidiotus hederae var. urenae raised to specific ank, 2719

vidiotus nerii, on Cymbidium in New Zealand,

vidiotus ostreaeformis var. aegyptiacus as ynonym of Quadraspidiotus pyri, 2719 vidomorpha confinis, on sweet potato in

Angola, 3954 vidomorpha dissentanea, bionomics and

natural enemies of, on sweet potato in Angola, 3954 por (see Zineb)

limilis, Ceutorhynchus

ulta, Heliothis

ter, extracts of, applied to paper not effective n stimulating probing by Capitophorus fragaefolii, 373; Phytomyza minuscula on, in Connecticut, 924

ter, China (see Callistephus chinensis)

ter spinosus, Trichoplusia ni feeding from lowers of, 2433

erogalli, Oxypleurites

terolecanium, parasitised by Habrolepis dalmanni in South Africa, 3968

Astronium urundeva, Passalus interruptus on, in Brazil, 3849

asychis, Aphelinus

Asympiesiella, parasitism of Cydia leucostoma and Gracillaria theivora by, on tea in India, 2093

asynamorus, Tachycines

Asynapta furcifer, reared from olives containing Prolasioptera berlesiana in Yugoslavia, 437

atedius, Megastigmus

ater, Agrilus

Athalia lugens proxima, biology of, in India, 87; infected by Serratia marcescens, 3923

Atherigona, as pest of wheat in India, 1361; on wheat in Madhya Pradesh, parasitised by Tetrastichus nyemitawus, 2525

Atherigona nudiseta, Aprostocetus sp. reared from, on Echinochloa colonum and Panicum miliare in India, 1577

Atherigona orientalis, parasitising pupae of Amsacta moorei in India, 2531

Atherigona oryzae, geographical distribution, plant hosts and bionomics of, 494

Atherigona varia, increasing infestations of, on sorghum in Uganda, 692; sprays against, on sorghum in Uganda, 1820

Atherigona varia soccata, sorghum varieties resistant to, 2083; insecticides against, on sorghum in India, 2098; method for rearing. 2807

athiasella, Dimytracus

Athous niger, incidence of, in soil in lucerne fields in Poland, 3585

Athysanus argentarius, effect of, in delaying regrowth of lucerne, 625

atkinsoni, Amritodus, Ídiocerus

Atlantic Ocean, air-borne Lygaeidae trapped over, 1002 atlanticus, Tetranychus (see T. turkestani)

Atmospheres, use of controlled, to eliminate insect infestations in stored grain and groundnuts, 2330

Atomaria linearis, effect of crop rotation on damage by, in Germany, 745

atomus, Anagrus

Atopotettix, gen. et sp.n., from South Africa, 2544

Atrachya menestriesii, effect of mercury compounds on breaking of diapause in eggs of, 46

Atractomorpha crenulata, infected by Serratia marcescens, 3923

Atractotomus mali, as predator of apple pests in Poland, 724; effect of insecticides on, on apple in Nova Scotia, 1995

atricapillus, Demetrias

atripennis, Aulacophora

Atriplex hortensis, oviposition by Pegomya betae on, 3440

Atritomellus, reared from Vryburgia lounsburyi in France, 481

Atrometus clavipes (see A. geniculatus)

Atrometus geniculatus, parasitising Rhyacionia frustrana on pine in Virginia, 140

Atropa, feeding preference for, in Lema trilineata daturaphila, 964 atropalpus, Aedes

Atropine Sulphate, failure of, as antidote for poisoned honey bees, 1715

atropos, Blaberus

Atta colombica tonsipes, biochemistry of symbiosis of, and its food fungus, 576

Attagenus megatoma, toxicity of dichlorvos to, 172; scent of females of, not attractive to males of *Trogoderma granarium*, 1237; fumigants against, in stored wheat, 1765; iodophenphos proofing woollen cloth against, 2406; tetrachlorvinghos protecting material from, 3250; effect of starvation on, infected with Pyxinia frenzeli, 3269; infestation of dwellings by, in Spain, 4029

Attagenus piceus (see A. megatoma)

Attractants, for insects, 322, 323; usage and developments with, 489; review of, 1173

aubei, Chiridopsis

Auchenorrhyncha, of Yugoslavia, 436; sound communication signals and hearing system in, 2127; in Soviet Union, 2864

Aucoumea klaineana, Hypsipyla grandella on, in Costa Rica, 1275

Aucuba, Phenacaspis cockerelli on, in Georgia, 1215

audax, Phidippus augur, Urocerus

Aulacaspis spp., natural enemies of, on sugarcane in East Africa, 2537

Aulacaspis madiunensis, on sugar-cane in East

Africa, 2537

Aulacaspis takarai, parasitised by Adelencyrtus miyarai on sugar-cane in Ryukyu Is., 3968

Aulacaspis tegalensis, parasitised by Physcus subflavus in Tanzania and Kenya, Azotus spp. as parasites of, in Uganda and Mauritius, 345; release of Chilocorus distigma and C. discoideus in Mauritius for control of, 2536; on sugar-cane in East Africa, 2537; parasitised by Adelencyrtus miyarai on sugarcane in Mauritius, 3968

Aulacophora atripennis, A. lewisii misidentified

as, 861

Aulacophora foveicollis, host preferences of, on species of cucurbits in India, 861; infected by Serratia marcescens, 3923

Aulacophora intermedia (see A. lewisii)

Aulacophora lewisii, host preferences of, on species of cucurbits in India, 861

aulicus, Mesoleius

Aulocara elliotti, manner of pickup of ULV malathion by, in Wyoming, 158; analyses of hydrolytic enzymes during embryogenesis of, 1973; distribution, synthesis and characterisation of protein in eggs of, 1976; compatability of populations of, 2923

aurantii, Aonidiella; Prospaltella; Toxoptera

Aureomycin (see Chlortetracycline)

auricilius, Chilo

auricularia, Forficula auriferella, Stathmopoda

Austracris guttulosa, in Queensland, 3318

Australia, insecticide resistance in Tribolium castaneum in, 469; suitability of Anania verbascalis for introduction against Xanthium strumarium in, 502; insecticide resistance in insects, mites and ticks in, 516; Quadraspidiotus spp. in, 518; Ostrinia furnacalis on maize in, 526; insects feeding on Hakea spp. in, 1005; Teleogryllus in, 1562, 1563, 1564; status of insect taxonomy in, 1868; sex

pheromone of Epiphyas postvittana in, 1861 diapause in hybrids of Teleogryllus spp. i 1871, 1878; irradiation as commodity treas ment in, 2209; termites of forest trees i 2210-2212; determination of populations s Coptotermes spp. in trees in, 2211; intra-ga variation in Brithothrips fuscus on Acacia in 2231; possible paralysis virus of termites is 2316: Trichogramma parasitising Hypsipy robusta in, 2489; Microplitis demolitor intri duced into Egypt from, against Spodopter spp. 2712; Phasmatids in forests in, 3010 Iridomyrmex detectus in, 3328; gall-formir thrips and allied species from Acacia in, 3338 plant pathology in, 3334; termite resistant of plastics in, 3335; Uraba lugens on Eucaly, tus spp. in, 3893; Nasutitermes exitiosus is 3895; generic assignment of Chorizococcu herbicola in, 3896; distribution of Halotydea destructor and Penthaleus major in, 3909. Termitinae of temperate regions in, 3909. (see also under separate States)

australis, Brevipalpus; Edwardsiana; Isoneum

thrips; Monolepta

Austria, warning service concerned with insect attacking fruit trees in, 2108; susceptibility Abies alba to secondary insect attack 2304; taxonomy and biology of Lyctus plath collis, in, 2845

austriaca, Anisoplia; Eurygaster

Austroasca alfalfae, attacking groundnut : Queensland, 3312; insecticides against, lucerne in Queensland, 3319

Austroasca terrareginae (see Amrasca)

Austromicromus tasmaniae, preying on Bre-coryne brassicae on rape in New Zealar: 1890

Austrotortrix (see Epiphyas) Autographa, key to, in Florida, 567 (see all

Plusia) autographus, Dryocoetes

Automeris, species of, on coconut in Brazza 3819 Autoplusia, key to, in Florida, 567

Autoplusia olivacea, on Senecio jacobaea California, 956

Autoradiography, use of, in search for fertilist tion site in Tetranychidae, 2746

autumnata, Oporinia Auxins, of Ricinus communis, in relation resistance to Empoasca flavescens, 2841 avellanae, Edwardsiana; Phytoptus

Avena sativa, multiplication of some storest product insects on, 2386

avenae, Macrosiphum

Avenin (see O,O-Dimethyl Isopropoxyc/> bamoyl Phosphate)

aversa, Persectania

Avocado (see Persea indica)

avulsus, Ips

Axylia putris, Smithiavirus agrotidis spila transmitted to, 3590

axyridis, Harmonia

Azadirachta indica, neem oil from, 3365

Azalea, Gracillaria azaleella on, in Connectio 924; Oligonychus ilicis on, in Florida, 28% azaleella, Gracillaria

Azidithion (see Menazon)

rinphos-ethyl, toxicity of, to honey bees, 105, 106; resistance to, in Myzus persicae, 299; in sprays against Tetranychus mexicanus, 988; against Colias lesbia, 2031; toxicity of, to beet weevils, 3128; in sprays against Phthorimaea operculella, 3796; daily rhythms of the control of the con

maea operculella, 3796; daily rhythms of insects and susceptibility to, 4121 inphos-methyl, against cotton pests, 94; ngainst Epitrix hirtipennis, 199; dimethyl sulfoxide not improving toxicity of, to Anthonomus grandis, 201; against Sitona cylindricollis, 208; against Bucculatrix thurberiella, 215; against Stigmella malella, 285; against Leucoptera scitella, 286; against Cydia molesta, 293; in sprays against Prasi-ruoxena sp., 497; effect of size of ULV droplets on deposits of, on cotton foliage, 589; in sprays against Cydia pomonella, 597; resistance to, in predacious mites, 599; effect of, in sprays on, Cydia pomonella and other pest and beneficial species on pear, 603; persistance of deposits of, against Keiferia dycopersicella, 608; toxicity of, to strains of Metaseiulus occidentalis, 622; use of, in measuring control of Panonychus ulmi by Amblyseius fallacis, 645; toxicity of, to Stethorus punctum, 670; toxicity of, to Firradiated and normal adults of Pectinophora gossypiella, 673; effectiveness of, against Sciopithes obscurus, 679; against Rhagoletis pomonella, 902; in sprays against Anthonomus grandis, 923; susceptibility to, in Cydia pomonella, 1006; in sprays against Phthorimaea operculella, 1057; against Aonidiella aurantii, 1089; in sprays against Aphodius pseudotasmaniae in pastures in Tasmania, 11294; other insecticides compared with, against Epiphyas postvittana on apple in Tasmania, 1299, 1300; in sprays against Cydia pomonella, 1314; in sprays against Archips argyrospilus land Spilonota ocellana, 1672; toxicity of, to Tephritids, 1694; circadian susceptibility of Pectinophora gossypiella to, 1746; toxicity of, to Leptinotarsa decemlineata, 1781; against Colias lesbia, 2031; against Aonidiella aurantii, 2072; in sprays against Ceresa bubalus, 2087; toxicity of, to livestock, 2106; against Diabrotica longicornis, 2377; against Contarinia sorghicola, 2380; against Homoeosoma electellum, 2391; effect of, on biotic potential of Coccus hesperidum on Citrus, 2414; against Archips argyrospilus, 2467; strains of Amblyseius fallacis resistant to, 2752; against Cydia pomonella in pear orchards, 2786; in sprays against Curculio caryae, 2963; against Panonychus ulmi, 3111; against Heliothis armigera, 3130; against Hypera postica, 3200; in sprays against Drosophila and Carpophilus spp., 3202; against Hyperodes sp., 3232; effect of, on Campylomma verbasci, 3621; in sprays against Phthorimaea operculella, 3796; against Zeuzera pyrina, 3930; against Spodoptera littoralis, 3966, 3967; against Aonidiella aurantii, 4089

ochis gripusalis, control of, on fig in Brazil,

ophos E-30 (see Methylparathion) cotox, against pests of sugar beet, 1505 cotox M 35 (see DDT) Azotox Pylisty, against pests of sugar beet, 1505
Azotus, species of, parasitising Quadraspidiotus
perniciosus in Rhodesia, 1399; parasitic on
larvae of Physcus in East Africa, 2537

Azotus capensis, in Africa, 345 Azotus elegantulus, in Africa, 345

Azotus greatheadi, as parasite of Aulacaspis tegalensis in Uganda, 345

Azotus williamsi, as parasite of Aulacaspis tegalensis in Mauritius, 345

Azteca paraensis var. bondari, BHC for control of, in Brazil, 2293

Azuki Bean Weevil (see Callosobruchus chinensis)

azurea, Scolia

B

baccarum, Dolycoris

Baccha livida, attacking Gynaikothrips ficorum on fig in Brazil, 3815

Baccharis pilularis, Rhopalomyia californica, in galls on. 1941

Bacillus, isolation of, from Dendroctonus frontalis, 682; use of preparations of, against Dendrolimus superans, 1843; feeding by Heliothis zea inhibited by strains of, 3643

Bacillus cereus, infecting Oryctes rhinoceros, 504; infecting Malacosoma americanum and M. disstria, 2001

Bacillus larvae, strain of, with morphological marker in Canada, 546

Bacillus popilliae, oxygen uptake in Popillia japonica infected with milky disease caused by, 542; increased susceptibility of Melolontha melolontha to Beauveria tenella caused by, 2154

Bacillus thuringiensis, spore preparation of, against Anarsia lineatella, 277; ecological significance of antibiotics of, 541; pathogenicity of commercial preparations of, for forest insects, 547; spores and crystals of, in insect control, 809; commercial spore formulation of, against Cydia pomonella and Argyrotaenia velutinana, 930; against Aphodius pseudotasmaniae in pastures in Tasmania, 1294; in sprays against Epiphyas postvittana on apple, in Tasmania, 1300; against Ostrinia nubilalis, 1422; with carbaryl against Yponomeuta padellus and Archips crataeganus, 1423; with DDT against Hyphantria cunea, 1424; in Leptinotarsa decemlineata, 1425; effect of, on haemolymph of Euproctis chrysorrhoea, 1426; in tests against Cydia pomonella, 1444; susceptibility of Agrotis segetum to, 1454; commercial spore preparation of, against Pectinophora gossypiella, 1713; commercial spore preparation of, against Colias lesbia, 2031; spores and crystals of, not effective against Heliothis zea, 2070; toxicities of crystal serotypes of, larvae of Samia cynthia var. ricini, 2220; nerve-blocking effect on insect ganglia of protein toxin of, 2224; protein crystal toxin of, 2263; biochemistry and action of protein crystal toxin of, 2264; thermostable exotoxin of, 2265; host spectrum of, 2266; in vitro reactions of δ-endotoxin produced by varieties of, 2320; infecting larvae of Ephestia kuehniella, 2629; susceptibility of some stored product insects to commercial preparations of, in Egypt, 2697; for control of *Phryganidia californica*, 2789; commercial spore preparation of, against Lepidoptera, 2886; preparation of, against Monomorium pharaonis, 3124; strain of, isolated from Lymantria dispar, 3142, 3143; toxicity of, spores and crystals of, to *Lymantria dispar*, 3142; spores of, against *Lymantria dispar*, 3143; spray preparation of, against *Heliothis zea*, 3204; standardisation of \beta-endotoxin produced by, 3218–3219; spore preparations of, against Noctuid larvae, 3242; response of *Bombyx* mori and Malacosoma disstria to, 3276; spore preparations of, against Agrotis ipsilon and Spodoptera spp., 3400; preparation of, against Mamestra brassicae, 3441; dissemination of, against Thaumetopoea pityocampa, 3496; insecticidal activity of, against insects, 3643; parasporal inclusion protein from strain of, 3655; teratology of Leptinotarsa decemlineata provoked by toxin of, 3657; against Desmia funeralis, 3723; against Pieris brassicae, 4026; use of, against Thaumetopoea pityocampa, 4030; effectiveness of, for control of Lepidoptera, 4135; spores of, against Phyllonorycter pyrifoliella, 4139; spores of, against Sparganothis pilleriana, 4140

Bacillus thuringiensis alesti, δ-endotoxin of, against Heliothis virescens and H. zea, 209 Bacillus thuringiensis anagastae, insecticidal

activity of, against insects, 3643

Bacillus thuringiensis dendrolimus, commercial preparations of spores of, against Malaco-

soma neustria, 710

Bacillus thuringiensis galleriae, commercial preparation of spores of, against Malacosoma neustria, 710; against Mamestra brassicae and Pieris brassicae, 1125; spray preparation of spores of, against moths on apple, 3443; insecticidal activity of, against insects, 3643

insecticidal

Bacillus thuringiensis morrisoni, activity of, against insects, 3643

Bacillus thuringiensis thuringiensis, effects of sublethal doses of, on fecundity of Ephestia kuehniella, 2156; effect of temperature and humidity on response of Noctuid larvae to, 2851; parasporal inclusion protein from strain of, 3655; effects of heat-stable toxin of, on Drosophila melanogaster, 3974

Bacillus thuringiensis toumanoffii, representing new serotype referred to as H₁₁, 3658

Bacteria, attacking Schistocerca gregaria in India, 69; ingested by Hylemya coarctata in Britain, 344; isolation of, from Dendroctonus frontalis, 682; decomposition of diazinon in rice irrigation water by, 1568; action and degradation of DDT in, 2164; use of, for microbial control of insects, 2256; sprays containing, for insect control, 2556; pathogenic for Thaumetopoea pityocampa, 3496; causing septicaemia in Okanagana rimosa, 3646; resistance of nucleopolyhedrosis virus of Trichoplusia ni to decomposition by, 3661 badius, Lyprops

Baeognatha armeniaca, reared from Cydia funebrana in Soviet Union, 1104

Bagous geniculatus, attacking Myriophyllum spp. in Pakistan, 508

Bagous limosus, mode of swimming in, 310 Bagous vicinus, attacking Myriophyllum spp. in

Pakistan, 508

Bags, accelerated test for evaluating insecticidal treatments of, for food storage, 468; control of grain insects in, by asphyxiation, 4737, lined with polyethylene, 1076; suitability o polyethylene in, for transport and storage of dry foodstuffs, 1079

baileyi, Calepitrimerus Baits, for Trichoplusia ni, 593; for Agriotes spp. 808; for Monomorium pharaonis, 855; for Phoracantha semipunctata, 1081; for Tapis noma sessile, 1758; for Cydia molesta alsd attracting Aegeria spp., 1761; for Ceratitii capitata, 2025, 2028; encapsulated mirex, for control of Solenopsis saevissima richtern 2411; for Monomorium pharaonis, 3124

Bait-sprays, Ceratitis capitata, for

3237

Bait-traps, for Trichoplusia ni, 386; for Rhyan cionia buoliana, 590; capture of bees in, for Popillia japonica, 600; for Popillia japonica, 607; for Anthonomus grandis, 652; for Chrys, sopa basalis, 684; for Cydia molesta, 990, 994 for fruit-flies, 2029, 2030; for Vespa orientalish 2064: for control of Popillia japonica in Massachusetts, 2399; for Pectinophora gossy. piella, 2916; for Ceratitis capitata, 3254, 402)

Bajri (see Pennisetum typhoides (typhoideum))

bajulus, Hylotrupes

Bakthane L-69, susceptibility of some stored products insects to, in Egypt, 2697

Baktukal, spores of Bacillus thuringiensis, 314 Balaninus (see Curculio)

balashowski, Chalcedectus

Balclutha abdominalis, on soy bean in Mississi sippi, 1771

Bald Cypress (see Taxodium distichum) balli, Draeculacephala

Ball-point Pen Inks, effectiveness of, as traisil laying chemicals to termites, 2303

Balsam Fir (see *Abies balsamea*) balsamicola, Dasineura

balteata, Diabrotica; Osiraspis

balteatus, Syrphus

Bambusa, Kuwanaspis pseudoleucaspis on, il Poland, 1115

Banana, aphids on, in Honduras, 231; revieis of insect pests of, 315; crop protection prollelems of, in Fiji, 1047; pests and diseases c 1141; Zonocerus variegatus as pest of, 141411 Cosmopolites pruinosus on, in Pacific Island 1898; control of Nacoleia octasema on, ; Fiji, 2228; manual on control of pests aran diseases, 2620; vectors of mosaic virus on, Puerto Rico, 2894; Pentalonia nigronervo on, in India, 3377; in diet for Anatis ocellation. 3412; Cosmopolites sordidus on, in Floridi 3723; insect pests of, in Brazil, 3837

Bandrin (see Carbaryl) banian, Hieroglyphus banksi, Eutetranychus banksianae, Neodiprion pratti banksiella, Dioryctria Banmalika (see Jasminun angustifolium) Banol (see Carbanolate)

anyan, development of Achaea janata on, 81 arathra brassicae (see Mamestra)

arbara colfaxiana, sex attraction in, in British : Columbia, 2009

urbarea vulgaris, Psylliodes n Phyllotreta on, in New York, 1211 Psylliodes napi and

arium sulphate, in radiography of forest insects, 1225

ark-beetles, Medetera aldrichii as predator of. in U.S.A., 401; Hypoaspis krantzi sp.n. associated with, in U.S.A., 560; of Israel, 1390; collected from *Pinus cembra* infested by Dendrolimus superans in Soviet Union, 3570

arley, use of Tribolium confusum to assess nutritive value of varieties of, 34; Cnephasia pumicana on, in France, 301; take-off behaviour by Schizaphis graminum on, 371; in rearing medium for Tribolium castaneum, 434; loss of yield caused by Meromyza americana to, in South Dakota, 595; Phidippus audax preying on Schizaphis graminum on, in Oklahoma, 689; Chrysopa spp. preying on aphids on, in Poland, 732; Tipula spp. on, in Britain, 787; distribution of attack on, by Hylemya arambourgi in Kenya, 839; pests and diseases of, 1141; Rhopalosiphum padi on, in Norway, 1163; yellow dwarf virus of, in Western Australia, 1322; distribution of aphids on, in Britain, 1648; Geocoris punctipes feeding on, 1740; transmission by aphids of virus non-pathogenic to, in France, 1825; damaged by Apamea finitima in New Brunswick, 1989; varietal susceptibility of, to Sitophilus and Rhizopertha spp. in Egypt, 2052, 2053, 2054, 2055; resistance of, to Schizaphis graminum, 2325; resistance in, to Schizaphis graminum, 2337; multiplication of store-product insects on varieties of, 2386; Schizaphis graminum on susceptible resistant varieties of, 2446; rows of, protecting sugar-beet against aphids and viruses, 2652; Mayetiola destructor damaging spring, in Scotland, 2656: absorbing only small residues of phorate applied to soil, 2747; in diet for Alphitobius diaperinus, 2882; transmission by aphids of isolates of yellow-dwarf virus of, 2896; Haplodiplosis marginata on, in Germany, 3399; Syringopais temperatella on, in Jordan, 3424; Haplodiplosis marginata on, in Germany, 3435; reproduction in Macrosiphum festucae on, 3532; viruses of, transmitted by Macrosteles laevis and Psammotettix striatus, 3541; Blissus canadensis on, in North America, 3630; effect of, on oviposition, fecundity, and development of Ephestia cautella, 3922; rice yellow mottle virus transmitted mechanically to, in Kenya, 3952; sex index of Limothrips denticornis on, in Finland, 4105 (see also Hordeum) arley Yellow-dwarf Virus, in Colombia, 1276

rmanica, Scolia quadripustulata

salis, Chaetocnema; Chrysopa

rodensis, Aleurolobus

silewskyi, Helopeltis

usudin (see Diazinon)

sizonus, Pleolophus

squeella, Stegasta

batesi, Othnonius

Bathycoelia thalassina, infestation and parasitism of, on cacao in Ghana, 1080; causing wilting of young cacao fruits in Ghana, 2291

Bathyplectes curculionis, Mesopolobus bruchophagi propagated on, 374; effect of parasitism by, on feeding behaviour of larvae of Hypera postica on lucerne, 671; as introduced parasite of Hypera postica in Quebec, 1663

Bathyplectes exigua, as parasite of Hypera postica, 3089

Batrachedra amydraula, aerial sprays against, on date in Iraq, 2068

Bauhinia, development of Achaea janata on, 81 baumhoferi, Dioryctria

Bay 77488 (see Phoxim)

Bay 25198 (see O,O-Dimethyl O-p-Methylsulphinylphenyl Phosphorothioate)

Bay 37289 (see Trichloronate)

Bay 91273 (see O-Ethyl Phosphoramidothioate) Bay 93820 (see under Isopropyl Salicylate O-Ester)

16450 Bayer (see Diethyl 1-Acetyl-1-carbethoxymethylphosphonate)

Bayer 16948 (see O,O-Diethyl O-2-(sec.-Butoxymethylthio)ethyl Phosphorothioate)

Bayer 19596 (see O,O-Diethyl S-Ethoxycarbonylcarbamoylmethyl Phosphorodithioate) Bayer 22408 (see O,O-Diethyl O-Naphthalimido

Phosphorothioate) Bayer 37289 (see Trichloronate) Bayer 37344 (see Methiocarb)

Bayer 39007 (see Propoxur)

Bayer 39731 (see 2-Isopropylphenyl Methylcarbamate)

Bayer 65258 (see O-Ethyl S-Methyl Phosphoramidothioate)

Bayer 77049 (see O,O-Diethyl O-2-Quinoxalyl Phosphorothioate)

Bayer 77488 (see Phoxim)

Bayer 80833 (see O-Methyl O-3,4-Dichlorophenyl Methylphosphonothioate)

Baygon (see Propoxur)

Bayrusil (see O,O-Diethyl O-2-Quinoxalyl Phosphorothioate)

Bdella muscorum, dusts of Fusarium larvarum and Cephalosporium coccorum against, 2472

Bean, maintenance of Empoasca fabae on varieties of, in Wisconsin, 114; spread of yellow mosaic virus of, by aphids, 122; effect of systemic insecticides on yields of, insects and mites on, in Washington State, 610; Chrysopa spp. preying on aphids on, in Poland, 732; damage assessment aspects of Aphis fabae on. in Britain, 813; Aphis fabae on, 832; pests and diseases of, 1141; damaged by Apion trifolii in Britain, 1644; Geocoris punctipes feeding on, 1740; in diet for Heliothis zea, 1756; Lygus desertus reared on, 1773; infestation of, in field by stored product insects in Uganda, 1819; damage to, by Acanthomia tomentosicollis and A. horrida in Tanzania, 1821; seed feeding by Lygus spp. increasing growth of, 1935; Maruca testulalis on, in Salvador, 2014; effect of starch and polysaccharide from, on Callosobruchus chinensis, 2079; control of Tetranychus telarius on, in Turkey, 2088; Caliothrips indicus on, in India, 2102 heterogeneity of leaves of, as sources of

virus for Aphis craccivora in Florida, 2891; pests of, in Queensland, 3024; Melanagromyza phaseoli on, in Queensland, 3026; Orosius argentatus transmitting wilt disease of, in Victoria, 3032; Heliothis armigera on, in Bulgaria, 3130; metabolites of methidathion in, 3215; pests of, in Queensland, 3317; Acanthoscelides obtectus in seeds of, in Bulgaria, 3448; Tetranychus telarius and T. turkestani on, in Bulgaria, 3457; Acanthoscelides obtectus on, 3475; Plusia chalcites on, in Italy, 3484; virus of, transmitted by *Bemisia tabaci* in Central America, 3795; traps for *Empoasca* spp. on, in Brazil, 3806; Hedylepta indicata on, in Brazil, 3855; pests of, in Iran, 3942; Aphis fabae on, in Mozambique, 3950; in diet for Diatraea saccharalis, 3991; movement of larvae of Acanthoscelides obtectus in layers of, 4033 (see also Phaseolus)

Beans (stored), fumigation of, against Acan-thoscelides obtectus in Bulgaria, 3448; treatment of, against Acanthoscelides obtectus in Kenya, 3976; behaviour of Acanthoscelides

obtectus in, 4034

Bean, Bonavist (see Dolichos lablab)

Bean, Broad (see Vicia faba)

Bean, Carob (see Ceratonia siliqua)

Bean, Lima (see Lima Beans)

Bean, Snap, Epilachna varivestis on, in Maryland, 161; effect of Urbanus proteus on yield of, in Florida, 3231

Beauveria, attacking overwintering larvae of Hoplocampa crataegi in Poland, 1114;

affecting Adelges piceae, 2472
Beauveria bassiana, Tephritid flies in laboratory attacked by, 207; pathogenicity of, to Dendroctonus frontalis, 682; with insecticides against Leptinotarsa decemlineata, 1420; with BHC against Hoplocampa testudinea, 1421; with DDT against Ostrinia nubilalis, 1422; effect of, on microflora of Leptinotarsa decemlineata, 1425; effect of, on fecundity of Leptinotarsa decemlineata, 1427; against Cydia pomonella, 1429; effect of, on metabolism in Leptinotarsa decemlineata, 1430; effect of different doses of, on L. decemlineata, 1431; with DDT against Ostrinia nubilalis, 1432; with DDT against Bothynoderes punctiventris, 1433; with insecticides against Cydia pomonella, 1434; large-scale culturing of, 1435; effect of pesticides on germination of, 1436; alone or with insecticides, against Leptinotarsa decemlineata, 1437; infecting thrips, 1438; in tests against Epilachna vigintioctomaculata, 1459; infecting Operophtera brumata, 1489; spores of, for control of Myelophilus piniperda, 1624; infecting Mala-cosoma americanum and M. disstria, 2001; rates of germination of conidia and blastospores of, 2148; effectiveness of, for control of Hylobius pales, 2438; infecting Hylobius rhizophagus on Pinus banksiana, 2812; Melanospora parasitica as superparasite of, on Eurygaster sp., 3150; attacking Rhopaea magnicornis, 3321; infecting Bothynoderes punctiventris, 3474; spores of, against Sparganothis pilleriana, 4140

Beauveria tenella, in tests against Epilachna vigintioctomaculata, 1459; increased susceptibility of Melolontha melolontha to, caused by Bacillus popilliae, 2154

beccabungae, Aphis frangulae

beckii, Lepidosaphes

attacking Calystegia Bedellia somnulentella, sepium in Ontario, 505

Beech, Miramella alpina on, in Yugoslavia, 438; natural enemies of Heterocampa spp. on, ini Vermont, 643; Rhynchaenus fagi overwintering in stands of, in Denmark, 1634; Lymantria dispar on, in Yugoslavia, 3143; aphids on, in Soviet Union, 3569

Beech, American (see Fagus grandifolia)

beeri, Adactylidium

Bees, Bumble (see Bombus)

Bees, Honey, toxicity of pesticides to, 9; pesticides and, 17; toxicity of insecticides to, 102) 105, 106; toxicity of insecticides to, in Rumania, 279; as pollinators of crops, 491 marker strain of *Bacillus larvae* isolated from, 546; mortality of, as related to insecti-ti cide treated surfaces and bee age, 598 capture of, in traps baited with lures to attract Popillia japonica, 600: toxicity of insecticides to, 805; chemical sterilisation or spermatozoa of, 879; cis-9-oxo-2-decenoion acid as pheromone of, 965; cholinesterase reactivators failing as antidotes for, treatecon with insecticides, 1715; toxicity of carbaryt to, 1716; toxicity of insecticides to, 2063 preyed on by Vespa orientalis, 2064; royas jelly from, and honey as food for Chrysope, californica increasing egg-production, 2718 i 'Isle of Wight' or acarine disease of, 3036 toxicity of aerial sprays of naled to, 30404 toxicity of insecticides to, 3344; toxicity or 30404 insecticides to, 3453; varrosis and braullosii of, 3575; toxicity of insecticides to, 37111 toxicity to, of combs exposed to dichlorval vapour, 3877; toxicity of insecticides to, 3882 Beeswax, in diet for Galleria mellonella, 579

Beet, insecticide residues in, in U.S.A., 142 curly-top virus of, transmitted by Circulife tenellus in Idaho, 186; Scrobipalpa ocellatella on, in Rumania, 272; effect of soil insecticides on, in Rumania, 278; Pemphigus fuscicorne on, in Soviet Union, 707; numbers of Lamella corn larvae in fields of, in Soviet Union, 708 vectors of virus diseases of, in Poland 723 aphids on, 750; pests and diseases of, 1141 curculionids on, in Iran, 1545; mosaic virul of, transmitted by Myzus persicae, 1644 Aphis fabae on, 1833; attractiveness extracts of, to Spodoptera littoralis, 1852. vitamins C and E content of Mameston brassicae from, 2500; mineral oil inhibiting transmission of plant-pathogenic viruses by aphids to, 2606; determination of properting of western yellows virus of, 2898; factors in the control of the co suppression of yellows and mosaic of, 289 mites infesting stored seeds of, in Polan 3123; Pemphigus fuscicornis on, in Bulgari D 3127; seed treatment of, against Bothynoder Bothynoderes punctiventris in Yugoslav in 3138; Pegomya betae on, in Germany, 344 weevils on, in Bulgaria, 3456; Tetranych telarius and T. turkestani on, in Bulgaria

3457; fungi affecting Bothynoderes punctiventris on, 3474; Blaniulus guttulatus and Archiboreoiulus pallidus on, in Belgium, 3519; pests of, in Spain, 3500; determining yellows disease of, in Belgium, 3521: weeds as source of yellows virus for aphids on, in Belgium, 3522; insecticide residues in, in Ontario, 3742; epidemiology of mosaic virus of, 3791; leaves of, in diet for Spodoptera littoralis, 3938; Bulaea lichatschovii on, in Iran, 3939; Conorhynchus mendicus on. Italy, 4015; Lixus spp. on, in Spain, 4024; Lygus rugulipennis on, in Finland, 4111; Agrotis segetum on, 4145

egini, Diglyphus ehrii, Etiella

elgium, mineral oil inhibiting transmission of plant-pathogenic viruses by aphids in, 2606; virus disease of asparagus in, 3169; Adelges tardus on spruce in, 3517; Blaniulus guttulatus and Archiboreoiulus pallidus on beet in, 3519; Hylemya brassicae in, 3520; beet yellows virus in, 3521; weeds in beet fields as source of yellows virus for aphids in, 3522

ella, Sturmia

Pellis perennis, Costelytra zealandica on, in New Zealand, 1891

ellus, Euchromius temisia tabaci, effects of possible antiviral factor in, 425; malathion against, on cotton in Middle East and Africa, 796; unable to transmit mosaic virus of Hibiscus manihot, 840; sprays against, on cotton in India, 873; various stages of, as food for Amblyseius limonicus, 1383; distribution map of, 2308; relation of, to leaf curl disease, on tobacco in Transvaal, 2687; Amblyseius spp. preying on, 3349; bean virus transmitted by, in Central America, 3795

senakii, Aculus enensis, Lorryia entox (see BHC)

senzene, adsorption of BHC from, on selected adsorbents, 333; Hypera postica feeding on filter papers impregnated with BHC in, 2564; use of, in soil extraction of dieldrin, 3016

enzoic Acid, in diet for Ceratitis capitata, 4020 enzo[b]thien-4-yl Methylcarbamate, against Costalimaita ferruginea, 2832

4-6-Benzyladenine, effect of, in diet on development and reproduction in Heliothis spp., 619 Benzyl-3-furylmethyl(±)-cis, themate (see Resmethrin) trans-chrysan-

Benzyl-3-furylmethyl d-trans-chrysanthemate, lethal effects of, on insects, 784; effect of, on

insects, 820

:-Benzyl-3-furyl)methyl d-trans-2,2-Dimethyl-3 - (2 - methylpropenyl)cyclopropanecarbox late, effectiveness of, against cotton pests, 221 Benzyl-3-furylmethyl d-trans-ethanochrysanthemate, lethal effect of, on insects, 784; effectiveness of, against Musca, Blattella, Tribolium, Oryzaephilus and Sitophilus spp.,

er (see Ziziphus jujuba)

er Fruit Fly (see Carpomyia vesuviana)

ergevini, Helopeltis

ergoldiavirus, relationships among, and other insect viruses, 424

Bergoldiavirus calypta, use of, against Choristoneura murinana, 457

Bergoldiavirus oleraceae sp.n., infecting Diatar-

axia oleracea in France, 2153

bergrothi, Helopeltis berlesei, Caloglyphus berlesiana, Prolasioptera

Berseem (see Trifolium alexandrinum)

Berytinus minor, introduction of, from Europe into North America, biology and ecology of, in New York State, 2476

Bessa harveyi, parasitising Pristiphora erichsonii in Newfoundland, 2003

Bessa selecta, parasitism of Hyphantria cunea by, in Yugoslavia, 3145

betae, Conorhynchus; Pegomya; Pemphigus (see

P. populivenae); Smynthurodes
Betel Nut, pests and diseases of, 1141

Betula, Fenusa pusilla on, in Connecticut, 924 Betula caerulea grandis, factors in survival of immature stages of Fenusa pusilla on, 2821 Betula nigra, Chionaspis betulae sp.n. on, in

Georgia, 950

Betula papyrifera, Messa nana on, in Canada, 1269

Betula papyrifera humilis, effect of, as foodplant on Choristoneura conflictana in Alaska, 3625

Betula populifolia, Fenusa pusilla on, in New York State, 157

betulae, Chionaspis betulicola, Thrips

BHC (including y-isomer of), toxicity of, to aphids, 2; residues of, in foodstuffs, 6; determination of residues of, on rape, 62; paste of soil and dust with, against Scolytus nitidus, 66; in baits, dusts and sprays against Chrotogonus trachypterus, 71; in dusts against Oedaleus senegalensis, 72; against Diaphorina citri, 74; treatment of storage receptacles with, 75; in vaseline applied to polythene rain-guards for protection against crickets, 78; against lucerne pests, 88; in soil drenches against termites, 89; against cotton pests, 94; length of effectiveness of, against Dendroctonus brevicomis and D. ponderosae, 150; resistance to, in Hylemya platura, 195; in granules against Sesamia inferens and Chilo suppressalis, 235; soil treatment with, against Agrotis ipsilon, 267; against Tychius flavus, 271; against Scrobipalpa ocellatella, 272; against Cydia funebrana, 276; toxic effect of soil treatments with, on beet plants, 278; resistance to, in Myzus persicae, 299; soil treatment with, against Psila rosae, 302; seed treatment with, against Oscinella frit, 304; adsorption of, from solutions on selected adsorbents, 333; against Miramella alpina, 438; residues of, in soils, 444; method for detecting resistance to, in Tribolium castaneum, 469; treatments with, against rice pests, 492; toxicity of, in sprays, to cotton insects, 630; soil treatment with, against Lachnosterna consanguinea, 657; seed treatment with, against wireworms, 709; treatment of spruce slash with, against Scolytids, 711; soil treatment with, in granules against Leptinotarsa decemlineata, 730; in sprays against Phloeo-myzus redelei, 741; in baits and sprays against

Tipula spp., 787; susceptibility to, in Phytomyza syngenesiae, 789; in drenches against Hylemya brassicae, 799; seed treatment with, against Psila rosae, 803; against insect pests of cotton, 873; translocation of, from soil to sorghum and effect on uptake of nutrients, 877; toxicity of, to Monochamus alternatus, 1021; in sprays against Ephestia cautella, 1050; effect of, in dusts on cotton yields, 1062; fumigant action of, against Distantiella theobroma, in sprays against Pseudotheraptus devastans, 1080; effect of dietary protein on toxicity of, in rats, 1095; in sprays against Hoplocampa crataegi, 1114; in sprays against Ceutorhynchus rapae, 1121; in dips against Rhizoglyphus echinopus, 1128; against Exoteleia dodecella, 1138; other insecticides as possible substitutes for, against Aphodius pseudotasmaniae, in pastures in Tasmania, 1294; repellent effect of, against ant removal of pasture seeds, 1316; use of, for control of Plecoptera reflexa in W. Pakistan, 1377; in dusts, against pests of stored maize, in Togo, 1395; and Agrotis segetum, 1468; against Myelophilus piniperda, 1492; against Tanymecus dilaticollis, 1495; in mixture against pests of sugar beet, 1505; against Lixus juncii. 1516; use of, in EPPO countries, 1544; against pests of stored grain, 1584; autoradiographic studies on distribution of, in Periplaneta americana, 1612; against Mycophila speyeri, 1649; bed drenches of, against thrips, 1650; in sprays against Tetropium velutinum, 1670; method for detecting resistance to, in *Tribolium castaneum*, 1794; residues of, in sheep, pasture and soil, 1889; chronic liver disease due to industrial exposure to, 1910: human exposure to, measured by toxicant levels in blood, 1913; in sprays against *Thrips tabaci*, 2048; in sprays against Eumerus amoenus, 2050; against Vespa orientalis, 2064; persistence of, against Ceratitis capitata, 2066; soil treatments with, against termites and shoot borers, 2094; effect of, on sorghum yields, 2098; against Cydia tricentra, 2103; DDT in bacterial populations increasing following sprays with, 2164; Tribolium castaneum resistant to, 2170; diffusion in casta. soils, 2193, 2194; against Plutella xylostella. 2201; effect of sublethal dosages of, on biology of Dysdercus koenigii, 2202; against Hylastes spp. on pine seedlings, 2239; against insect pests of cacao in Brazil, 2286; cacao Mirids possibly resistant to, 2287; effect of, on Ceratopogonid pollinators of cacao, 2292; new method of applying, for control of Azteca paraensis in Brazil, 2293; against Distantiella theobroma, 2294; in eggs of hens fed with contaminated feed, 2318; radioactive residues of, in wheat, 2372; not effective against rice leafhoppers, 2504; against Ragmus importunitas, 2510; effect of temperature and humidity on toxicity of, to Sitophilus oryzae, 2512; against Carpomyia vesuviana, 2517; against Mylabris pustulata, 2520; population and biological changes in Hypera postica in relation to development of resistance to, 2564; effect of, on mite populations,

2577; mode of action of, on adults of Sitophilus granarius, 2597; against Myzus persicae, 2610; recommendation regarding thermal vaporisers discharging, 2641; Psila rosae resistant to, in England, 2654, 2655; against Maruca testulalis, 2679; reduction of residues of, in milk and milk products, 2729; persistance of residues of, in soil, 2758; sprays of, against Dendroctonus ponderosae, 2774; new insecticidal isomer of, 2868; bioassay of residues of, with Musca domestica, 2964; I treatment of soil and timber with, against termites, 3025; in granules against Nilaparvata lugens, 3057; in sprays and dusts against s Cnaphalocrocis medinalis, 3085; root treat-t ment with, in dusts against Gryllotalpan gryllotalpa, 3090; soil treatment with, againsts Capnodis tenebrionis, 3096; toxicity of, to beet weevils, 3128; against Lymantria dispar, 3140; in sprays against insect vectors of plum pox virus, 3141; treatment of Gladiolus & corms in storage with, in sprays and dusts against Taeniothrips simplex, 3320; toxicityl of, to honey bees, 3344; in sprays againsts Pineus spp., 3395; in sprays against Psyllopsis fraxini, 3406; effectiveness of trap logs and sprays of, against Siricids, 3476; against Iridomyrmex humilis, 3485; in sprays against. Apion carduorum, 3510; deposits from, inm sprays and dips against Adelges tardus, 3517; preventing emergence of Anobium punctatum from wood, 3530; against Tineola bisselliella, 3538; occupational exposure to, 3727; residues of, in pheasants, 3749; in dusts against Asphondylia sesami, 3920; with carbophenothion and dichlorvos againsn Callosobruchus chinensis, 3925; with cuprous oxide and DDT, effect of, in sprays or. Amrasca devastans and on cotton, 3926; ir bait against Oryctes elegans, 3929; with DDT in sprays against Heliothis armigera, 3933 in granules against Maliarpha separatellosts 3958; in sprays against Mirids, 3959; agains Spodoptera littoralis, 3966; against Acanthos: celides obtectus, 3976; effect of, on cultures of insect cells, 3992; in sprays against Conormhynchus mendicus, 4015; treatment of roots of seedlings and soil with, 4133; soil tream ment with, against Hydraecia micaea, 41421 in dusts against Leptinotarsa decemlineatars 4143; against Zabrus tenebroides, 4149

bhurmitra, Ectropis Bi-58 (see Dimethoate) bianchii, Organothrips

Bibliography, of plant protection, 321, 842-1556, 1916, 2613, 3162, 3597; of Aphidoidea 2168; of pesticides in environment, 2552 on Rhagoletis pomonella, 2614; of termited and their control, 2615; of Indian plant feeching mites, 3361; of Laccifer lacca and shellar 3601; of Solenopsis saevissima richteri, 3715

bicinctus, Aphrodes; Hercinothrips bicolor, Latoia; Metriona; Stirellus bicuspis, Acanthomytilus (Lepidosaphes) bidens, Picromerus bidentatus, Ips Bidrin (see Dicrotophos) bifasciata, Comperiella; Leptomastidea

bifasciatus, Anastatus; Pseudocneorhinus

ifasciculatus, Chrysomphalus igella, Euzophera siguttatus, Agrilus vilineata, Lema lilobatus, Euscelis viluma, Sciomesa

simaculatipennis, Sympiesis simaculatus, Dysdercus; Gryllus

simba toombii, stem galls on Coccinia indica

6 caused by, in India, 1365

sinapacryl, against mites, 58; effectiveness of, in sprays against mites, 297; resistance to, in i Panonychus ulmi, 791; toxicity of, to Trichogramma cacoeciae, 1137; against Tetranychus pacificus, 3203; against mites, 3378

inotatus, Ommatissus

Bio-allethrin (see (+)-trans-chrysanthemate of (+)-allethrolone)

sioculatus, Perilloides

siogeography of Laos, 1353

Biological Control, of pests in Madagascar, 1392; of Phthorimaea operculella by Nythobia stellenboschensis, 1393; possible Amphix discoidea in, of Phytophthora palmivora, 2290; of insects, monograph on, 2310; of sorghum pests by Misumenops celer, 2333; of pests and weeds, review of, 2554; for insect control, 2556

"ioresmethrin, against pests of cotton, 221; insecticidal activity of, 784, 820

viospore 2802, containing spores and crystals of Bacillus thuringiensis thuringiensis, 2156; reffect of temperature and humidity on response of Noctuid larvae to, 2851; commercial spore preparation of Bacillus thuringiensis, 3400

iosynthesis, of protein crystal toxin of Bacillus

thuringiensis, 2263 iiotin (see Vitamin H)

riotrol 534, commercial preparation of Bacillus thuringiensis, 547

niotrol BTB 183, spore preparation of Bacillus thuringiensis, 1713

:plaga, Earias ipolaris tetramera, Hypogastrura tullbergi feeding on, in laboratory, 2765

punctata, Adalia

pustulatus, Chilocorus; Nephotettix

irch, Chrysopa spp. on, in shelterbelts in 732; Malacosoma neustria on, in Poland, 732; Malacosoma neustria on, in Soviet Union, 1841; incidence of Ichneumonids after outbreak of Oporinia autumnata on, in Finland, 4109 (see also Betula)

irch, Alaska Paper (see Betula papyrifera

humilis)

irch, Blue (see Betula caerulea grandis)

lirch, Grey (see Betula populifolia) irds, poisoning of, with DDT, 3; attacking Schistocerca gregaria in India, 69; preying on Cydia pseudotsugae sp.n., 531; DDT not affecting calcium uptake and vitamin D metabolism in, 881; on airfields in New Zealand, 888; preying on Derobrachus brevicollis, 926; preying on Cydia funebrana, 1104; mites in stored products spread by, 1540; pharmacodynamic study of DDT in, 1689; polychlorinated biphenyls in, in Britain, 2242; predators of Hyphantria cunea, 2632;

organochlorine residues in predacious, in

Britain, 2641; preving on Phyllonorycter blancardella on apple in Quebec, 3642 (see also individual names)

bispinosa, Frankliniella bispinosus, Scirtothrips

bisselliella, Tineola

Bissetia steniella, assessment of larval pinacula as identifying character of, 874

Busulfan, automated procedure for analysis of, 2805

Bittersweet (see Solanum dulcamara)

bituberculatum, Eulecanium biundata, Heterocampa bivittatus, Melanoplus

Blabera fusca (see Blaberus atropos)

Blaberus atropos, comparative residual actions of d-trans-chrysanthemate of dl-allethrolone, allethrin and pyrethrins against, 303

Blaberus discoidalis, metabolism of insecticides during penetration of isolated midgut of, 2870; penetration of insecticides through isolated midgut of, 3786

Blackberry, Tischeria aenea on, in Florida, 567; pests and diseases of, 1141; Byturus urbanus on, in Yugoslavia, 3147

Blackberry Jam, as bait for Tapinoma sessile,

1758

Blackbirds (see Agelaius phoeniceus) Blackbutt (see Eucalyptus pilularis) Blackthorn (see Prunus spinosa)

Blaesoxipha lineata, suitability of, as parasite of grasshopper species in U.S.A., 395

blancardella, Phyllonorycter

blanchardii, Parlatoria

Blaniulus guttulatus, control of, on beet in Belgium, 3519

Blastophagus piniperda (see Myelophilus)

Blastothrix sericea, as parasite of Eulecanium prunastri, 1513

Blatta orientalis, comparative effects of d-transchrysanthemate of dl-allethrolone and pyrethrins against, 303 Blattariae, on St. Helena, 3964

Blattella germanica, comparative effects of dtrans-chrysanthemate of dl-allethrolone, allethrin and pyrethrins against, 303; preying on Diabrotica balteata, 663; effectiveness of 5-benzyl-3-furylmethyl d-trans-ethano-chrysan-themate against, 820; effects of Piericidin A-related compounds on, 1023; aggregation of, 1594; toxicity of phoxim and its analogues to, 2871

Blattisocius, attacking Corythucha ciliata in Italy, 3166

Blattisocius tarsalis (see Melichares)

Blechnum, insect moulting-hormone activity in, in New Zealand, 3872

Blissus canadensis, sp.n. infesting barley in North America, 3630

Blissus occiduus, B. canadensis closely resembling, 3630

Blue Grama (see *Bouteloua gracilis*)

Blueberry, method for sampling adults of Chlamisus cribripennis on, in Canada, 212; effect of burning of, on survival of over-wintering adults of *Chlamisus cribripennis*,

Bluegrass (see *Poa*)

Bochartia, as natural enemy of Drosicha stebbingi in India, 2671

bochei, Pseudeucoila

boeticus, Lampides boisduvalii, Diaspis bolliana, Gretchena

Bollworms, insecticides against, on cotton in

Egypt, 94

Bombus, capture of, in traps baited with lures to attract Popillia japonica, 600; preference of, for lucerne pollen in Poland, 736; attracted to traps for *Popillia japonica* in Massachusetts, 2775

Bombus californicus, impulse patterns in flight motor neurones of, 421

bombycis, Telenomus

Bombyx mori, anti-viral substance in digestive juice of, 48; juvenile-hormone-like effect of Chilo iridescent virus on, 54; enzymic dehydrochlorination of trichlorphon by digestive juice of, 56; artificial diet for, 632; chemosensory basis of hostplant selection in, 752; electron microscopy of RNA of cyto-plasmic polyhedrosis virus of, 977; virus isolated from Pachypasa capensis not pathogenic for, 1059; granulosis of Hyphantria cunea not infective for larvae of, 1334; substances controlling feeding behaviour and growth of, 1592; effects of virus infection on protein synthesis in silk gland of, 3274; response of, to Bacillus thuringiensis, 3276; infectivity of virus of Hyphantria cunea for, **3468**; multiplication of nuclear-polyhedrosis virus in, 3645; non-anticomplementary activity of haemolymph from, 3647; mycoplasma isolated from larvae of, infected with flacherie,

bonariensis, Hyperodes

bonavistae, Melanagronyza

bondari, Actinothrips; Azteca paraensis; Chalcodermus

Bopardoil (see O-Ethyl O-Methyl S-Methyl carbamoylmethyl Phosphorodithioate)

Borax, in baits for Monomorium pharaonis, 3124; in lure for Anastrepha ludens, 4069

Bordeaux Mixture, ethion not compatible with, 58; compatibility of, with insecticides against plum pests, 280; effect of, on mite populations, 296; effect of, on populations of Eotetrany-chus carpini vitis, 786; in sprays and dusts against Dacus oleae, 1118

bordia, Empoasca

borealis, Eotetranychus carpini

borinquenensis, Puliciphora

Borneol, attractancy of, to Anthonomus grandis.

Borrelinavirus, relationships among, and other insect viruses, 424; virogenesis and morphology of, in insects, 545

Bostrychidae, Temnochila coerulea preying on, in pine wood in Spain, 4031

botanephaga, Sesamia nonagrioides

Bothrophora, Hystricina placed in synonymy

Bothrophora lupina, neotype designated for, B. zelebori as synonym of, 3870

Bothrophora zelebori, as synonym of B. lupina, lectotype designated for, 3870

Bothynoderes punctiventris, effect of Beauveria bassiana on fecundity of, 1433; insecticides against, in Bulgaria, 3128; insecticides against, on beet in Yugoslavia, 3138; insecti-i cides against, on beet in Bulgaria, 3456; fungi affecting, on beet in Yugoslavia, 3474

Bothynus ebenus, attacking young cotton and rice in Brazil, 2021

botrana, Lobesia

Botrytis cinerea, Tyrophagus brauni in cultures of, 742; stored-product mites developing on, 3115

Bouteloua gracilis, Melanoplus sanguinipes on d

in Montana, 2412

Boverin, with insecticides against Leptinotarsa decemlineata, 1420; with BHC against 8 Hoplocampa testudinea, 1421; with DDT against Ostrinia nubilalis, 1422; containing spores of Beauveria bassiana, 4140

brachialis, Bruchus

Brachiaria purpurascens, Antonina graminis on, in Paraguay, 2034

Brachycaudus amygdalinus, on peach in France,

Brachycaudus cardui, on plum in Poland, 4115 Brachycaudus helichrysi, on plum in Poland, 4115; preying on Psallus ambiguus in Poland, 4116

Brachycaudus persicae, on peach in France, 3347

Brachycaudus prunicola, on peach in France, 3347 Brachyderes, preyed on by Sitta europea om

Quercus ilex in Spain, 4028 Brachymeria, Charops sp. ini

Kenya, 3396

Brachymeria pseudovata, parasitising Macro-centrus muesebecki in Gonioterma spp. ir Brazil, 3799

brachyntera, Thecodiplosis brachyphylla, Oncopera

Brachypodium, Chorthippus parallelus preferring Festuca ovina to, in Britain, 4080

Brachyrhinus (see Otiorhynchus) Bracken (see Preridium aquilinum)

Bracon, parasitising Saperda inornata in Michiell gan, 1194; sp. of, parasitising Hylesinus oleiperda, 1509; species of, parasitisings Aegeria tipuliformis, 3571

Bracon chinensis, parasitising larvae of Chilal suppressalis in Sarawak, 3346

Bracon gelechiae, parasitising Keiferia lycoro persicella on tomato in California, 623. reared from Sesamia inferens on Eleusini de coracana in India, 1577

Bracon gemmaecola, as parasite of Rhyacionimis frustrana on Pinus taeda in Mississippi, 56

Bracon hebetor, reproduction of after heptats chlor poisoning, 205; parasitising Spodoptered littoralis in Israel, 253; parasitising larvae c Hellula undalis in India, 1360; susceptible t pyrethrins used for control of Ephestin cautella, 2690; Plodia interpunctella para sitised by, 2970; parasitising Spodopter littoralis on cotton in Israel, 3702; attackin cotton pests in Afghanistan, 4137

Bracon mellitor, parasitising Rhyacionia frunti

trana on pine in Virginia, 140

cacon rhyacioniae, parasitising Eucosma rescissoriana on pine in Idaho, 909

racon variegator, parasitising Coleophora spp.

in New Zealand, 3861

aconidae, parasitising Anuraphis devecta in Bulgaria, 739; parasitising rice borers, 1344; parasitising leaf rollers in Japan, 1573; new classification of, 2475; parasitising Lepidoptera associated with Aulacaspis in East Africa, 2537; in Soviet Union, 3580; parasitic on orchard pests, 3581; in Israel, 3999; parasitising Psallus ambiguus in Poland, 4116

radynema, microvilli on, parasitising Megaselia

halterata, 1811

radysia, interaction of species of, with Fusarium spp. on lucerne and Trifolium pratense in U.S.A., 2481; Entomophthora grylli infesting sp. of, on wood in Kansas, 3529

radysia impatiens, bionomics of, on soy bean in Missouri, 364; effect of temperature on

development of, 954

rahmina (see Lachnosterna) ran, in baits for Spodoptera littoralis, 260; in baits for Tipula spp., 787; development of Acarus siro on, 3708; in baits for Oryctes elegans, 3929

asiliensis, Picturaphis

rassica, susceptibility of varieties of, Rhopalosiphum erysimi pseudobrassicae in Iowa, 614; Hylemya brassicae on, in Britain, 801; use of Bacillus thuringiensis on, 809; Hylemya brassicae on, in Britain, 826 attacked by Aleyrodids in Germany, 1831; Aphrodes bicinctus on, in Ontario, 2468; control of Pieris rapae and Phyllotreta striolata on, 2509; persistent toxicity of insecticides to Rhopalosiphum erysimi on, 2791
rassica campestris, toxicity of insecticides to
Rhopalosiphum erysimi on, 2791

rassica campestris dichotoma, determination of insecticide residues on, in India, 62; malathion residues in, 3921

rassica campestris sarson, thiometon inhibiting germination of seeds of, in India, 3007

rassica juncea, Rhopalosiphum erysimi on, in India, 68; uptake of sap from, by Myzus persicae, 1943; rows of, protecting sugar-beet against aphids and viruses, 2652; insecticides against Rhopalosiphum erysimi on, in India, 2682; feeding behaviour of Hordnia circellata on, 2739; toxicity of insecticides to Rhopalosiphum erysimi on, 2791; mass-rearing Myzus persicae on, 3265; uptake of DDT from soil by, 3434

prassica napus, resistance to, in Rhopalosiphum erysimi pseudobrassicae in Iowa, 614

rassica oleracea botrytis, unsuitable for oviposition by Earias vittella in India, 2074

rassica pekinensis, effect of virus on Myzus persicae on, 1147; uptake of DDT from soil by, 3434

rassica rapa, transmission of cabbage black ringspot virus by Myzus persicae to, in Britain, 1884

rassicae, Brevicoryne; Charips; Dasineura; Hylemya (Delia); Liriomyza; Mamestra; Pieris

raula coeca, phenothiazine against, on honey bees in Soviet Union, 3576

brauni, Tyrophagus

Brazil, Tetranychus mexicanus on cacao in. 988: Calligrapha polyspila as pest of Araucaria angustifolia in, 1279; list of insects attacking cultivated plants in Paraná, 1281; Oligosita giraulti parasitising Antonina graminis in, 1282; distribution and natural enemies Mahanarva posticata on sugar-cane in. 1283: list of Cercopidae of, 1284; food plants of Cercopidae of, 1285, 1286; Cercopidae of sugar-cane in, 1287; froghoppers attacking pasture grasses in, 1795; Antonina graminis on pangola grass in, 2019; Citrus decline in, 2020; fungi and insects causing wilting of cotton transplants in, 2021; Myzus persicae and Macrosiphum euphorbiae on potato in, 2022; Aphis spiraecola on Spiraea hypericifolia in, 2023; Antonina graminis in, 2034; insect pests of cacao in, 2286; predatory action of Amphix discoidea on Phytophthora palmivora in, 2290; control of Azteca paraensis bondari in, 2293; Liogenys on Schinus and peach in, 2356; substrates for ovi-position studies of Callosobruchus analis, 2491; insects attacking Salvinia in, 2723; control of Costalimaita ferruginea vulgata on guava in, 2832; laboratory rearing of Hypothenemus hampei in, 2833, 2834; Eriophyid mites in, 3669; bean virus in, 3795; Gonioterma spp. on Byrsonima in, 3799; Migdolus morretesi in, 3801; Trachyderes thoracicus in, 3803; Azochis gripusalis on fig in, 3804; Neoleucinodes elegantalis on tomato in, 3805; traps for Empoasca spp. on beans in, 3806; trap for Diaphania spp. on melons in, 3807; Enneothrips flavens and Stegasta basqueella on groundnuts in, 3809; Aceria mangiferae on mango in, 3810; resistance in maize to Spodoptera frugiperda in, 3811; Sitophilus spp. in stored maize in, 3812; pests of cacao in, 3813; Phrasterothrips conducans on Psidium in, 3814; natural enemies of Gynaikothrips ficorum in, 3815; control of Gryllotalpidae by Larra sp. in, 3817; Stiphra robusta on guava in, 3818; Automeris sp. on coconut in, 3819; Aceria guerreronis on coconut in, 3820; Neodusmetia sangwani introduced against Antonina graminis in, 3821; mites associated with plants of economic importance in, 3822; Chalcodermus bondari damaging cotton in, 3823; Tydeid mites in, 3825; pests of orchids in, 3826; Tetranychus mexicanus on cacao in, 3828; Zulia entreriana, on forage grasses in, 3829; Polyphagotarsonemus latus on cotton in, 3830; Ceratitis capitata and Anastrepha spp. on Citrus reticulata in, 3831; Selenothrips rubrocinctus on plants of economic importance in, Aleurodicus cocois on Anacardium occidentale in, 3835; fungal diseases in Orthezia praelonga in, 3836; pests of fruits in, 3837; termites on sugar-cane in, 3843; Mahanarva posticata in, 3844; Aeneolamia selecta in, 3845; Cercopids on Graminaceae in, 3846; Myzus persicae and Epicauta atomaria on potato in, 3847; pests of stored maize in, 3848; Passalus interruptus attacking forest trees in, 3849; Aonidiella aurantii on rose in, 3850; Eocader vegrandis on cacao in, 3851;

Ceratopogonids as pollinators on cacao in, 3852; Erinnyis ello on Hevea brasiliensis in, 3853; mycophagous Thysanoptera associated with cacao in, 3854; Hedylepta indicata on beans in, 3855; Aceria sp. on mango in, 3856; causes of stored maize in, 3949; Hemiptera on cacao in, 3979

braziliensis, Caliothrips

breinli, Schedorhinotermes intermedius

Brestan (see Fentin Acetate)

brevicollis, Derobrachus; Hauptmannia

exo-Brevicomin (see exo-7-Ethyl-5-methyl-6,8-dioxabicyclo [3.3.1] octane)

brevicomis, Dendroctonus

brevicornis, Elasmus

Brevicoryne brassicae, sterilising effect of tepa on, 300; Diaeretiella rapae reared from, in India, 509; parasitised by Diaeretiella rapae, on cabbage in California, 573; effect of insecticides against, on natural enemies on cabbage in Poland, 1112; effect on, of parasitism by Diaeretiella rapae, 1085; ecological studies on, in Japan, 1339; population dynamics of, on rape in New Zealand, 1890; aggregation behaviour in relation to food utilisation by, 2159; seasonal abundance of, on brussels sprouts in Egypt, 2694; attacking Brassica crops in Victoria, 3324; electrophoretic separation of glucosinolases of, 3874; disulfoton against, on rape in New Zealand, 3881

brevilinea, Arenostola brevinodis, Myrmica

Brevipalpus australis, on pea in India, 1049 Brevipalpus californicus, in Florida, 227; response of populations of, on orange to cessation of spraying in Egypt, 910; on tea in Mozambique, 3392

Brevipalpus lewisi, effect of fungicides on, on vines in Hungary, 296; infestation and control of, on vines in Hungary, 297

Brevipalpus obovatus, in Florida, 227

Brevipalpus oleae, on olive in Greece, 3979 Brevipalpus olearius, on olive in Greece, 3979

Brevipalpus phoenicis, insecticides against, on tea in India, 58; in Florida, 227; Phlebotomids as mechanical vectors of, in Tunisia, 1083; as food for Amblyseius limonicus, 1383; infestation and control of, on Citrus in Florida, 1775; development and reproduction of Amblyseius largoensis on, 3225; Amblyseius spp. feeding on, 3349; insecticides against, on tea in India, 3378; on cashew and tea in Mozambique, 3392

brevis, Cryptotermes

Breweries, survey of infestation in, in Britain, 1156

Brewers' Yeast, in diet for Chrysopa carnea, 2473

Brigalow (see Acacia harpophylla) Brinjal (see Solanum melongena)

Brithothrips fuscus, intra-gall variation in, on Acacia in Australia, 2231; synonymous with

Oncothrips tepperi, 3333

British Columbia, Cydia pseudotsugae sp.n. mining bark of Pseudotsuga menziesii in, 531; Quadraspidiotus perniciosus on apple in, 534; Epitrimerus pyri and Panonychus ulmi on pear in, 536; insects and mites on apple in,

620; Dioryctria spp. in, 907, 908; Pityoph-1 thorus orarius mining in Pseudotsuga menziesii in, 1268; Coleoptera reared from felled spruce trees in, 1668; Adelges piceae on ornamental fir in, 1669; Tetropium velutinum in, 1670; thrips infesting asparagus in, 1671; apple pests in, 1672; Ennominae from, 1673; Masonaphis maxima and its parasite on a Rubus parviflorus in, 1674, 1675; releases of Altica carduorum against Cirsium arvense in a 1683; Barbara colfaxiana in, 2009; lifehistories of major insect pests of vegetables: in, 2457; biology and control of Archips argyrospilus on apple in, 2467; effect of mating and male presence on secondary attraction in Trypodendron lineatum in, 2477; attractants for Trypodendron lineatum in, 2820; emergence pattern of Dendroctonus ponderosae in, 2829; Ibalia gigantea in, 2996; Campylomma verbasci in, 3621; Ips spp. in, 3623; Pandemis cerasana in, 3637; mite control programmes in, 3638

British Honduras, observations on Saccharosydne saccharivora on sugar-cane in, 2666 Cornops sp. damaging Eichhornia crassipes

in, 3793

Broccoli, capture of *Trichoplusia ni* in traps in field of, in California, 386; damage to, by *Scutigerella immaculata* in Oregon, 694; not preferred host-plant for oviposition of *Trichoplusia ni*, 2769; pests of, in Victoria, 3324

Bromide, Inorganic, residues of, in fruits and vegetables, 132

Bromides, selective determination of, in food-

stuffs, 3183
4-Bromo-2,5-dichlorophenol, persistence of residues of, on coastal Bermuda grass, 204

Bromophos, soil treatment with, against Psilar rosae, 302; potency and metabolism of, in Tribolium castaneum, 464; in baits against. Tipula spp., 787; in sprays against Ephestian cautella, 1050; in sprays against Epiphyas. postvittana on apple, in Tasmania, 1299; residues of, in carrots, 1164; in sprays against Oncopera intricata on pasture and field crops in Tasmania, 1301; against Tanymecus dilaticollis, 1495; persistence of, in soil, 1527; toxicity of, to honey bees, 2063; against Phytodecta fornicata, 3139; in bait sprays against Dacus oleae, 3410; toxicity of, toto Coccinella septempunctata, 4119; toxicity of, to Chrysopa carnea, 4128

Bromophos-ethyl, in sprays against Mirids

Bromus inermis, Aceria tenuis on, 1167 Melanoplus sanguinipes on, in Montana, 2411 Bromus mollis, sheep feeding on, treated with insecticides in New Zealand, 1889

Broom (see Sarothamnus scoparius)

Browntop (see Agrostis tenuis)

bruceata, Operophtera

bruchi, Neochetina

Bruchidae, associated with Mimosa, 916; in Soviet Union, 1105; unidentified species of on sorghum in Uganda, 1819

Bruchidius, as pest of seeds of fodder plants in Soviet Union, 1097

vuchidius incarnatus, infesting dry beans in store in Egypt, 2051

vuchidius unicolor, as pest of seeds of ornamental plants in Soviet Union, 1097

suchophagi, Mesopolobus vuchophagus (see Eurytoma)

vuchus brachialis, Dinarmus acutus parasitising,

cuchus emarginatus, as pest of seeds of fodder splants in Soviet Union, 1097

ruchus pisorum, method for determining extent of infestation by, in peas, 123; injuriousness, bionomics and parasitism of, on pea in Soviet Union, 3092

ruchus rufimanus, infesting dry beans in store

in Egypt, 2051

umata, Operophtera unnea, Villa

unneus, Hylastes; Lyctus unsvicensis, Chrysomela

russels Sprouts, Hylemya brassicae on, in Britain, 799; Hylemya and Plutella spp. on, 816; seasonal changes in abundance of aphids on, and their predators in Egypt, 2694; pests , of, in Victoria, 3324

ryobia, Psallus ambiguus preying on, on apple in Poland, 726; in Poland, 3112; Psallus ambiguus preying on, on apple in Poland,

4116

wyobia kissophila, in Greece, 3462 ryobia praetiosa, in Greece, 3462

ryobia rubrioculus, chemical control of, on plum in Rumania, 280; on fruit trees in Victoria, 3322; in Greece, 3462

ryobia rubrioculus prunicola, in Greece, 3462 ryocoropsis laticollis, infestation and natural enemies of, on cacao in Ghana, 1080; on cacao in Ghana, 2291

vyoniae, Liriomyza ubalus, Ceresa

ucculatrix thurberiella, sprays against, on cotton in Texas, 215; on Gossypium sandvicense in Hawaii, 2355; on cotton in Texas, 2445; effect of new systemic insecticides on, on cotton, 2705

uckinghamia celsissima, Homoeosoma vagella

on, in Queensland, 3315

luddleia, seasonal abundance of aphids and their predators on, in Egypt, 2694 uddleia davidii, mosaic virus of, in southern

France, 2604

uffalo Bur (see Solanum rostratum)

ufo, spp. of, controlling larvae of Spodoptera eridania in greenhouses, 2447

ufo bufo, as predator of Leptinotarsa decemlineata in Poland, 735

uilding Timber, wood-cement composite as deterrent to termite infestation in, 661

ulaea lichatschovii, as predator of Myzus persicae in Iran, 3937; sprays against, on

beet in Iran, 3939 ulgaria, Ichneumonids new to, 281; Longitarsus spp. in, 282; Phaedon spp. in, 283; first record of Diorhabda elongata in, 284; Stig-

mella malella on apple in, 285; Leucoptera scitella on apple in, 286; Eurytoma spp. in, 287; Agriotes sputator and A. ustulatus on maize in, 288; pests of peach in, 289; aphid pests of apple in, 739; Dipterous parasites of

Chrysomelidae in, 1838; Pemphigus fusci-cornis in, 3127; insecticides against beet weevils in, 3128; regulations concerning pesticide residues in plants and fruits in, 3129; injurious insects on lucerne in. 3131: apple pests in, 3443; Asolcus spp. parasitising Eurygaster integriceps in, 3444; effects of sublethal doses of insecticides on Eurygaster integriceps in, 3445, 3451; aphids on sorghum in, 3446; vacuum fumigation chamber in, 3447; Acanthoscelides obtectus infesting seeds of bean in, 3448; lucerne pests in, 3449; injurious insects on seed lucerne in, 3450; pests of storehouses and human habitations 3452; effects of insecticides on bees in, 3453; Aceria tulipae in, 3454; new records of insect pests in, 3455; beet weevils in, 3456; Tetranychus telarius and T. turkestani on crops in, 3457; Tetranychids on apple in, 3458; Trioza nigricornis in, 3459; insect pests of oak in, 3460 bullata, Sarcophaga

Bupalus piniarius, avoiding callus formation in pine needles, 2306; growth in, in relation to larval population density, 3523; inheritance of colour forms in, 3525

Buprestidae, Temnochila coerulea preying on,

in pine wood in Spain, 4031

buqueti, Thaneroclerus Burma, Panonychus elongatus on Citrus in, 514 Burnupena cincta, haemocyanin of, as reference

standard for determination of molecular weights of viruses, 2878

Busseola fusca, role of food and water in onset of diapause in, 25; diapause in, on maize in Nigeria, 641

Busulfan (see 1,4-Butanediol Dimethanesulphonate)

1,4-Butanediol Dimethanesulphonate, ecdysone analogue antagonising action of, in Anthonomus grandis, 124; inducing sterility in Anthonomus grandis, 154

Butonate, toxicity of, to honey bees, 106; safety period for cherry after treatment with, against Rhagoletis cerasi, 445; in bait-sprays against Dacus oleae, 3410; toxicity of, to honeybees,

3453 Butter-bur, Japanese (see Petasites japonicus) Butterflies, of Trinidad and Tobago, 1273

n-Butyl Benzoate, attractiveness of, to Vespula spp., 254

5-Butyl-2-dimethylamino-4-hydroxy-6-methylpyrimidine, against Erysiphe cichoracearum, 1650

2-sec.-Butyl-4,6-dinitrophenyl 2-Chlorobutyrate, in dips against Aculops pelekassi, 591

1,4-Butyleneglycol, tested as trail-laying substance for termites, 2303

2-(p-tert.-Butylphenoxy)cyclohexyl Prop-2ynyl Sulphite, toxicity of, to strains of Metaseiulus occidentalis, 622; resistance in Amblyseius fallacis to, 2752; against Tetranychus telarius, 3205

m-sec.-Butylphenyl Methylcarbamate, effect of soil applications of, on Bucculatrix thur-

beriella, on cotton, 2705

N,N-Dimethyldithiocarba-N-Butylsulphenyl mate, repellency of, to Tribolium castaneum, 1721

Bux, mixture of m-(1-methylbutyl)phenyl methylcarbamate and m-(1-ethylpropyl)phenyl methylcarbamate, 644, 2426; against Clivina impressifrons, 2416

Byrsocrypta gallarum (see Tetraneura ulmi) Byrsonima intermedia, Gonioterma spp. on, in

Brazil, 3799 bytinskii, Kermes

Byturus tomentosus (see B. urbanus)

Byturus urbanus, bionomics of, on raspberry in Yugoslavia, 3147

30-C (see Oil Emulsions) C570 (see Phosphamidon) C8353 (see Dioxacarb)

C8514 (see N-(2-Methyl-4-chlorophenyl)-N',N'dimethylformamidine)

CA-6830, effectiveness against *Pieris brassicae* and phytotoxicity of, **4026**

Cabbage, Hellula phidilealis on, in Trinidad, 234; insect populations on, in California, 573; in diet for *Agrotis* spp., 719; parasitism of Pieris rapae crucivora by Apanteles glomeratus on, in Japan, 1041; factors affecting position of Trichoplusia ni on, 1768; in diet for Oryctes spp., 1801; White and Red, attractiveness of extracts of, to Spodoptera littoralis, 1852; transmission of black ring spot virus of, to turnips by Myzus persicae in Britain, 1875; transmission of black ringspot virus of, by Myzus persicae to turnip in Britain, 1884; Plutella xylostella on, in India, 2201; tests of insecticides against Pemphigus populitransversus on, in Texas, 2444; in experiments for control of Hylemya brassicae, 2459; vitamins C and E content of Mamestra brassicae from, 2560; Megaselia scalaris on, 2701; insect pests of, in Egypt, 2715; not preferred host-plant for oviposition of *Trichoplusia ni*, 2769; Lepidoptera on, in Georgia, 2886; *Plutella xylostella* on, in Venezuela, 3005; pests of, in India, 3087; residues of tetrachlorvinphos on, 3186; Pieris rapae on, in Missouri, 3240; spatial pattern of Hylemya brassicae on, in Ontario, 3281; pests of, in Victoria, 3324; Trioza nigricornis on, in Bulgaria, 3459; Pieris brassicae on, in Poland, 3586; Hylemya brassicae on, in Ontario, 3627; Pieris brassicae on, in Spain, 4026; Pieris spp. on, in Poland, 4130

Cabbage, Chinese (see Brassica pekinensis)

Cab-O-Sil, spray drift reduction with, added to

methoxy-DDT, 182

Cacao, Afroccidens lodosi and A. sympatrica on, in Ghana, 242; Archips occidentalis on, in East Africa, 357; Tetranychus mexicanus on, in Brazil, 988; fumigation of stored, against insects in Nigeria, 1070, 1071; fumigation of stored, in air warehouse using methyl bromide, 1072; pests and diseases of, in Ghana, 1080; pests and diseases of, 1141; methods for assessing tolerance and resistance to swollen-shoot virus in, 1150; Distantiella theobroma reared on, 1813; Panka spp. on, in Central African Republic, 1814; Sahlber-

gella singularis on, in Cameroun Republica 2039: report of the second international. conference on investigations on, 2286-2294; insect pests of, in Brazil, 2286; Mirid pests of in Ivory Coast, 2287; Empoasca spp. injuring in Ghana, 2289; predatory action of Amphix discoidea on Phytophthora palmivora in poder of, 2290; role of insects in cherelle wilt of in Ghana, 2291; effect of BHC on Ceratori pogonid pollinators of, 2292; Azteca paraensis bondari as pest of, in Brazil, 2293; control of Distantiella theobroma on, in Ghana, 2294 caterpillars defoliating, in Papua and New Guinea, 2640; control of Ephestia cautella in beans of, in Ghana, 2690; pests of, 2865 biology and nutrition of Xyleborus spp. from trunks of, 3782; entomological investigation on, in Brazil, 3813; Tetranychus mexicanus on in in Brazil, 3828; Eocader vegrandis on, in Brazil, 3851; pollination of, by insects, 3852. mycophagous Thysanoptera associated withlin Brazil, 3854; Mirids on, in Ivory Coasts 3959, 3960; Helopeltis spp. on, in African 3963; swollen-shoot disease of, and its mealy bug vectors in West Africa, 3977; Hemipteral on, in Brazil, 3979

Caccoleptus, preying on Unaspis citri in Veneus

zuela, 982

Cacodylic Acid, against Dendroctonus obesus Cacoecia lecheana (see Ptycholoma lecheana)

Cacoecia pronubana (see Cacoecimorpha) cacoeciae, Trichogramma

Cacoecimorpha pronubana, and carnations in Italy, 3483

Cadra cautella (see Ephestia)

caelatus, Ips (Orthotomicus) caerulea, Zicrona

caerulescens, Altica: Tetraneura

Caesalpinia, recorded as Helopeltis rubrinervis 3963

caesalpiniae, Ceroplastes caesar, Phonoctonus

caesiella, Paraswammerdamia

Caesium, Radioactive, sterilisation of Spodop tera littoralis with y-radiation from, 1903) and sterilisation of Pegomyia betae, 3440

caffer, Sphenarches

Cage, Collapsible Modular, for use in experi ments, 669; for emerging adults of Diabrotics spp., 688; rotating oviposition, for Cydiol pomonella, 1261; for use in evaluation co insecticides against Hypera postica, 24414 holding, for insect study, 2806

cajani, Ceroplastodes

Cajanus cajan, Empoasca kerri preferring virus infected, 1488; infestation of, in field by store product insects in Uganda, 1819; damage to by Acanthomia tomentosicollis and A. horrial in Tanzania, 1821; Demarchus pubipenmis damaging, in India, 2530; Eucosma criticis and Oxyrhachis tarandus on, in West Benga, 2674

Calacarus carinatus, insecticides against, on tel in India, 58; on pea in India, 1049; camellia in Victoria, 3327; insecticido insecticide against, on tea in India, 3378

Calacarus citrifolii, on cashew in Mozambiqu 3392

amistis, Sesamia landra (see Sitophilus) andrae, Anisopteromalus caratus, Notoxus sceatus, Harpalus

Icium, DDT inducing decrease in, in eggshell, 29; DDT not affecting uptake of, in ords, 881; effect of, as plant nutrient, on population density of scale insects, 1142 licium Ammonium Nitrate, Atherigona varia on sorghum fertilised with, 692

ilcium Arsenate, ethion not compatible with, 58; against Heliothis virescens and H. zea, 209; in sprays against Heliothis armigera, 0093

icium Carbonate, insecticides combined with, 730; use of, in prevention of ant removal of pasture seeds, 1316

cleo Oil Red, as marker dye for Heliothis zea, 1762; in larval diets for Pectinophora gossyviella, 2760; in baits for Anthonomus grandis, 3213

lepitrimerus, key to, 4019

elepitrimerus baileyi, on apple and Mespilus in Soviet Union, 3095

vlepitrimerus russoi, sp.n. on Laurus nobilis in

Italy, 4019

depitrimerus vitis, control of, on vines in Hungary, 297; on grape vines in California, 970; bionomics of, on grape vine in Soviet Union, 3574

ulidea dregii, carbaryl against, on cotton in

Tanzania, 91

alifornia, Dendroctonus brevicomis on pine in, 139; Tetranychus telarius on rhubarb in, 149; Dendroctonus spp. on Pinus ponderosa in, 1150; food preference of Hemerocampa pseudotsugata in, 170; Epitrix hirtipennis on tomato seedlings in, 199; parasites of white-flies on strawberry in, 225; Aonidiella aurantii on oranges in, 258; Trichogramma pretiosum in 360; Trichoplusia ni in pheromone-baited traps in, 386; potential importance of Urophora sirunaseva for control of Centaurea solstitialis in, 506; virus disease of Hemerocampa pseudotsugata on Abies concolor in, 1544; insects affecting ornamental conifers in, 1569; insect populations on cabbage in, 573; traps for Trichoplusia ni in, 593; Cydia pomonella and other pest and beneficial species on pear in, 603; Nysius raphanus as pest of grape vines in, 604; Eucelatoria armigera in, 606; Keiferia lycopersicella on tomato in, 608, 609; new severe strain of Therioaphis trifolii infesting resistant lucerne in, 611; Keiferia lycopersicella on tomato in, 623; Eriophyes insidiosus and peach mosaic virus in, 627; distribution of Trogoderma spp. in relation to climate in, 628; Panonychus citri on orange in, 637; Liriomyza spp. and parasites on lucerne in, 647; Panonychus citri on orange in, 649; uptake of endrin from soil by carrots in, 653; protection of prunes during storage in, 660; Dioryctria cambiicola in, 907; grasshoppers in, 932; aphids of, 933; Sitotroga cerealella infesting rice in, 936; insects and mites on Senecio jacobaea in, 956; Lema trilineata daturaphila in, 964; Calepitrimerus vitis on grape vines in, 970;

Iridomyrmex humilis on Citrus in, 1184: Charips victrix parasitising Aphidius smithi in, 1197; study of programme of cotton insect research in, 1231; bionomics and control of Chrysobothris mali on fruit and nut trees in, 1234; reproductive biology of Lygus hesperus in, 1235; artificial selection for genetical adaptation to temperature extremes in Aphytis lingnanensis in, 1236; artificial diets for Myzus persicae in, 1243; attraction of Heliothis zea to light in, 1249; Amblyseius limonicus introduced into Israel from, 1383; Hemerocampa pseudotsugata on Abies concolor in, 1677; Helioth**is** stombleri sp.n. in, 1685, 1686; Therioaphis trifolii in, 1711; Trichogramma pretiosum parasitising Heliothis zea in, 1734; Amblyseius hibisci and Panonychus citri in, 1777; parasitism by Charips victrix in, 1922; parasites of Pectinophora gossypiella in, 1953; Heliothis zea on cotton in, 2070; DDT residues in marine fish in Gulf of, 2179; diffusion of y-BHC in soils in, 2193, 2194; nuclear-polyhedrosis virus not affecting Trichoplusia ni in, 2215; nuclear-polyhedrosis virus causing hypertrophy of tracheal cells of larvae of Mythimna unipuncta in, 2218; pathogenicity of nematodes in larvae of Galleria mellonella in, 2222; Macrosiphum festucae on Festuca elatior in, 2357; model to simulate mating behaviour of Lygus hesperus in, 2371; pest status of Lygus hesperus on cotton in, 2373; effects of γ-radiation and tepa on Panonychus citri in, 2378; Amyelois transitella on almond in, 2382; sorption of fumigants by wheat and maize of different moisture contents and load factors in, 2390; contact toxicity of insecticides against Phryganidia californica in, 2397; temperature effects on Macrosiphum pisum in, 2400; control of Homoeosoma electellum on Helianthus annuus in, 2415; susceptibility of glandless cotton to Diabrotica undecimpunctata undecimpunctata in, 2436; Amynothrips andersoni and Agasicles sp. introduced into, 2443; response of species of Phytoseiidae to prey density in, 2462; inexpensive diet for Chrysopa carnea, 2473; sampling methods for Hemerocampa pseudotsugata on Abies concolor in, 2474; Lysiphlebus testaceipes from, for laboratory breeding in India, 2514; association of Siteroptes reniformis with Nigrospora oryzae in lint rot of cotton bolls in, 2730; pheromone traps for Trichoplusia ni in, 2756; effects of metepa and tretamine on Drosophila melanogaster in, 2763; survey of Phytoseiid mites on crops in, 2767; biology of Zonosemata vittigera, on Solanum elaeagnifolium in, 2771; predators of Pectinophora gossypiella in, 2772; effects of metepa and tretamine on Drosophila melanogaster in, 2776; releases of Trichogramma for control of tomato pests in, 2787; Myzus persicae on Capsicum in, 2804; mycoplasmalike bodies associated with insect and plant hosts of peach Western X-disease in, 2877; Siteroptes reniformis and occurrence of Nigrospora oryzae on cotton in, 2890; pea enation mosaic virus from, 2895; transmission of pea viruses by Macrosiphum pisum in,

2897; factors in suppression of viruses of beet in, 2899; effects of tetracyclines on leafhopper transmission of aster yellows in, 2901; Altermetoponia rubriceps in, 2903; Pectinophora gossypiella in traps in, 2916; Amblyseius limonicus preying on Oligonychus punicae on avocado in, 2931; Hymenopterous parasites of Ips confusus in, 2957; Ips paraconfusus in, 2993; Drosophila and Carpophilus spp. in waste fruit dumps in, 3202; Tetranychus pacificus on grape vines in, 3203; Heliothis zea on cotton in, 3204; Tetranychus telarius on walnut in, 3205; Metaseiulus occidentalis as predator of vine mites in, 3206; Erythroneura elegantula and Tetranychus pacificus on grape vine in, 3234; environmental DDT and genetics of *Drosophila* pseudoobscura in, 3607; *Ips* spp. in 3623; virus disease of *Trichoplusia ni* in, 3652, 3653; parasites of Macrosiphum euphorbiae in, 3686; insecticides in bays and estuaries in, 3728; distribution patterns of DDT residues in, 3746; Monoctonus paulensis parasitising aphids in, 3777; Heliothis zea in, Habrolepis rouxi imported into, 3968

California Oakworm (see Phryganidia cali-

fornica)

californica, Chrysopa; Pauesia; Phryganidia; Plusia; Rhopalomyia

californicum, Malacosoma

californicus, Bombus; Brevipalpus; Ephedrus; Tydeus

caligineus, Hyloicus

Caliothrips braziliensis, on crops in Argentina, 701

Caliothrips indicus, damage by, to pea, and host plants of, in India, 2102

Calla palustris, Aphis nasturtii on, in northern Germany, 2598

Callibaphus longirostris, preyed on by Phonoctonus caesar, attacking Sterculia sp. and cacao in Ghana, 1080

Callicarpa japonica, Aphis sp. on, in Japan, 3913

Calligrapha polyspila, as pest of Araucaria angustifolia, in Brazil, 1279

calligraphus, Ips

Calligypona marginata (see Javesella pellucida)
Calliphora, Formica polyctena feeding on, 448
Calliphora vomitoria, predation by Periplaneta
americana on, in Britain, 22

Calliphoridae, parasitising Chorthippus curtipennis in Newfoundland, 3299

Calliptamus italicus, on cereal crops in Turkey,

2084
Callistephus chinensis, ability of Macrosteles fascifrons to transmit causal agent of clover proliferation to, in Canada, 1936; effect of treatment with tetracycline antibiotics on

aster yellows in, 2901

Callorhinus ursinus, insecticide residues in, 3744 Callosobruchus, resistance of selected lines of

cowpea to, 1966

Callosobruchus analis, as pest of pulse crops, in India, 1354; repellent effect of seeds of Phaseolus vulgaris as oviposition sites for, 2490; ovipositing on seeds of Vigna unguiculata, 2491; unable to complete development in cowpeas in closed containers, 3827

Callosobruchus chinensis, protection of storer gram against, in India 64; treatment of storage receptacles for control of, in India 75; sapronins as possible factors of resistance of legume seeds to attack by, 334; susceptibility of, to pyrethrins and piperonyl butoxidi in Kenya, 470; on broad beans in Egypti 2051; effect of starch and polysaccharidif from beans on, 2079; competition between and C. maculatus, 2624; attacking Vigna unguiculata in Uganda, 2679; insecticides against, 3925

Callosobruchus maculatus, Mesopolobus bruche phagi propagated on, 374; plastic strippi impregnated with dichlorvos against, i grain storehouse in Nigeria, 1077; dispersion of, in temperature gradient, 2082; photoperiod inducing flying form of, in Japan 2502; competition between, and C. chinensis 2624; attacking Vigna unguiculata in Uganda 2679; bionomics of, on Cicer arietinum i Sicily, 3486

callosus, Phlyctinus

Calocoris trivialis, parasitism of, by Tetrastichul miridivorus in Sicily, 3165

Caloglyphus, unidentified species of, attacking Diabrotica balteata, 663

Caloglyphus berlesei, methyl bromide and phose phine as fumigants against, 466

Caloglyphus mycophagus, not affecting Diesbrotica balteata, 663; termination of hypopias stage of, 1659

Calophasia lunula, parasitised by Phrym pecosensis in Canada, 743

Calosoma frigidum, preying on complex ()
Heterocampa guttivitta in Vermont, 643
Calosoma sycophanta, preying on Cydia fun
brana in Soviet Union, 1104; flight activity o
in Connecticut, 3705

Calpe emarginata, attractants of vegetab

origin for, 1601 Calpe eustrigata, piercing mechanism of, 222 Calpe excavata, attractants of vegetable origin for, 1601

Calpe thalictri, piercing mechanism of, 2225; Calpodes ethlius, malpighian tubule secreticio in, 1975; control of moulting in, 2662

Calyptra thalictri (see Calpe)

Calystegia sepium, insects from, in Ontario, 503 cambiicola, Dioryctria

Camelina sativa, not resistant to Rhopalosiphum erysimi pseudobrassicae in Iowa, 614

Camellia, Oligonychus ilicis on, in Floridas 2879; Acaphylla theae and Calacarus carinus tus on, in Victoria, 3327; insecticides applied to trunk of, 3717

Cameraria (see Phyllonorycter)

Cameroun Republic, insect pests of sugar-came in, 1068; Lepidopterous larvae infesting sorghum panicles in, 1394; Sahlbergeles singularis on cacao in, 2039; Helopeltis i. 103 3963

campestris, Gryllus; Neophilaenus

Camphene, combined with synthetic frontal attracting Dendroctonus pseudotsugae, 365 camphori, Oxypleurites

Campoletis perdistinctus (see Ecphoropsis)
Campoletis pyralidis, sp.n. parasitising Pyralidin Canada, 3629

onponotus, Sitta europea preying on, on Querrus ilex in Spain, 4028

impoplex, parasitising Keiferia lycopersicella

n tomato in California, 623

npoplex frustranae, parasitising Rhyacionia vustrana on pine in Virginia, 140; as parasite If Rhyacionia frustrana on Pinus taeda in : fississippi, 562

impoplex submarginatus, parasitising Rhyaionia buoliana in Yugoslavia, 3136

impylomma livida, on apple in New South

Vales, 3029, 3904

unpylomma verbasci, as predator of pests on pple in Poland, 724; effect of insecticides on, in apple in Nova Scotia, 1995; bionomics nd effect of pesticides on, in British Colum-

ia, 3621

clada, use of Tribolium confusum to assess utritive value of barley varieties in, 34; thlamisus cribripennis on blueberry in, 212: ngromyzidae of, 229; biological control of prest insects in, 499; Pristiphora acidovalva o.n. on willow in, 532, 533; marker strain of acillus larvae isolated from honeybees in, .46; native parasites attacking introduced ests in, 743; Mastrus argeae parasitising wflies in, 1220; cytoplasmic and nuclear olyhedrosis viruses against Choristoneura nd Malacosoma in, 1253; effects of temperaare on immature stages of Mythimna uniuncta in, 1256; natural occurrence of viruses f Trichoplusia ni in, 1260; juvenile hormone ctivity in wood and bark extracts of forest rees in, 1262; first record of Messa nana on irch in, 1269; Amblyseius fallacis preying on :etranychus telarius in greenhouse in, 1660; ansmission of clover proliferation causal gent by Macrosteles fascifrons in, 1936; list intercepted plant pests in, 1977; genus uerna in, 1983; Adelges piceae on Abies alsamea in, 1992; hatching of eggs of Dendroctonus ponderosae in, 1998; distributerminalis in, on of Pissodes 2005: adotoxins from bacteria as immunising gents against Pseudomonas aeruginosa in rvae of Galleria mellonella in, 2219; review if genus Polygraphus in, 2349; solvents for stracting radioactive dieldrin and y BHC esidues from wheat in, 2372; DDT residues fish and shellfish in, 2455; parasites and redators liberated in, 2456; control of Vylemya brassicae in, 2459; Agathis pumila rarasitising Coleophora laricella on larch in, Macrosiphum avenae transmitting arley yellow-dwarf virus from oats in, 2479; prrelations between groups of variables in ılk grain ecosystems in, 2626; failure of vpha dubia to become established in, 2645; ateractions between soil-borne fungi and ypogastrura tullbergi in, 2765; insecticides gainst Euxoa messoria in, 2785; effects of ater and high humidity on Panonychus mi, 2816; distribution and occurrence of ryzaephilus mercator in, 2827; Cisseps fulvibllis infesting grain maize in, 2828; insects amaging acorns of Quercus macrocarpa in, 932; Corticeus substriatus in, 2938; winter rvae of Choristoneura fumiferana in, 2975; etropium velutinum in logs of Larix occidentalis in, 2976; Tetranychus mcdanieli in, 2988; spread of Pleolophus basizonus in, 2990; Coccidian pathogen of Trogoderma variabile in, 3272; Microtus pennsylvanicus and Peromyscus maniculatus in, 3292; Cryptolestes ferrugineus in, 3293; rickettsia-like microorganism in Dahlbominus fuliginosus in, 3298; Nabis sp. preying on Lepidoptera in, 3305; biological control of insects and weeds in, 3306; effects of precipitation on insect pests of crops in, 3619; Campoletis pyralidis sp.n. parasitising Pyralids in, 3629; insecticide residues in eagles in, 3739; insecticide residues in St. Lawrence River ecosystem in, 3748; pesticide residues in total diet in. 4093

Canada Thistle (see Cirsium arvense)

canadensis, Blissus; Loania

Canary Grass (see Phalaris canariensis)

Canary Islands, Ceratitis capitata in, 4022 Canavalia ensiformis, groundnut mottle virus causing mosaic in, 2484

Canavanine, in diet inhibiting reproduction in Pseudosarcophaga affinis, 1748; effect of, in diet for Anthonomus grandis, 3699

Candida zeylanoides, in larvae of Hemerocampa pseudotsugata in U.S.A., 3277

Cane Sugar, Callosobruchus analis not ovi-positing on, 2491

canescens, Devorgilla Canidia (see Bathyplectes)

Canna, Quinta cannae on, in Argentina, 992

Canna indica, Quinta cannae reared on, 992 Cannabis sativa, Cydia delineana on, in Rumania, 273; Ceutorhynchus spp. on, in Italy, 1121; seed treatment of, against mites, 1540; Aeolothrips intermedius on, 2574; Cydia delineana on, in Yugoslavia, 3149

cannae, Quinta canus, Limonius

capensis, Aspidiotus; Azotus; Nudaurelia cytherea: Pachypasa

capitata, Ceratitis; Diaphnidia

capitatus, Gryllus

capito, Locusta migratoria

Capitophorus elaeagni, on safflower in Queensland, 3021

Capitophorus fragaefolii, probing behaviour of, 373

Capitophorus geranii sp.n., on Geranium diverticulatum in India, 82

Capitophorus hippophaes, in traps in Venezuela,

Capitophorus horni, Entomophthora spp. in, on artichoke in France, 3972

Capitophorus ribis, on berry-fruit bushes in Soviet Union, 3571; on currants in Poland, 4115

Capitophorus tetrarhodus, on oil-bearing rose in Soviet Union, 3566

Capnodis tenebrionis, bionomics of, in Hungary, 291; bionomics and control of, on stonefruit trees in Soviet Union, 3096; attacking stone-fruit trees in Jordan, 3424

Capparidaceae, Phyllotreta spp. feeding on, in

New York State, 388 Capsella bursa-pastoris, Aphrodes bicinctus on, in Ontario, 2468; Aphis frangulae complex on, 2595; as source of yellows virus for

aphids in Belgium, 3522; Aphis gossypii overwintering on, in Japan, 3913

capsellae, Aphis frangulae

Capsicum, effect of systemic insecticides on foliage pests of, 2705; Euzophera osseatella on, in Egypt, 2714; Myzus persicae on, in California, 2804; Zonosemata electa as pest of, in Ontario, 2984; Zonosemata electa reared on, 2985; Heliothis armigera on, in Bulgaria, 3130

Capsicum annuum, residues of bromide fumigants in, 132; pests of, 1141; Hyalesthes

obsoletus transmitting virus to, 1508

Capsicum frutescens, pollen of, with honey as food for Chrysopa californica, 2718; vectors of mosaic virus on, in Puerto Rico, 2894

Capsodes lineolatus, parasitised by Tetrastichus

miridivorus, 3165

Capsus simulans, causing silvertop of Poa

pratensis in Minnesota, 2424

Captan, effect of, on populations of Eotetranychus carpini vitis, 786; effect of dietary protein on toxicity of, in rats, 1095; not toxic to Trichogramma cacoeciae, 1137; effect of, on Cirrospilus vittatus, 1146; DDT in bacterial populations increasing following sprays with, 2164; against Tetranychids in orchards, 2577;

applied to apple, 3904

Carabidae, disturbance by, reducing oviposition by Oscinella frit in Britain, 24; preying on Oryctes rhinoceros in India, 504; use of, to assess effect on forest-floor arthropods, of aerial spraying of insecticides against Choristoneura fumiferana in Ontario, 1257; structural features of, in relation to character of feeding, 2561; in cropland in South Dakota, 2933; field insectary for, 2943; ecological analysis of, in field crops in Poland, 3125; effect of sprays on, in Ontario, 3288; preying on Phyllonorycter blancardella on apple in Quebec, 3642

Carabinose, deterring feeding in Sitona cylindri-

collis, 129

Carabus, sp. of, in Israel, 3998

carayoni, Helopeltis Carbadin (see Zineb)

Carbamate Insecticides, strains of *Tribolium* resistant to, 2170; factors affecting control of *Diabrotica virgifera* with, 2740

Carbamult (see Promecarb)

Carbanolate, against Rhagoletis pomonella, 902; toxicity of, to Leptinotarsa decemlineata, 1781; effect of soil applications of, on Bucculatrix thurberiella, 2705; residues of,

in milk and plants, 3018

Carbaryl, against sucking pests of cotton, 91; against cotton pests, 94; with other insecticles against cotton pests, toxicity of, to cotton, 96; in sprays against Pectinophora gossypiella and Earias insulana, 97; residues of, on Corchorus olitorius, 98; against Epitrix hirtipennis, 199; dimethyl sulfoxide not improving toxicity of, to Anthonomus grandis, 201; against Heliothis virescens and H. zea, 209; against Bucculatrix thurberiella, 215; effect of monoamine oxidase inhibitors on metabolism of, by rat-liver homogenate, 218; against Cydia lobarzewskii, 439; method for detecting resistance to, in Tribolium casta-

neum, 469; effect of fatty-acid compositioi of Heliothis zea on susceptibility to, 596 susceptibility to, in predacious mites, 599 phytotoxicity of sprays of, to sorghum, 618 toxicity of, to strains of Metaseiulus occident talis, 622; not effective against Diabrotics spp., 644; effect of exclusion of Phytoseira predator of Panonychus ulmi by sprays o 645; in dusts against Heliothis zea, 659; tox city of, to irradiated and normal adults (
Pectinophora gossypiella, 673; toxicity o against Diparopsis castanea, 857; effect temperature and humidity on contact toxicing of, to *Tribolium castaneum*, 858; again *Rhynchophorus ferrugineus*, 868; effect temperature and humidity on toxicity deposits of, to Tribolium castaneum, 869; sprays against Lepidosaphes ulmi, 901; againi Rhagoletis pomonella, 902; in sprays again Heliothis zea and Anthonomus grandis, 92) against Quinta cannae, 992; susceptibility t: in Cydia pomonella, 1006; in sprays again Heliothis armigera, Diparopsis castanea am Earias spp., 1054, 1055; aerial application of 1055, 1057; in sprays against Phthorimal operculella, 1057; ineffective against Phus acuta and P. chalcites and harmful to the natural enemies, 1058; use of, in determining insect and mite damage to cotton, 1061; sprays against Pseudotheraptus devastand 1080; effect of dietary protein on toxicity of in rats, 1095; in sprays against Cydia furi brana and residues of, on fruits, 1104; in durand sprays against Dacus oleae, 1118; sprays against Aphodius pseudotasmaniae pastures in Tasmania, 1294, 1295, 1296; sprays against Eriophyes pyri, 1319; for control of Plecoptera reflexa in W. Paki tan, 1377; controlling Heliothis armige 1415; with Bacillus thuringiensis, againi Yponomeuta padellus, 1423; against Cyppomonella, 1434; effect of, on Beauve bassiana, 1436; against Tanymecus dilaticol 1495; toxicity of, to Tephritids, 1694; c tribution and settling rate of, in CC propelled dusts in aircraft, 1695; toxicity N-acyl derivatives of, to Spodoptera littora 1702 effect of cholinesterase reactivators honey bees poisoned with, 1715; toxicity to honeybees, 1716; toxicity of, to Alopecockochi, 1720; contact toxicity of, to Alsophi pometaria, 1757 toxicity of, to Leptinotan decemlineata, 1781; method for detective resistance to, in Tribolium castaneum, 1797 controlled alteration of populations of physical phagous mites with, 1995; not effective dusts against Antonina graminis, 2019; sprays to encourage aphid infestation, 2016 in sprays against Pectinophora gossypies 2046; in sprays against Thrips tabaci, 204 in spray against *Phthorimaea opercule* 2059; toxicity of, to honey bees, 20 ineffective against *Ceratitis capitata*, 20 aerial application of, in dusts against Held this zea, 2070; toxicity and anticholinesters activity of, in Tetranychus telarius, 2077; dusts against Ceresa bubalus, 2087; treatments with, against termites and shows borers, 2094; effect of, on sorghum yield

98; against Homoptera on rice, 2199; tainst Distantiella theobroma, 2294; effects on embryology of Acheta domesticus, 27; against Agistemus exsertus, 2366; tainst Popillia japonica, 2376; against sabrotica longicornis, 2377; against Helios virescens, 2392; against Phryganidia difornica, 2397; influence of simulated rain a residual activity of, 2412; against larvae Amphimallon majalis, 2422; against Diaiotica undecimpunctata howardi, 2426: in its against rice leafhoppers, 2504; against vlabris pustulata, 2520; effect of, on etranychidae and Phytoseiidae in orchards, .77; effectiveness of, against planthoppers d leafhoppers in Japan, 2635; failing to ntrol Eriophyes padi on plum, 2653; against caruca testulalis, 2679; effect of synergists a toxicity of, to Oncopeltus fasciatus, 2803; vitro metabolism of, during midgut peneition, 2870; adsorption of, on soil organicatter surfaces, 2952; effect of, as watershed ollutant after use against Lymantria dispar, :62; isolation and identification of metaplite of, in urine and milk, 3017; residues of, ter hydrolysis and chloroacetylation, 3018; dusts and sprays against termites, 3025; sceptibility of Adoxophyes orana to, 3048; sprays and dusts against Cnaphalocrocis edinalis, 3085; with trichlorphon, and rathion, against Capnodis tenebrionis, 96; against Panonychus ulmi, 3111; against eliothis armigera, 3130; against Subcocnella vigintiquattuorpunctata, 3131; in moasses sprays against Heliothis zea, 3198; ainst Heliothis zea, 3204; against Noctuid vae, effect of, on plants, 3242 against erophyas divulsana, 3309; against lucerne sts, 3319; against Amritodus atkinsoni and ioscopus clypealis, 3358; against pests of ple, 3365; in bait-sprays against Dacus eae, 3410; against lucerne pests, 3450; ainst Saissetia oleae, 3489; against Blaniuguttulatus and Archiboreoiulus pallidus, 19; in sprays against Desmia funeralis, 23; penetration of, through isolated midgut insects and mammals, 3786; in sprays ainst Enneothrips flavens and Stegasta squeella, 3809; in sprays against Tetranyus telarius, 3891; against Callosobruchus inensis, 3925; against Spodoptera littoralis, 66; effect of, on cultures of insect cells, 92; increase of Tetranychids following atments with, against Cydia pomonella, 38; against Phyllonorycter pyrifoliella, 39; against Sparganothis pilleriana, 4140 betox (see Malathion) picron (see Dicrotophos)

Jofuran, fate of, in laying hens, 136; soil satment with, in granules against Epilachna rivestis, 161; in granules against Franktiella spp., 168; effect of lipid content on sceptibility to, in Hypera postica, 173; take and translocation of, in tobacco ants, 179; against cotton insects, 189; seed eatment with, against Hylemya platura, 15; effect of, in sprays on Cydia pomonella dother pest and beneficial species on pear, 13; in granules against Zeadiatraea grandio-

sella, 613; toxicity of, to Otiorhynchus ovatus and O. sulcatus, 668; in sprays against Hypera postica, 640; soil treatment with, in granules against Diabrotica spp., 644; soil treatment with, against Hylemya brassicae, 654; soil treatment with, against Otiorhynchus sulcatus, 678: effectiveness of, against Sciopithes obscurus, 679; in sprays against Adelges piceae, 913; in sprays against Agrotis orthogonia, 1719; soil treatment with in granules against wireworms, 1732; effect of, in seed dressings and dips on germination of rice seeds and on mortality of Nephotettix impicticeps, 1750; mortality of non-phytophagous insects on tobacco grown in soil treated with, 1780; soil treatment with, in granules against Conotrachelus hicoriae, 1784; guide to, 1854; against Epitrix hirtipennis, 2192; against Heliothis virescens, 2387; against Schizaphis graminum, 2403; effect of, on growth and yield of burley tobacco, 2404; effect of, on parasitism of Manduca sexta and Heliothis virescens, 2409; against Homoeosoma electellum, 2415; against Clivina impressifrons, 2416; against Diabrotica undecimpunctata howardi, 2426; Pemphigus populitransversus, 2444; against Hylemya brassicae, 2459; against Hypsipyla grandella, 2488; effects of, on beneficial and destructive insects on tobacco, 2738; sprays of, controlling Hypera postica and Macrosiphum pisum, 2780; against Myzus persicae, 2804; against Hypera postica, 3200; against Erythroneura elegantula, 3234; against Schizaphis graminum, 3236; against Aphrophora saratogensis, 3241; selective toxicity to insects of, 4090

Carbohydrate, content of male Schistocerca gregaria during adult development, 1245

Carbolineum (see Tar Distillate)

Carbon, reducing uptake of insecticides from soil, 3214
Carbon Activated seed drassing containing

Carbon, Activated, seed dressing containing vamidothion on, 3915

Carbon, Radioactive, aldicarb labelled with, 175; carbofuran labelled with, 179; N-(2-methyl-4-chlorophenyl)-N',N'-dimethylformamidine and its hydrochloride salt labelled with, 181; methidathion labelled with, 330; glycine labelled with, in Anthonomus grandis, 415; glucose labelled with, incorporated into lipids of Plodia interpunctella, 471; DDT labelled with, 638; diazinon labelled with, 1568; endrin labelled with, in Heliothis virescens, 1970; DDT labelled with, 2164; insecticides labelled with, 2870, 3011, 3015, 3016; sperm of Choristoneura fumiferana labelled with, 3211; insecticides labelled with, 3211; insecticides labelled with, 3211; bDT labelled with, 3434; DDT labelled with, 3606

Carbon Bisulphide, effectiveness of, against storage insect pests in wheat column at different temperatures, 876; against *Rhizoglyphus echinopus*, 1128; tolerance of seeds of cereals to, 1357; with carbon tetrachloride, effect of temperature on distribution of, in stored grain, 2420; residue of, in cereals at different temperatures, 3013; against *Acanthoscelides*

obtectus in bean seeds, 3448

Carbon Dioxide, anaesthesia with, affecting mating by Plodia interpunctella, 551; effect of, on egg hatch of Tribolium spp., 948; insecticidal dusts dispersed by releasing, from fire extinguisher, 1695; effect of, on Cydia pomonella, 1701; against Anastrepha ludens infesting grapefruit, mortality of Anastrepha ludens from, generated in buried mangoes and oranges, 1741; mortality of Sitophilus spp. in atmospheres of, 1742; effect of anaesthesia induced by, on Ceratitis capitata, 1751; as anaesthetic for Anthonomus grandis, 2440; as metabolite of methidathion, 3215; measurement of output of, by Chlamisus cribripennis, 3296; response of Ostrinia nubilalis to radiation as determined by output of, 3690

Carbon Tetrachloride, against *Tribolium castaneum*, *Sitophilus zeamais* and *Oryzaephilus mercator* in stored maize, 1075; schedules recommended for use of, against stored product pests, 1541; in mixtures with other fumigants in stored grain, 2420; residue of, in cereals at different temperatures, 3013; use of, in isolating toxins from *Metarrhizium*

anisopliae, 3271 carbonaria, Capnodis

Carbonaria, cuphotais (Carbonaria, ethion not usually mixed with, 58; against mites, with carbaryl, and toxicity of, to cotton, 96; seed treatment with, against Hylemya antiqua and Psila rosae, 302; against Eotetranychus carpini borealis, 597; phytotoxicity of sprays of, to sorghum, 618; in sprays against Anthonomus grandis, 923; plastic-lined containers reducing toxicity of, to rust mites, 1696; in sprays against biotype of Schizaphis graminum and other insects, 1743; in sprays against Ceresa bubalus, 2087; against Plutella xylostella, 2201; against Schizaphis graminum, 2403; in sprays against Tetranychus telarius, 3205; effectiveness of against mites, 3378; against Callosobruchus chinensis, 3925

Carcelia obesa, habitat selection in, in Holland, 3408; flight activity in females of, in Holland,

3413

Carcinops pumilio, new record of, in Uganda, 1819

Carcinops quattuordecimstriata (see C. pumilio) Cardiaspina artifex, use of dicrotophos against, in New South Wales, 3892

Cardiaspina densitexta, bionomics, host selection, dispersal and oviposition of, in South Australia, 1015; nymphal stage of, on Eucalyptus fasciculosa in South Australia, 1872

cardinalis, Rodolia

Cardiochiles, first record of genus of, parasitising Hymenia recurvalis in India, 1367

Cardiochiles hymeniae, parasitic on Hymenia recurvalis on Amarantus and Trianthema in Delhi, 1367; reared from Hymenia recurvalis in India, 3583

Cardiochiles nigriceps, parasitism of Heliothis virescens by, in Georgia, 554; factors in parasitism of Heliothis virescens by, 1968; host-parasite relations of, and Heliothis spp., 2973; effects on Heliothis virescens of parasitism by, in Mississippi, 3752

Cardiochiles nigromaculata, parasitising larvi of Heliothis armigera, 1205 cardui, Brachycaudus; Vanessa

carduorum, Altica; Apion

a-Carene, use of, with frontalin in managing populations of *Dendroctonus brevicomis*, 13, apparent unattractiveness of, with trar verbenol, to *Dendroctonus ponderosae*, 27, 27

Carica papaya, residues of bromide fumigarin, 132; aphid vectors and violiseases of, in Venezuela, 980; inser associated with, in Venezuela, 983; viruland their vectors on, in Venezuela, 2010 Dasineura papivora infesting flower buds in India, 2090; mycoplasma-like organin associated with bunchy-top disease of, 280 Toxotrypana curvicauda on, in Florida, 375

carinatus, Calacarus carmelita, Rhynocoris

Carmichaelia robusta, Tetranychus eyrewelled on, in New Zealand, 3866

Carnation, Tetranychus cinnabarinus on, Britain, 817; Tetranychus cinnabarinus on France, 2145; Heliothis armigera on,

Italy, 3483 carnea, Chrysopa

Carneocephala flaviceps, on soy bean in Misibi sippi, 1771

Carob Bean (see Ceratonia siliqua)

carotae, Napomyza

Carpathians, Scandinavian and Atlantic ments in Diptera of western, 2584; idea fication of eggs, larvae and pupae of 1 petidae from western, 2587; host plants some Trypetidae from western, 2589

Carpets, insecticidal treatment of, 3538

carpini, Eotetranychus carpinivorella, Acrobasis

Carpinus caroliniana, Acrobasis carpinivor on, in U.S.A., 1939

Carpobrotus acinaciformis, development reproduction of Amblyseius largoensis pollen of, 3225

Carpobrotus edulis, as food for Amblysis limonicus, 1383; Amblyseius spp. feeding

pollen of, 3349

Carpoglyphus lactis, infestation and control in stored products, 1540; development of fungi, 3115

Carpolonchaea (see Silba)

Carpomya pardalina, chemosterilisation i

Carpomyia vesuviana, schedule for chemocontrol of, on Ziziphus sp. in India, 251

carpophagus, Coccotrypes

Carpophilus, fumigation of bagged ground the against, in railway waggons in Nigot 1074; in stored seeds of sorghum damage: Lepidopterous larvae, 1394; insection against spp. of, in dumps of waste fruit California, 3202

Carpophilus dimidiatus, fumigants against stored cacao in Nigeria, 1070, 1071

Carrot, Psila rosae on, in British Column insecticide residues in, 180; Psila rosae in France, 302; Anania verbascalis on, effects of variety and maturity of, on up of endrin from soil in California, 653; rosae on, in Britain, 802, 803; Cavan

vopodii on, in Britain, 803; in diet for billia japonica, 952; dehydrated, in diets : Achaea spp. and Anua tirhaca, 1060; pests diseases of, 1141; insecticide residues in. Norway, 1164; Cavariella aegopodii on, in gentina, 1288; susceptibility of varieties of, :Cavariella aegopodii, 1522; as powder, in It for Cydia molesta, 1682; in diet for vctes spp., 1801; seed feeding by Lygus spp. creasing growth of, 1935; as powder, in ring medium for Ceratitis capitata, 2056; w residues of Dyfonate in, in Wisconsin, 17; Psila rosae on, 2654, 2655; Corimelaena eralis lateralis reared on, 2948; Napomyza totae on, in Germany, 3168; carbon reduct uptake of insecticides by, from soil. 3214; take of DDT from soil by, 3434; Trioza ricornis on, in Bulgaria, 3459; insecticide idues in, in Ontario, 3742; as powder in t for Diatraea saccharalis, 3991; vder, in diet for Heliothis armigera, 4011; wowder, in diet for Rhagoletis cerasi, 4068; Isistence of insecticides in, 4097 int Fly (see Psila rosae)

gramus tinctorius, insect pests of, in Queens-

id, 3021

xaspis juniper, Aleuropteryx juniperi feed-

on, in Britain, 2649 sarveol, in pine phloem in Finland, 2250 Carveol, in pine phloem in Finland, 2250 n, trap collections for small insects on, in jorgia, 557; Cydia caryana on, in Georgia, ; Conotrachelus hicoriae on, in Louisiana, Nepticula juglandifoliella on, torgia, 2383; unsuccessful transfer tlanaspis obscura from pin oak to, 2906; irculio caryae on, in Georgia, 3244

alba, Lyctus planicollis on, in Austria, 15

cordiformis, Acrobasis caryae on, in

S.A., 1939

da glabra, rearing of Ennomos subsignarius 634; Acrobasis caryae on, in U.S.A., 9; effect of, in diet for Ennomos subsigius, 3677

Az illinoensis, Acrobasis nuxvorella sp.n. on,

IU.S.A., 1939

11 ovata, Acrobasis caryae on, in U.S.A.,

ar pallida, Acrobasis caryae on, in U.S.A., 19

tomentosa, Acrobasis caryae on, in inessee, 112; Acrobasis caryae and A. elyi (n. on, in U.S.A., 1939

e, Acrobasis; Curculio

na, Cydia

sedon lisaeae sp.n., on Lisaea heterocarpus Soviet Union, 1880

redon pallidus, identity of, 1880

edon sudanensis sp.n., on Cassia senna in dan, 1880

vorella, Acrobasis

obruchus gleditsiae, DDT against, in seeds tpalms in Florida, 1232

32 smithi, as parasite of Chrysomphalus midum in Israel, 249

🖔 Tyrophagus

Casein, in diet for Cydia pomonella, 144; in diet for Dioryctria abietivorella, 382; in diet for Galleria mellonella, 579; in diets for Saturniids and Pediasia teterrella, 632-633; in diet for Agrotis spp., 719; in diet for Leptinotarsa decemlineata and Pieris brassicae, 762; in diets for Achaea spp. and Anua tirhaca, 1060; effect of, in diet on toxicity of pesticides to rats, 1095; in diets for Drosophila melanogaster, 1246; in diet for Heliothis virescens, 1693; in diet for Anarsia lineatella, 2425; in diet for Cydia pomonella, 3221; utilisation of, by Dermestes maculatus, 3596; in diet for Spodoptera littoralis, 3938; in diet for 3991; in diet Diatraea saccharalis, for Rhagoletis cerasi, 4068

Casein Adhesive, containing insecticides for protection of plywood panels, 3862

Cashew (see Anacardium occidentale)

Cassava (see Manihot esculenta) Cassia grandis, Zabrotes interstitialis feeding on seeds of, in Costa Rica, 3672

Cassia italica, Caryedon pallidus on, in Nigeria, 1880

Cassia mimosoides, Caryedon pallidus on, in Nigeria, 1880

Cassia obtusifolia, Caryedon pallidus on, in West Africa, 1880

Cassia occidentalis, Carvedon pallidus on, in Nigeria, 1880; groundnut mottle virus in. 2484

Cassia senna, Caryedon sudanensis sp.n. on, in Sudan, 1880

Cassia singueana, Caryedon pallidus on, in Nigeria, 1880

Cassia tora, effect of, on bionomics of Aphis craccivora, 493

Cassida nebulosa, on sugar-beet in Poland, 1505 Cassida scutellaris, on sweet potato in Angola, 3954

cassidea, Chelymorpha

Castanea, rendered attractive to Trypodendron lineatum by anaerobic treatment, 2820

Castanea crenata, Xylosandrus germanus on, in Japan, 1024

castanea, Diparopsis

castaneum, Tetropium; Tribolium

castelbrancoi, Parandaspis

Castor (see Ricinus communis)

Castor Hairy Caterpillar (see Euproctis lunata) Casuarina equisetifolia, Kalotermes flavicollis in dead trees of, in Egypt, 2716
Catabena esula, establishment of,

Lantana camara in Queensland, 3023

Catalase, of Ricinus communis, in relation to resistance to Empoasca flavescens, 2841

Catalogue, of types of Coleoptera, 527; corrections to, of Diptera of America north of Mexico, 2949

Catantops spissus, carbohydrases of digestive caeca of, 1409

Catarhinus tricholaenae, on maize in Paraguay, 3824

catella, Achaea

Cattail (see Typha sp.)

Cattle, fate of methidathion in milk and tissues of, 330; effect on, of silage prepared from maize treated with fenthion, 621; oral toxicity of insecticides to, 2106; effects of daily ingestion of methidathion on, 3010; isolation and identification of metabolite of carbaryl in milk and urine of, 3017; DDT affecting microflora of rumen of, 3176; fluoroacetamide poisoning of, 3178–3179; toxicity and residues of fensulfothion in milk of, 3884

Cattleya, Diaspis boisduvalii on, in New Zealand,

caucasica, Apis mellifera; Marchalina

caudata, Phryxe

Cauliflower, Hylemya brassicae on, in Poland, insecticide residues in, 728; Hylemya brassicae on, in Britain, 799, 801; Hellula undalis on, in India, 1360; attractiveness of extracts of, to Spodoptera littoralis, 1852; Plutella xylostella on, in India, 2201; in experiments for control of Hylemya brassicae, 2459; chlorfenvinphos against Hylemya brassicae on transplanted, 2612; not preferred hostplant for oviposition of Trichoplusia ni, 2769; thiometon residues in, and pests of, in India, 3087; residues of tetrachlorvinphos on, 3186; pests of, in Victoria, 3324; uptake of DDT from soil by, 3434; Pieris brassicae on, in Spain, 4026

cautella, Ephestia (Cadra)

Cavariella aegopodii, disulfoton against, on carrots in Britain, 803; sexual reproduction of in Argentina, 1288; susceptibility of carrot varieties to, 1522

Cavelerius excavatus, resistance in sugar-cane

to, 770

cavus, Dibrachys

Cecidomyiidae, of Surinam, 1278; coneinfesting species of, on *Pinus echinata*, in Georgia, 1288; in India, 3368

Cecidophyopsis malpighianus, on Laurus nobilis

in Italy, 4019

Cecidophyopsis ribis, causing virus-like symptoms on black currant, 442; population dynamics and migration period of, on black currant in Poland, 3113; infestation of currant by, in Poland, 4125; bionomics and control of, on currants in Soviet Union, 4141

Cecidostiba dendroctoni, parasitising Dendroc-

tonus frontalis in Georgia, 3721

Cecidostiba polygraphi, parasitising Ips spp. on pine in Virginia, 1988

cecropia, Hyalophora

Cedar (see Cedrus deodara)

Cedar, Australian Red (see Toona ciliata australis)

Cedar, Red (see Thuja plicata)

Cedar-pine (see Pinus cembra)

Cedrela, Trichogramma parasitising Hyp sipyla grandella on, 2489

Cedrela odorata, attacked by Hypsipyla grandella in Costa Rica, 233; Hypsipyla grandella on, in Costa Rica, 1274, 1275; control of larvae of Hypsipyla grandella in, 2488

Cedrus deodara, pollen of, with honey, as food for Chrysopa californica, 2718

Ceiba pentandra, Distantiella theobroma reared on, 1813; Dysdercus spp. on, in Venezuela, 2017

Cela K-37 (see O-Ethyl O-4-Bromo-2,5-dichlorophenyl Ethylphosphonothioate) Celama lugens (see Uraba lugens) Celastrus orbiculatus, as primary winter for plant for Aphis gossypii in Japan, 3913 celeno, Jamides

celer, Misumenops

Celerio euphorbiae, activity of acetylcholesterase during development of, 3756 Celerio lineata, diapause metabolism and re

ing methods for, 397

Celery, Cavariella aegopodii on, in Argenta 1288; effect of treatment with tetracyclantibiotics on aster yellows in, 2901; my plasma-like bodies in, in California, 282 uptake of DDT from soil by, 3434

Cellobiose, failure of, as feeding stimulant is Sitona cylindricollis, 129; in diet for My

persicae, 3764

Cellulose, in diet for Galleria mellonella, 5 in diets for insects, 759; replaced by pull paper made from Eucalyptus in ream medium for Dacus oleae, 3501; in a medium for Costelytra zealandica, 3871

Cellulose Acetate, with grandlure, as slivelease formulation for Anthonomus grand

2435

Cellulose Powder, in diet for Cydia pomone 144; in diets for Saturniids and Pedia teterrella, 632-633; in diet for Ips calligrapp 1705; in diet for Anarsia lineatella, 2425: diet for Hylemya antiqua, 3633

Celtis australis, Phyllonorycter platani and

millierella on, in Israel, 1795

celtis, Selepa Celtis zenkeri, Panka spp. on, in Central Afri Republic, **1814**

cembrae, Ips

Cement, building board composed of war elements coated with, as deterrent to terrininfestation, 661

Cemiostoma (see Leucoptera)

Cenangium ferruginosum, accompanying infution of Pissodes notatus on pine, 2305

Cenocoelius sanguineiventris, parasitising erda inornata in Michigan, 1194

Cenopalpus eriobotryi, sp.n., on Eriobot japonica in Greece, 4013
Cenopalpus pulcher, new record of, on app

India, 1576

Centaurea, occasional oviposition in species by Urophora sirunaseva, 506

Centaurea americana, as new host planti Acanthiophilus helianthi and Craspedoxas octopunctata in India, 2522

Centaurea cyanus, Acanthiophilus cyanus ou Hungary, 2522

Centaurea solstitialis, Urophora sirunaseva agent of biological control of, 506

Centeterus major, parasitising Aegeria the formis in Soviet Union, 3571

Central African Republic, *Panka* spp. on plain, **1814**; *Helopeltis* in, **3963**

Central America, Liogenys macropelma 2356

Centrococcus insolitus, parasitism of, by Lumastix nigrocoxalis on Solanum melon in India, 3388

Centrodora tomaspidis, parasitising Maharim posticata, in Brazil, 1283

Cephaloglypta murinanae, Itoplectis maculis competing with, in Europe, 1133

Monica, Corcyra

ulonomia, parasitising Scolytus rugulosus

Argentina, 1289

valosporium, use of, in control of Planoicoides njalensis on cacao in Ghana, 1080; cking overwintering larvae of Hoplo-upa crataegi in Poland, 1114; associated 11 Steneotarsonemus madecassus on rice : Madagascar, 3389

vulosporium aphidicola, infesting Myzus

sicae, 1524

sulosporium coccorum, affecting Adelges ; ae, 2472

ulosporium lecanii, infesting Unaspis citri

ivenezuela, 982 rus cinctus, sexing larvae of, 2464; effect of 3h temperature and light on post-diapause relopment of, 3246; artificial plant stem

oviposition site for 3248 us pygmaeus, on cereal crops in Turkey,

mbycidae, rearing of, on artificial diets, 1; from Laos, 1351-1353; on *Pinus* 'estris in Yugoslavia, 3467; attacked by mchaea zetterstedti, 3634

mbycinae, from Laos, 1351

orbyx dux, infestation and control of, on at trees in Malta, 3043

inica pisi, on pine in Germany, 3426 viterocerus mirabilis, as parasite of Euleca-

on prunastri, 1513 ına, Pandemis

1, Myzus; Rhagoletis itis capitata, fumigation of fruits and detables against, in Hawaii, 132; effect of andiation on mating competitiveness of, s; mating frequency of females of, with rmal and irradiated males, 166; new larval idium and improved pupal recovery sthod for, 185; pathogens and pests associd with laboratory cultures of, 207; mala-on against, on *Citrus* in Mediterranean in and Israel, 796; method for labelling ilts of, with ³²P, 998; control of, in citrus ves in Israel, 1382; possibility of acclimation of, in Poland, 1500; toxicity of ecticides to, in Hawaii, 1694; adhesive o for surveying for, in Nicaragua, 1709; of CO2, nitrogen and cold to immobilize 1751; review of, in Argentina, ilts of, 4; molasses and parathion for control of grapefruit, in Argentina, 2025; sterile-le method in integrated control of, on rus in Argentina, 2027; poison baits Finst, 2028; numbers of, in bait-traps in zentina, 2029; attractants for, in bait-traps Argentina, 2030; mass rearing of, on artial medium, 2056; annual number of terations of, in Egypt, 2057; apparent ence of, from New Valley in Egypt, 2058; ecticides against, on apricot in Morocco, 6, 2067; traps for detection of, in Hawaii, '4; aerial release techniques for sterile les of, 2797; depletion of stored sperm in nales of, 2947; infestation and control of, peach in Venezuela, 3003; use of, in assay fenthion residues, 3133; susceptibility of, insecticides at different body sites, 3217; rile-male releases for control of, in

Nicaragua, 3237; high concentrations of trimedlure in traps repelling, in Hawaii, 3254; bait-sprays against, on Citrus in Lebanon, 3598; sprays against, on Citrus reticulata in Brazil, 3831; Pachycrepoideus vindemmiae reared on, in Réunion, 3946; on apple and pear in Mozambique, 3951; differences in acetylcholinesterase-sensitivity to phosphamidon in strains of, in Israel, 4008; rearing of, 4020; release of sterile males for control of, in Canary Islands, 4022; effect of γ-radiation on, 4048, 4052, 4056, 4058, 4064; mass-rearing of, 4049-4052; physiology of, in relation to sterile-male technique, 4051; methods of marking and packaging pupae and adults of, for release, 4052; sterile-male releases of, in Nicaragua, 4053, 4059; eradication of, in Nicaragua, 4053, 4059; sterilemale technique for control of, in Italy, 4054, 4055; release of sterile adults of, in Tunisia and Morocco, 4057; release of sterile adults of, on coffee in Costa Rica, 4058; rearing of, 4060; proposed releases of sterile males of, in Tunisia, Canary Islands and Spain, 4061, 4063; methods for rearing and irradiation of, 4061, 4062; physiology of, 4065

Ceratitis rosa, Pachycrepoideus vindemmiae released against, in Réunion, 3946

Ceratocystis minor, antagonism between Den-

droctonus frontalis and, 967

Ceratocystis ulmi, Scolytus multistriatus as vector of Dutch elm disease caused by, 1733; control agent for Scolytus multistriatus vector of, 3196

Ceratomegilla maculata, preying on Heliothis zea on cotton in Arkansas, 563; evaluation of, as predator of aphids in Britain, 1151; sensitivity of, to insecticides, 2781

Ceratomegilla maculata lengi, oviposition responses of, to juniper, 917

Ceratonia siliqua, Phanerotoma flavitestacea released against Ectomyelois ceratoniae on, in Israel, 252; development of Ectomyelois ceratoniae on, feeding response of Ectomyelois ceratoniae to extracts of pods of, applied to Styropor disks, 339; damaged by Tephrinopsis subumbrata in Argentina, 999; Ectomyelois ceratoniae on, in Western Australia, 1318; attractiveness of extract of flowers of, to Dacus oleae, 3465; Ectomyelois ceratoniae on, in Israel, 4006; Ectomyelois ceratoniae on, in Mediterranean Basin, 4042

ceratoniae, Ectomyelois

Ceratopogonidae, effect of BHC on, pollinating cacao, 2292; as pollinators on cacao in Brazil, 3852

Ceratosmicra meteori, parasitising Rogas nolophanae in Missouri, 1752

Ceratozetes, species of, on orchids in Germany, 3426

Cercis siliquastrum, damaged by Grammadera clara in Argentina, 996

Cercopidae, list of, of Brazil, 1284; food plants of, of Brazil, 1285, 1286; of sugar-cane in Brazil, 1287

Cercopis sanguinolenta, on maize in Yugoslavia, 3469

Cercospora, combined attack on groundnut by Spodoptera littoralis and, 260

cerealella, Sitotroga cerealium, Limothrips

Cereals, pests and diseases of, 1141; Rhopalosiphum padi on, in Norway, 1163; predicting yield and yield losses of, from estimates of pest populations in Britain, 2114; pests of, in Soviet Union, 2135; Oryzaephilus mercator and O. surinamensis as pests of processed, in Canada, 2827; retention of insecticides on dressed seed of, 4092

Cereals (Stored), effect of temperature on distribution of fumigants in, 2420

Ceresa bubalus, oil emulsions not affecting survival of eggs of, on apple in Quebec, 1657; bionomics and control of, in Turkey, 2087

ceroplastae, Aneristus; Tetrastichus

Ceroplastes africanus (see Gascardia mimosae) Ceroplastes caesalpiniae, Synanthedon coccidivora sp.n. preying on, on Acacia tortuosa in

Venezuela, 3665

Ceroplastes floridensis, morphological identifications of stages of, 255; rearing of, on Citrus limetta and Cucurbita moschata, 1776; unsuitable for development of Amblyseius chilenensis, 3349; in Israel, 4000; seasonal fluctuations in population of, on Citrus in Is ael, 4001

Ceroplastes japonicus, preyed on by Chilocorus kuwanae in Japan, 1900; bionomics and control of, on Citrus in Japan, 2503

Ceroplastes pseudoceriferus, wax secretion in, 44; excretion of honeydew from, and evaluation of some insecticides against, in Japan, 2505; on fruit trees in India, 3082

Ceroplastes rusci, rearing of, on Cucurbita moschata, 1776; on fig in Jordan, 3424; in

Israel, 4000

Ceroplastes sinensis, spread, bionomics and natural enemies of, in New South Wales, 3897

Ceroplastes vinsonioides, distribution of, on Citrus in Western Nigeria, 2430

Ceroplastodes cajani, infesting Moringa oleifera in southern India, 2205

Cerotoma trifurcata, transmitting strains of cowpea mosaic virus, 2757

cervinata, Wiseana

cervinus, Pantomorus

Ceryl Alcohol, in diet for Galleria mellonella. 579

cetonidarum, Rickettsiella

Cetoniidae, Rhadinaphelenchus cocophilus not found in, on coconut in Venezuela, 2018; Rickettsiella cetonidarum sp.n. infecting larvae of, in Madagascar, 2151

Ceutorhynchus assimilis, iodofenphos against, on rape, 816

Ceutorhynchus declinata, Patasson declinata reared from eggs of, in Poland and Holland,

Ceutorhynchus pleurostigma, on crucifers and Cannabis sativa in Italy, 1121

Ceutorhynchus quadridens, on crucifers and Cannabis sativa in Italy, 1121

Ceutorhynchus rapae, bionomics, mortality and control of, on Cannabis sativa in Italy, 1121

Ceutorhynchus roberti, on crucifers and Cannabis sativa in Italy, 1121

Cevlon. Atherigona oryzae on rice in, 4 Nephotettix sympatricus sp.n. in, 181 tolerance and susceptibility of tea cloned Xyleborus fornicatus in, 2198; coffearia on tea in, 3044

Chaetanaphothrips signipennis, on banan

Chaetocnema, sp. of, on sugar-beet in Pola 1505 Chaetocnema basalis, infected Serry

marcescens, 3923

Chaetocnema confinis, resistance to, in swe potato in South Carolina, 3238 Chaetocnema macgillavryi, on maize in VN

zuela, 981

Chaetorellia, attacking Centaurea solstitul 506

Chaetosiphon (see Capitophorus)

Chalcedectus balashowski, parasitising larva Osphranteria coerulescens, 2782

Chalcidoidea, on pine in Poland, 3584

chalcites, Plusia

Chalcodermus aeneus, resistance of selection lines of cowpea to, 1966; arrestant and f ing stimulant for, in extracts of cowpea, 2 Chalcodermus bondari, damaging cottom

Brazil, 3823

chalcographus, Ips chalcosoma, Melanagromyza

Chamaerops, Umbaspis regularis on, in Polo 1115

Chamois, modifying habitat of alpine gn hoppers in New Zealand, 1293

chaonia, Aphelinus

Characoma stictigrapta, on cacao in Ch. 2291

Charips, as parasite of pupae of Lenci puncticornis aphidivora, 2696; Ephedrus ported as new host record for, in Californ 3686

Charips brassicae, parasitism of Diaerets

rapae by, 3635

Charips victrix, host selection by in lucion fields in California, 1197; bionomics of association with Aphidius smithi and Tring complanatus, 1198; host selection and specificity of, 1922-1925; parasitising A dius sp. in California, 3686

Charops, parasitising larvae of Helio . armigera, 1205; parasitising Orgyia mixto Pinus radiata, and parasitised by Brank

meria sp. in Kenya, 3396

Cheiloneurus, notes on, 3478

Cheiloneurus formosus, as parasite of I canium prunastri, 1513

Cheiloneurus inimicus, parasitising Saisa spp. on Citrus in Florida, 2417

Cheiloneurus noxius, adult host selection 2348

Cheiropachus colon, parasitising Scolytus n losus in Argentina, 1289; parasitising A sinus oleiperda, 1509

Chelaner, methods for preventing remova pasture seeds by, in Queensland, 1316

Chelonus curvimaculatus, parasitising Pht maea operculella in Rhodesia, 1057

Chelonus eleaphilus, rearing and release against Prays oleae in France, 3549

inanitus, parasitising Spodoptera 1145 ralis on cotton in Israel, 3702

nus petrovae, parasitising Eucosma rescisana on pine in Idaho, 909; parasitising siosma rescissoriana on Pinus monticola in 100, 3632

us starki, parasitising Aegeria tipuliris in Soviet Union, 3571

nus submuticus, parasitising Spodoptera in Israel, 253; as synonym

C. inanitus, 3702 um in Ontario, 505

tosterilants, survey of methods of testing, 3; effects of, on fecundity, fertility and gogy of *Rhagoletis pomonella*, 2335; for 1 ct pest control, 2555; review of, 3357; of in control of insects, 3591

wpodium, Pemphigus fuscicornis on, in

Niet Union, 707

: podium album, Pemphigus fuscicornis on, : 3ulgaria, 3127; oviposition by Pegomya ne on, 3440

's podium bonushenricus, as source of nows virus for aphids in Belgium, 3522 spodium quinoa, Aphis sambuci sambuci on, Germany, 3407

ille Wilt, role of insects in, in Ghana, 2291

moya (see Annona cherimolia)

1 1es (see Adelges) LV. Scolytus nitidus on, in Kashmir, 66: tha funebrana on, in Rumania, 276; toxito bees of sprays applied to, in Rumania, A; safety periods for, after treatment with canophosphates against Rhagoletis cerasi Germany, 445; malathion residues on, rigoletis cingulata on, in Oregon, 674; pests a diseases of, 1141; Scolytus rugulosus on, Argentina, 1289; Leucoptera scitella as 2-miner of, 1517; Hyphantria cunea on, in Igoslavia, 3145; migration of Byturus sanus from, to raspberry in Yugoslavia, 7; Rhagoletis cerasi on, in Switzerland, 4; aphids on, in Poland, 4115; Cydia s'esta on, 4150

ly, Barbados (see Byrsonima intermedia)

y, Black (see Prunus serotina)

Sour, resistance of hybrids of, to adraspidiotus perniciosus in Hungary, 2139 nut, Lipotropha dorci sp.n. parasitising ercus parallelipipedus in rotting trunks of,

France, 2147 etus eruditus, as predator in stored proets, 1540; correlation between, and en-onmental variables in bulk grain ecotems, 2625; effect of cleaning grain on nbers of, 3118; in stored sugar-beet seed

Poland, 3123 mia clathrata, insecticides against, on

erne in Bulgaria, 3450

sa (see Papilio)

, identification of Copidosoma koehleri in, 3; catalogue of ants of, 2835

ensis, Amblyseius

(see Capsicum annuum)

auricilius, assessment of larval pinacula identifying character of, 874; parasites of, rice in Sarawak, 3346

hyrax, discovery of, in Japan, 3908

Chilo indicus sacchariphagus, resistance in sugar-cane to, 770

Chilo infuscatellus, correlation between attack by, and sugar-cane yield in India, 2100; Trichogramma flandersi sp.n. and T. chilotraeae sp.n. parasitising, on sugar-cane in India, 2150

Chilo Iridescent Virus, juvenile-hormone-like

effect of, on Bombyx mori, 54

Chilo luteellus, as alternative host for Apanteles chilonis, 1348

Chilo partellus, assessment of larval pinacula as identifying character of, 874; incidence in relation to altitude of, on maize in India, 1051; effect of infestation of, on maize in Bihar, 1358; insecticides against, on maize in Mozambique, 1397; parasitised by *Invreia* ghanii sp.n. in Pakistan, 1570; resistance to, in maize and sorghum in Uganda, 1704; sorghum varieties resistant to, 2083; insecticides against, on sorghum in India, 2098; on maize in India, 2524; effect of soil fertility on damage by, to sorghum in Uganda, 3243; increased susceptibility to, of virus-infected plants, in India, 3253; bionomics, food-plants and parasitism of, in Mozambique, 3391; esterases during larval development of, 3776; spread of, in Africa, 3979

Chilo polychrysus, insecticides against, on rice in Philippines, 492; Ichneumonid parasites of, in Asia, 1343; Braconid parasites of, 1344

Chilo sacchariphagus, Apanteles flavipes introduced from Mauritius against, on sugar-cane in Madagascar, 1392; host-plant of, in Japan, 1907; Diatraeophaga striatalis reared for release against, in Réunion, 2152; Pediobius furvus and Trichospilus diatraeae reared from pupa of, in Mauritius, 2536; rearing of natural enemies for release against,

in Réunion, 3945 Chilo suppressalis, culture medium for, 43; ecdysterone inducing moulting of cultured integument of, 49; effects of ecdysterone on in vitro development of wing disks of, 50; toxicity of isomers of nicotine to, 55; insecticides against, on rice in Laos, 235; insecticides against, on rice in Philippines, sex pheromone in, varietal resistance in rice to, 492; varietal resistance in rice to, 772; infestation of rice by, in Japan, 1043; population density of, on rice in Japan, 1331; Ichneumonid parasites of, in Asia, 1343; Braconid parasites of, 1344; attacked by Trichogramma japonicum in Japan, 1345; parasitised by Apanteles chilonis and A. flavipes, 1348; attractants of vegetable origin for, 1601; effects of photoperiod and temperature on diapause induction in, 1902; diazinon granules controlling, on rice in Japan, 2633; resistance of rice varieties to, in Philippines, 3041; insecticide applied to water for control of, on rice in Philippines, 3042; chemical control of, in Japan, 3059; parasites of, on rice in Sarawak, 3346; Chilo hyrax mistaken for, in Japan, 3908; regional characteristics of diapause and development in, in Japan, 3909; lipid and fatty acid composition in larvae of, reared on rice seedlings.

3916

Chilo zacconi, on rice in West Africa, 3956 Chilo zonellus (see C. partellus)

Chilocorus, natural hybridization in, 2174

Chilocorus bipustulatus, natural enemies of, on Citrus in Israel, 459; preying on Parlatoria oleae in Soviet Union, 1099; phenological studies of, on subtropical fruit trees in Israel, 1389; preying on Saissetia oleae in Italy, 3489; parasitised by Gregarina katherina in Mauritania, 4043

Chilocorus discoideus, release of, in Mauritius for control of Aulacaspis tegalensis, 2536; as predator of Aulacaspis on sugar-cane in

East Africa, 2537

Chilocorus distigma, release of, in Mauritius, 2536; as predator of Aulacaspis on sugar-cane in East Africa, 2537; Gregarina katherina not found in, in Mauritania, 4043

Chilocorus kuwanae, prey of, in hedge of Euonymus japonicus in Japan, 1900

Chilocorus stigma, parasitised by Gregarina katherina in Mauritania, 4043

Chilomenes sexmaculatus (see Menochilus)

chilonis, Apanteles Chilotraea (see Chilo)

chilotraeae, Trichogramma

China, Ostrinia spp. in, 526; Tinea columbiella, infesting duck feathers in, 1135; Gastropacha quercifolia in, 3208; Ostrinia nubilalis on maize in, 3351; virus of Pseudaletia separata in, 3352; Aporia crataegi in, 3353; Homoeosoma nebulella on Helianthus annuus in, 3355 chinensis, Callosobruchus

Chionaspis betulae sp.n., on Betula nigra in Georgia, 950

Chionaspis noaeae, redescription of, 2719

chionosema, Acrocercops

Chirida guttata, attacking Calystegia sepium in Ontario, 505

Chiridopsis aubei, on sweet potato in Angola, 3954

Chirothrips, occurrence and distribution of, in New Mexico, 1185

Chirothrips pallidicornis, sampling of, 887

chlamidatus, Labrorychus

Chlamisus cribripennis, method for sampling adults of, on blueberry in Canada, 212; survival of adults of, in burned blueberry fields in Nova Scotia, 214; measurement of CO₂ output of, 3296

Chlamydotheca arcuata, epoxidation of aldrin

to dieldrin by, 2434 Chloramphenicol, antibiotic, in diets for *Droso-*

phila melanogaster, 1246

Chlordane, in baits, dusts and sprays against Chrotogonus trachypterus, 71; treatment of storage receptacles with, 75; in vaseline applied to polythene rain-guards for protection against crickets, 78; in soil drenches against termites, 89; residues of, in soil and sugar-beet, 142; soil treatment with, against Lachnosterna consanguinea, 657; in dips against Rhizoglyphus echinopus, 1128; repellent effect of, against ant removal of pasture seeds, 1316; toxicity of, to Tapinoma sessile, 1758; in granules against Thrips tabaci, 2048; persistence of, against Ceratitis capitata, 2066; against strains of Amphimallon majalis, 2422; risks arising from persistent use of, in Britain,

2641; persistence of, in soils, 2758; suscept bility of Coptotermes formosanus to, appli to soil, 2778; soil treatment with, again Cerambyx dux, 3043; (γ isomer of), carbo reducing uptake of, from soil, 3214; γ is sistence of soil treatment with, again Reticulitermes, 3245; residues of, in its sediment and water, 3729; residues of, the fish, 3740

Chlordecone, in baits, 855

Chlorfenethol, in sprays against Tenuipand pacificus, 1232

Chlorfenson, deposits of, on apples, in against winter eggs of Panonychus ulmi, effect of, on Beauveria bassiana, 1436; v malathion, against Tetranychids, 254. against Panonychus ulmi, 3111

Chlorfensulphide, action of, on Tetranyon

telarius, 3512

Chlorfenvinphos, soil treatment with, agast Psila rosae, 302; in granules against Hyler, brassicae, 799; soil treatment with, again Psila rosae, 802; in sprays against Phthorimit operculella, 1057; in sprays against Oxycola fuscomaculatus in pastures in Tasman 1297; against Oncopera on pasture in mania, 1298; in sprays against Oncore intricata on pasture and field crops in mania, 1301; persistence of, in soil, la against Hylemya brassicae, 2459; against Hylemya brassicae 2459; agas Hylemya brassicae, 2612; residues of, in plata soil treatment with, against Hylemya brassn in 3520; movement of, in soil, 4087; persists of, in natural waters, 4088; persistence of soils and carrots, 4097

Chlorflurecol (see 2-Chloro-9-hydroxyfluor

9-carboxylic Acid)

Chlorflurenol (see 2-Chloro-9-hydroxyfluor 9-carboxylic Acid)

Chloridea obsoleta (see Heliothis armigera) Chloris gayana, Antonina graminis on, in F guay, 2034; Antonina graminis as pest a Queensland, 3020

Chlorobenzilate, ethion not usually mixed against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against *Brevipe* spp., 227; effectiveness of, in sprays against against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, toxicity to cotton, 96; in sprays against mites, 58; with carbaryl, 58 mites, 297; wettable powder of, aga Tenuipalpus pacificus, 1232; plastic-l containers reducing toxicity of, to rust m 1696; in sprays against Brevipalpus phoen 1775; ineffective against Mylabris pustur 2520; against Oligonychus ilicis, 2879; e of food-plant on susceptibility to, in Tetri chus telarius, 3047; toxicity of, to egg Tetranychus telarius, 3108; in sprays aga Tetranychus telarius, 3205; against Olige chus coffeae, 3378

Chlorochroa sayi, development of egg-paral Telenomus utahensis in, 2928; parasitism by Telenomus utahensis in Arizona, 3694

Chlorochroa uhleri, development parasite Telenomus utahensis in, 2928; p sitism of, by Telenomus utahensis in Ariza 3694

exo-3-Chloro-endo-6-cyano-2-norborna syn - O - (Methylcarbamoyl)oxime, again mites, 96

gocytus spicatus, parasitising Ceutorhyn-rs rapae on hemp in Italy, 1121

wdia, Temnochila virescens

coro-3,5-dimethylphenyl Methylcarbamate inst Laodelphax striatella and Nephotettix abticeps, 2500; against planthoppers and Thoppers in Japan, 2635

doform, extracts of plants in, 373; residue in cereals at different temperatures, 3013; of, in soil extraction of dieldrin, 3016 coro-9-hydroxyfluorene-9-carboxylic Acid, ict of, on bud-break in Abies balsamea,

oro-6-nitro-2-phenylphenol, effective inst adults of Tetranychus telarius, 2499 d-Chloro-6-oxo-endo-2-norbornane Carboile O-(Methylcarbamoyl)oxime, toxicity anticholinesterase activity of, in Tetranyns telarius, 2077

orloroperbenzoic Acid, enhancing activity vextracts of sex attractants of Lymantria

par, 2429

corophenyl Methylcarbamate, in tests inst rice leafhoppers, 2504; against plant-opers and leafhoppers, 2635

worophenyl 2,4,5-Trichlorophenylazo Sul-

de (see Chlorfensulphide)

worophenyl 2,4,5-Trichlorophenyl Sulphide s: Tetrasul)

coro-2-phenylphenol,

effective against 1 ilts of Tetranychus telarius, 2499

propierin (as fumigant), for control of red product mites, 1540

propropylate, against Eotetranychus carpini

sealis, 597 iops oryzae, forecasting occurrence of first

reration of, on rice in Japan, 3053

tops pumilionis, work of warning service inst, outbreak of, on wheat in Germany,

·roro-o-toluidine, as radioactive metabolite prapefruit seedlings, 181; as metabolite of

recticide in apple seedlings, 332

1-Chloro-o-tolyl)-N, N-dimethylformamie, metabolism of, by apple seedlings, 332; kinst Eotetranychus carpini borealis, 597; ect of, in sprays on Cydia pomonella and er pests and beneficial species on pear, B; toxicity of, to strains of Metaseiulus videntalis, 622; toxicity of, to Stethorus victum, 670; against Tetranychus telarius,

11-Chloro-o-tolyl)-N-methylformamidine, radioactive metabolite in grapefruit dlings, 181; as metabolite of insecticide in

ble seedlings, 332

loro-3,4-xylenol, separation of, from carnolate, residues of, in milk and plants,

18

loro-3,4-xylyl Methylcarbamate, deternation of, after hydrolysis and chloroetylation, 3018

rphenamidine (see N-(2-Methyl-4-chloro-

enyl)-N', N'-dimethylformamidine) rphoxim, toxicity of, to Leptinotarsa

cemlineata, 1781

rtetracycline, in diet for Cydia pomonella, 4; in diets for Saturniids and Pediasia errella, 632-633; reaction of papaya

infected with bunchy top disease to, 2892; effect of, on leafhopper transmission of aster yellows, 2901

Chlortetracycline Hydrochloride, inducing recovery of sandal infected with spike disease,

Chlorthion, toxicity of, to Tephritids, 1694; against Pieris rapae and Phyllotreta striolata, 2509; against Spodoptera littoralis, 3967

Cholestanol, in diet for Trogoderma granarium,

Cholesterol, in diets for Saturniids and Pediasia teterrella, 632-633; other sterols tested as replacements for, in diet of *Drosophila melanogaster*, 1241; in diet for *Anarsia* lineatella, 2425; in diet for Itoplectis conquisitor, 3287; as source of sterol for Xyle-borus ferrugineus, 3755; in diet for Trogo-derma granarium, 3767

Cholesteryl Chloride, not utilised in diet by

Trogoderma granarium, 3767

Cholesteryl Methyl Ether, not utilised in diet by Trogoderma granarium, 3767

Choline, quantification of utilisation of, in

Drosophila melanogaster, 575

Choline Chloride, in diet for Dioryctria abietivorella, 382; in diets for Saturniids and Pediasia teterrella, 632-633; in diets for Achaea spp. and Anua tirhaca, 1060

Cholinesterase, inhibition of, by insecticides in *Tribolium castaneum*, **648**; levels of, in life stages of Tribolium castaneum, 2888

Choristoneura (see also Cornicacoecia)

Choristoneura conflictana, effect of host on larval survival and adult fecundity of, in

Alaska, 3625

Choristoneura fumiferana, spermatogenesis in, 391; effects of hydrochlorination reaction mixture on, 398; orientation of hatchlings of, 538; chemosterilants for, 586; infection and mortality of, caused by polyhedrosis viruses, in Canada, 1253; sex-pheromone-producing gland of, 1661; control of, on Abies balsamea through induced plant-insect asynchrony in New Brunswick, 1754; polyandry in, 2006; distribution map of, 2308; method for sampling winter larvae of, in Canada, 2975; rearing of, 2991; method for determining sperm precedence in, 3211; effects of sprays against, on Carabids and Lycosid spiders in Ontario, 3288; blocking of embryonic development in, by juvenile-hormone mimics, 3636; pheromone receptors on antennae of, 3640; ants preying on, 3684

Choristoneura lambertiana, infestation and bionomics of, on Pinus contorta latifolia in Idaho and Montana, 3280

Choristoneura murinana, use of granulosis virus against, on Abies alba in Germany, 457; ultracytological findings in Borrelinavirus spp. in, 545; competition between parasites

of, in Europe, 1133

Choristoneura occidentalis, effects of methomyl applied to larvae of, 646; damage to Pseudotsuga menziesii by, in Montana and Wyoming, 1708; laboratory mating of, 1991; parasites of and sprays against, in Oregon and Washington, 2428; laser holography for study of insecticide aerosols applied to, 2796

Choristoneura pinus pinus, aerial spraying against, on pine in Manitoba, 1665; ants preying on dislodged larvae of, in Minnesota, 3684

Choristoneura rosaceana, sex pheromone of, 2165

Choristoneura viridis, laboratory mating of, 1991 Chorizagrotis, in North America, 230

Chorizococcus (see also Vryburgia)

Chorizococcus herbicola, generic assignment of, infesting grass in Australia, 3896

Chorthippus, two new species of, in Israel, 1386 Chorthippus curtipennis, seasonal occurrence and egg production of, in Newfoundland, 3299

Chorthippus dirshi, sp.n. from Israel, 1386 Chorthippus dorsatus, energetics of larval development of, 733

Chorthippus montanus, energetics of larval development of, 733

Chorthippus parallelus, models applicable to studies on population dynamics of, 4076; food selection by, in Britain, 4080, 4086

Chorthippus peneri sp.n., from Israel, 1386 Chortoicetes terminifera, in Queensland, 3318; outbreak of, in New South Wales, 3332 Chortophila cilicrura (see Hylemya platura)

Chortophila cilicrura (see Hylemya platura) Chou Moellier, pests of, in Victoria, 3324 Chromatography, of baemolymph of Enh

Chromatography, of haemolymph of *Ephestia kuehniella*, **2178**; gas and thin layer, for detecting Dyfonate in soil, **2427**

Chrotogonus lugubris, infected by Serratia marcescens, 3923

Chrotogonus trachypterus, insecticide control of, in India, 71; haemocytopenia in, caused by insecticides, 875

(+)-trans-chrysanthemate of (±)-allethrolone (see (+)-trans-Allethrin)

Chrysanthemum, survival of eggs of Liriomyza munda in, during cold storage, 211; Phytomyza syngenesiae on, in Britain, 789; formetanate not toxic to, Tetranychus telarius on, in Britain, 815; Coccinellids as predators of aphids on, in Britain, 1151; Tarsonemus pallidus on, in Britain, 1645; Myzus persicae rarely occurring on, 2603

Chrysanthemum cinerariaefolium, insecticidal constituents of, 1178

Chrysanthemum leucanthemum, Anania verbascalis breeding on, in West Pakistan, 502

Chrysanthemum morifolium, growth response of, to root drenches of diazinon and demeton, 601; Trypeta angustigena on, in California, 956

Chrysanthemum morifolium sinense, Aphis gossypii overwintering on, in Japan, 3913

chryseis, Omphale

Chrysobothris mali, bionomics and control of, on fruit and nut trees in California, 1234

Chrysocharis, parasitising Keiferia lycopersicella on tomato in California, 623

Chrysocharis ainsliei, seasonal abundance of, as parasite of *Liriomyza* spp. on lucerne in California, 647

Chrysocharis laricinellae, competition and cooperation between Agathis pumila and, parasitising Coleophora laricella on larch in Quebec, 1996 Chrysocharis parksi, seasonal abundance of, parasite of *Liriomyza* spp. on lucerne California, **647**

Chrysocharis seiuncta, restricted parasitisms
Haplodiplosis marginata by, in German
3399

Chrysodeixis (see Plusia)

Chrysolina (see Chrysomela)

Chrysomela brunsvicensis, chemoreceptor spificity associated with choice of feeding a by, on Hypericum hirsutum, 754

Chrysomela tremulae, thermal preference 1113

Chrysomelidae, Dipterous parasites of, f Bulgaria, 1838

chrysomelina, Epilachna chrysomphali, Aphytis

Chrysomphalus, parasitised by Habrolepis a dioti in Africa, 3968

Chrysomphalus aonidum, Casca smithi Aphytis holoxanthus as parasites of, in Isr, 249, 250; control of, on Citrus in Sca Africa, 350; method for determining de in, 2076; distribution of, on Citrus in Wess Nigeria, 2430; development and reproduct of Amblyseius largoensis on, 3225; on Ci in Jordan, 3424; invertase and amylase a

vity in, 3762
Chrysomphalus bifasciculatus, preyed on Chilocorus kuwanae in Japan, 1900

Chrysomphalus dictyospermi, attacking Hi sarcoptes dzhashii sp.n. on Citrus in Sc. Union, 1108

Chrysomphalus ficus (see C. aonidum)

Chrysopa, preying on Anuraphis spp. in garia, 739; preying on Unaspis citrivenezuela, 982; sensitivity of, to insectici 2781

Chrysopa adspersa, preying on Cydia funeba in Soviet Union, 1104

Chrysopa basalis, captured in plastic traps of taining methyl eugenol in Hawaii, 684 Chrysopa californica, effect of food on fecum

and survival of adults of, 2718

Chrysopa carnea, preying on Chilocorus bipullatus in Israel, 459; occurrence of, on rotat crops and in shelterbelts in Poland, preying on Cydia fimebrana in Security of the Cydia fimebrana in Security of Israel, 450; phoperiod and diapause in, in 1970rk, 1244; rearing of, 1450; phoperiod and diapause in, in New York S. 1986; toxicity of insecticides to larvael 2128; aerial application of, for control Heliothis spp., 2432; high fecundity of, we reared on enzymatic protein hydrolysate brewers' yeast, 2473; seasonal abundance in Egypt, 2694; predacious on Pectinopy gossypiella, 2772; feeding and search behaviour of, 2958; metabolism of trick phon in, 3008; effect of photoperiod diapause in, 3769; attacking aphids in Poly 115; attacking cotton pests in Afghania 14137

Chrysopa commata, occurrence of, on rotal crops and in shelterbelts in Poland, 732

Chrysopa perla, occurrence of, on rotation of and in shelterbelts in Poland, 732; oop in nymphs of, 2075

sopa phyllochroma, occurrence of, on rotan crops and in shelterbelts in Poland, 732 ssopa septempunctata, preying on Cydia ebrana in Soviet Union, 1104; rearing of,

isopidae, attractants for, from Actinidia :ygama, 1602; as predators of pests of us sylvestris in Ohio, 2418

worrhoea, Euproctis

soteuchia topiaria, effect of trap height on ches of, on cranberry in Massachusetts.

79491 (see Iodofenphos) "'a (see Nephotettix) n'ella (see Tettigella)

ilellidae, insecticides controlling, on Solam melongena in India, 73; dispersal of, om clover to beans in Washington State, ; occurrence of, on maize in South irolina, 1221; of Portugal, list of, 2173; iisificlason of higher categories of, 2961; ncking groundnut in Queensland, 3312 o elloidea, development in plants of resis-

ice to, bionomics of, 1862

vetta montana, bionomics of, in Yugo-

, ia, 1519 didae, of Ryukyu Archipelago, 1324

vulina niger, sp.n. on sugar-cane in Kenya,

ir arietinum, protection of stored, against 'losobruchus chinensis in India, 64; treatnt of storage receptacles for, against Closobruchus chinensis, 75; heat treatment stored, against insect pests in India, 1356; dosobruchus maculatus on, in Sicily, 3486; liet for Dacus oleae, 3501

🗸 ii, Napomyza iia juniperata, introduction and spread of,

Juniperus spp. in Ontario, 2008 (see Phenthoate)

i, Corythucha is, Dacus

ra, Chortophila (see Hylemya platura) at a, determination of species of, in Central

rope, 3439 a juniperina, new record of, on Juniperus

sizontalis, in Britain, 342 ua piceae, infesting fir in Soviet Union,

Jona, Helopeltis spp. on, in Africa, 3963

natiella, Phyllonorycter

ceps, Nephotettix voennis, Closterocerus thorax, Cirrospilus

s, Cephus ra, Formica

Hata, Rhagoletis

barinus, Tetranychus

amomeus, Aradus mopterum, Tetropium

dian rhythm, of respiratory metabolism in ionies of Cubitermes exiguus, 1248; and ecticide susceptibility in Pectinophora ecticide susceptibility in *Pectinophora* sypiella, 1746; of sex pheromone release *Trichoplusia ni*, 3701

lata, Hordnia

lifer dubiosus, taxonomy and distribution in India, 366

Circulifer fenestratus on maize in Yugoslavia,

Circulifer opacipennis, taxonomy and distribution of, in India, 366

Circulifer tenellus, as vector of curly-top virus of beet in Idaho, 186; taxonomy and distribution of, in India, 366; mating behaviour, ecology of reproduction and attraction to monochromatic electromagnetic radiation of, 2336; acoustics of, 2340

circumflexum, Therion

cirumflexus, Myzus

circumscriptus, Apanteles Cirphis (see Mythimna)

Cirrospilus cinctithorax, attacking Phyllonorycter

blancardella on apple in Quebec, 3642 Cirrospilus multilineatus multilineatus, attacking

Phyllonorycter blancardella on apple in

Quebec, 3642

Cirrospilus vittatus, as parasite of Stigmella malella in Holland, effect of fungicides and parathion on, 1146; reared from Stigmella subtrimaculella on poplar in Holland, parasitising Stigmella malella in Holland, 3526, 3527

cirsii, Tetrastichus

Cirsium, Terellia fuscicornis overwintering on, in Greece, 3135

Cirsium arvense, releases of Altica carduorum against, in Canada, 1683; Systena frontalis on, 2394; development of Pieris brassicae in relation to flowering of, in Poland, 3586; Altica carduorum fed on, 3641

Ciscaucasia, review of Orthoptera from central

and eastern parts of, 2565

Cisseps fulvicollis, parasites of, in grain maize in Canada, 2828

Cissus adenocaulis, relation between Taylorily-gus vosseleri and, in Uganda, 351

Citral, attractancy of, to Anthonomus grandis, 1710

citrana, Argyrotaenia

Citrate, metabolism of, by males of Schistocerca gregaria, 582 citrella, Phyllocnistis

citri, Diaphorina; Panonychus; Planococcus; Prays; Unaspis

Citric Acid, oviposition response of Eurytoma roddi to, 1937

citricida, Toxoptera citricola, Coccidophilus

citriculus, Pseudococcus

citrifolii, Dialeurodes citrina, Aonidiella

Citronella Oil, repellent effect of, against ant removal of pasture seeds, 1316; as attractant

for Dasineura citri, 3366 Citrulline, effect of, in diet for Anthonomus grandis, 3699

Citrullus vulgaris fistulosus, chemicals in leaves of, inhibiting oviposition by Earias vitella in

India, 2074

Citrus, Diaphorina citri on, in India, 74; Brevipalpus spp. on, in Florida, 227; Casca smithi and Aphytis holoxanthus parasitising Chrysomphalus aonidum on, in Israel, 250; changes in insect fauna of, in Israel, 251; Aonidiella aurantii on, in Israel, 259; Phyllocoptruta oleivora on, in Israel, 261; Aonidiella

aurantii and other pests of, in South Africa, 350; effect of windbreaks on Coccus hesperidum and Eutotranychus banksi on, in Texas, 378; capture of Trichoplusia ni in traps on, in California, 386; natural enemies of Chilocorus bipustulatus on, in Israel, 459; Panonychus elongatus on, in Burma and Queensland, 514; Ceratitis capitata on, in Mediterranean Basin and Israel, 796; Aceria sheldoni reared on, 837; Diaphorina citri and greening disease of, in India, 871; Unaspis citri on, in Venezuela, 982; suspected virus disease in, possibly transmitted by *Toxoptera citricida* in Argentina, 993; pests of, in Rhodesia, 1052; Ascotis selenaria reciprocaria on, in South Africa, 1067; natural enemies of Hemisarcoptes dzhashii sp.n. on, in Soviet Union, 1108; biological control of aphids on, 1123; pests and diseases of, 1141; biology of Papilio demoleus demoleus on, in Iran, 1180; Iridomyrmex humilis on, in California, Gascardia destructor on, in South Africa and Australia, 1307; abundance of spiders on, in Japan, 1329; pollen, as food for Amblyseius limonicus, 1383; phenological studies of Chilocorus bipustulatus on, in Israel, 1389; injury to, by Brevipalpus phoenicis in Florida, 1775; Amblyseius hibisci and Panonychus citri on, in California, 1777; acaricide residues on foliage and fruits of, 1809; fungus infecting Dialeurodes citrifolii on, in Salvador, 2014; damaged by Dysdercus maurus in Venezuela, 2017; decline disease of, in Brazil, 2020; Ceratitis capitata on, in Argentina, 2027; in baits for Ceratitis capitata, 2028; Phyllocoptruta oleivora on, in Egypt, 2065; decline in, and associated insects in India, 2105; Diaprepes abbreviatus on, in Florida and West Indies, 2186; not accepted by larvae of Lymantria ampla, 2203; biotic potential of Coccus hesperidum on potted seedlings of, 2414; control of Saissetia spp. on, in Florida, by natural enemies, 2417; scale insects on, in Western Nigeria, 2430; Ceroplastes japonicus on, in Japan, 2503; control measures against Unaspis yanonensis on, in France, 2611; bionomics of Drosicha stebbingi on, in India, 2671; Icerya purchasi on, in Trinidad, 2724; Cycloneda sanguinea limbifer preying on aphids on, in Cuba, 2727; Phytoseiidae on, in California, 2767; Unaspis yanonensis on, in Japan, 3064; effect of Panonychus citri on growth and yield of, in Japan, 3069; Allotropa sp. parasitising Planococcus kraunhiae on, in Japan, 3072; effect of oil sprays on, 3073; diseases and insects on, in Japan, 3074; traps for fruit-piercing moths on, in Japan, 3077; Diaphorina citri on, in India, 3086; Vinsonia stellifera as potential threat to, in Florida, 3201; development and reproduction of Amblyseius largoensis on pollen of, 3225; Ceratitis capitata on, in Nicaragua, 3237; Aceria sheldoni on, in Nicaragua, 3237; Aceria sheldoni on, in Victoria, 3327; spread of tristeza virus of, in Australia, 3334; attractiveness of extracts of, to Dasineura citri, 3366; Dasineura citri on, in India, 3367; mites on, in Mozambique, 3393; Aonidiella aurantii and Chrysomphalus aonidum on, in Jordan, 3424; Saissetia oleae

on, in Italy, 3489; Ceratitis capitata on, Lebanon, 3598; Aculops pelekassi and Physics coptruta oleivora on, in Paraguay, 364 Melcalfa pruinosa on, in Florida, 373 Aonidiella aurantii on, in Argentina, 373 Aculops pelekassi and Phyllocoptruta oleivis on, in Paraguay, 3824; Lorryia formosa on Brazil, Lorryia panitae on, in Paraguay, 388 Orthezia praelonga on, in Brazil, 388 Ceroplastes sinensis on, in New South Wal 3897; insect pests of, in Brazil, 3837; Alexa canthus spiniferus on, in Japan, 398 Oxycetonia jucunda and Epuraea dominau flowers of, in Japan, 3914; Habrolepis s parasitising Coccids on, in South Afra 3968; Aphytis coheni and A. chrysompa parasitising Aonidiella aurantii on, in Isrs 3973; stubborn disease of, in West Pakisti 3979; seasonal fluctuations in population Ceroplastes floridensis on, in Israel, 401 Ectomyelois ceratoniae on, in Israel, 400 Planococcus citri collected from, in Franz 4036; Aonidiella aurantii on, in Israel, 4) Citrus Groves, results of centrally organi

control of Ceratitis capitata in, in Israel 1382

Citrus limetta, Ceroplastes floridensis and ord mites and Coccids reared on, 1776

Citrus limonia, strain of Aonidiella auraunable to develop on, in Brazil, 3850 Citrus nobilis, Diaphorina citri on, in Indiai Citrus reticulata, Ceratitis capitata and Autrepha spp. on, in Brazil, 3831

Citrus sinensis, Diaphorina citri on, in India,

strain of Aonidiella aurantii unable to dew

on, in Brazil, **3850** CL-47031 (see 2-(Diethoxyphosphinylimi 1,3-dithiolane)

Cladosporium sp., affecting Adelges pit 2472

Cladosporium cladosporioides, as food stored-product insects, 2359; Hypogast tullbergi feeding on, in laboratory, 2765 Clamator glandarius, preying on Thaumeto,

pityocampa, 3495 Clams, insecticide residues in, 3728

clara, Grammadera; Tetanocera clareae, Tropilaelaps

clarioralis, Dioryctria clathrata, Chiasmia clavines, Atrometus (si

clavipes, Atrometus (see A. geniculatus)
Clemora smithi, attacked by Pheropsophus
in Mauritius, 504

Cleonini, on beet in Iran, 1545

Cleridae, in Iran, 3934 clerodendri, Aphis

Clerodendron trichotomum, Aphis clerode on, in Japan, 3913

clevelandensis, Nysius

Climate, effect of, on distribution of Trist derma spp., 628; effect of, on distribution Hylotrupes bajulus in Europe, 2300

Clinodiplosis, taxonomic problems of the general 2582

Clivia, attacked by Vryburgia lounsbury association with Pseudococcus obscuru France, 481
Clivina impressifrons, toxicity of insecticide

on maize in Illinois, 2416

terocerus africanus, parasitising Coelaenoenodera elaeidis in İvory Coast, 2040 sterocerus cinctipennis, parasitising Agro-

vza in Massachusetts, 198

tridium brevifaciens, infecting Malacosoma

rericanum and M. disstria, 2001
er, Apion spp. on, in Israel, 256; Caliothrips vaziliensis on, in Argentina, 701; Discestra ifolii on, in Soviet Union, 718; pests and seases of, 1141; Spodoptera exigua on, in ın, 3943

er (see Trifolium)

er, Alsike (see Trifolium hybridum)

er, Egyptian (see Trifolium alexandrinum) er, Red (see Trifolium pratense)

er, Subterranean (see Trifolium subterneum)

er, Sweet (see Melilotus infesta)

er, White (see Trifolium repens)

Palis, Idioscopus

7, Papilio

us arietis, infesting vines in Switzerland,

salis, Sylepta

bhalocrocis medinalis, outbreak and control in Japan, 3052; injuriousness and control a on rice in India, 3085

1's, Euchrysops

vhasia longana, damaging lupins and winter tch in Germany, 443; parasitism of, in orth America, 743

whasia pumicana, bionomics and control of, barley in France, 301; spread of, in tance, 4045

hasia virgaureana, parasitism of, in North :nerica, 743

erum, Amathes

-tar, in mixture with grease applied to ungo against Drosicha stebbingi, 3384

atata, Hylemya

ilt, Radioactive, sub-sterilising doses of radiation from, against Conotrachelus nuphar, 121; effect of γ-radiation from, on ratitis capitata, 148; effect of y-radiation om, on Sitotroga cerealella, 165; effect of radiation from, on Ceratitis capitata, 166; ect on susceptibility to insecticides in ctinophora gossypiella of exposure to yliation from, 673; use of, in labelling ptinotarsa decemlineata, 1501; use of, for adiation of Lymantria dispar, 1507; populan responses of insects following exposure y-radiation from, 2695 ·lus (see Quinta)

idae, parasites of, on Citrus in Israel, 251; vironmental adaptations of, in Soviet Lion, 427; food-plants and natural enemies in São Tomé and Principe, 500; petroleum s against, on orange in Texas, 2793; hostint, induced behaviour of, and their endorasites, 2813; Amblyseius duncansoni asciated with, on apple, 2824; affecting fruit es in India, 3082; on fruit trees in Victoria, 22; parasitised by Adelencyrtus spp. in uth Africa, Fiji and Mauritius, parasitised Habrolepis spp. in South Africa, 3968

divora, Synanthedon preying on Diaspis idophilus citricola,

'ninocacti in Brazil, 3816

Coccinella arcuata, as predator on Delphacidae in India, 2672

Coccinella quinquepunctata, toxicity of insecticides to, 1112; attacking aphids in Poland,

Coccinella septempunctata, controlling Rhopalosiphum erysimi on mustard in India, 68; preying on Anuraphis devecta in Bulgaria, 739; toxicity of insecticides to, 1112; evaluation of, as predator of aphids in Britain, 1151; as predator of aphid pests in West Bengal, 2675; as predator of Myzus persicae in Iran, 3937; attacking aphids in Poland, 4115; toxicity of insecticides to, 4119; attacking cotton pests in Afghanistan, 4137

Coccinella tranversoguttata richardsoni, oviposition responses of, to juniper, 917

Coccinella undecimpunctata, preying on Brevicoryne brassicae on rape in New Zealand, 1890; seasonal abundance of, in Egypt, 2694

Coccinellidae, swarms of, on mountain tops in Malawi, 340; light traps for, on tobacco in Virginia, 594; attacking Anuraphis spp. in Bulgaria, 739; preying on Schizolachnus piniradiatae in Quebec, 903; as predators of pests of Pinus sylvestris in Ohio, 2418; preying on Melanaspis obscura in Maryland, 2906; as predator of Tetranychus mcdanieli in Ontario, 2988; attacking Macrosiphum pisum on pea in Soviet Union, 3092; collected from galls of Psyllopsis fraxinus on ash in France, 3516; rearing of, for control of Parlatoria blanchardii, 3555; mortality in larvae of, from sprays against Aphis gossypii in Iran, 3940

Coccinia indica, rearing of Dacus ciliatus and D. cucurbitae in stem galls on, in India, 1365

coccivora, Scymnus

Coccoidea, in Africa, 353; from grasses in Georgia, 1224; taxonomic value of males of,

Coccomytilis farsetae (see Eremohallaspis)

Coccomytilis isis (see Nilotaspis) Coccomytilis retamae (see Nilotaspis)

Coccophagus, in India, 246; reared from Vryburgia lounsburyi in France, 481

Coccophagus lycimnia, as parasite of Eulecanium prunastri, 1513; parasitising Saissetia spp. on Citrus in Florida, 2417; parasitising Parthenolecanium corni apuliae in Italy, 3482

Coccothrinax, Caryobruchus gleditsiae in seeds of, in Florida, 1232

Coccotrypes carpophagus, bionomics of, on stored areca nuts in India, 2521

Coccotrypes integer (see C. carpophagus)

Coccus alpinus, bioassays of methomyl with Aphelinid and Encyrtid parasites of, 1067

Coccus hesperidum, effect of windbreaks on distribution and abundance of, on Citrus in Texas, 378; parasitised by Diversinervus elegans, 2348; methyl-parathion increasing fecundity of, on potted Citrus seedlings in Texas, 2414; distribution of, on Citrus in Western Nigeria, 2430; honeydew from, with pollen increasing egg-production in Chrysopa,

Coccus nyika, sp.n. on Myrica salicifolia in Malawi, 2648

1038

Coccus pseudomagnoliarum, parathion sprays against, not affecting populations of Amblyseius hibisci and Panonychus citri on Citrus in California, 1777

Coccygomimus (see Pimpla)

cochleariae, Phaedon

Cochliobolus sativus, as food for stored product insects, 2359; correlation between, and arthropods in bulk grain ecosystems, 2625 cockerelli, Phenacaspis

Cockroaches, limitations of use of smoke generators emitting dieldrin against, 2641

Cocksfoot (see Dactylis glomerata)

Cocoa, production and pests of, in South

Pacific, 1290

Coconut, damage to, by Aceria guerreronis in Dahomey, 107; Oryctes rhinoceros on, in Fiji, 237, 238, 239; Paratheresia rhynchophorae reared from Rhynchophorus palmarum on, in Trinidad, 503; natural enemies of Oryctes rhinoceros on, in India, 504; Rhynchophorus ferrugineus on, 868; Oryctes rhinoceros on, in Western Samoa, 884; pests and diseases of, 1141; Rhynchophorus palmarum as carrier of Rhadinaphelenchus cocophilus, 2018; damage to, by Oryctes spp. and related Dynastids, 2041; Valanga gilbertensis on, 2229; insect pests of, in Fiji, 3035; aetiology of lethal yellowing disease of, in Jamaica, 3307; Automeris sp. on, in Brazil, 3819; Aceria guerreronis on, in Brazil, 3820; insect pests of, in Brazil, 3837; Stephanitis typica on, 3919; Pyemotes ventricosus parasitising Nephantis serinopa on, in India, 3927; Coelaenomenodera elaeidis on, in West Africa, 3961

Coconut Palm, pests and diseases of, 1799; redring disease of, in Surinam, 1800; Oryctes spp. reared on seedlings of, 1801; insects and their natural enemies on, in Nigeria, 1812

cocophaga, Amblypelta

cocophilus, Rhadinaphelenchus Cod, DDT residues in, 2455

coeca, Braula

Coelaenomenodera elaeidis, Pediobius spp. associated with, on Elaeis guineënsis in Africa, 349; parasites of, in Ivory Coast, 2040; reproduction of, on coconut in West Africa, 3961 coelodasidis, Telenomus

Coeloides melanostigma, parasitising Pissodes notatus on pine in Macedonia, 2305

Coeloides pissodis, parasitising Ips spp. on pine in Virginia, 1988; parasitising Ips grandicollis on pine logs in Georgia, 3718; parasitising Dendroctonus frontalis in Georgia, 3721

coerulea, Temnochila coerulescens, Osphranteria

coffeae, Diarthrothrips; Geococcus; Oligonychus

coffearia, Homona

Coffee, Achrysocharis purpurissatus as parasite of Dipterous leaf-miners of, in Africa, 349; Archips occidentalis and Tortrix dinota on, in Kenya, 357; Ascotis selenaria reciprocaria on, in Kenya and Tanzania, suitability of insecticides for use on, 1067; pests and diseases of, 1141; treatments for control of pests of, in Angola, 1407; parasites of Leucoptera spp. on, in East Africa, 1818; Diarthrothrips coffeae on, in Kenya, 2035; Parandaspis castelbrancoi

gen. et sp.n. on, on São Tomé, 2044; Lymon tria ampla on, in India, 2203; Hypothemen hampei reared on beans of, 2833, 2834; per of, 2865; Ceratitis capitata on, in Nicaragu 3237; Planococcus citri on, in Kenya, 3393 Migdolus morretesi on, in Brazil, 3800 attraction of Hypothenemus hampei to gre. and ripe berries of, 3839; release of stem adults of Ceratitis capitata on, in Costa Rix 4058

Coffee Berry Borer (see Hypothenemus hamp coffeicola, Pediobius

cognatus, Meteorus coheni, Aphytis

coimbatorensis, Euryscotolynx

Cola, Panka lunguncus sp.n. on, in Centr African Republic, 1814; pests of, 2865 Cola nitida, Panka africana on, in Centi

African Republic, 1814

Colaptes auratus, preying on overwinters populations of Zeadiatraea grandiosella maize stubble in Mississippi, 369

Colaspis hypochlora, on banana, 2620 Cold, immobilisation induced by exposure on affecting Ceratitis capitata, 1751
Cold Storage, bud-break in Abies balsara delayed by, 1754

Cold-hardiness of eggs of Liriomyza mun 211; of pests of stored wheat, 268; of Psas ambiguus, 726; of larvae of Cydia mole! 994; of mites infesting stored products, 15 of insects, 1560; of Cydia pomonella, 17011 Adelges piceae, 1992; of Cryptolestes fel-gineus, 3293; of Trichiocampus populi, 3. 3340, 3341

colemani, Apanteles

Coleomegilla (see Ceratomegilla)

Colephora alcyonipennella (see C. frischella) Coleophora frischeela, parasitism of, by Bravariegator in New Zealand, 3861; on lucus and clover in Victoria, 3900

Coleophora laricella, as secondary host Eulophid parasites of Zeiraphera dinian Switzerland, 458; parasitised by Chrysoch laricinellae and Agathis pumila on larchit Quebec, 1996; parasitised by Agathis punts 2466

Coleophora malivorella, Sympiesis sp.n. recorded from, in U.S.A., 359 Coleophora spissicornis, parasitism of, by Brok

variegator in New Zealand, 3861

Coleoptera, formalin increasing numbers | caught in pitfall traps, 27; incidence control of, on lucerne in India, 88; attract pheromones of, 485; catalogue of typesex 527; on lucerne in Czechoslovakia, associated with stored products in Austr 1007; Scolytoidea, in Madagascar, 1 extractor for collection of, from litter, and other substrates, 1109; intercepted quarantine in New South Wales, 1308; phin mone research with, in stored products, 1 methodology for isolation and identificate of pheromones in, 1604; preying on beetles in Finland, 1625; in Territor, Papua and New Guinea, 1899; book parasitic, 2310; as predators of Odontoter latericius in Zambia, 2542; collected nests of small mammals in Transcarpat

tion, 2566; species of attacking Vigna guiculata in Uganda, 2679; predacious on ctinophora gossypiella in California, 2772; spersal of algae, protozoa and fungi by, :05; on maize, 3152; in Yugoslavia, 3159; store-houses and human habitations in Ilgaria, 3452; preyed on by sawflies, 3577; tecticide residues in, 3751; preyed on by ta europea on Quercus ilex in Spain, 4028; rasites of, in Poland, 4118

votechnites piceaella, Hymenopterous para-

ies of, in Quebec, 306

di. Microctonus uxiana, Barbara

as electo, nuclear polyhedrosis of, on

perne in South Africa, 3278

sas eurytheme, Trichogramma parasite of, on perne in California, 360; ineffectiveness of : cro-organisms to activate polyhedrosis of,

is lesbia, key for recognition of larval stars of, damaging lucerne in Argentina, 1; chemical and microbiological control 5, on lucerne in Argentina, 2031; parasitised Euphorocera haywardi on lucerne in rgentina, 2032

Andonus montanus, mycoplasma-like bodies o, on celery in California, 287

.ards, Trichoplusia ni ovipositing on, 2769;

Epidoptera on, in Georgia, 2886

ris, Diopsis iembola, of Michigan, 568; bioecology of japhic species of, 1863; population studies in West Pakistan, 2195; from cultivated Ilds and grain débris in Canada, 2765; hblyseius duncansoni associated with, on ple, 2824; on St. Helena, 3964; saturation eficit and survival and locomotion of, 3987 . ops marginellus, predacious on Pectinophora essypiella, 2772

casia antiquorum, organothrips bianchii eding on, in Pacific Islands, 3429

casia esculenta, Tarophagus proserpina

ı.maging, in Hawaii, 1292

ombia, list of injurious insects in, 1277; erkinsiella saccharicida on sugar-cane in, 97; Scrobipalpula absoluta on potato in, 98; Antonina graminis in, 2034

nbica, Atta

1, Cheiropachus

pha compressa, chemical analysis of galls of,

n elm in Soviet Union, 4156

brado, Dioryctria spp. in, 907; emergence ad adult behaviour of Medetera aldrichii in boratory in, 2463; woodpecker preying on trk-beetles in, 3617

radoa rufomaculatum (see Rhopalosiphum)

radus, Amphitornus

primetry, use of, in method for measuring

nosphine concentrations, 2617

burs, attractiveness of, to Aceria sheldoni ; preference for, in Homoeosoma electellum, 0; attractiveness of, to bees, 600; effect of, activity of grasshoppers, 749; behaviour Hyalopterus pruni to, 750; effect of, in aps for Popillia japonica, 2775; attractiveess of, to Dasineura citri, 3366; effect of, in traction of Empoasca spp. to sticky traps, 106

Colpoclypeus florus, parasitising Tortricids in Italy, 3481

columbariella, Tinea

Columbia, District of, aphids in, 1789

columbianus, Pedinotus

Columbine, Phytomyza minuscula on, in Connecticut, 924

commata, Chrysopa

Commelina, Acraea encedon feeding on, in Sierra Leone, 1535

Commelina longicaulis, as source of cucumber mosaic virus in Puerto Rico, 2894

commodus, Teleogryllus

Commonwealth Entomological Conference,

Ninth, report of, 1172

communis, Anicetus; Melanotus; Meteorus Comoro Is., Scolytoidea of, 1405; Chilo par-

tellus in, 3979

compactus, Xylosandrus Comperiella bifasciata, fate of, in Aonidiella aurantii and A. citrina in South Australia, 3901

complanatus, Trioxys

Compositae, as food-plants of Tetranychus yusti in Florida, 2395

Compost, Uroobovella marginata and other mites in, in Germany, 1835

compressa, Colopha

compressicollis, Panurgica Compsilura concinnata, parasitising complex of Heterocampa guttivitta in Vermont, 643; parasitism by, of *Hyphantria cunea* in Yugoslavia, 3145; parasitising *Thaumetopoea* pityocampa in France, 3494

comptana, Ancylis comstockii, Ephialtes; Exeristes; Pseudococcus

concinnata, Compsilura concinnus, Anaphothrips

concolor, Opius; Pachyneuron; Saperda

concordis, Amblyseius conducans, Phrasterothrips

conferta, Heliothis armigera confinis, Aspidomorpha; Chaetocnema; Psam-

motettix

conflictana, Choristoneura

confusor, Curculio

confusum, Tribolium confusus, Anthocoris

conglobata, Synharmonia

Congo (Kinshasa), Psyllechthrus oophagus in, 2043; Helopeltis spp. in, 3963; Acridoidea of, 3965

congregatus, Apanteles

conica, Eurytoma; Sympiesis

Conifers, Adelges and Pineus spp. attacking, in Britain, 2240

Connecticut, Aphis spiraecola in, 157; Lymantria dispar on oak in, 602; Stephanitis spp. on evergreens in, 697; leaf-miners on ornamental plants in, 924; Lymantria dispar in, 1681; investigations on Pseudeucoila parasitising Drosophila melanogaster in, 2216; termites in buildings in, 2351; Berytinus minor in, 2476; dispersal of Lymantria dispar in, 3223; flight activity of Calosoma sycophanta in, 3705

Conocephalus fasciatus, preying on Heliothis zea

on cotton in Arkansas, 563

Conoderus, insecticides against larvae of, in Texas, 2405; resistance to, in sweet potato in South Carolina, 3238

Conoderus falli, pupal sex identification and occurrence of spermatophores in, 2941

Conomelus anceps, Anagrus atomus parasitising

eggs of, 2235

Conophthorus, life-history studies of shootinfesting species of, 2822; behavioural differences between shoot-infesting species of, and C. resinosae, in Michigan, 2823

Conophthorus banksianae, as sp.n. on Pinus banksiana in Michigan, 2823

Conophthorus ponderosae, bionomics and cone attack behaviour of, on Pinus ponderosa in

New Mexico, 379

Conophthorus resinosae, affecting cone crops of Pinus resinosa in seed-production areas in U.S.A., 1786; comparative life-history studies of, with Conophthorus shoot-infesting beetles, 2822, 2823

Conorhynchus betae sp.n., on beet in Iran, 1545 Conorhynchus mendicus, sprays against, on beet in Italy, 4015

conotracheli, Patasson

Conotrachelus hicoriae, bionomics and control of, on pecan in Louisiana, 1784

Conotrachelus naso, damaging acorns of Quercus macrocarpa in North America, 2932

Conotrachelus nenuphar, sub-sterilising doses of y-radiation against, 121; populations of, developing on apple untreated with pesticides, 2365

Conotrachelus posticatus, damaging acorns of Quercus macrocarpa in North America, 2932

conquisitor, Itoplectis conradti, Platythrea

consanguinea, Lachnosterna

conspicuus, Glypsus

constricta, Agallia

Contarinia, insecticides against, on sorghum in

India, 2098

Contarinia medicaginis, effect of soil cultivation on infestation of lucerne by, in Poland, 727; injuriousness of, on lucerne in Poland, 1116; emergence of overwintering generation of, in Czechoslovakia, 3126; forecasting of, on basis of soil-sampling in Europe, 3431; control of, on lucerne in Bulgaria, 3449; bionomics and effects of ecological factors on life-cycle of,

on lucerne in France, 3511 Contarinia pisi, effect of crop rotation on population density of, on pea in Germany, 74 bionomics of, on pea in Switzerland, 3491

Contarinia sorghicola, resistance to, in sorghum in Georgia, 1227; X-ray detection of, in sorghum spikelets, 1877; insecticides for control of, on grain sorghum in Texas, 2380; relationship between sowing date and damage to sorghum by, in Georgia, 2884

Contarinia tritici, attacking wheat in France, 2860; cultural methods for control of, on wheat and other cereals in India, 3369

contariniae, Inostemma

contemplator, Pimpla contortella, Dioryctria

Convalaria, Miramella alpina on, in Yugoslavia,

convergens, Hippodamia

convolvuli, Lasioptera

Convolvulus arvensis, insects from, in Ontaria 505; Hyalesthes obsoletus on, 1508; mya plasma-like particles in phloem of, collect in field of Lavandula infested by Hyalestin obsoletus in France, 1826

Conyza crispa, Anania verbascalis breeding e

in West Pakistan, 502

Copel (see O-Phenyl O-p-Nitrophenyl Meth phosphonothioate)

Copidosoma koehleri, introduced Phthorimaea operculella in Rhodesia, 101 separation and identification of, 1323

Copidosoma truncatellum, parasitising Pseus, plusia in Florida, 197; parasitising Plus plusia in Florida, 197; parasitising Plus chalcites on beans in Italy, 3484

Copidosoma uruguayensis sp.n., separation a identification of, 1323

Copper, effect of, on aldrin in pea plants, 3:1 effect of, on populations of Eotetranyco carpini vitis, 786; trace amounts of, in diet Macrosiphum pisum, 3698
Copper Fungicides, ethion combined with,

Copper Oxychloride, against Tetranychids! orchards, 2577; applied to apple, 3904

Copper Sulphate, effect of, on populations Eotetranychus carpini vitis, 786; in spro and dusts against Dacus oleae, 1118

Copper-chrome-arsenate, not preventing emi gence of Anobium punctatum from wow 3530

Coprosma robusta, structure and growth on, galls caused by Aceria cottieri, 2208

Coptoformica (see Formica)

Coptotermes acinaciformis, damaging timber Australia, 2210; determination of population of tree-dwelling colonies of, in Austra 2211; control of, on Eucalyptus pilulat 2212; infestation and control of, in Quee land, 3025

Coptotermes formosanus, feeding responses to sound wood and sawdust in Missi sippi, 389, 390; geographical occurrence in U.S.A., 408, 409; wood-cement compoas deterrent to attack by, 661; relative s ceptibilities of, to insecticides in soil, Mississippi, 2778

Coptotermes frenchi, damaging timber Australia, 2210; determination of popular tions of tree-dwelling colonies of, in Australia lia, 2211; control of, on Eucalyptus pilulata

Coptotermes lacteus, possible paralysis virus in Australia, 2317

coquilletti, Encarsia corbisieri, Helopeltis

corchori, Apion

Corchorus, effect of, on development, as for plant for Diacrisia obliqua, 1359; Anat sabulifera on, in East Pakistan, 2071

Corchorus capsularis, Apion corchori on, 4 🎚 867; pests and diseases of, 1141

Corchorus olitorius, insecticide residues on

Egypt, 98

Corcyra cephalonica, dietary efficiency of nat foods for growth and development of, { | 8 effect of insecticides on fecundity and loll evity in, 875; effects of temperature

olation on oviposition by, in India, 2515; bowth and number of instars in, 3387

syrensis, Xorides

dyceps, attacking Heterocampa guttivitta in rermont, 643; species of, infecting Operophra brumata, 1489

: acea, Lachnosterna vaceus, Eriococcus

vimelaena lateralis lateralis, rearing of, on arrot, 2948

in Rootworm (see Diabrotica longicornis) Ni, Eulecanium; Insulaspis; Parthenolecanium unicacoecia lafauryana, effect of natural nemies on, on strawberry in Italy, 3481 miculatus, Xyleborus

enops longicorne, damaging Eichhornia craspes in South America, 3793

nuaspis (see Lepidosaphes)

inus controversa, effect of, on haemolymph roteins of larvae of Hyphantria cunea **Pared** on, 2634

mutus, Aculus pllae, Syrphus onoseta, Meromyza

rhenes stigmatica, on lucerne in Queensland

wood-infesting insects found after asica. threst fire in, 2846 Vicus, Semanotus laurasi

viceus, Hypophloeus congeneric with, 2938 ticeus substriatus, feeding habits of, in

J.S.A. and Canada, 2938

ylus avellana, Operophtera brumata on, 236; Phytoptus avellanae on, in Greece, 1012; Lypha dubia parasitising Operophtera Pumata on, in Britain, 4078

vylus cornuta californica, Rhyacionia buoliana

ot attracted to traps on, 590

cythucha ciliata, on plane trees in Italy, 3166 an (see Sulphur)

: moconus, review of Palaearctic species of, :582

(mophila (see Anomis)

mopolites, key to, 1898

mopolites pruinosus, on banana in Pacific

slands, 1898

mopolites sordidus, attacked by Pheropsohus spp. in Mauritius, 504; on banana, 2620; ontrol of, on banana and other species of Musa in Florida, 3723

motriche potatoria, as host of Ooencyrtus inicola in Soviet Union, 1477

sta Rica, pathogens and pests associated rith Ceratitis capitata in laboratory in, 207; nmunity of Toona ciliata australis and Thaya iverensis to attacks by Hypsipyla randella in, 233; studies on Hypsipyla randella on Meliaceae in, 1274, 1275; atmopheric conditions and flights of Xyleborus nd Platypus spp. in, 2487; control of Hypsiyla grandella in Cedrela odorata in, 2488; richogramma sp. parasitising Hypsipyla randella in, 2489; aerial release techniques or sterile males of Ceratitis capitata in, 797; Zabrotes interstitialis on Cassia grandis n, 3672; parasites of bark beetles on Sponlias in, 3720; bean virus in, 3795; sterilisation of Ceratitis capitata in, 4058

Costalimaita ferruginea vulgata, new pesticides for control of, on guava in Brazil, 2832

costaricensis, Ecphylus

Costelytra zealandica, sampling of, 887; phenolic resins as chemical attractants for males of, 963; feeding preferences and ovi-position sites of, in New Zealand, 1891; control of, with insecticides in New Zealand, 1893; effects of larvae of, on pasture plants in New Zealand, 1894; precocious meta-morphosis in, in New Zealand, 3865; bioassay of sex attractant of, 3868; effect of carbohydrates on feeding behaviour of, 3871; internal condition of adults of, 3873; amino acids in haemolymph of larvae of, 3875; phenolic nature of sex pheromone of, in New Zealand, 3876; rate of reinfestation by, of small plots, 3879; method for estimating susceptibility of, to insecticide granules, 3885

costimacula, Eublemma costirostris, Listroderes

Cotoneaster horizontalis, Aphis spiraecola on, in Connecticut, 157

cottei, Platygaster

Cotterellia podagrica, parasitising Coelaeno-menodera elaeidis in Ivory Coast, 2040

cottieri, Aceria

Cotton, Phytoseius plumifer failing to develop on, 38; damage to, by Chrotogonus trachypterus in India, 71; pests of, in Tanzania, 91; pests of, in Egypt, 94; pests of, in Egypt, toxicity of insecticides to, 96; Pectinophora gossypiella and Earias insulana on, in Sudan, 97; effect of cultural practices on infestation of seedlings of, with Thrips tabaci, 99; toxicity to honey bees of insecticides applied to, 102, 105, 106; Anthonomus grandis on, in Texas, 118; winter survival of Anthonomus grandis in fields of, 126; ultra-low-volume ground equipment for application of insecticides to, 127; Anthonomus grandis on, in Texas and Mexico, 131; strains of, resistant to Psallus seriatus in Texas, 134; effect of nitrogen fertilisation on abundance of insects on, in Georgia, 160; Pectinophora gossypiella on, in Arizona, 162; insect pests on, in Texas, 189; susceptibility of strains of, to damage by Heliothis zea in Mississippi, 192; Heliothis spp. on, in Texas, 209; Bucculatrix thurbe-iella on, in Texas, 215; releases of sterilized adults of Pectinophora gossypiella on, in Texas, 216; pests of, in Texas, 221; parasites of Spodoptera littoralis on, in Israel, 253; attacked by Oxycarenus hyalinipennis in Ghana, 346; relation between Taylorilygus vosseleri and, in Uganda, 351; Archips occidentalis on, in East Africa, 357; Trichogramma sp. parasitising Heliothis zea on, in Mexico, 360; development of Pseudoplusia includens on, in Georgia, 555; predators of Heliothis zea on, in Arkansas, 563; effects of size of ULV droplets on deposits on, 589; Anthonomus grandis on, in South Carolina, 616; insect pests of, in Texas, effects of insecticides on, 630; survival of Anthonomus grandis in fallen squares of, in Arizona, 639; Anthonomus grandis on, in Texas, 652; sampling device for estimating insect popula-

tions on, 683: enzymes of Anthonomus grandis degrading polysaccharides of, 690; thrips on, in Argentina, 701; response of Dysdercus koenigii to, 769; resistance of, to Anthonomus grandis, 773; pests of, in Middle East and Africa, 796; Spodoptera littoralis on, in Egypt, 819; varietal resistance in, to Empoasca devastans in India, 866; pests of, in India, effect of insecticides on yield of, 873; as trap crop reducing incidence of aphidborne virus infection in papaya in Venezuela, 980; Lepidopterous larvae on, in Africa, 1053; Heliothis armigera, Diparopsis castanea and Earias spp. on, in Rhodesia, 1054, 1055; spray treatments of, 1055; Plusia acuta and P. chalcites on, in Rhodesia, 1058; pests of, in Mozambique, 1061; effect of insecticides on yields of, in Mozambique, 1062; pests and diseases of, 1141; Heliothis virescens on, in Texas, 1188; natural enemies of Lepidoptera on, in Uganda, 1205; economic consequences of restriction of use of organochlorine insecticides on, in U.S.A., 1229; study of programme of research on insects on, in California, 1231; effects of burial on winter populations of Pectinophora scutigera on, in Queensland, 1315; Spodoptera litura on, in Western Australia, 1321; effect of, on development, as food plant for Diacrisia obliqua, 1359; Pectinophora gossypiella on, 1443; pests of, in Texas, 1698, 1699; persistence of oils on, 1699: Pectinophora gossypiella on, in Arizona, 1713; grid stratification in fields of, for surveys on Heliothis zea in Arizona, 1726; Trichogramma pretiosum parasitising Helio-this zea on, in California, 1734; uptake of systemic insecticides applied to stems of, 1735; overwintering habitats for Anthonomus grandis on, in Texas, 1738; Heliothis zea and H. virescens on, in Texas, 1747; glanded or glandless strains of, in diets for Heliothis zea, 1753; deposits from aerial application of insecticides on, in Arizona, 1767; susceptibility of varieties of, to *Thrips tabaci* in Egypt, 1823; attractiveness of extracts of, to Spodoptera littoralis, 1852; Anthonomus grandis on, in Texas, 1942; effects of Lygus hesperus on growth, yield and quality of, 1969; fungi and insects causing wilting of young plants of, in Brazil, 2021; Anomis flava on, in Mali, 2036; Spodoptera littoralis on, in Egypt, 2045; Pectinophora gossypiella and Earias insulana on, in Egypt, 2046; threshold of damage to seedlings of, by Thrips tabaci in Egypt, 2047; Thrips tabaci on, in Egypt, insecticide seed treatment of, 2048; Heliothis zea on, in California, 2070; ovipositional response to, in Earias vittella in India, 2074; susceptibility of varieties of, to Empoasca spp., 2297; Bucculatrix thurberiella on, in Hawaii, 2355; seasonal movement of Anthonomus grandis on, in Texas, 2362; Agistemus exsertus on, in Egypt, 2366; Anthonomus grandis on, in Texas, 2369; Lygus hesperus on, in California, 2373; Anthonomus grandis on, in South Carolina, 2388; Chrysopa carnea in tests for control of Heliothis spp. on, 2432; susceptibility of glandless, to Diabrotica undecimpunctata undecimpunctata

in California, 2436; control of Pectinophore gossypiella on, 2445; tests of acaricide against Tetranychus telarius on, 2450; aldril applied against pests of, in Uzbekistan, 2558 seasonal abundance of aphids and their pro dators on, in Egypt, 2694; Aphis gossypii on in Egypt, 2694, 2695; Leucopis puncticorm aphidivora reared on Aphis gossypii on, 269% studies on Pectinophora gossypiella on, i Egypt, 2700; effect of systemic insecticides c foliage pests of, in greenhouses, 2705; biolog of Spodoptera littoralis on, in Egypt, 270% association of Siteroptes reniformis with Nigrospora oryzae in lint rot of bolls of, 2730 growth of Heliothis zea on glanded and gland less, 2764; Trichoplusia ni ovipositing or 2769; predators of Pectinophora gossypielle on, in California, 2772; sprays for control il Anthonomus grandis, and Heliothis spp. on in Mississippi, 2779; effect of insecticides c predacious arthropods in fields of, 2781 suppression of Heliothis spp. on glabrow strains of, 2783; model for predicting distribution tion of Anthonomus grandis on, in Arizonia 2798; in tests with Heliothis zea, 2799; did tribution of Empoasca spp. on, 2844; spradroplets on, 2880; Siteroptes reniformis are occurrence of Nigrospora oryzae on, California, 2890; catches of Pectinophora gossypiella in traps in, 2916; movement Anthonomus grandis to and from field of, South Carolina, 2936; behaviour of Chryson carnea in relation to Heliothis spp. on, 2950 metabolism of trichlorphon in, 3008; pessoof, in New South Wales, 3030; transfer Pexicopia malvella to, in Soviet Union, 3094 Heliothis armigera on, in Bulgaria, 313 attack by Pectinophora gossypiella and Earin insulana in relation to manuring of, in Egypt 3172; effect of insecticide seed treatments or 3173; residues of tetrachlorvinphos on, 3180 Heliothis zea and Anthonomus grandis on, Arkansas, 3198; Heliothis zea on, in Cai fornia, 3204; temperature in parts of plani in Arizona, 3222; mating of Anthonomy grandis on, 3264; Amblyseius chilenensis fall ing to develop or oviposit when provided win pollen of, 3349; specific gravity of boll ring and incidence of Pectinophora gossypiella of 3362; effect of insecticidal sprays on yield do in India, 3382; damage to, by Empoasca sp in Egypt, 3402; pollen of, unsuitable f development and reproduction of Agistemia exsertus, 3403, 3409; Tetranychus telari and T. turkestani on, in Bulgaria, 3451 Anthonomus grandis on, in South Carolini 3687; parasites attacking Spodoptera littora on, in Israel, 3702; Lygus hesperus and lineolaris on, in U.S.A., 3713; damage to, Chalcodermus bondari in Brazil, 3823; Political Control of the Control of phagotarsonemus latus on, in Brazil, 3831 Tectocoris diophthalmus on, in Queenslara 3888; effect of combined sprays, fertilize and hormones on growth and yield of, 3928 Heliothis armigera on, in Iran, 3933; Ap. gossypii on, in Iran, 3940; Diparopsis tephus gramma on, in Angola, 3953; Helopeltis spile on, in Africa, 3963; Spodoptera littoralis (10

a Egypt, 3966, 3967; pests and their natural memies on, in Afghanistan, 4137

cton Oil Foots, in baits for Anthonomus

wandis, 3213

ton-dust (mixture of DDT, BHC and ulphur), against Vespa orientalis, 2064 tonseed, extract of embryo of, in diet for Jacus cucurbitae, 1778; hydrolysed, in lure

or Anastrepha ludens, 4069

ntonseed Oil, sprays in, 1747; endosulfan vith, against Myzus persicae, 2804; bait, food cidulants improving, for Anthonomus granis, 3213

vurnix, residues of chlorinated hydrocarbons

h, in Maryland, 1690

Furnix coturnix japonica, DDT inducing iecrease in eggshell calcium in, 29

tich Grass (see Agropyron repens) Aloni, Adoryphorus

almithoate, toxicity of, to Tephritids, 1694 typea (see *Vigna unguiculata*)

AS (see Chlorfensulphide)

MC (see 2-Chlorophenyl Methylcarbamate)

iccivora, Aphis

lumbinae, effect of temperature on hatching of, 2917

imbus (see also Pediasia)

ambus harpipterus, reproduction in, in New Mexico, 2907

Imbus teterrella (see Pediasia teterrella)

anberry, traps for moths on, in Massachuetts, 665; nocturnal activity of Acrobasis vaccinii on, in Massachusetts, 681

raspedoxantha octopunctata, Centaurea amerirana new host plant for, in India, 2522

ssa, Agrotis

vassivesica, in North America, 230

taeganus, Archips

taegella, Phyllonorycter

rtaegi, Aporia; Edwardsiana; Hoplocampa vataegus, Psallus ambiguus not ovipositing on, n Poland, 726; Hoplocampa crataegi on, in Poland, 1114; Phenacoccus aceris on, in Bulgaria, 3455

ataegus monogyna, nutrients in, for Hylemya

ibrassicae, 41

ataegus oxyacanthoides, Lypha dubia parasiising Operophtera brumata on, in Britain, 11078

atichneumon nigritarius, incidence of, after butbreak of Oporinia autumnata in Finland, 11109

atichneumon sublatus, parasitising complex of Heterocampa guttivitta in Vermont, 643

emastus (see also Temelucha)

emastus, reared from galls of Cydia tricentra

on Crotalaria juncea in India, 1371 buoliana already parasitised by Orgilus obscurator in Canada, 1133; parasitising Rhyacionia buoliana in Yugoslavia, 3136; parasitising Rhyacionia buoliana on pine in Germany, 3415

ematogaster africana, damage by, and control of, on cacao in Ghana, 1080; on cacao in

Ghana, 2291

rematogaster depressa, as predator of Mirids on cacao in Ghana, damage by, and control of, on cacao in Ghana, 1080; on cacao in Ghana, 2291

Crematogaster mimosae, association with Acacia drepanolobium in Tanzania and Kenya, 2691 Crematogaster nigriceps, association with Acacia

drepanolobium in Tanzania and Kenya, 2691 Crematogaster scutellaris, preying on Dacus

oleae in Italy, 3490 crenatus, Hylesinus

crenulata, Atractomorpha

Creosote, in sprays against Ceresa bubalus, and carbophenothion, 2087; treatment of timber with, against termites, 3025

Cress, Garden (see Lepidium sativum) Cress, Penny (see Thlaspi arvense)

cretica, Sesamia

cribricollis, Ips; Liogenys

cribripennis, Chlamisus; Rhynchites cribrosa, Lachnosterna (Phyllophaga)

crinita, Pleocoma

Criocephalus (see Arhopalus)

Crioceris asparagi, toxicity of resmethrin to, 1587

critica, Eucosma

croceipes, Microplitis

Crocidosema plebeiana, on cotton in New South Wales, 3030

Croesia semipurpurana, bionomics and parasitism of, on Quercus rubra in Quebec, 904

Cronartium fusiforme, Dioryctria amatella and other insects in cankers caused by, in Georgia, 1687; associated with Dioryctria amatella on pines in Georgia, 2460

Cronartium quercuum, Epuraea fungicola sp.n. on, in Japan, 2508

Cronartium strobilinum, control of, in seed orchard of Pinus elliottii in Florida, 2792 Crop Life-tables, as pest management tool,

2815 Crotalaria agatifolia, Helopeltis orophila on, in

Congo, 3963 Crotalaria anagyroides, biology and control of Ragmus importunitas on, in India, 2510; Etiella zinckenella damaging pods of, in

India, 3379 Crotalaria juncea, preference of Utetheisa pulchella for, 1340; effect of, on development, as food plant for Diacrisia obliqua, 1359; parasites reared from galls of Cydia tricentra attacking, in Uttar Pradesh, 1371; effect of early sowing of, on incidence of insect pests in India, 2101; Cydia tricentra on, in India, 2103

crouanii, Graeffea

Cruciferae, *Phyllotreta* spp. feeding on, in New York State, 388

cruciferae, Phyllotreta

Cruciferous Crops, pests and diseases of, 1141; recommendation against use of aldrin and dieldrin against Hylemya brassicae on, 2641 crucivora, Pieris rapae

Crufomate, effects of, on embryology of Acheta domesticus, 2327

Cryphalus abietis, infesting timber in Finland, 1625

Cryphalus piceae, infestation and control of, on spruce slash in Soviet Union, 711; on fir in Greece, 3466

Cryphalus saltuarius, infesting timber in Finland, 1625

Cryptobium (see Ochthephilum)

Cryptocercus punctulatus, 65Zn excretion as index to metabolic rate in, 3693

Cryptochetum iceryae, parasitism of Icerya purchasi by, in Hawaii, 951

Cryptocoryne, Organothrips bianchii feeding on, in aquarium in Germany, 3429

Cryptolaemus montrouzieri, artificial diet for, in Soviet Union, 1451

Cryptolestes, fumigation of bagged groundnuts against, in railway waggons in Nigeria, 1074

Cryptolestes ferrugineus, effects of cold-acclimation on survival of, 3293; control of, by microwave power, 3594

Cryptolestes pusillus, fumigants against, in stored cacao in Nigeria, 1070, 1071; green and ultraviolet light as attractants for, 1722

Cryptolestes turcicus, multiplication of, on varieties of wheat, barley and oats in laboratory, 2386

Cryptomyzus (see Capitophorus)

ryptophlebia leucotrata, Rhynocoris albo-punctatus preying upon, in Uganda, 1182; Cryptophlebia natural enemies of, on cotton in Uganda, 1205

Cryptophlebia ombrodelta, damaging Macadamia in Queensland, 3313

Cryptotermes brevis, as new record for Egypt, 2716

Cryptoweisea peninsularis gen. et sp.n., description of, in North America, 3673

Crystal Violet, for marking cocoons of Neodiprion sertifer, 530

CSM (containing maize, soy-bean flour and milk solids), in diet for *Heliothis zea*, 1756

Ctenicera destructor, method for separating eggs of, from soil, 537; phagostimulatory effects of lipids and related substances on, 3302; effects of fractions of water extract of germinating rye seed on biting by, 3303 Ctenicera lata, effectiveness of heptachlor

against, on maize in Soviet Union, 709; as prey for Melanotus fusciceps, 1101

Ctenicera pruinina, control of, on summer potato in Washington State, 1732

Ctenochares instructor, parasitising Plusia chalcites on beans in Italy, 3484

Ctenomorphodes tessulatus, in forests in Austra-

lia, 3019

Cuba, Antonina graminis in, 2034; Diatraea saccharalis on sugar-cane in, 2725; Cycloneda sanguinea limbifer preying on aphids on Hibiscus and Citrus in, 2727

Cubitermes exiguus, circadian rhythm of respiratory metabolism in colonies of, 1248

Cuckoo, Spotted (see Clamator glandarius) Cucumber, as transitory food-plant for *Psylla* pyricola, 117; Coccinellids as predators of aphids on, in Britain, 1151; pests of, in Britain, 1640, 1650; damaged by Uroobovella marginata and other mites in Germany, 1835; mosaic virus of, on plantains and bananas in Puerto Rico, 2894; determining carbanolate residues in, 3018; effect of, on Tetranychus telarius in Japan, 3047; coprophilous compost-mites on, in Germany, 3433; harmful and beneficial arthropods on, in Britain, 3531; Sciara annulata on seedlings of, in New Zealand, 3860; varietal resistance in, t Tetranychus telarius in India, 3924 (see als. Cucumis)

cucumeris, Epitris

Cucumis melo utilissimus, preference of Aulacce phora foveicollis for, in India, 861 Cucumis sativus, preference of Aulacophore

foveicollis for, in India, 861

Cucurbita, preference of Aulacophora foves collis for, in India, 861

Cucurbita moschata, rearing of Ceroplastes spin on, 1776

Cucurbitaceae, Aphis gossypii on, 2595; role cucurbitacin and other aspects of insco resistance in, 3193

cucurbitae, Dacus cucurbitinus, Araneus

Cucurbits, Agriotes ponticus injurious to, i Soviet Union, 1101; pests and diseases 1141: Dacus ciliatus and D. cucurbitae infest ing, in India, 1365; pests and diseases of, i. Soviet Union, 2136

Cuerna, in Canada, 1983

Culex pipiens fatigans, activity of strains Bacillus against, 3643

Culex pipiens pipiens, toxicity of insecticides to 3711

Culifer nausharensis, as synonym of C. opaco pennis in India, 366 o-Cumenyl Methylcarbamate (see Mipcin)

cunea, Hyphantria

cuneatus, Xyleborus cunicularius, Hylastes

Cupressus sempervirens, Phymatodes glabrata on, in Italy, 4018

Cuprous Oxide, in sprays with insecticide against angular leaf spot on cotton, 3926 Curculio, preyed on by Sitta europea on Querco ilex in Spain, 4028

Curculio caryae, biology and control of, Texas, 2963; emergence and control of, Georgia, 3244

Curculio confusor, damaging acorns of Quercos macrocarpa in U.S.A., 2932

Curculio iowensis, damaging acorns of Querea macrocarpa in Canada, 2932

Curculio pardalis, damaging acorns of Queros macrocarpa in U.S.A., 2932

Curculio proboscideus, damaging acorns Quercus macrocarpa in U.S.A., 2932

Curculio strictus, damaging acorns of Queras macrocarpa in U.S.A., 2932

Curculio sulcatulus, damaging acorns of Queres macrocarpa in U.S.A., 2932

curculionis, Bathyplectes curculionum, Eurytoma

Currant, Tarsonemids on, in Poland, 3117 insects on, in Soviet Union, 3571; aphids 6 in Poland, 4115

Currant, Black, damage to, by Aegeria tipl formis in Hungary, 298; Cecidophyopsis ru causing virus-like symptoms on, 442; Psau ambiguus not ovipositing on, in Poland, 7 pests of, 1141; Cecidophyopsis ribis on, Poland, 3113; attacked by Pegomya rubivi in Norway, 3540; Aegeria tipuliformis on Soviet Union, 3571; Anthocoris pilosus put ing on aphids on, in Poland, 4123; Ceculo

phyopsis ribis on, in Poland, 4125; Cecidophyopsis ribis and Anthocoptes ribis on, 4141 trant, Red, damage to, by Aegeria tipuli-ormis in Hungary, 298; Aegeria tipuliformis on, in Soviet Union, 3571; Cecidophyopsis ibis on, in Poland, 4125; Cecidophyopsis ribis and Anthocoptes ribis on, 4141

rrant, White, Cecidophyopsis ribis on, in Poland, 4125

Priei, Pissodes tipennis, Chorthippus vicauda, Toxotrypana rvicaudis, Spathius "vicercus, Dociostaurus "vicornis, Alloxysta

!videns, Ips

vvimaculatus, Chelonus

scuta, not transmitting golden flavescence disease, 2608

rtodiens, Anoplolepis

etos, Arma

Iticle, structure and properties of insect, 1528 MC 2-Chloro-3,5-dimethylphenyl (see 'Methylcarbamate)

nnea, Melanophila: Scutellista

meus, Plagiomerus; Sirex

12'-Cyanoethylthio)ethanaldoxime N-Methylcarbamate, effect of N-acylation of, 4090 α-Cyanoisopropyl O,O-Diethyl Thiophosphorylacetamide, against Pemphigus popu-Vitransversus, 2444

anophos, in sprays against Myzus persicae and Macrosiphum euphorbiae, 2022

anox (see Cyanophos)

bocephalus mus, as predator of Aulacaspis on sugar-cane in East Africa, 2537

cas revoluta, Furchadiaspis zamiae on, in

Poland, 1115

clamen, Tarsonemus pallidus on, in Britain, 1645; Tarsonemus pallidus on, in Poland and Holland, 3104

clocephala signaticollis, infestation and control of, on potato in Argentina, 989

clohexanone, in aerosols against Anastrepha ludens, 1700

cloneda munda, oviposition responses of, to liuniper, 917

cloneda sanguinea, as predator of Sipha Hava on sugar-cane in Puerto Rico, 362; evaluation of, as predator of aphids in

Britain, 1151

cloneda sanguinea limbifer, biology and effect of contact insecticides on, in Czechoslovakia, preying on aphids on Hibiscus spp. and Citrus in Cuba, 2727

dia, sp. of, damaging cones of spruce in Soviet Union, 1485

dia caryana, examining trap collections for, attacking pecan in Georgia, 557; nocturnal activity of, in pecan orchard in Georgia, 642; Conotrachelus hicoriae on pecan causing some of damage attributed to, in U.S.A., 1784

odia delineana, bionomics, parasitism and control of, on Cannabis sativa in Rumania, 273; on Cannabis sativa in Yugoslavia, 3149 odia funebrana, bionomics and control of, in Rumania, 276; chemical control of on plum in Rumania, 280; as prey for Melanotus

fusciceps, 1101; bionomics and integrated control of, on plum in Soviet Union, 1104 Cydia latiferreana, damaging acorns of Quercus

macrocarpa in North America, 2932 Cydia leucostoma, natural enemies of, on tea in

India, 2093

Cydia lobarzewskii, bionomics, natural enemies and control of, on plum in Yugoslavia, 439

Cydia molesta, sex pheromone of, 36; on peach in Hungary, 292; bionomics and control of, in Hungary, 293; fecundity and behaviour of, in Ontario, 905; use of terpinyl acetate as attractant for, on peach in Argentina, 990; on peach in Argentina, bionomics of, infesting apple, warning system for timing of insecticides for control of, in Argentina, 994; use of sex attractants for observing, 1460; distribution of, 1502; partly synthetic diet for, 1682; baits for, also attracting Aegeria spp. on peach in Georgia, 1761; methods of sampling populations of, in unsprayed peach orchards in Ontario, 1984; on fruit trees in Victoria, 3322; parasitism of, by *Macrocentrus ancylivorus* on peach in Ontario, 3622; bionomics of, in Soviet Union, 4150

Cydia nigricana, varietal susceptibility of pea to, in Poland, 4120

Cydia packardi, attracted to cis-8-dodecenyl acetate and trans-8-dodecenyl acetate, 36

Cydia pomonella, rearing of, on artificial diet, 144; on peach in Hungary, 292; Styropor disks for assaying phagostimulatory effect on, of plant extracts, 339; azinphosmethyl against, affecting populations of Eotetranychus and its Phytoseiid predator on pear in Oregon, 597; insecticides against, on pear in California, 603; insecticides against, on apple in British Columbia, 620; Bacillus thuringiensis against, on apple in Indiana, 930: susceptibility to insecticides in, in Queensland, 1006; diapause and dynamics of seasonal changes in resistance of muscles of, 1098; as prey for Melanotus fusciceps, 1101; forecasting attacks of on apple, in France, 1162; rotating oviposition cage for, 1261; bionomics and control of, in orchards in South Australia, 1303; insecticides against, on apple in Queensland, 1314; on apple in Soviet Union, 1429; insecticides against, in Ukraine, 1434; Bacillus thuringiensis tested for control of, 1444; control of, by sterility method in British Columbia, 1672; effects of CO₂, chilling and staining on, 1701; reduced sexual aggressiveness of males of, treated with tepa or γ -radiation, 1731; parasites of overwintering larvae of, on apple in Germany, 1836; thermal constant for, in Spain, 2111; larvae of, parasitised by Ascogaster quadridentata in Holland, 2249; populations of, developing on apple untreated with pesticides, 2365; time of sexual activity of, in Indiana, 2808; insecticides applied against, in New South Wales, 3029; rearing of, on artificial diet, 3221; on fruit trees in Victoria, 3322; integrated control of, on apple in Australia, 3904; on apple and pear in Iran, 3936; rearing of, on artificial diet, 4040; sprays against, on apple in Soviet Union, 4138

Cydia prunivora, attracted to cis-8-dodecenyl acetate and trans-8-dodecenyl acetate, 36; damaging apple, in New York, 2365

Cydia prunivorana, as synonym of Cydia

lobarzewskii, 439

Cydia pseudotsugae sp.n., bionomics and natural enemies of, mining bark of Pseudotsuga menziesii in British Columbia, 531

Cydia ptychora, attacking Vigna unguiculata in

Uganda, 2679

Cydia strobilella, effect of temperature on termination of diapause in, in Norway, 1632; attacking cones of *Picea abies* in Rumania, 2207; effect of soil fertilisers on, on *Picea abies* in Norway, 3414

Cydia toreuta, affecting cone crops of Pinus resinosa in seed-production areas in U.S.A.,

1786

Cydia tricentra, attacking Crotalaria juncea in Uttar Pradesh, 1371; attacking Crotalaria juncea in India, 2101; insecticides against, on Crotalaria juncea in India, 2103

Cydonia, Eriophyid mites on, in Soviet Union,

3095

Cylas formicarius, distribution map of, 314; muscardine fungus attacking, in Ryukyu Is., 2493

Cylas puncticollis, distribution map of, 314

cylindricollis, Sitona

Cymbidium, scale insects on, in New Zealand, 895; Abgrallaspis pictor sp.n. causing leaf-spotting on, in Britain, 1883

Cynara, Apion carduorum on, in France, 3510 Cynara scolymus, Ostrinia nubilalis on, in Egypt, 2999; insect pests of, in Greece, 3135; fungal infection in Capitophorus horni on, in France, 3972

cynarae, Larinus

Cynodon dactylon, persistence of insecticide residues on hybrid of, in Georgia, 204; in pastures infested by Plectris aliena in New South Wales, 515; unsuccessful attempt to rear Euchromius ocelleus on, 664; residues of phorate and its metabolites on hybrid of, in Georgia, 1718; resistance in, to Spodoptera frugiperda in Georgia, 1766; determination of carbanolate residues in, 3018

cynthia, Samia

Cyolane, sprays of, against *Spodoptera littoralis*, 2389

Cypripedium, Pseudoparlatoria parlatorioides on, in New Zealand, 895

Cyprus, insecticides against *Spodoptera littoralis* on lucerne in, 2389; pests and diseases of olive in, 2859

Cyrtoptyx dacicida, parasitism of Dacus oleae by, in Italy, 3490

Cyrtorhinus fulvus, predacious on eggs of Tarophagus proserpina, in Hawaii, 1292

Cystine, in diet for Agrotis spp., 719; y-radiation causing increase of, in amino acids in Anthonomus grandis, 3773

cytherea, Nudaurelia

Cytochrome C, biosynthesis of, in Telea polyphemus, 2732

Cytospora chrysosperma, in association with Melanophila picta on poplar in Greece, 741 Cyzenis albicans, effectiveness of, in combination with Agrypon flaveolatum against Operophtera brumata in Nova Scotia, 1133; population model for interaction between Operophtera brumata and, 1152; population numbers for, parasitising Operophtera brumata in Britain, 2161

Czechoslovakia, insect fauna of lucerne in, 7381 Monoctonia pistaciaecola parasitising Pemphigus and Forda in, 1124; Macrosiphum pisum and Therioaphis trifolii on lucerne in 1126; Aphidius ervi parasitising Macrosiphum pisum in, 1127; population dynamics of Operophtera brumata in forests in, 14898 Tortrix viridana in, 1490; Lymantria monache in, 1491; Myelophilus piniperda on pine im 1492; DETA 25 against Monomorium pharun onis in, 1493; stored product mites in, 1540t tolerances of pesticide residues in, 1807b population dynamics of Leptinotarsa december 1807b. lineata in, 2301; seminar on fauna of western Carpathians of, development and present position of faunistic research on Tipulinae in 2579; position of faunistic research of Limoniine Tipulidae in, 2580; faunistic galki midge research in, 2581; Syrphidae α Krkonošký National Park, 2585; results α studies on Syrphidae in, 2586; occurrence of Trypetidae in Tatra National Park, 2588 Kováočv Mountains, seasonal dynamics as Tachinidae from, 2590; new data on aquatir Diptera in, 2591; cataloguing of Diptera of 2592; transmission of wheat dwarf virus b Psammotettix alienus in, 2607; Cyclonede sanguinea limbifer from Cuba reared i. laboratory in, 2727; Deladenus wilsoni sp.r. from Rhyssa persuasoria in, 2866; emergenc overwintering generation of lucern gallmidges in, 3126; Leptinotarsa decemlineat: on potato in, 3428; Nosema mesnili infectini parasites of Pieris brassicae in, 4112

D

Dacagin (polysaccharide pseudo-plastic spragel agent), spray drift reduction with, added to methoxy-DDT, 182; in baits for *Anthonomus grandis*, 3213

dacicida, Cyrtoptyx

Dacrydium cupressinum, insect moulting hormone activity of, 3863

Dacrydium intermedium, insect moulting hormone activity of, 3863

Dacrydium laxifolium, insect moultings hormone activity of, 3863

Dactylis glomerata, nutrients in, for Hylemy brassicae, 41; as preferred food-plant Daceculacephala mollipes in Kentucky, 37 unsuccessful attempt to rear Euchromics ocelleus on, 664; inefficient as food-plant for Hylemya coarctata in Britain, 1642; effects Wiseana spp. on, in New Zealand, 1881% Simyra henrici on, in Illinois, 2385; effect cleafhoppers on, in France, 2949; reprodultion in Macrosiphum festucae on, 3532

Dactylopius herbicola, transferred to gentile Chorizococcus, 3896

Dactynotus, spp. of, in traps in Venezuellis 2830; (see also Macrosiphum)

yeus ciliatus, rearing of, in stem galls on Coccinia indica, caused by Bimba toombii in India, 1365; as potential pest of cucurbits in Florida, world distribution of, 3201; adults of Pachycrepoideus vindemmiae not obtained

from parasitised pupae of, 3946

neus cucurbitae, fumigation of fruits and yegetables against, in Hawaii, 132; pathogens and pests associated with laboratory cultures of, 207; rearing of, in stem galls on Coccinia indica, caused by Bimba toombii in India, il 365; toxicity of insecticides to, in Hawaii, 1694; reusable diet support for rearing, on luid larval medium, 1778; traps for detection of, in Hawaii, 2374; sex pheromone glands in, 2751; susceptibility of, to insecticides at different body sites, 3217; Pachycrepoideus vindemmiae parasitising, in Réunion, 3946; proposed releases of sterile adults of, in South Marianas, 4066

neus dorsalis, fumigation of fruits and vegetables against, in Hawaii, 132; pathogens and pests associated with laboratory cultures of, 207; attractants for, selected for infra-red spectrum, 254; toxicity of insecticides to, in 1694; pineapple varieties not Hawaii. infested by, in Hawaii, 1714; traps for detecition of, in Hawaii, 2374; sex pheromone glands in, 2751; susceptibility of, to insecticides at different body sites, 3217; eradication of, from islands of South Marianas, 4066

acus oleae, attacked by mites in laboratory '207; Prolasioptera berlesiana as predator of, on olive in Yugoslavia, 437; malathion ragainst, on olive in Mediterranean Basin, 796; mating frequency and inseminating capacity of sterilised and normal males of, 1947; infestation and control of, on olive in IItaly, 1118; Opius concolor as biological control agent against, on olive in Italy, 1120; apparent absence of, from New Valley in (Egypt, 2058; frequency of pairing in, as determined by enzyme polymorphism .Greece, 2073; sex pheromone glands in, 2751 control of, on olive in Greece, 3133; aerial and bait sprays against, on olive in Greece, 3134: effect of streptomycin on development of progeny of, 3401; bait-sprays against, on olive in Greece, 3410; on olive in Jordan, 3424; attractants for, 3465; effect of Opius concolor and indigenous parasites on, on olive in Italy, 3490; larval diet for rearing of, 3501; overwintering of, on olive in Spain, 3503; Opius concolor against, in Italy and France, 3550; diet for, 3971; method for rearing of, 4016; Opius concolor released against, on olive in Spain, 4023; rearing and irradiation of, 4070; ecology and control of, on olive in Greece, 4071; rearing of, 4072,

ticus tryoni, morphology and reproductive system of, 1004; maturation of females of, in relation to temperature, 1013; town treatment for, in New South Wales, 1306; irradiation as commodity treatment against, in Australian fruit, 2209; sex pheromone glands

redalea quercina, effect on Reticulitermes

daedalus, Papilio palinurus

Dahlbominus fuliginosus, interrelations between, and other parasites of Neodiprion sertifer in Canada, 1133; relationships of, with coexisting parasitoids of Neodiprion swainei, in Quebec, 2735; rickettsia- like micro-organism found in, in Canada, 3298

Dahlbominus fuscipennis (see D. fuliginosus) Dahomey, Aceria querreronis on coconut in.

107; rice pests in, 3956

Dalbergia sissoo, Apoderus sissu on young leaves of, in Northern India, 1355; control of Sinoxylon spp. attacking felled, in W. Pakistan, 1376; control of *Plecoptera reflexa* attacking, in W. Pakistan, 1377

dalbergiae, Drosicha

Dalbulus elimatus, mycoplasma as suspected etiologic agent of maize stunt transmitted by, 1802

Dalbulus maidis, transmission of maize stunt virus by, infesting Tripsacum dactyloides and maize in U.S.A., 656; occurrence of maize stunt transmitted by, in U.S.A., 2893

dalmanni, Habrolepis damoalis, Ostrinia dampfi, Frankliniella

Dandelion (see Taraxacum officinale)

darwiniensis, Mastotermes Dasanit (see Fensulfothion)

Dasineura balsamicola, parasites of, on Abies balsamea in Maine, 1678

Dasineura brassicae, field movement of radioactively labelled adults of, in Sweden, 1631; method of radioactive tagging of, 1636

Dasineura citri, response of, to attractants, 3366; fluctuations in population density of, in Citrus groves in India, 3367; ovipositing in buds of Gnaphalium indicum in India, 3371

Dasineura ignorata, emergence of overwintering generation of, in Czechoslovakia, 3126; forecasting of, on basis of soil-sampling in Europe, 3431; control of, on lucerne in Bulgaria, 3449

Dasineura papivora, infesting flower buds of papaya in India, 2090

Dasychira abietis, outbreaks of, in Transbai-

kalia, 1480; bionomics of, 1481 Dasychira albodentata, as host for Ovencyrtus pinicola, 1477

Dasychira plagiata, life tables for natural populations of, in Wisconsin, 3195

datanae, Winthemia

Date Palm, Ommatissus binotatus on, in Iraq and Iran, 796; pests and diseases of, 1141; Oryctes spp. reared on seedlings of, 1801; Ommatissus binotatus lybicus and other pests of, in Iraq, 2068; development of Agistemus exsertus on pollen of, 3403, 3409; Phyllotetranychus aegyptium and Rasiella indica on, in Egypt, 3411; Oryctes elegans on, in Iran, 3929

Dates, effect of, on oviposition, fecundity and development of Ephestia cautella, 3922; Ectomyelois ceratoniae on, in Algeria, 4042

Datura, feeding preference for, in Lema trilineata daturaphila, 964

Datura meteloides, used as standard of com-parison in food tests with Lema trilineata daturaphila, 964

flavipes of wood decayed by, 2908

daturaphila, Lema trilineata davatchii, Sphenoptera

DBP (see 4,4'-dichlorobenzophenone) DCBP (see 4,4'-dichlorobenzophenone)

DD-136 (nematode), use of, in biological control of Leptinotarsa decemlineata, 1122; infectivity of, for Hylobius pales, 3650

DDD, residues of, in foodstuffs, 6; impairing reproduction in mallards, 30; residues of, in birds, 1689; residues of, in earthworms and soil, 1690; residues of, in sheep, 1889; effects of, on adrenocortical steroids in mammals, 2107; in bacterial populations, 2164; DDT converted to, in Engraulis mordax, 2182; against Heliothis virescens on tobacco, 2392; risks arising from persistent use of, in Britain, 2641; as metabolite of DDT, 3011; against Merophyas divulsana, 3309; as metabolite of DDT in milk, 3724; residues of, in bays and estuaries, 3728; residues of, in eagles, 3739; residues of, in soil and plants, 3742; residues of, in seals, 3744; residues of, in water, mud, molluscs and fish, 3748; residues of, in pheasants, 3749; residues of, in fish, 3750 DDE, residues of, in foodstuffs, 6; impairing

reproduction in mallards, 30; residues of, in fruit, foliage and soil in vineyard in Ontario, 1272; residues of, in sheep, 1889; method for analysis of, in blood, 1915; in bacterial populations, 2164; thinning eggshells of American kestrels, 2180; residues of, in human fat, 2575; residues of, as metabolite of DDT, in salmon, 2998; residues of, in Larus argentatus, 3189; levels of, in eggs of Sterna hirundo, 3304; reducing medullary bone formation in birds, 3609; as metabolite of DDT in milk, 3724; residues of, in bays and estuaries, 3728; residues of, in soil, 3732; residues of, in eagles, 3739; residues of, in soil and plants, 3742; residues of, in seals, 3744; residues of, in Rana boylet, 3746; residues of, in soil, 3732; dues of, in molluscs and fish, 3748; residues of, in pheasants, 3749; residues of, in fish, 3750; residues of, in sheep from ingestion of soil, 3878

hazards to wild life from use of, 3; residues of, in foodstuffs, 6; inducing decrease in eggshell calcium, 29; impairing reproduction in mallards, 30; in marine animals, 32; in Antarctic snow, 35; against Leucinodes orbonalis, 73; against Diaphorina citri, 74, 77; treatment of storage receptacles with, 75; against lucerne pests, 88; against Heliothis armigera, 91; against insect pests of soy bean, 92; against cotton pests, 94; residues of, on *Corchorus olitorius*, 98; residues of, in soil and sugar-beet, 142; against cotton insects, 160; against cotton insects, 189; dimethyl sulfoxide not improving toxicity of, to Anthonomus grandis, 201; against Hellula phidilealis, 234; soil streatment with, against Agrotis ipsilon, 267; against Tychius flavus, 271; against Scrobipalpa ocellatella, 272; against funebrana, 276; against Anarsia lineatella, 277; toxic effect of soil treatments with, on beet plants, 278; toxicity of, to bees, 279; compatibility of fungicides with, against pests of plum, residues of, on plum, 280; against Stigmella malella, 285; resistance to,

in Myzus persicae, 299; effect of, on egg production of Anthonomus grandis, 411; against Dendrolimus superans, 430; against Mira-mella alpina, 438; residues of, in soils and plants, 444; in sprays against Prasinoxena sp... 497: persistence of deposits of, against Keiferia lycopersicella, 608; effect of Mucon alternans on persistence of, 638; effect of exclusion of Phytoselid predator of Panony-chus ulmi by sprays of, 645; residues of, in mint, hay and soil, 655; soil treatment with against Lachnosterna consanguinea, 657; in dusts against Heliothis zea, 659; effectiveness of, against Sciopithes obscurus, 679; treatment of spruce slash with, against Scolytids 711; against Hylemya brassicae, 728; resisi tance to, in Meligethes aeneus and Leptinos tarsa decemlineata, 729; in sprays againsa Tipula spp., 787; toxicity of, against Diparop sis castanea, 857; effect of temperature and humidity on toxicity of deposits of, to Tribon lium castaneum, 869; against insect pests of cotton, 873; effect of, on haemocyte country in insects, 875; not affecting calcium uptakel and vitamin D metabolism in birds, 881; in sprays against Lepidosaphes ulmi, 901; against Rhagoletis pomonella, 902; ineffective againsa Heliothis zea and H. virescens, 923; againste Grammadera clara, 996; resistance to, in a Cydia pomonella, 1006; against Heliothis armigera, 1054; aerial application of, 1055; 1057; in sprays against Heliothis armigerar Diparopsis castanea and Earias spp., 1055 in sprays against Phthorimaea operculella 1057: ineffective against *Plusia acuta* and *F* chalcites and harmful to their natural enemies 1058; effect of, in dusts on cotton yields: 1062; stem-dusting with, against Ascots selenaria reciprocaria, 1067; effect of dietar protein on toxicity of, in rats, 1095; in spray against Edwardsiana spp., 1100; in spraw against Ceutorhynchus rapae, 1121; again4 Exoteleia dodecella, 1138; residues in soil an vegetables, 1226; hormonal and enzymatial activity of, 1230; against Caryobruchi gleditsiae on seeds of palms in Florida, 12328 in sprays against Chrysobothris mali on frui trees in California, 1234; residues of in frui foliage and soil in vineyard in Ontario, 1272 other insecticides as possible substitutes for against Oxycanus fuscomaculatus, in pasture in Tasmania, 1297; resistance to, in Oncopere on pasture in Tasmania, 1298; Oncopered intricata not resistant to, in Tasmania, 13011 repellent effect of, against ant removal of pasture seeds, 1316; in sprays against Spouse optera litura, 1321; in dusts, against pests of stored maize, in Togo, 1395; with Bacille thuringiensis, 1422-1424; with Beauvers bassiana, against Leptinotarsa decemlineativa 1428, 1430; with Beauveria bassiana againment Ostrinia nubilalis, 1432; with Beauveres bassiana against Bothynoderes punctiventrick 1433; effect of, on Beauveria bassiana, 143(1) with Beauveria against Leptinotarsa decervi lineata, 1437; against Myelophilus piniperd 1492; against pests of sugar-beet, 1505; granules against Ostrinia nubilalis, 151 use of, in EPPO countries, 1544; persistent

of, in environment, 1555; in aerial sprays against Choristoneura pinus pinus, 1665; pharmacodynamic study of, in cockerels, 1689; residues of, in earthworms and soil, 1690; manometric assay of dehydrochlorinaion of, by enzyme from Epilachna varivestis, 14691; toxicity of, to Tephritids, 1694; distribution and settling rate of, in CO₂-propelled dusts in aircraft, 1695; in aerosols against Anastrepha ludens, 1700; toxicity of, to Argyrotaenia citrana, 1703; toxicity of, to Scolytus multistriatus and Dendrosoter protuberans, 1733; contact toxicity of, to Alsovhila pometaria, 1757; toxicity of, to Leptinotarsa decemlineata, 1781; aerial drift spraying with, against Spodoptera exempta, 1817; in sprays against sorghum pests, 1820; effects of sublethal doses of, on Dysdercus fasciatus 1876; residues of, in sheep, pasture and soil, 1889; effectiveness of, against Costelytra szealandica, 1893; chronic liver disease due to findustrial exposure to, 1910; method for analysis of, in blood, 1915; toxicity of, against sawflies and forest tent caterpillar, 2002; in sprays against *Thrips tabaci*, 2048; in sprays and dusts against Eumerus amoenus, 2050; against Vespa orientalis, 2064; persistence of, against Ceratitis capitata, 2066; aerial application of, against Heliothis zea, 2070; effect of, on sorghum yields, 2098; against Cydia tricentra, 2103; effects of, on adrenocortical steroids in mammals, 2107; identification of, in mixtures by mass spectrometry, 2162; action and degradation of, in bacterial populations, 2164; strains of *Tribolium* resistant to, 2170; accumulation of residues in Triphoturus mexicanus, 2179; in vitro conversion of, to DDD in Engraulis mordax, 2181; against Epitrix hirtipennis, 2192; injection of, into banana fruit spathe for control of Nacoleia octasema, 2228; controlling Hylobius abietis but not Hylastes spp. on pine seedlings, 2239; in eggs of hens fed with contaminated feed, 2318; against Lygus hesperus, 2373; against Heliothis virescens on tobacco, 2392; with virus, against Lepidoptera on maize, 2396; against Phryganidia californica, 2397; against Choristoneura occidentalis, 2428; residues of, in Canadian Atlantic fishes, 2455; not effective against rice leafhoppers, 2504; against Ragmus importunitas, 2510; against Mylabris pustulata, 2520; residues of, in human fat, 2575; effect of, on Tetranychidae and mites, 2577; against Psammotettix spp. on wheat, 2607; risks arising from persistent use of, in Britain, against Maruca testulalis, reduction of residues of, in milk, 2729; comparative metabolism of, with methoxy-DDT and methiochlor, in insects, 2741; with Toxaphene and methyl-parathion against Heliothis spp., 2779; with micronised silica dust for treating aircraft, 2794; against Costalimaita ferruginea, 2832; effect of, on nursing neonate, 2869; in vitro metabolism of, during midgut penetration, 2870; bioassay of residues of, with Musca domestica, 2964; residues of, in Odocoileus virginianus, 2974; residues of, in robins and earthworms

associated with contaminated forest soils 2992; residues of, in salmon, 2998; against Spodoptera frugiperda, 3006; metabolism of, by rumen microorganisms, 3011; in sprays against Campylomma livida, 3029; in sprays against Homona coffearia, 3044; in sprays against Cnaphalocrocis medinalis, 3085; trunk and root collars treated with, against Capnodis tenebrionis, 3096; against Lymantria dispar, 3140; in sprays against insect vectors of plum pox virus, 3141; no synergistic effect with, combined with spore preparation of Bacillus thuringiensis, 3143; affecting microflora of rumen of cattle, 3176; effects of, on barley, 3188; induction of microsomal oxidase system in mice by, 3197; against Heliothis zea, 3204; susceptibility of fruit-flies to, at different body sites, 3217; against Heliothis zea, 3242; against bean pests, 3317; against Austroasca alfalfae, and Empoasca viridigrisea, 3319; in sprays and dusts against *Taeniothrips simplex*, 3320; toxicity of, to honey bees, 3344; uptake of, from soil by plants, 3434; against *Mamestra* brassicae, 3441; reducing numbers of Tetranychids and Coccinellids, 3458; effect of, on Parthenolecanium corni apuliae, 3482; in sprays against Heliothis armigera, 3483; against Tineola bisselliella, 3538; movement of, during lipid utilisation in pigeons, 3605; evaporation of, 3606; environmental contamination by, and genetics of Drosophila pseudoobscura, 3607; selective predation by newts on frog tadpoles treated with, 3608; food chain model for kinetics of, in freshwater marsh, 3612; metabolism of, by microorganisms, 3614; harmful to Campylomma verbasci, 3621; residues of, in milk, 3724; in human serum, 3725; residues of, in bays and estuaries, 3728; analogues and metabolites of, in river sediments and water, 3729; residues of, in plants, 3730, 3731, 3732, 3733, 3734, 3735; residues of, in soil, 3732; residues of, in streams, 3739; residues of, in fish, 3740; residues of, in soil and plants, 3742; residues of, in seals, 3744; residues of, in Rana boylei, 3746; residues of, in molluscs and fish, 3748; residues of, in pheasants, 3749; residues of, in fish, 3750; penetration of, through isolated midgut of insects, 3786; in sprays against Phthorimaea operculella, 3796; in sprays against Azochis gripusalis, 3804; against Enneothrips flavens and Stegasta basqueella, 3809; residues of, in sheep from ingestion of soil, 3878; mortality and residues in Salmo gairdneri exposed to, 3886; development of resistance to, in apple pests, 3904; resistance to, in Oncopera rufobrunnea, 3905; in sprays against Asphondylia sesami, 3920; effect of, in sprays on Amrasca devastans and on cotton, 3926; in sprays against Heliothis armigera, 3933; in sprays agains Pimelephila ghesquierei, 3962; against Spodoptera littoralis, 3966; effect of, on cultures of insect cells, 3992; against Scaphoideus littoralis, 4047; in dusts against Dioryctria mendacella, 4027; residues of, in food, 4093; resistance of powders of, to rainwashing, 4094; daily rhythms of activity of insects and

susceptibility to, 4121; against Cydia pomonella, 4138; against Phyllonorycter pyri-foliella, 4139; in dusts against Leptinotarsa decemlineata, 4143; against Zabrus tenebroides, 4149

DDVP (see Dichlorvos)

1,1a,3,3a,4,5,5,5a,5b,6-Decachloro-octahydro-2-methyl-1,3,4-metheno-1H-cyclobuta[cd]pentalen-2-ol, toxicity of, in sprays to Heliothis virescens, 630

decedens, Empoasca decemlineata, Leptinotarsa deceptor, Microctonus decipiens, Empoasca declinata, Patasson decolor, Enargia

Dedevap (see Dichlorvos)

Deer, modifying habitat of alpine grasshoppers in New Zealand, 1293 Deer, White-tailed (see *Odocoileus virginianus*) Deet, effectiveness of, as deterrent against Agriotes spp., 808; not attractive to Sitotroga cerealella, 2188

defoliaria, Erannis (Hybernia)

Degeeria luctuosa, as parasite of Synharmonia conglobata in Germany, 1103

L-Dehydroascorbic Acid, in diet for Myzus

persicae, 3775

7-Dehydrocholesterol, in diet for Xyleborus ferrugineus, 1534; as source of sterol for Xyleborus ferrugineus, 3755; in diet for Trogoderma granarium, 3767

Deladenus siricidicola sp.n., from Sirex juvencus

on Picea abies in Hungary, 2866

Deladenus wilsoni sp.n., from Rhyssa persuasoria on Abies alba in Czechoslovakia, 2866

Delaware, Plathypena scabra on lima beans in, 1749; Microctonus spp. parasitising Hypera postica in, 1950

Delia (see Hylemya) delineana, Cydia Delnay (see Dioxathion) Delonix (see Poinciana)

Delphacidae, key for identification of nymphs of, in North Europe, 1626; outbreaks of, on rice in Japan, 3054; chemical control of, by means of pipe-duster in Japan, 3059

Delphacodes fairmairei, Anagrus atomus para-

sitising eggs of, 2235

Deltocephalus sonorus, on maize in South Carolina, 1221; on soy bean in Mississippi,

Demarchus pubipennis, damaging Cajanus cajan in India, 2530

Demethylformetanate, degradation of formetanate acaricide to, by rat liver preparations, 672

Demeton, polarography of, 4; effect of root drenches of, on growth of chrysanthemums, 601; in sprays against Schizaphis graminum, 624; in sprays against Eriophyes insidiosus, 627; in sprays against biotype of Schizaphis graminum and other insects, 1743; against Schizaphis graminum, 2403; against Tetranychids in orchards, 2577; resistance to, in Tetranychus telarius, 3404; toxicity of, to Coccinella septempunctata, 4119; toxicity of, to primary and secondary aphid parasites, 4127; toxicity of, to Chrysopa carnea, 4128

Demeton-S, resistance to, in Myzus persicaed 3613

Demetrias atricapillus, preying on Ceutorhyn chus rapae on hemp in Italy, 1121

demoleus, Papilio demolitor, Microplitis

Demotina fasciculata, seasonal prevalence and damage of, on tea in Japan, 3071

Dendrobacillin, commercial preparation of spores of Bacillus thuringiensis dendrolimus 710

Dendrocopos pubescens, preying upon Hyalol phora and Telea, in Illinois, 1199

Dendrocopos villosus, preying upon Hyalophoro and Telea, in Illinois, 1199; preying on barkly beetles, 3617

dendroctoni, Cecidostiba

Dendroctonus, sexual character in pupae of

Dendroctonus adjunctus, prothoracic mycanis gium and pseudomycangium of, 2919

Dendroctonus brevicomis, use of synthetical frontalin in managing populations of, in California, 139; BHC against, on *Pinua ponderosa* in California, 150; pheromones of 1533, 1605; response of, to synthetic phero omones in New York State, 2766

Dendroctonus frontalis, Pseudoparasitus than cheri associated with, in Pinus taeda in Louisiana, 232; sex pheromones of, 5500 method for studying parasites of, 553; gallery construction and sexual behaviour in, 559 preyed on by *Thanasimus dubius* in Texas 578; isolating entomogenous fungi and bacteria from, fungal isolates against, 6821 role of attractants in colonisation of pin trees by, 882; aggregating pheromone of 966; antagonism between Ceratocystis minor and, 967; pheromone of, 1533; phospholipida in populations of, in Louisiana and Souts Carolina, 1933; associates of, on Pinus taeda in Texas, 2911; electroantennogram responses of, to its aggregation pheromonant 2937; Cheyletids associated with, on Pinus taeda in Louisiana, 3674; Hymenopteround parasites of, in Georgia, 3721

Dendroctonus micans, in Transbaikalia, 1475

dispersal for colonisation by, on Pices

orientalis in Soviet Union, 3417

Dendroctonus obesus, reared from felled spruce trees in British Columbia, 1668; temperatur. in relation to developmental rates of, 20100 cacodylic acid controlling infestation cospruce by, in New Mexico, 3247; wood WOOCD peckers preying on, in Colorado, 3617

Dendroctonus ponderosae, BHC against, o Pinus ponderosa in California, 150; effect o temperature and resin on hatch of eggs of, i Canada, 1998; Medetera aldrichii predaciou on, in South Dakota, 2463; attractiveness of baits of trans-verbenol combined with pinene on Pinus strobus to, in Idaho, 2775 Enoclerus sphegeus predacious on, on Pinyw ponderosae in North Dakota, 2818; emergeng pattern of adults of, in British Columbib 2829; Corticeus substriatus associated with on Pinus contorta in U.S.A. and Canada 2938; Enoclerus sphegeus feeding on, 36200 temperature limits of flight of, 3710

ndroctonus pseudotsugae, response of, to ,5 - dimethyl - 6,8 - dioxabicyclo[3,2,1]octane Ind camphene, 365; temperature in relation b developmental rates of, 2010; haemolymph nd ovarial proteins in, in relation to ovarian nevelopment, 3300; ovarian development in, and effect of farnesyl methyl ether, 3624 ndroctonus rhizophagus, sp.n., infesting pine 'n Mexico, 1987

indroctorius rufipennis (see D. obesus) indroctonus simplex, occurrence of, in Manioba and Saskatchewan, 1664

ndroctonus valens, D. rhizophagus sp.n.

resembling, 1987

ndrolimi, Telenomus; Trichogramma

Indrolimus pini, resistance of muscles of, to damaging stimuli, 1098; causes of collapse of outbreak of, on pine in Hungary, 2138 androlimus sibiricus (see D. superans)

undrolimus spectabilis, Hymenopterous parasites of, on pine in Japan, 1327, 1328; life-

cycle of, on pine in Japan, 2636

androlimus superans, aerial spraying against, en Soviet Union, 430; factors associated with butbreaks of, in Transbaikalia, 1476; Ooenryrtus pinicola parasitising, 1477; role of intermediate generation of, in Transbaikalia, 1478; dynamics of foci of, in larch in Transbaikalia, 1479; population dynamics of, on bedar pine, 1484; bacteriological control of, In Soviet Union, 1843

ridrolimusi, Telenomus undrosoter protuberans, toxicity of DDT and methoxy-DDT to, 1733; as control agent for Scolytus multistriatus in Michigan, 3196

undrosoter sulcatus, parasitising Ips spp. on pine in Virginia, 1988; parasitising Dendroc-

itonus frontalis in Georgia, 3721

enmark, distribution of Teredo navalis in coastal waters in, 450; Scutigerella immaculata on :Asparagus plumosus in, 451; parathion resistance in Myzus persicae in, 452; persistence of granular organophosphorus insecticides in soil in, 1527; Myelophilus piniperda in pine logs in, 1629; Rhyacionia buoliana on Pinus contorta in, 1633; hibernation of Rhynchaenus ifagi in, 1634; virus disease of asparagus in, Tineola bisselliella infesting woollen fabric in, 3538; control of stored product and tclothes pests in, 3539

nsa, Arzama

nsitexta, Cardiaspina inticornis, Limothrips

seois incompleta, attacking pasture grasses in Brazil, 1795; on grasses in Brazil, 3846 20is schach, attacking pasture grasses in Brazil, 1795; on grasses in Brazil, 3846 cois terrea, on grasses in Brazil, 3846

Corum, Ageneotettix

eoxyribonucleic Acid, requirement of viral, to attain LD50 dose for Heliothis zea, 2217

EP (see Trichlorphon) pressa, Crematogaster

Termaptera, species of, predacious on Pectinophora gossypiella in California, 2772; on St. Helena, 3964

ermatitis, Pyemotes ventricosus causing, in man, 3927

Dermestes frischii, protection of dried sea-fish from, in Aden, 1179

Dermestes laniarius, ecology of, occasionally predacious on insect larvae, 2563

Dermestes lardarius, insecticidal strips against, 3539

Dermestes maculatus, morphology and musculature of female reproductive organs of, 848; purines in excreta of, 972; plastic strips impregnated with dichlorvos against, in grain storehouse in Nigeria, 1077; scent of females of, not attractive to males of Trogoderma granarium, 1237; adaptation of, to carbo-hydrate-free diets, 3596; electrophysiological responses to light in compound eyes of, 3995

Dermestidae, preyed on by Sitta europea on

Quercus ilex in Spain, 4028

Derobrachus brevicollis, bionomics, infestation and natural enemies of, on Paspalum notatum, groundnuts and maize in Georgia, 926

Deroceras laeve, attacked by Tetanocera spp. in U.S.A., 392

Deroceras reticulatum, attacked by Tetanocera spp. in U.S.A., 392; control of, on lettuce in Holland, 2861

Derris, repellent effect of, against ant removal of pasture seeds, 1316

Derris elliptica, Trogoxylon aequale infesting dried roots of, 3518

desbordesi, Pheropsophus sobrinus (see P. hilaris sobrinus)

Desert Locust (see Schistocerca gregaria)

desertorum, Tetranychus

desertus, Lygus; Melanogryllus

Desiantha, on rape in Western Australia, 3907 Desiantha maculata, on cultivated plants in Victoria, 3323

Desmia funeralis, control of, on grape vine in Florida, 3723

Desmodium purpureum, seasonal occurrence of Heliothis spp. on, in Georgia, 554

Desmodium sandwicense, Icerya purchasi on, in Hawaii, 951

Desmosterol, limited ability of Drosophila melanogaster to use, 1241

destructor, Aspidiotus; Ctenicera; Gascardia; Glycyphagus; Halotydeus; Mayetiola; Merisus DETA 25, against Monomorium pharaonis, 1493

detectus, Iridomyrmex

Detergents, use of, for extraction of Franklini-ella tritici from roses, 2802

Detox (see DDT)

Devap (see Dichlorvos)

devastans, Amrasca; Pseudotheraptus

devecta, Anuraphis; Dysaphis

Devorgilla canescens, changes in composition of haemolymph of *Ephestia kuehniella* after parasitism by, 2178; behaviour of, in relation to density of *Ephestia cautella*, 2495; parasitising pupae of Ephestia kuehniella, 2630; population model of interactions between, and E. kuehniella, 2631; host-parasite interaction between Ephestia keuhniella and, 3790

Dewdrop, Golden (see Duranta repens) DFP (see Diisopropyl Fluorophosphate)

Diabrotica, insecticides applied at sowing time against larvae of, on maize in Nebraska, 644; field emergence cage for adults of, in Missouri, 688; resistance to, in sweet potato in South Carolina, 3238

Diabrotica balteata, parasites, predators and diseases in rearing culture of, 663; host plants and temperature limitations of, in Florida, 2461; transmitting strains of cowpea mosaic virus, 2757; sex attractant of, 3260

Diabrotica longicornis, response of, to aldrin in Indiana, 184; determining potential populations of in Ohio, 1233; relationship of oogenesis, ovarian development and oviposition of, to control, 2339; control of, on maize in Ohio, 2377; on maize in Iowa, 2394; bio-

nomics of, 2742

Diabrotica undecimpunctata howardi, susceptibility of, to Neoaplectana glaseri, 226; biology and continuous laboratory rearing of, 1217; resistance of peanut varieties to, in Georgia, 1712; artificial diet for rearing, 2375; evaluation of groundnut for resistance to, in U.S.A., 2423; tests of insecticides for control of, in Virginia, 2426; on glandless cotton in California, 2436; transmitting strains of cowpea mosaic virus, 2757; response of, to electric light traps in Indiana, 2770; cucurbitacin and resistance of cucurbits to, 3193

Diabrotica undecimpunctata undecimpunctata, on glandless cotton in California, 2436

Diabrotica virgifera, differential reaction of larvae of, to species of Gramineae, 2323; relationship of oogenesis, ovarian development and oviposition of, to control, 2339; hatching rate of eggs of, in Missouri, 2361; factors affecting control of, with insecticides, 2740; bionomics of, 2742; transmitting strains of cowpea mosaic virus, 2757; postplanting insecticide treatments for control of, on maize in Iowa, 3256

Diacrisia obliqua, effect of diet on development

of, in Uttar Pradesh, 1359 Diadegma (see Nythobia)

Diaeretiella rapae, parasitic on aphids on crucifers in India, 509; as parasite of Brevicoryne brassicae on cabbage in California, 573; effect on Brevicoryne brassicae of parasitism by, 1085; toxicity of insecticides to, 1112; parasitising Brevicoryne brassicae in New Zealand, 1890; habitat selection by, parasitising aphids on crucifers, parasitism of, by Charips brassicae, 3635; toxicity of insecticides to, 4127

Dialeurodes citrifolii, infected by Aschersonia aleurodis on Citrus in Salvador, 2014

Dialifor, against Nepticula juglandifoliella, 2383; against Erythroneura elegantula and Tetranychus pacificus, 3234

4-Diallylamino-3,5-dimethylphenyl Methylcarbamate, in tests against rice leafhoppers, 2504 Diammonium Phosphate, Megaselia scalaris in

traps baited with, 2701

Diamond Back Moth (see *Plutella xylostella*)
Diapause, adult, in *Chrysopa carnea*, **1244**;
heritability of intensity of, in *Hyphantria cunea*, **2814**

diaperinus, Alphitobius

Diaphania hyalinata, light-trap controlling, on melons in Brazil, 3807

Diaphania nitidalis, light-trap controlling, on melons in Brazil, 3807

Diaphanogryllacris aequalis, protection of polyl thene rain-guards from damage by, in rubbed plantations in India, 78

Diaphnidia capitata, eggs and oviposition sites of, on apple in Pennsylvania, 3289

Diaphnocoris, effect of insecticides on, on apple

in Nova Scotia, 1995

Diaphorina citri, bionomics and control of, or Citrus in India, 74; outbreak and control of on orange in India, 77; as vector of greening disease of Citrus in India, 871; associates with Citrus decline in India, 2105; development and population of, on Citrus in India, 3086; stubborn disease of Citrus similar to greening disease transmitted by, 3979

Diaprepes abbreviatus, on Citrus in Florida

2186

Diarthrothrips coffeae, control of, on coffee in Kenya, 2035

Diaspididae, redescription and classification of from Egypt, described by W. J. Hall, 2719 diaspidis. Aphytis

diaspidis, Aphytis Diaspine Scales, in Japan, 1572

Diaspis boisduvalii, on Cymbidium and Cattley in New Zealand, 895

Diaspis echinocacti, natural enemies of, of forage palm' in Brazil, 3816

Diataraxia oleracea, infected by Bergoldiavirus oleraceae sp.n. in France, 2153; rearing an. 5; effects of inbreeding on, 4037

Diatraea lineolata, resistance to, in maize, 3190 Diatraea saccharalis, failure of females of, the attract released males in sugar-cane field in Louisiana, 200; susceptibility of, to Neconaplectana glaseri, 226; resistance in sugar-came to, 770; studies on, on sugar-cane in Cubble 2725; genetic behaviour of resistance in sugar-came to, 2731; resistance to, in maizes 3192; extinction of lines of, in laboratom populations, 3229; artificial diet for rearing of, 3800; diets for rearing of, 3991

diatraeae, Lixophaga; Trichospilus

Diatraeophaga striatalis, laboratory rearing a 2152; mass-rearing of, discontinued i Réunion, 3945

Diaxenopsis apomecynoides, infesting Moring

oleifera in southern India, 2205

Diazinon, against Leucinodes orbonalis, 73 against Diaphorina citri, 74, 77; against Hypera postica, 194; seed treatment witling against Hylemya platura, 195; against Epitral hirtipennis, 199; in granules against Sesami inferens and Chilo suppressalis, 235; against Scrobipalpa ocellatella, 272; against Cydiafu ebrana, 276; toxicity of, to bees, 279; again in Cydia molesta, 293; resistance to, in Myz. persicae, 299; seed treatment with, again Hylemya antiqua and Psila rosae, 3000 treatments with, against rice pests, effect of root drenches of, on growth chrysanthemums, 601; phytotoxicity chrysanthemums, 601; phytotoxicity sprays of, to sorghum, 618; effect in sprays on Cydia pomonella and other insects and mites of apple, 620; in spra. against Schizaphis graminum, 624; in sprand against Eriophyes insidiosus, 627; not effective against Diabrotica spp., 644; soil treative against Diabrotica spp., 644; ment with, against Hylemya brassicae, 65 soil treatment with, against Lachnosterna conte

sanguinea, 657; soil treatment with, giving ntermediate results against Otiorhynchus ilcatus, adjuvants increasing effectiveness of, 78; effectiveness of, against Sciopithes bscurus, 679; in sprays against Phloeomyzus radelei, 741; susceptibility to, in Phytomyza yngenesiae, 789; in granules against Hylemva rassicae, 799; formulations of, against Tylemya brassicae, 801; in sprays against delges piceae, 913; spraying split-bole traps with, against Scyphophorus interstitialis, against Aonidiella aurantii, 1089; esidues of in carrots, 1164; against Tanybecus dilaticollis, 1495; against Ostrinia ubilalis, 1515; against Lixus junctii, 1516; ersistence of, in soil, 1527; in granules igainst rice pests, 1567; biodegradation of h rice-fields, 1568; aspects of metabolism of, 613; susceptibility to, in Trogoderma spp., 717; in sprays against biotype of Schizaphis raminum and other insects, 1743; toxicity of, to Tapinoma sessile, 1758; effectiveness of, gainst Costelytra zealandica, 1893; seed reatment with, against Hylemya antiqua, 979; ineffective against Ceratitis capitata, .067; against Cydia tricentra, 2103; against Homoptera on rice, 2199; against Melanotus sommunis, 2370; against Diabrotica longi-cornis, 2377; against Contarinia sorghicola, 2380; against larvae of Conoderus sp. and achnosterna cribrosa in Texas, residues of, an soil, 2405; against Cliving impressifrons. 12416; against larvae of Amphimallon majalis, 2422; against Diabrotica undecimpunctata towardi, 2426; against Pemphigus populiransversus, 2444; against Archips argyropilus, 2467; in tests against rice leafhoppers, 2504; against Pieris rapae and Phyllotreta striolata, ineffective against Plutella xylostella, 2509; against Tetranychids in orchards, 2577; against Monomorium pharaonis in buildings n Germany, 2593, 2594; absorption, trans-ocation and persistence of, in rice plants in Japan, controlling Chilo suppressalis, 2633; action of, on Laodelphax striatella, 2680; microbial interaction with, 2745; traps treated with, for Ceratitis capitata, 3003; against Plutella xylostella, 3005; against Spodoptera frugiperda, 3006; application of, to paddy water against rice pests, 3042; in granules against Nilaparvata lugens, 3057; toxicity of, to eggs of Tetranychus telarius, 3108; against Phytodecta fornicata, 3139; in sprays against insect vectors of plum pox virus, 3141; against Hypera postica, 3200; adsorption and translocation of, by rice from soil and water, 3210; in granules against Hyperodes, 3232; in sprays against eggplant pests, 3252; soil treatment with, against Hylemya brassicae, residues of, in plants, 3520; against Neophyllaphis podocarpi, 3723; against Maliarpha separatella, 3958; effect of, on cultures of insect cells, 3992; persistence of, in soils and carrots, 4097 lazomethane, use of, in extraction of penta-

chlorophenol from soil and fish, 3014

ibrachys, parasitism of Cydia lobarzewskii by,

in Yugoslavia, 439

Dibrachys cavus, parasitising Pectinophora gossypiella in California, 1953

1053

Dibrom (see Naled)

Dicapthon, toxicity of, to Tephritids, 1694;

susceptibility to, in *Trogoderma* spp., 1717 Dichlofenthion, persistence of, in soil, 1527; seed treatment with, against *Urocystis col*chici and Hylemya antiqua, 1920

Dichlofluanid (see N'-Dichlorofluoromethylthio-N, N-dimethyl-N'-phenylsulphamide)

p-Dichlorobenzene, application of paste of, to entry holes of *Cerambyx dux*, 3043; soil treatment with, against *Capnodis tenebrionis*, 3096

4,4'-Dichlorobenzophenone, residues of, in eagles, 3739

2,5-Dichloro-4-bromophenol, as metabolite of bromophos, 464

Dichlorodifluoromethane (see Freon-12)

N'-Dichlorofluoromethylthio-N.N-dimethyl-N'-phenylsulphamide, toxicity of, to Trichogramma cacoeciae, 1137; effectiveness of, in sprays against scab, mildew and Panonychus ulmi, 2142; effect of, on Panonychus ulmi, 2143; controlling Tetranychus telarius, 2144; controlling Tetranychus cinnabarinus, 2145

5,6-Dichloro-2-trifluoromethylbenzimidazole,

fenazaflor hydrolysed to, 827

Dichlorvos, methods of dispensing, and toxicity of, to stored-product insects of, 172; toxicity to bees, 279; against Stigmella malella, 285; against Leucoptera scitella, 286; resistance to, in Myzus persicae, 299; metabolism of, on stored wheat grains, 465; controlling Tyrophagus brauni, 742; effect of temperature and humidity on contact toxicity of, to Tribolium castaneum, 858; in sprays against Tetranychus mexicanus, 988; appraisal of use of, with particular reference to slow release generators, 1048; plastic strips impregnated with, against stored products pests, 1077; furnigant action of, against Distantiella theobroma, in sprays against Mirids, 1080; in baits against Phoracantha semipunctata, 1081; against Thrips tabaci, 1408; not effective against stored product mites, 1540; susceptibility to, in Trogoderma spp., 1717; in deposits against insect pests of stored rice, 1727; fumigation with, in impregnated resin strips or in maize cob granules against unwanted parasites of aphids, 1785; persistence of, in sprays against Ceratitis capitata, 2066; aerial application of, in sprays against Ommatissus binotatus lybicus and other pests of date, 2068; against Mylabris pustulata, 2520; effect of, on mite populations, 2577; in aerosols against Monomorium pharaonis in buildings in Germany, 2594; as derivative of trichlorphon, in insects and cotton, 3008; toxicity of, to eggs of Tetranychus telarius, 3108; against pests of apple, 3365; resistance to, in Tetranychus telarius, 3404; against lucerne pests, 3450; against stored-grain pests in barge holds, 3513; plastic strips containing, against household pests, 3539; book on, 3593; resistance to, in Myzus persicae, 3613; persistence of residues of, in strawberry, 3832; against Sciara annulata, 3860; toxic effect on honey bees of combs

exposed to vapour from, 3877; method for estimating susceptibility of Costelytra zealandica to granules of, 3885; against Callosobruchus chinensis, 3925; not effective in sprays against Aphis gossypii, 3940; against Spodoptera littoralis, 3966, 3967; daily rhythms of activity of insects and susceptibility to, 4121

Dichocrocis punctiferalis, parasites attacking, 1906; damaging Macadamia in Queensland,

3313

Dichopelmus notus, on Ilex paraguensis in Paraguay, 3824

Dicladocerus westwoodii, parasitising Zeiraphera diniana on larch in Switzerland, 458

Diclidophlebia, distribution of species of, in

Southern Nigeria, 1412

Diclidophlebia eastopi, effect of shade on rate of infestation of Triplochiton scleroxylon by,

in Nigeria, 3981

Diclidophlebia harrisoni sp.n., description of, on Triplochiton scleroxylon in Nigeria, 3980; effect of shade on rate of infestation of Triplochiton scleroxylon by, in Nigeria, 3981

Dicofol, ethion not usually mixed with, against mites, 58; against pest complex attacking sesame, 90; with carbaryl, toxicity of, to cotton, against cotton pests, 96; Drosophila melanogaster as test organism for screening of, 100; Tyrophagus casei not sensitive to, 101; toxicity of, to strains of Metaseiulus occidentalis, 622; in sprays against Tydeus vitis, 713; in sprays against Tarsonemus pallidus, 1139; as emulsion concentrate and wettable powder against Tenuipalpus pacificus, 1232; in sprays against Eriophyes pyri, 1319; against Neotetranychus rubicola, 1514; plastic-lined containers reducing toxicity of, to rust mites, 1696; effect of, on reproductive potential of Tetranychus telarius, 1769: toxicity of, to honey bees, 2063; against Phyllocoptruta oleivora, 2065; in sprays against Tetranychus telarius, 2450; against Tetranychids, 2577; controlling fungus infection of coffee beans, 2833; against Oligonychus ilicis, 2879; against Panonychus ulmi, 3111; in sprays against Tetranychus telarius, 3205; against Tetranychus pacificus, 3234; against mites, 3317, 3378, 3567

Dicrodiplosis (possibly D. coccidarum), preying on Unaspis citri in Venezuela, 982

Dicrotophos, in trunk injections against Pyrrhalta luteola, 191; against Sitona cylindri-collis, 208; compatibility of fungicides with, against pests of plum, 280; cholinesterase inhibition by, in Tribolium castaneum, 648; in sprays against Anuraphis helichrysi, 872; spraying split-bole traps with, against Scyphophorus interstitialis, 1066; applied in bands around stems against mealybugs, 1080; against Thrips tabaci, 1408; effect of, on reproductive potential of Tetranychus telarius, 1769; against Hypsipyla grandella, 2488; toxicity of, to beet weevils, 3128; trunk injections with, against Scolytus multistriatus, 3220; against Schizaphis graminum, 3236; trunk application of, against Fiorinia theae, 3717; trunk injection with, against insects, 3892; in sprays against aphids, Empoasca sp.

and Tetranychus telarius, 3942; residues of in olives and olive oil, 4009 dictyospermi, Chrysomphalus

Dicumarol (see 3,3'-Methylene-bis-(4-hydroxy) coumarin))

2,3-Dicyano-1,4-dihydro-1,4-dithiaanthranul none, not toxic to Trichogramma cacoecias

Diditin (see DDT) didymator, Hyposoter

Didymuria violescens, development of egg of 1565; in forests in Australia, 3019

Dieldrin, metabolism in rat of photo-isomerisa tion product of, 33; in baits, dusts and spraye against Chrotogonus trachypterus, 71; i sprays against *Oedaleus senegalensis*, 71 against *Diaphorina citri*, 74; treatment storage receptacles with, 75; in soil drenchd against termites, 89; against insect pests of soy bean, 92; residues of, in soil and sugara beet, 142; resistance to, in Hylemya platura, 195; favourable effect of soil treatment with on beet plants, 278; effect of, on maize, seen treatment with, against Agriotes sputator and A. ustulatus, 288; conversion of aldrin to, b subcellular components of pea plants, 331 against Miramella alpina, 438; effect of Mucor alternans on persistence of, 638; us of, in measuring control of Panonychus ulms by Amblyseius fallacis, 645; soil treatment with, against Lachnosterna consanguined 657; treatment of spruce slash with, against Scolytids, 711; reaction of Drosophin melanogaster to Leptinotarsa decemlineate treated with, 722; against Hylemya brassica: Drosophin residues of, in cauliflower, 728; in sprays against Tipula spp., 787; in drenches and dir against Hylemya brassicae, 799; effect c temperature and humidity on contact toxici of, to Tribolium castaneum, 858; effect of, c eggshell thickness in ducks, 880; effectivene of, against Scyphophorus interstitialis, 106-1065, 1066; in baits against Phoracanti's semipunctata, 1081; in sprays and as wettab powder against Chrysobothris mali on fra trees in California, 1234; repellent effect of against ant removal of pasture seeds, 1310) in emulsion sprays, applied to lac sticks, i tests for the control of Eublemma amabiliand Holcocera pulverea, 1362; emulsion com centrate and wettable powder, used against Mesomorphus villiger, Opatroides frater am Scleron latipes damaging tobacco seedling in India, 1368; in emulsion spray, again Sinoxylon spp. attacking trees in W. Pakistan 1376; against Tanymecus dilaticollis, 1499 against Lixus juncit, 1516; movement of through soils, 1525, 1526; residues of, i quail, earthworms and soil, 1690; toxicity of to Tapinoma sessile, 1758; soil treatment with, in granules against Conotrachelus hicoriae, 1784; effects of sub-lethal doses of on Dysdercus fasciatus, 1876; critical blooms levels in dogs for intoxication with, 1914 distribution of, in milk fractions, 1974 1974 against Thrips tabaci, 2048; persistence of, i ti sprays against Ceratitis 20660 capitata, against Cydia tricentra, 2103; against Copte 9 termes spp., 2212; in eggs of hens fed with

ontaminated feed, 2318; radioactive resimes of, in wheat, 2372; against larvae of Conoderus sp. and Lachnosterna cribrosa in exas, 2405; against strains of Amphimallon ajalis, 2422; epoxidation of aldrin to, by "hlamydotheca arcuata, 2434; effectiveness of ranules of, against Hypera postica, 2441; gainst Ragmus importanitas, 2510; risks ising from persistent use of, in Britain, 1541; Psila rosae resistant to, 2654, 2655; educing uptake of fertiliser, 2688; persistence if, in soils, 2758; susceptibility of Coptormes formosanus to, applied to soil, 2778; vitro metabolism of, during midgut peneation, 2870; bioassay of residues of, with *fusca domestica*, 2964; metabolism of, in it, 3009; validity of using soil fortification ith, to measure solvent extraction efficiency, 015; labelled with ¹⁴C, 3015, 3016; factors fecting extraction of, from soil, 3016; treatent of soil and timber with, against termites. 025; soil treatment with, against Cerambyx ux, 3043; seed treatment with, in dusts gainst Gryllotalpa gryllotalpa, 3090; epoxiation of aldrin to, by pea root preparations, 182; carbon reducing uptake of, from soil, 214; soil treatment with, against Curculio iryae, 3244; persistence of soil treatment ith, against Reticulitermes, 3245; in sprays gainst Pheidole megacephala, 3308; effeceveness of, in preventing emergence of nobium punctatum from wood, 3530; ncorporated into carpet yarns during dyeing, 538; against Cosmopolites sordidus, 3723; sidues of, in bays and estuaries, 3728; sidues of, in river sediment and water, 729; residues of, in soil, 3732; residues of, h plants, 3732, 3735; residues of, in eagles, 739; residues of, in fish, 3740; residues of, a soil and plants, 3742; residues of, in seals, 744; residues of, in pheasants, 3749; residues f, in fish, 3750; penetration of, through isolited midgut of insects, 3786; in glue for rotection of plywood panels, 3862; against Sallosobruchus chinensis, 3925; effect of, on fultures of insect cells, 3992; movement of, a soil, 4087; effect of temperature on action If, on Sitophilus granarius, 4126 ectric Heating, to free mangoes from sternochetus mangiferae, 1763 menalis, Lamprosema Isel Oil, against Dendroctonus spp., 150

soline, repellent effect of, against ant

emoval of pasture seeds, 1316

t, sterols in, for larvae of Drosophila melanoaster, 1241; artificial, for Myzus persicae, 242; Cerambycidae reared on artificial, 1271; inthetic, for Schizaphis graminum, 2325; ontaining dyes, for tagging larvae of Pectinohora gossypiella, 2760; for Anthonomus randis containing bisulfan as chemosterilant,

thion (see Ethion)

Diethoxyphosphinylimino)-1,3-dithiolane, in prays against Agrotis orthogonia, 1719; prays of, against Schizaphis graminum, 2403; gainst Hylemya brassicae, 2459 thquinalphione (see O,O-Diethyl

(uinoxalyl Phosphorothioate)

Diethyl 1-Acetyl-1-carbethoxymethylphosphonate, against Trialeurodes vaporariorum and Myzus persicae on peppers, effect of soil applications of, on Bucculatrix thurberiella and Estigmene acraea, 2705

O,O-Diethyl S-Benzyl Phosphorothioate, toxi-

city of, to honey bees, 3344

O,O-Diethyl O-2-(sec.-Butoxymethylthio)ethyl Phosphorothioate, toxicity of, to Tephritids, 1694

O,O - Diethyl O - 2 - Chloro - 1 - (2,5 - dichlorophenyl)vinyl Phosphorothioate, toxicity of, to Otiorhynchus ovatus, 668

O,O-Diethyl S-2,5-Dichlorophenylthiomethyl Phosphorodithioate (see Phenkapton)

O,O-Diethyl S-Ethoxycarbonylcarbamoylmethyl Phosphorodithioate, toxicity of, to

Tephritids, 1694 O,O-Diethyl S-2-(Ethylsulphonyl)ethyl Phosphorodithioate, resistance to, in Myzus persicae, 3613

O,O-Diethyl S-Ethylsulphonylmethyl Phosphorodithioate, persistence of, in soils and carrots, 4097

Diethyl 2-Isopropyl-4-methyl-6-pyrimidinyl Phosphate, effect of, on esterase activity in Chilo partellus, 3776

O,O-Diethyl O-4-Methylsulphonyphenyl Phosphorothioate, toxicity of, to rats, 3882; residues of, in lactating cattle, 3884

O,O-Diethyl O-Naphthalimido Phosphorothio-

ate, toxicity of to Tephritids, 1694 O,O-Diethyl Phosphorothioate O-Ester with 6-Hydroxy-3(2H), pyridazinone, toxicity of, to Tephritids, 1694

O.O-Diethyl Phosphorothioic Acid, phoxim

degraded to, in insects and mice, 2871 O,O-Diethyl O-(2-Quinoxalinyl) Phosphorothioate, effectiveness of, against Ascotis selenaria reciprocaria, 1067

O,O-Diethyl O-2-Quinoxalyl Phosphorothio-

ate, in guide to new compounds, 2557
2-Diethylaminoethyl 2,2-Diphenyl-n-pentanoate, as synergist, effect on potency and metabolism of insecticides in *Tribolium* castaneum, 464

β-Diethylaminoethyl Diphenylpropylacetate Hydrochloride, effect of, on aldrin in pea

plants, 331

Diethyleneglycol Monobutyl Ether, attractiveness of, as trail-laying substance, to termites, 2303; in aerosols against Choristoneura occidentalis, 2796

Diethyleneglycol Monoethyl Ether, attractiveness of, as trail-laying chemical, to termites,

Digitaria, in pastures infested by Plectris aliena in New South Wales, 515; Antonina graminis on, in Paraguay, 2034

Digitaria decumbens, Antonina graminis on, in Paraguay, 2034; Aeneolamia selecta on, Brazil, 3845; Cercopids on, in Brazil, 3846

Digitaria pentzii, Antonina graminis on, in Brazil, 2019

digitatus, Oligonychus

Diglyphus begini, seasonal abundance of, as parasite of Liriomyza spp. on lucerne in California, 647

Diglyphus pulchripes, parasitising Agromyza in Massachusetts, 198

dignus, Apanteles

Dihydrocholesterol, ability of to replace cholesterol in diet for Drosophila melanogaster, 1241

5,6-Dihydro-5,6-dihydroxy-1-naphthol Methylcarbamate, as metabolite of carbaryl in urine

and milk, 3017

2.3-Dihydro-2.2-dimethylbenzofuran-7-yl Methylcarbamate (see Carbofuran)

6,7-Dihydroisodrin, metabolism of, by microsomes and Spodoptera eridania, 2873

Dihydroterpinyl Acetate, attractancy of, to Anthonomus grandis, 1710

Dihydroxyacetone, repellency of, to Hylemya brassicae, 41

(—)-3,4-Dihydroxy- α -((methylamino)methyl)benzyl alcohol, effect of, in diet on development and fecundity in Heliothis spp., 619

O,O-Diisopropyl S-Ethylsulphinylmethyl Phosphorodithioate, persistence of, in soil, 1527 Diisopropyl Fluorophosphate, effect of, on esterase activity in Chilo partellus, 3776 Dikarbam (see Carbaryl)

Dikraneura, on soy bean in Mississippi, 1771

dilaticollis, Tanymecus

Dimecron (see Phosphamidon)

Dimethirimol (see 5-Butyl-2-dimethylamino-4-

hydroxy-6-methylpyrimidine)

Dimethoate, against mites, 58; in sprays against Rhopalosiphum erysimi, 68; against Ferrisia virgata, 86; toxicity of, to honey bees, 105; soil treatment with, against Epilachna varivestis, 161; in soil drenches against Pyrrhalta luteola, 191; against Cydia funebrana, 276; compatibility of fungicides with, against pests of plum, 280; resistance to, in Myzus persicae, 299; in sprays against Aonidiella aurantii, 350; safety period for cherry after treatment with, against Rhagoletis cerasi, 445; in sprays against bean pests, 610; soil treatment with, against *Panonychus citri*, phytotoxicity of, to orange, 637; in sprays against Tydeus vitis, 713; in sprays against Quadraspidiotus perniciosus, 714; effect of on apple, 714, 715; effect of, on plum, 715; in sprays against *Anuraphis devecta* and *A. plantaginea*, 739; resistance to, in *Panonychus* 791; in sprays against aphids, formulations of, against Hylemya brassicae, 801; against Rhynchophorus ferrugineus, 868; in sprays against Anuraphis helichrysi, 872; against insect pests of cotton, 873; in sprays against Lepidosaphes ulmi, 901; against Rhagoletis pomonella, 902; aerial application of, in sprays against Heliothis armigera, Diparopsis castanea and Earias spp., 1055; in sprays against Phthorimaea operculella, 1057; effectiveness of, against Scyphophorus interstitialis, 1065; applied in bands round stems against mealy bugs, 1080; against Aonidiella aurantii, 1089; against Edwardsiana spp., 1100; in sprays against Cydia funebrana, residues of, on fruits, 1104; in dusts and sprays against Dacus oleae, 1118; in sprays against Tarsonemus pallidus, 1139; with herbicides, against Rhopalosiphum padi, 1163; residues of, in carrots, 1164; against Pectino-

phora gossypiella, 1443; against Tanymecun dilaticollis, 1495; effect of, on Anthocoris sppo 1523; persistence of, in soil, 1527; in spraya against *Orosius argentatus*, 1561; effect o Myzus persicae of resistance to, 1646; effect of, in seed dressings and dips on germination of rice seeds and on mortality of Nephotettu impicticeps, 1750; in sprays against Myze persicae and Macrosiphum euphorbiae, 2022 against Macrosiphum pisum, 2033; persir tence of, in sprays against Ceratitis capitate 2066; against Ceratitis capitata, 2067; sprays against Ceresa bubalus, 2087; against Schizaphis graminum, 2403; against Clivist impressifrons, 2416; against Pemphigus popo litransversus, 2444; in sprays against Tetrang chus telarius, 2450; against Hypsipyla gran della, 2488; with white oil emulsion, againi Unaspis yanonensis, 2611; effect of sos applications of, on Bucculatrix thurberield against Tetranychus cinnabarinus, Trialeuroa vaporariorum and Myzus persicae, 270/ toxicity of, to predacious arthropods, 278/ against Myzus persicae on Capsicum, 2808 in sprays against Ceratitis capitata, 3000 against rice pests, 3042; against Ceramb dux, 3043; in sprays against Cnaphalocrosmedinalis, 3085; in sprays against Helioth armigera, 3093; toxicity of, to eggs of Tetr nychus telarius, 3108; in bait sprays agair. Dacus oleae, 3134; against Erythroneus elegantula, 3234; against Schizaphis gran num, 3236; against Taeniothrips nigricornal Tetranychus spp., 3317; against lucers pests, 3319; in sprays against Taeniothru simplex, 3320; against Oligonychus coffee 3378; in sprays against *Pineus* spp., 3395; bait-sprays against *Dacus oleae*, 3410; sprays against lucerne pests, effect of, lucerne yields, 3449; in sprays against Daco oleae killing eggs and larvae of Opius color, 3490; against mites, 3567; in ba sprays against Ceratitis capitata, resistance to, in Myzus persicae, 3613; truapplication of, against Fiorinia theae, 371 against Neophyllaphis podocarpi, 3723; sprays against Ceratitis capitata and Anasty pha spp., 3831; persistence of residues of, strawberry, 3832; in sprays against aphi Empoasca sp. and Tetranychus telarius, 39 in sprays against Aphis fabae, 3950; toxicio of, to Coccinella septempunctata, 4119; tot city of, to primary and secondary apli parasites, 4127; toxicity of, to Chryscon carnea, 4128; and fertiliser, soil treatments with, 4145 O-5,6-Dimethyl-2-pyrazik

O,O-Dimethyl Phosphorothioate, toxicity of, to Otiorhylchus sulcatus, 668; effectiveness of, agaia. Sciopithes obscurus, 679

O,O-Dimethyl S-(2-Ethyl-sulphinyl-1-methyl ethyl Phosphorothioate, toxicity of, to how bees, 102, 105; resistance to, in Tetranycold

kanzawai, 1333

O,O-Dimethyl S-(1-n-Hexanoylhydanto 3-yl)methyl Phosphorothioate, again Erythroneura elegantula and Tetranyca pacificus, 3234

Ji-Dimethyl Isopropoxycarbamoyl Phos-:ate, seed treatment with, against Bothynores punctiventris, 3128

2-Methoxycarbonyl-1-methylvinyl vethyl

osphate (see Mevinphos)

.i.Dimethyl O-((2-Methoxy-5-oxo- Δ^2 -13,4-thiadiazdin-4-yl) methyl) Phosphoroloate, as derivative of methidathion in ants, 3215

nethyl cis-1-Methyl-2-methylcarbamovlhyl Phosphate (see Monocrotophos)

Dimethyl O-3-Methyl-4-methylsulphinylenyl Phosphorothioate (see Fenthion (lphoxide)

nethyl 3-Methyl-4-nitrophenyl Phosphate, ritermination of residues of, in crops, 4100 II-Dimethyl O-p-Methylsulphinylphenyl posphorothioate, in sprays against Heliothis strescens, 1747

.ethyl 4-Methylthiophenyl Phosphate, in (rays against cotton insects, 189; against

stona cylindricollis, 208

ii-Dimethyl O-(4-(Methylthio)-m-tolyl) chosphorothioate, against rice leafhoppers,

. rethyl p-Nitrophenyl Phosphate, deterination of residues of, in crops, 4100

rethyl Phosphate, degradation of dichlorvos L on stored wheat grains, 465

. Dimethyl Phosphoramidothioate, vrays against Keiferia lycopersicella, 608; e of, against Homoeosoma electellum, 2391 tainst Pemphigus populitransversus, 2444; tainst Hypsipyla grandella, 2488; against epidoptera, 2886

i-Dimethyl Phosphoric Acid, as metabolite fenitrothion and bromophos, 464

i-Dimethyl Phosphorodithioate S-Ester with --(2-Bromo-1-mercaptoethyl)phthalimide, in ps against Aculops pelekassi, ineffective in ps against Phyllocopruta oleivora, 591

i-Dimethyl Phosphorothioic Acid, as metaplite of fenitrothion and bromophos, 464 Dimethyl S-Sulphonylbenzene Phosphorothioate, soil treatment with, against Rhizoyphus echinopus and nematodes, 1128

ethyl Sulphoxide, not improving toxicity of secticides to Anthonomus grandis, erilising effect of, on aphids and moths, 300;

ith dimethoate, 3717 nethyl 2,2,2-Trichloro-1-n-butyryloxy-

hylphosphonate (see Butonate)

Dimethylamino)methylene)amino)-m-tolyl Hethylcarbamate Hydrochloride, otton insects, 189; against Eotetranychus irpini borealis, 597; against Pemphigus 2444: Myzus against opulitransversus, ersicae, 2804; against Lepidoptera, 2886

nethylbenzylcarbinyl Acetate, attractiveness

f, to Vespula spp., 254

nethyl

Dimethyl-6-chlorophenyl Methylcarbamate,

gainst Homoptera, 2635

3,3-Dimethyl- \(\Delta^{1\alpha}\)-cyclohexaneacetaldehyde, s sex attractant in Anthonomus grandis, 486 15-3,3-Dimethyl- \Delta^1'\alpha-cyclohexaneacetaldeyde, as sex attractant in Anthonomus randis, 486

3,3-Dimethyl- Δ^{1} ' β -cyclohexaneethanol, ex attractant in Anthonomus grandis, 486 1,5-Dimethyl-6,8-dioxabicyclo[3,2,1]octane use of, in managing populations of *Dendroc*tonus brevicomis, 139; response of Dendroctonus pseudotsugae to, 365; Thanasimus dubius following aggregations of Dendroctonus frontalis in response to release of, 578; as attractant for Dendroctonus frontalis, 882; inducing aggregation of Dendroctonus frontalis, 966; as attractant produced by Dendroctonus frontalis and D. brevicomis, 1533; response of Dendroctonus brevicomis to. 2766; responses of Dendroctonus frontalis to,

1057

Dimethyldithiocarbamates. insecticidal and acaricidal effects of, 1588

p-(1,5-Dimethylhexyl)benzoic Acid, iuvenile hormone activity of derivatives of, 307

3,4-Dimethylphenyl Methylcarbamate, against Laodelphax striatella and Nephotettix cincticeps, 2500; in tests against rice leafhoppers, 2504; against planthoppers and leafhoppers, 2635

3,5-Dimethylphenyl Methylcarbamate, against Laodelphax striatella and Nephotettix cincti-

ceps, 2500

(4'-Dimethyltriazeno)acetanilide, effectiveness of, as deterrent against Agriotes spp., 808

Dimetilan, in bait-sprays against Dacus oleae, 3410; residues of, in olives and olive oil,

Dimmockia (see Sympiesis)

Dimytracus, on olive in Greece, 3979

Dimytracus athiasella, on olive in Greece, 3979 dimidiatus, Carpophilus; Phytocoris; Tyrophagus (see T. similis)

Dimite (see Chlorfenethol)

Dinarmus acutus, as parasite of Bruchus brachialis, 2331

diniana, Zeiraphera

4,6-Dinitro-o-cresol, effect of, on biotic potential of Coccus hesperidum on Citrus, 2414 2,4-Dinitrophenol, effect of, on biotic potential

of Coccus hesperidum, 2414

Dinocap, against *Panonychus ulmi* and *Brevipalpus lewisi*, **296**; effectiveness of, in sprays against mites, **297**; toxicity of, to strains of Metaseiulus occidentalis, 622; against Panonychus ulmi, 791; toxicity of, to Trichogramma cacoeciae, 1137; effect of, on mite populations in orchards, 2577; applied to apple, 3904

Dinoseb, in sprays against Ceresa bubalus, 2087

dinota, Tortrix

Dinozol 50 (see DNC-ammonium)

1,3-Diolein, from mushroom as attractant for Musca domestica, 1599

diophthalmus, Tectocoris

Diopsis, on rice in West Africa, 3956

Diopsis apicalis, on rice in West Africa, 3956

Diopsis collaris, on rice in Senegal, 3956

Diopsis tenuipes, as synonym of D. apicalis, 3956

Diopsis thoracica, on rice in West Africa, 3956 Diorhabda elongata, first record of, in Bulgaria,

Dioryctria, in cones of Pinus echinata, in Georgia, 1228

Dioryctria abietella, damaging cones of spruce in Soviet Union, 1485; on fir in Greece, 3466

Dioryctria abietella (auct.) (see D. abietivorella) Dioryctria abietivorella, rearing successive generations of, on artificial media, 382; aseptic method for rearing on artificial medium, 1944; pupation and emergence behaviour of, 3689

Dioryctria amatella, in cankers caused by Cronartium fusiforme on pine in Georgia. 1687; damaging pine cones, in Mississippi, 2367; biology of, on pines in Georgia, 2460 Dioryctria banksiella, sp.n., on Pinus banksiana in North America, 907

Dioryctria baumhoferi, D. pentictonella sp.n. related to, 908

Dioryctria cambiicola, description of, recorded from pine in North America, 907

Dioryctria clarioralis, not occurring in fusiform cankers on pine in Georgia, 1687

Dioryctria contortella sp.n., on Pinus contorta

in North America, 907

Dioryctria disclusa, affecting cone crops of Pinus resinosa in seed-production areas in U.S.A., 1786

Dioryctria mendacella, infestation and control

of, on Pinus pinea in Spain, 4027

Dioryctria monticolella sp.n., on Pinus monticola

in British Columbia, 907

Dioryctria okanaganella sp.n., recorded from old pitch masses caused by D. cambiicola or in old swellings of blister rust on Pinus ponderosa in North America, 908

Dioryctria pentictonella vancouverella subsp.n., on pine in British Columbia, 908

Dioryctria pentictonella sp.n., attacking Pinus ponderosa in British Columbia, 908

Dioryctria ponderosae, D. okanaganella sp.n. related to, 908

Dioryctria schuetzeella, bionomics of, in Soviet

Union, 1485 Dioryctria tumicolella sp.n., on Pinus ponderosa

in North America, 907

Dioryctria zimmermanni, Dioryctria spp. confused with, 907; not occurring in fusiform cankers on pine in Georgia, 1687

Diospyros kaki, Xylosandrus germanus on, in Japan, 1024; effect of, on haemolymph proteins of, larvae of *Hyphantria cunea*, reared on, 2634; *Allotropa* sp. parasitising

Planococcus kraunhiae on, in Japan, 3072 Dioxacarb, in sprays against Mirids, 3959, 3960 Dioxathion, Drosophila melanogaster as test organism for screening of, 100; toxicity of, to honey bees, 105, 106; plastic-lined containers reducing toxicity of, to rust mites, 1696; in sprays against *Phyllocoptruta* oleivora, 2065

4,4'-Dioxy- α,β -diethylstilbene (see Stilbestrol) Diparopsis castanea, effects of organo-metal compounds and insecticides on, 857; sprays against, on cotton in Rhodesia, 1054, 1055; insecticides to determine damage by, to cotton in Mozambique, 1061; nematode parasite of,

Diparopsis tephragramma, bionomics of, on cotton in Angola, 3953

Diplopoda, descriptions and bionomics of species of, in India, 1372 Diplura, on St. Helena, 3964 Diprion (see also Gilpinia)

Diprion pini, soil fertilisers protecting fore trees against, in Germany, 3438

Diprion similis, abnormal leg development of caused by photoperiod, 535; parasitised levelophus basizonus in Canada, 299 Picromerus bidens preying on, in New Hami shire, 3668

diprioni, Peckelachertus

Diprionines, parasitism of, in North America 743

Dipropyleneglycol, tested as trail-laying sus stance for termites, 2303

Diptacus gigantorhynchus, on pome fruits s Soviet Union, 3095

Diptera, incidence and control of, on lucernent India, 88; biology of, parasitic on Acridical 338; preying on bark beetles in Finlard 1625; Macrocheles spp. preying on, in G3 many, 1835; catalogue of, south of Unin States, 2013; book on parasitic, 231 Scandinavian and Atlantic elements in, western Carpathians, 2584; new data aquatic spp. of, in Czechoslovakia, 25% cataloguing of, of Czechoslovakia, 254 corrections to catalogue on, of America no of Mexico, 2949; on maize, 3152; in Yuan slavia, 3157; preyed on by sawflies, 3577 Dipterex (see Trichlorphon)

dirhodum, Macrosiphum

Dirphia plana, damaging Pinus occidentalisi Dominican Republic, 3979

dirshi, Chorthippus

Dirshidium, gen. et sp.n., from South Afrill

Disaccharides, effect of, on feeding in Costely zealandica, 3871

discedens, Lyctus

Discestra trifolii, effect of temperature development of, on clover in U.S.S.R. disciger, Helopeltis bergrothi disclusa, Dioryctria

Discodes aeneus, as parasite of Eulecanum prunastri, 1513 discoidalis, Blaberus discoidea, Amphix

discoideus, Chilocorus disjuncta, Hypoaspis disjunctus, Popilius

Disonycha glabrata, damaging Passiflora qui rangularis in Venezuela, 2831

dispar, Lymantria disparis, Anastatus dissentanea, Aspidomorpha dissimilis, Tanytarsus dissimulatum, Monalonion disstria, Malacosoma

disstriae, Glugea Distantiella, insecticides against sp. of,

cacao in Ivory Coast, 3960

Distantiella theobroma, infestation and natul enemies of, on cacao in Ghana, 10 10 bionomics and rearing of, 1813; assessman of chemicals for control of, on cacao in W Africa, 2288; on cacao in Ghana, 22 carbaryl against, on cacao in Ghana, 229: Disteniidae, from Laos, 1351

distigma, Chilo; Chilocorus distinguenda, Empoasca

distinguendus, Anactinothrips; Lariophagus

lfoton, polarography of, 4; soil treatment th, against tobacco pests, 141; soil treatent with, against Epilachna varivestis, 161; sgranules against Fenusa pusilla and Aphis raecola, 157; soil treatment with, in anules against pests of beans, 610; in ays against Schizaphis graminum, 624; in "ays against Eriophyes insidiosus, 627; ect of soil type on efficacy of, in granules ainst Macrosiphum pisum, 636; soil treatent with, against Panonychus citri, 637; soil atment with, against Lachnosterna connguinea, 657; soil treatment with, against la rosae, 802, 803; soil treatment with. ainst Cavariella aegopodii, 803; in granules ainst aphids, 980; soil treatment with, in unules against Cyclocephala signaticollis, vterogomphus pauson and Graphognathus Vcoloma, 989; applied in bands round stems ainst mealybugs, 1080; against Tanymecus vaticollis, 1495; effect of, in sprays and unules against new biotype of Schizaphis iminum and other insects, 1743; trichome Eldates transporting soil applications of, to of surfaces in Nicotiana spp., mortality of in-phytophagous insects on tobacco grown Isoil treated with, 1780; soil treatment with, effective against Conotrachelus hicoriae, 84; in granules against Thrips tabaci, 2048; 11 and seed treatments with, in granules ainst Tetranychus telarius, 2088; toxicity of,

livestock, 2106; against Contarinia hicola, 2380; against Schizaphis trghicola, 2380; against Schizaphis uminum, 2403; effect of, on growth and ld of burley tobacco, 2404; effect of, on trasitism of Manduca sexta and Heliothis escens, 2409; against Clivina impressifrons, 16; granules of, against Pemphigus populi-'nsverus, 2444; against Mylabris pustulata, 20; action of, on Laodelphax striatella, 80; against Trialeurodes vaporariorum and syzus persicae, 2705; effects of, on beneficial d destructive insects on tobacco, 2738; ricity of, to predacious arthropods, 2781; furrow treatments of, against Rhopalo-hum rufiabdominalis, 3062; in granules ainst aphids, 3078; effect of, in seed treatents on cotton, 3173; in granules against 3232; Schizaphis against wperodes, aminum, 3236; in granules against Epitrix tipennis, 3258; soil treatment with, in anules against aphids, 3446; effect of, on rghum yield, resistance to, in Myzus rsicae, 3613; against Myzus persicae and vicauta atomaria, 3847; soil application of, ainst Brevicoryne brassicae and other hids, effect of, on seed yield in rape, 3881; ainst Maliarpha separatella, 3958

Ifoton Sulphone (see O,O-Diethyl S-2thylsulphonyl)ethyl Phosphorodithioate)

ston (see Disulfoton) tane (see Nabam)

ane M-22, effect of, on mite populations,

ane M-45 (mixture of maneb and zineb), r protection of potato against fungi, 2022; th insecticides against Costalimaite ferginea, 2832

Dithianon (see 2,3-Dicyano-1,4-dihydro-1,4dithiaanthraquinone)

β,β'-Dithiocyanodiethyl Ether (see Lethane 70) Diversinervus elegans, parasitised by Cheiloneurus noxius, 2348

divulsana, Merophyas

DMSO (see Dimethyl Sulfoxide)

DNC, in sprays against Tydeus vitis, 713; in sprays against Ceresa bubalus, 2087; against Myzus persicae, 2610; against Yponomeuta padellus malinellus, 3471

DNC-ammonium, against Hyalopterus amygdali, Myzus varians and Anarsia lineatella, 289 Dociostaurus curvicercus, stridulation by, in relation to hormonal termination of repro-

ductive diapause, 393

Dociostaurus maroccanus, in Armenia, 1471; on cereal crops in Turkey, 2084 Dock, Curly (see Rumex crispus)

Dodder (see Cuscuta)

Dodecachlorooctahydro-1,3,4-metheno-2Hcyclobuta[cd]pentalene (see Mirex)

dodecastigma, Epilachna (see E. duodecimpunctata)

cis-3, cis-6, trans-8-Dodecatrien-1-ol, as attractant for termites in pine wood, 757

dodecella, Exoteleia

cis-7-Dodecen-1-ol Acetate, attractiveness of isomers and congeners of, to males of Trichoplusia ni, 119; response of females of Trichoplusia ni to, 2182

cis-7-Dodecenyl Acetate, in traps for Tricho-

plusia ni. 386

cis-8-Dodecenyl Acetate, sex pheromone extracted from Cydia molesta identified as, Cydia prunivora and C. packardi attracted to,

trans-8-Dodecenyl Acetate, Cydia prunivora and C. packardi attracted to, 36

Dodecyl Acetate, trap baited with, for control of Argyrotaenia velutinana, 147

n-Dodecylguanidine Acetate, not toxic to Trichogramma cacoeciae, 1137; effect of, on mite populations, 2577

Dodine (see n-Dodecylguanidine Acetate) Dog, critical blood levels in, for dieldrin intoxication, 1914; effects of DDD and DDT on adrenocortical steroids in, 2107

Dogbane (see Apocynum cannabinum)

dohrni, Fenusa

Dolicholabis lantanae, on Manihot esculenta in Surinam, 1278

Dolichomitus (see Ephialtes)

Dolichos lablab, effect of, on bionomics of Aphis craccivora, 493; attacked by Plodia interpunctella, 495; Melanagromyza bonavistae sp.n. on, in Uganda, 1885; attempt to rear Lysiphlebus testaceipes in Aphis craccivora on, 2514

Dolycoris baccarum, properties of salivary amylases of, 42; on berry-fruit bushes in Soviet Union, 3571

domestica, Musca; Thermobia domesticus, Acheta; Glycyphagus domina, Epuraea

dominica, Rhyzopertha

Dominican Republic, pests of pine in, 3979

Dominon (see Pyrethrins)

donacis, Aphis

dorci, Lipotropha

Dorcus parallelipipedus, parasitised by Lipotropha dorci sp.n. on chestnut in France, 2147 dorsalana, Argyrotaenia

dorsalis, Anaeolopus; Dacus; Recilia

dorsatus, Chorthippus

Doru, preying upon Mahanarva posticata, on sugar-cane in Brazil, 1283

Dorylus labiatus, a new record of, preying upon Microtermes mycophagus in Rajasthan, 1364 Dorysthenes hugellii, attacking fruit in India, 3365

DB (see Diethyleneglycol Mono-Dowanol butyl Ether)

TPM (see Tripropyleneglycol Dowanol Monomethyl Ether)

Draeculacephala balli, on soy bean in Missis-

sippi, 1771 Draeculacephala mollipes, maize dwarf mosaic virus not transmitted by, bionomics of, in

Kentucky, 377

Draeculacephala portola, on maize in South Carolina, 1221; on soy bean in Mississippi,

dregii, Calidea

Drepanonychus, from native plants in Queens-

land, 521

Drepanosiphum platanoides, population dynamics of, in Britain, 1153; quality and availability of food for, on sycamore in Britain, 2160; stabilisation of populations by aphidinduced plant factor, 2182; effect of, on growth of sycamore in Scotland, 2659; Anthocoris nemorum and A. confusus as predators of, in Britain, 3984; aggregation in, on sycamore in Britain, 4081; Adalia bipunctata as predator of, in Britain, 4085

drewseni, Ibalia

Dreyfusia (see Adelges)

Dri-Die, containing ammonium fluosilicate, 93 Drino, parasitising larvae of Heliothis armigera, 1205

Drione, constituents of, and test with, against grain pests, 93

drori, Typhlodromus

Drosicha dalbergiae, on fruit trees in India, 3082 Drosicha mangiferae (see D. stebbingi)

Drosicha stebbingi, bionomics and natural enemies of, on Citrus, mango, guava and fig in India, 2671; banding materials for control of, on mango in India, 3384

Drosophila, genetic evidence for structure of dehydrogenase of, 475; use of, in estimating dieldrin residues in cauliflower, 728; species of, in New Guinea and Sabah, 2226; insecticides against, in dumps of waste fruit in California, 3202; cultures infested 3221; abnormal sex ratio in, 3917

Drosophila euronotus, haemocytic reactions of larvae of, against Pseudeucoila bochei, 1381 Drosophila melanogaster, use of, in bioassay of insecticide residues on rape in India, 62; as test organism for screening acaricides, 100; variation for metrical characters in, 324, 325, 327; emergence and metabolic rhythm in, 414; quantification of choline utilisation in, 575; reaction of, to Leptinotarsa decemlineata treated with dieldrin, 722; sigma virus multiplication in whole-animal culture : 973; utilisation of sterols by larvae of, 120 nutritional requirements for longevity 1246; nutritional requirements of, 15 anaesthesia of, with Freon-12, 1760; effects juvenile hormone on adult differentiation 2177; inhibition of defense reaction in adu of, parasitised simultaneously by Pseuda coila bochei and P. mellipes, 2216; rearing on fermented cassava, 2244; Dyfon Dyfonb against, 2427; bioassay of leaf extracts with 2488; effects of metepa and tretamine 2763; effects of metepa and tretamine adult males of, in California, 2776; use of assay of fenthion residues, 3133; virus-l particles in tissues of, 3268; relations between growth and ageing in, 3610; rates water loss and water and fat content of adu of, 3757; determination of malathion residi by bioassay with, 3921; effects of heat-state toxin of Bacillus thuringiensis on, 399 population fluctuations in, maintained laboratory, 4077

Drosophila pseudoobscura, environmental DI and genetics of, in California, 3607

Dryinids, parasitising Edwardsiana spp. Soviet Union, 1100

Dryocoetes autographus, infesting timber: Finland, 1625

Dryocoetes hectographus, bionomics of, 14 infesting timber in Finland, 1625

Dryophthorus perahuae sp.n., in Polynesia, II Dryophthorus rapaae sp.n., in Polynesia, 101 5,6-Dichloro-2-trifluoromet DTFB (see benzimidazole)

dubia, Lypha

dubiosus, Circulifer; Scarites dubius, Thanasimus

Duck, effect of dieldrin on eggshell thicknes 880; Tinea columbariella as pest of impofeathers of, 1135; insecticides in wings: 3737

dumetana, Pandemis duncansoni, Amblyseius

Dung, infested by Oryctes rhinoceros, ! Oryctes spp. reared on, 1086; rearing m of, for Oryctes spp., 1801; Megaselia scaon, in Egypt, 2701

Dung-rollers, of Pakistan, 1379

duodecimpunctata, Epilachna

duplana, Rhyacionia duplex, Pseudaonidia

Duplitox 5+3, in soil applications aga Agrotis ipsilon, 267; against Tychius fle 271; against Scrobipalpa ocellatella, phytotoxicity of, to beet crops, 278

Duplitox 167, against Scrobipalpa ocelland 272

Dupont 1642 (see Methyl N-(Carbamoyle) thioacetimidate)

Duranta, Aphis punicae on, seasonal abund of aphids and their predators on, in E! 2694

Duranta repens, as transitory food-plant Psylla pyricola, 117

Dursban, against Sitona cylindricollis, 208 treatment with, against Pleocoma spp., in sprays against Adelges piceae, 913 sprays against Ephestia cautella, 1

rinst Aphodius pseudotasmaniae in pastures Tasmania, 1295; in sprays against Oxyus fuscomaculatus in pastures in Tasmania, 17; in sprays against Oncopera intricata on ture and field crops in Tasmania, 1301; decomposing in diazinon-treated rice igation water, 1568; susceptibility to, in

decomposing in diazinon-treated rice gation water, 1568; susceptibility to, in sgoderma spp., 1717; not effective against seana spp., 1892; effectiveness of, against stelytra zealandica, 1893; against Clivina pressifrons, 2416; against larvae of Amphillon majalis, 2422; sprays of, on soil and er crop for control of Euxoa messoria, 15: against Hyperodes, 3232

5; against *Hyperodes*, 3232 m Wheat, rice yellow mottle virus transted mechanically to, in Kenya, 3952

co, distribution and settling rate of CO₂ppelled insecticides in, in aircraft, 1695
th Elm Disease (see Ceratocystis ulmi)

Ter (see Fentin Hydroxide)

**Cerambyx

Fluorescent, for marking cocoons of odiprion sertifer, 530; use of, for marking

sliothis zea, 2350

Inate, soil treatment with, in granules ainst Diabrotica spp., 644; toxicity of, to borhynchus sulcatus, 668; soil treatment h, ineffective against Otiorhynchus sulcus, 678; effectiveness of, against Sciopithes securus, 679; soil treatment with, in granules ainst wireworms, 1732; in sprays against liothis virescens, 1747; against Melanotus nnumis, 2370; against Clivina impressifrons, 16; against Diabrotica undecimpunctata wardi, 2426; persistence and movement of, soil, 2427; persistence of, in soils and rots, 4097

vistids, damage to palms by, 2041

phis (see Anuraphis)

ninetus gagates, attacking young cotton and

te in Brazil, 2021

Percus, carbaryl against, on cotton in Inzania, 91; malathion against, on cotton Middle East and Africa, 796

Vercus bimaculatus, on kapok in Venezuela,

17

Vercus fasciatus, effects of sublethal doses insecticides and diet and crowding on, 1876 vercus honestus, on kapok in Venezuela,

vercus intermedius, haemolymph proteins in course of development, 290

Mercus koenigii, insect-plants relationships termining susceptibility or resistance of lants to, 769; effect of sublethal dosages of IC on biology of, 2202

lercus longirostris, on cacao in Brazil, 3979 lercus maurus, damaging flowers and fruits Citrus, on kapok in Venezuela, 2017

lercus sidae, on cotton in New South Wales,

30 shii, Hemisarcoptes

E

, against *Phyllocoptruta oleivora*, 261 -Folidol (see Parathion)

forte (see Parathion)

Eagles, insecticide residues in, 3739

Eagles, Bald (see Haliaeetus leucocephalus)

Eagles, Golden (see Aquila chrysaetus)

Earias, sprays against, on cotton in India, 873; sprays against, on cotton in Rhodesia, 1054, 1055; insecticides to determine damage by, to cotton in Mozambique, 1061

Earias biplaga, Rhynocoris albopunctatus preying upon, in Uganda, 1182; natural enemies of, on cotton in Uganda, 1205; on cacao in Ghana, 2291; distribution map of, 2308

Earias fabia (see E. vittella)

Earias insulana, insecticides against, on cotton in Sudan, 97; Rhynocoris albopunctatus preying upon, in Uganda, 1182; natural enemies of, on cotton in Uganda, 1205; on cotton in Egypt, 2046; varietal susceptibility of Hibiscus esculentus to attack by, in Egypt, 2711; attack by, in relation to manuring of cotton in Egypt, 3172

Earias vittella, plant factors stimulating oviposition by, in India, 2074; distribution map of, 2308; infected by Serratia marcescens, 3923

Earthworms, residues of chlorinated hydrocarbons in, in Maryland, 1690; DDT residues in, 2992

eastopi, Diclidophlebia

ebeninus, Anilastus; Hyposoter

ebenus, Bothynus

EBP (see O,O-Diethyl S-Benzyl Phosphorothioate)

eccoptogastri, Roptrocerus

Ecdysone, analogue of, sterilising adults of Anthonomus grandis, 124; action of, on diapausing pupae of Samia cyntha, 308

α-Ecdysone, synthetic, inducing moulting in ligatured larvae, 2662

Ecdysterone, inducing moulting of cultured integument of *Chilo suppressalis*, **49**; effects of, on development of wing disks of *Chilo suppressalis*, **50**

ECE (see BHC) echinocacti, Diaspis

Echinochloa colonum, Aprostocetus sp. reared from Atherigona nudiseta on, in India, 1577; possibly harbouring tungro virus in India, 2204

Echinochloa crusgalli, possibly harbouring tungro virus in India, 2204

Echinops sphaerocephalus, Urophora sirunaseva attempting to pierce heads of, 506

echinopus, Rhizoglyphus

Eclytus ornatus, parasitising Pristiphora erichsonii in Newfoundland, 2003

Ecologists, training of, in universities, 885

Ecology, population genetics and, in relation to entomology, 885–892

Economic Entomology, review of literature on, published in 1967 in Finland, 2253

Ecpantheria indecisa, Euphorocera haywardi reared from, in Argentina, 2032

Ecphoropsis perdistinctus, response of, to light of different wavelengths, 1697; parasitising Heliothis virescens, 2409; effects of carbofuran and disulfoton on, 2738; parasitising Phthorimaea operculella in India, 3359

Ecphylus costaricensis, sp.n. parasitising bark-

beetles in Costa Rica, 3720

Ectemnius zonatus, nesting in polystyrene plant

boxes in Germany, 3426 Ectomyelois ceratoniae, Phanerotoma flavites-tacea released against, in Israel, 252; effect of food, temperature and humidity on development of, 257; Styropor disks for assaying phagostimulatory effect on, of plant extracts, 339; as pest in Western Australia, 1318; development and reproduction of Amblyseius largoensis on, 3225; failure of Amblyseius spp. to develop on, 3349; succession of food-plants of, in Israel, 4006; Phanerotoma flavitestacea as parasite of, in France and

Algeria, 4042 Ectropis bhurmitra, defoliating cacao flush in Papua and New Guinea, 2640

Ectropis sabulosa, defoliating cacao flush in Papua and New Guinea, 2640

Ectypa glyphica, insecticides against, on lucerne in Bulgaria, 3450

edentata, Anastrepha edmandsii, Vitula

EDTA (see Ethylene Diamine Tetraacetate)

edulis, Carpobrotus

Edwardsiana australis, bionomics and control of, on apple in Soviet Union, 1100

Edwardsiana avellanae, on apple in Soviet Union, 1100

Edwardsiana crataegi, bionomics and control of, on apple in Soviet Union, 1100 Edwardsiana frogatti (see E. australis)

Edwardsiana rosae, not transmitting sharka virus disease, 774; on apple in Soviet Union, 1100; on oil-bearing rose in Soviet Union,

Egg, DDE causing thinning of shells of, 2180; DDT, dieldrin and y-BHC in, 2318

Egg Albumin, in diet for Leptinotarsa decem-lineata and Pieris brassicae, 762

Egg Plant (see Solanum melongena)

Egg Proteins, electrophoretic patterns of, from insects, 1252

Egg Yolk, in diet for Dacus oleae, 3501

Egraulis mordax, in vitro conversion of DDT to

DDD by intestinal microflora of, 2181 Egypt, evaluation of grain protectants in, 93; cotton pests in, 94; acaricide deposits on imported dipped apples in, 95; controlling cotton pests in, 96; insecticide residues on Corchorus olitorius in, 98; Thrips tabaci on cotton in, 99; Spodoptera littoralis on cotton in, 819; responses of phytophagous and predacious mites on orange to cessation of spraying in, 910; Thrips tabaci on cotton in, 1823; cotton pests in, 2045-2047; control of Thrips tabaci on cotton in, 2048; Pseudo-napomyza spicata on maize in, 2049; Eumerus amoenus on onion in, 2050; Bruchids on broad beans in, 2051; varietal susceptibility of wheat, maize, barley and rice to Sitophilus and Rhizopertha spp. in, 2052-2055; number of generations of *Ceratitis capitata* in. 2057: apparent absence of Ceratitis capitata and Dacus oleae from New Valley in, 2058; Phthorimaea operculella on tomato in, 2059; Vespa orientalis in, 2064; Phyllocoptruta oleivora on Citrus in, 2065; susceptibility of cotton varieties to Empoasca in, 2297; Agistemus exsertus on cotton in, 2366; use of

Gascardia mimosae for making adhesive me 2647; population study of Tegonotus hasse on olive in, Oxypleurites maxwelli on olive 2693; seasonal changes in abundance certain aphids and their predators in, 26% Phaenobremia aphidovora on cotton and old in, 2695; life-history of Leucopis puncticord aphidivora in, 2696; susceptibility of so stored products insects to Bacillus thuringing sis in, 2697; Oligonychus vitis on vine 2698: Ostrinia nubilalis on Cynara scolym in, 2699; studies on Pectinophora gossypio. in, 2700; Megaselia scalaris in, 2701; biolo, of Spodoptera littoralis on cotton in, 270 biology of Montandoniella moraguesi 2709; survey of insect fauna in Nubi Region of, 2710; varietal susceptibility Hibiscus esculentus to attack by cotton bil worms in, 2711; Microplitis spp. parasitiste Spodoptera spp. in, 2712; fauna of store products in granaries in, 2713; bionomics Euzophera osseatella in, 2714; insect pestsipcabbage in, 2715; first record of Cryptoterry brevis in, 2716; redescription and classification tion of Diaspididae from, described by W. Hall, 2719; attacking habits of Sinoxyus sudanicum on trees in, 2720; studies on b logy of Aiolopus thalassinus in, 2721; Avtemus exsertus as egg predator of Tetranyco cinnabarinus in, 2843; distribution Empoasca spp. on cotton plants in, 282 tests with Biospore 2802 in, 2851; bollwo attack in relation to manuring of cotton 3172; effect of insecticide seed treatments cotton plants in, 3173; Spodoptera littor on cotton in, 3966, 3967; Habrolepis aspias parasitising Chrysomphalus spp. in, 39 Empoasca spp. in, 3402; Agistemus exserin, 3403, 3409; Phyllotetranychus aegypt and Raoiella indica on date palm in, 3411 EI 47031 (see 2-(Diethoxyphosphinylimin 1,3-dithiolane)

EI 72016 (see O,O-Dimethyl O-5,6-Dimethyl 2-pyrazinyl Phosphorothioate)

Eichhornia crassipes, insects and mites as pot tial controlling agents of, 3793

Ekatin (see Thiometon) Ekatox 50 (see Parathion)

El Salvador, Antonina graminis in, 2034

Elachertus, Eulophid of genus near, parasitis Gracillaria theivora on tea in India, 2093 Elachertus argissa, parasitising Zeiraph

diniana on larch in Switzerland, 458 elaeagni, Capitophorus

elaeidis, Coelaenomenodera

Elaeis guineënsis, Pediobius spp. associated w Coelaenomenodera elaeidis on, in Africa, 🕄 pests and diseases of, 1141, 1799; red-14 disease of, in Surinam, 1800; insects and the natural enemies on, in Nigeria, 18 Valanga nigricornis on, in Western Malaya 1881; damage to, by Oryctes spp. and relation Dynastids, 2041; Pimelephila ghesquierei in Ivory Coast, 3962

Elasmopalpus lignosellus, as pest of Arauca angustifolia in Brazil, 1280; attacking cothic transplants in Brazil, 2021

Elasmus brevicornis, attacking Anania vert calis in West Pakistan, 502

us homonae, reared from galls of Cydia dentra on Crotalaria juncea in India, 1371

* Tetanocera

rids, on cotton in New South Wales, 3030; of, from South Asia, 3080; preyed on by la europea on Quercus ilex in Spain, 4028 ca saccharina, attacking sugar-cane in meroun Republic, 1068

American (see Sambucus canadensis)

vilus, Chelonus , Zonosemata "Ilum, Homoeosoma

Colias

tic Fields, action of, on mites, 3114 moantennograms, determination of olfacby responsiveness by Dendroctonus frontalis 1 2937; physical conditions important to rroducibility of, 2942

on-capture Gas Chromatography, determation of pentachlorophenol by, 3014 con microscopy, in studies of insect cuticle,

ronic Insect Barrier, for laboratory uses,

12s, Diversinervus; Oryctes Matalis, Neoleucinodes Mitula, Erythroneura

Mitulus, Azotus

vine coracana, Bracon gelechiae reared from samia inferens on, in India, 1577; rice ow mottle virus transmitted mechanically in Kenya, 3952

ine indica possibly harbouring tungrous, in India, 2204

aus, Dalbulus

it, Lygus 1-i, Aulocara Erinnyis

and damaged by Grammadera clara in Argen-4, 996; Edwardsiana spp. overwintering on, Soviet Union, 1100; pests of, in Soviet tion, 1110; Scolytus multistriatus and ilastes rufipes on, in Michigan, 1919; raneura ulmi on, in Italy, 4014; leaf galls fised by aphids on, in Soviet Union, 4156 e also Ulmus)

American (see *Ulmus americana*) Chinese (see Ulmus pumila)

ata, Diorhabda; Systena

watum, Nemosoma

aatus, Panonychus; Sulphuretylenchus

Tetranychus

De fawcetti, Brevipalpus phoenicis in scab ons caused by, on orange in Florida, 1775

la, Ephestia * Acrobasis Aginata, Calpe

aginatus, Bruchus

yology, of Acheta domesticus, effects of ticholinesterase compounds on, 2327

pasca, on maize in South Carolina, 1221; cies of, attacking cocoa in Ghana, 2289; ceptibility of cotton varieties to species 2297; distribution of species of, on cotton ants in Cairo area, 2844; on cotton in New uth Wales, 3030; effect of colour in attracn of, to sticky traps in bean fields in Brazil, 06; sprays against, on bean in Iran, 3942

Empoasca bordia, virus disease of papaya not transmitted by, in Venezuela, 980

Empoasca decedens, susceptibility of cotton varieties to, in Egypt, 2297; occurrence and food-plants of, in Egypt, 3402

Empoasca decipiens, susceptibility of cotton varieties to, in Egypt, 2297; occurrence and food-plants of, in Egypt, 3402

Empoasca devastans (see Amrasca)

Empoasca distinguenda, occurrence and foodplants of, in Egypt, 3402

Empoasca fabae, maintenance of, on bean varieties in Wisconsin, 114; differential injury to lucerne by males and females of, in United States, 128; lucerne varieties selected for resistance to, in Nebraska, 605; resistance to, in Solanum spp., 925; on soy bean in Mississippi, 1771; Adelphocoris lineolatus responsible for some of damage to lucerne previously attributed to, 1774; viability of eggs of, in media with added monosac-charides, amino acids, or phorate, 2904

Empoasca flavescens, as vector of sharka virus disease, 774; as vector of sharka disease of apricot in Switzerland, 1129; foliar deformations on vine produced by, in Switzerland, 1549; characters of castor associated with resistance to, in India, 2099; catalase and auxins of varieties of *Ricinus communis* in relation to resistance to, in India, 2841; preference of castor varieties for feeding and oviposition by, in India, 3081

Empoasca kerri, preference of, for virus-infected

Cajanus cajan, 1488

Empoasca lybica, malathion against, on cotton in Middle East and Africa, 796; susceptibility of cotton varieties to, in Egypt, 2297; occurrence and food-plants of, in Egypt, 3402

Empoasca nagpurensis, method for sampling population of, on wheat, 863

Empoasca papayae, as vector of papaya bunchytop disease, 980, 2892

Empoasca plebeia, virus disease of papaya not transmitted by, in Venezuela, 980

Empoasca pteridis, on berry-fruit bushes in Soviet Union, 3571

Empoasca viridigrisea, insecticides against, on lucerne in Queensland, 3319

Empusa (see Entomophthora)

Emulsion, containing aldrin or dieldrin, applied to lac sticks in tests for the control of Eublemma amabilis and Holcocera pulverea, 1362 Enargia decolor, life-history and ecology of, on

Populus tremuloides in Ontario, 2744

Enarmonia formosana, on peach in Hungary, 292

Encapsulation, inhibition of, in Drosophila melanogaster by Pseudeucoila bochei and P. mellipes, 2216

Encarsia coquilletti, parasitising whiteflies on strawberry in California, 225

Encarsia formosa, use of, against Trialeurodes vaporariorum on cucumber in Britain, 1650; parasitising Trialeurodes vaporariorum in greenhouse, 1660

Encarsia meritoria, parasitising whiteflies on strawberry in California, 225

Encarsia pergandiella, parasitising whiteflies on strawberry in California, 225

encedon, Acraea Encyrtids, review of, 3579 encyrtoides, Systasis

Endasys subclavatus, relationships of, with coexisting parasitoids of Neodiprion swainei

in Quebec, 2735 endophloeus, Tarsonemus

Endosulfan, against pest complex attacking sesame, 90; against insect pests of soy bean, 92; against Pectinophora gossypiella and Earias insulana, 97; against Epitrix hirtipennis 199; against Bucculatrix thurberiella, 215; soil treatment with, against Agrotis ipsilon, 267; against Tychius flavus, 271; harmless to bees, 279; effectiveness of, in sprays against mites, 297; resistance to, in Myzus persicae, 299; seed treatment with, against Oscinella frit, 304; in sprays against Prasinoxena sp., 497; in granules and sprays against Zeadiatraea grandiosella, 613; soil treatment with, against Lachnosterna consanguinea, use of, in determining insect and mite damage to cotton, 1061; against Prays citri, effect of, on predaceous mites, 1091; in sprays against Tarsonemus pallidus, 1139; in sprays against Chrysobothris mali on fruit trees in California, 1234; use of, for control of Plecoptera reflexa in W. Pakistan, 1377; toxicity of, to Tephritids, 1694; in sprays against Agrotis orthogonia, 1719; toxicity of, to Leptinotarsa decemlineata, 1781; in sprays against sorghum pests, 1820; against Colias lesbia, 2031; aerial application of, against Heliothis zea, 2070; DDT in bacterial populations increasing following sprays with, 2164; against Homoptera on rice, 2199; against Heliothis virescens, 2392; against Schizaphis graminum, 2403; against Homoeosoma electellum, 2415; against Mylabris pustulata, 2520; risks arising from persistent use of, in Britain, 2641; against Myzus persicae, 2804; sprays of, against Eupteryx nigra and E. omani, 2879; against rice pests, 3042; toxicity of, to eggs of Tetranychus telarius, 3108; against Heliothis armigera, 3130; against Heliothis zea, 3204; against Amritodus atkinsoni and Idioscopus clypealis, 3358; and teepol, in sprays against Pineus spp., 3395; toxicity of, to honey bees, 3453; effect of, on Campylomma verbasci, 3621; and malathion, in sprays against Mirids, 3960; toxicity of, to Coccinella septempunctata, 4119; toxicity of, to primary and secondary aphid parasites, 4127; toxicity of, to Chrysopa carnea, 4128; against Cecidophyopsis ribis, 4141

Endothion, resistance to, in *Myzus persicae*, 299; persistence of, in sprays against *Ceratitis capitata*, 2066; in sprays against *Ceratitis capitata*, 2067; against *Schizaphis graminum*, 3236; in bait-sprays against *Dacus oleae*, 3410; residues of, in olives and olive oil, 4009 \delta-endotoxin, *in vitro* reactions of, produced by

varieties of Bacillus thuringiensis, 2320

Endrex (see Endrin)

Endria inimica, synthesis, distribution and multiplication sites of wheat striate mosaic virus in, 978

Endrin, in sprays against Chrotogonus trache terus, 71; against Leucinodes orbonalis, against Diaphorina citri, 74; treatment storage receptacles with, 75; against Diaphorina citri, 77; against lucerne pests, § and other insecticides, against cotton per 94; against cotton insects, 160; again Corchorus capsularis, 462; effect of fatty-acomposition of Heliothis zea on susceptibil to, 596; in granules against Zeadiatrie grandiosella, 613; effect of, on cotton, toxix of, in sprays to cotton insects, 630; uptakers from soil by carrot varieties, 653; susceptibility to in Tarsonemus fusarii, 742; bility to, in Tarsonemus fusarii, 742; a O-methyl O-4-bromo-2,5-dichloropher phenylphosphonothioate, against Spodopu littoralis, 819; in sprays against Sogalos furcifera, 864; in sprays against Apteorchori, 867; in sprays against Phthorim operculella, 870; against insect pests of cotto 873; effect of, on haemocyte counts in inses 875; in sprays against Heliothis zea, 9 against Quinta cannae, 992; repellent efs of, against ant removal of pasture see 1316; in sprays against Spodoptera little 1321; use of, for control of Plecoptera reft in West Pakistan, 1377; effect of, in sprays cotton yields, 1062; in sprays against Tarsas mus pallidus, 1139; residues in soil and vo tables, 1226; against Lixus juncii, 15 residues of, in earthworms and soil, 16 in sprays against Agrotis orthogonia, 17 fate of, labelled with C14 in larvae of Helion virescens, 1970; in granules against Thi tabaci, 2048; soil treatments with, agas termites and shoot borers, 2094; effect of sorghum yields, 2098; against Cydia tricer 2103; against Homoptera on rice, 2E residue alterations of, in potatoes dur processing, 2345; against Schizaphis gro num, 2403; against larvae of Conoderus and Lachnosterna cribrosa in Texas, resici of, in soil, 2405; against Ragmus importuni 2510; risks arising from persistent use of Britain, 2641; reduction of residues of milk and milk products, 2729; in spatial against Spodoptera frugiperda, 3006; sprays against Cnaphalocrocis medinal 3085; against Drosophila and Carpophila spp., 3202; effects of, on populations Microtus pennsylvanicus and Peromy. maniculatus, 3292; seed treatment w against Melanagromyza phaseoli, 3317; el of in sprays on cotton yields, 3382; residues in river sediment and water, 3729; residues in river sediment and water, 3729; residues and water, 3729; residues and water, 3729; in plants, 3730, 3731, 3734; residues of eagles, 3739; system for monitoring at spheric concentrations of, 3741; residues: in soil and plants, 3742; absorption of Lepomis macrochirus, 3745; residues of pheasants, 3749; in sprays against Polyphe S tarsonemus latus, 3830; in sprays again Asphondylia sesami, 3920; against Spodopy littoralis, 3966

enecator, Trichomma engaddensis, Amblyseius engelmanni, Pissodes whithrips flavens, control of, on groundis in Brazil, 3809

minae, from British Columbia, 1673 inos subsignarius, rearing of, on oak and ckory, 634; natural diets and their effects in United States, 3677

merus lecontei, response of, to synthetic teromones of Dendroctonus brevicomis,

verus sphegeus, as predator of Dendroctonus iderosae in North Dakota, 2818; prey usumption and variations in larval biology 3620

8 20852 (see Butonate)

33266 (see cis-7-Dodecen-1-ol Acetate) 0.70034 2β,3β,14-Trihydroxy-5β-(see polest-7-en-6-one)

nobacteriaceae, infecting Oryctes rhino-

os, 504

makterin 3, commercial preparation of ores of Bacillus thuringiensis galleriae, 710, 5: preparation of spores of Bacillus ringiensis, 3443, 4139, 4140

Inobrya, in cultivated fields and grain

pris in Canada, 2765

r mogenous Fungi, infecting Saissetia spp.

Citrus in Florida, 2417

Imology, present status of, in Israel, 262; Japan, 1025; concepts and methodology 1 1027; in agriculture and forestry, 1035; mual review of, 1856-1867; reprint of textook of, 2602; applied, faunistic and taxonoa studies and needs of, 3587

s nophthora, Pseudoplusia destroyed by, 197; acking Macrosiphum pisum, 2033; infecting issetia spp. on Citrus in Florida, 2417; iecting Adelges piceae, 2472; infecting acrosiphum pisum on pea, 3092; specificity finfection of aphids by, 3514

smophthora aphidis, infecting Schizolachnus viradiatae in Quebec, 903; attacking hids in France, 3514; infesting aphids in

tance, 3972

emophthora apiculata, mycotoxins of, 479;

ecting aphids, 3514

mophthora conica, infecting aphids, 3514 mophthora coronata, mycotoxins of, 479 mophthora fresenii, attacking aphids in ance, 3514; infesting Aphis fabae in France,

mophthora grylli, infecting thrips, 1438;

ore discharge in, 3529

mophthora muscae, attacking Hylemya arctata in Britain, 344

mophthora papillata, infecting Operophtera umata, 1489

mophthora planchoniana, attacking aphids France, 3514; infesting aphids in France, 72

mophthora pyriformis, infecting aphids,

114 mophthora sphaerosperma, infecting thrips,

138 mophthora thaxteriana, mycotoxins of, 479; tacking aphids in France, 3514

mophthora virulenta, mycotoxins of, 479

eriana, Zulia

Environment, bibliography on side effects, and residues of pesticides in, 2552; residues of organochlorine pesticides in, in Britain, 2641

Enzymes, changes in, associated with lipogenesis in development of Schistocerca gregaria, 1240 Eocader vegrandis, on cacao in Brazil, 3851, 3979

Eosin Y, effect of staining with, on Cydia pomonella, 1701

Eotetranychus, in Queensland, 522

Eotetranychus carpini borealis, bionomics and control of, on pear in Oregon, 597

Eotetranychus carpini vitis, effect of copper and other fungicides on, on vines in France, 786 Eotetranychus pruni, in Greece, 3464

Eotetranychus tiliarius, respiratory mechanism

of eggs of, 2852

Eotetranychus willamettei, distribution of, in vineyards in California, Metaseiulus occidentalis as predator of, 3206

Epacromia (see Anaeolopus) epagoges, Temelucha Épaphius (see Trechus)

epeirae, Phalacrotophora Ephedrus californicus, not attacked by Charips 1922; victrix, parasitising Macrosiphum euphorbiae in California, hyperparasitism of,

3686

Ephedrus plagiator, parasitising Cydia delineana in Rumania, 273; attacking aphids in Poland, 4115

Ephestia, aerial sprays against, on date in Iraq,

Ephestia cautella, insecticides against, in bagged maize during storage in Malawi, 1050; fumigants against, in stored cacao in Nigeria, 1070, 1071; sex pheromones of, 1600; green and ultra violet light as attractants for, 1722; tympanic organ structure and behavioural effects of sound in, 2332; density of, and behaviour of *Devorgilla canescens*, 2495; biology and control of, in stored cacao beans in Ghana, 2690; inhibition of male response of, to female sex pheromone, 2881; radiosensitivity of, following exposure to γ-radiation, 3695; Microplitis croceipes not sensitivity responding to faeces of, 3697; inheritance of abnormal sex ratio in strain of, 3917; effect of natural foods on oviposition, fecundity and development of, 3922

Ephestia elutella, tympanic organ structure and behavioural effects of sound in, 2332; insecticidal strips against, in Denmark, 3539

Ephestia kuehniella, used as host in studies involving Trichogramma spp., 360; as pest of seeds of ornamental plants in Soviet Union, 1097; development and genetics of proteins in, 1960; effects of age, photo-period and light intensity on sexual behaviour of, 1990; effects of sublethal doses of Bacillus thuringiensis on fecundity of, 2156; changes in composition of haemolymph of, 2178; Trichogramma sp., reared on, 2489; regulatory processes and population cyclicity in laboratory populations of, 2629; population model of interactions between, and Devorgilla canescens, 2630, 2631; susceptibility of, to Bakthane L-69, 2697; development of, at different temperatures and relative humidities,

2717; inhibition of male response of, to female sex pheromone, 2881; Bacillus thuringiensis against, in Yugoslavia, 3142; host-parasite interaction between Devorgilla canescens and, 3790; attempt to transmit abnormal sex-ratio condition of E. cautella to, 3917; habituation of response to sex pheromone in, 3983; rearing of Phanerotoma flavitestacea on, 4042

Ephialtes, as parasite of Rhyacionia frustrana on Pinus taeda in Mississippi, 562; parasitising Melanophila picta in Greece, 741; parasitising Aegeria tipuliformis in Soviet Union, 3571 (see

also *Apechthis*)

Ephialtes comstockii, parasitising Rhyacionia frustrana on pine in Virginia, 140; parasitising Cydia pseudotsugae sp.n. in British Columbia, 531

Ephialtes hispae, parasitising Croesia semipur-purana in Quebec, 904

Ephialtes roborator, parasitising Rhyacionia buoliana in Yugoslavia, 3136

Ephialtes terebrans, parasitising Pissodes notatus on pine in Macedonia, 2305

Ephialtes terebrans nubilipennis, parasitising Pissodes terminalis in Alberta, 2005

Epicauta atomaria, insecticides against, on potato in Brazil, 3847

Epicometis hirta, on apple in Turkey, 2086 Epidermis, histological changes in, during sexual maturation of Schistocerca gregaria, 2660

Epilachna (see also Henosepilachna)

Epilachna chrysomelina, biology of, on pumpkin in Sudan, 2692

Epilachna dodecastigma (see E. duodecim-

punctata)

Epilachna duodecimpunctata, insecticides against, on Solanum melongena, in East

Pakistan, 3252

Epilachna varivestis, insecticide against, on snap bean in Maryland, 161; effect of juvenile hormones on eggs of, 164; transmission of cowpea mosaic virus by, in Nebraska, 695; toxicity of resmethrin to, 1587; manometric assay of DDT dehydrochlorination by enzyme from, 1691; control of, in United States, 3714

Epilachna vigintioctomaculata, tests of Beauveria spp. against, in Soviet Far East, 1459 Epilobium angustifolium, Aphis frangulae com-

plex on, 2595

Epinephrine, effect of, on insect fat-body, 2910 L-Epinephrine (—)-3,4-Dihydroxy-α-(see ((methylamino)methyl)benzyl Alcohol)

Epinotia lantana, establishment of, Lantana camara in Queensland, 3023

Epinotia tsugana, pathogenicity of commercial preparations of Bacillus thuringiensis for, 547 albiguttalis, damaging Eichhornia crassipes in South America, 3793

Epipagis monostictalis, mining leaves of Hoya sp. in New Guinea, 240

Epiphyas postvittana, diet for rearing of, 893; distribution of, in Britain, 1155; insecticides against on apple in Tasmania, 1299; sex pheromone of, in Australia, 1869; on fruit trees in Victoria, 3322; integrated control of, on apple in Australia, 3904

Epistrophe (see Syrphus)

Epitrimerus (see also Calepitrimerus) Epitrimerus herhericus sp.n., on Pyrus salicifot

in Soviet Union, 3095

Epitrimerus pyri, insecticide control of, on pel in British Columbia, 536; on apple and per in Soviet Union, 3095

Epitrix cucumeris, photographic prints

assessing damage by, 687

Epitrix hirtipennis, disulfoton tobacco in Florida and Georgia, insecticide sprays against, on tomato sea lings in California, 199; evaluation of insection cides for control of, 2192; overwintering a spring emergence of, on tobacco in Virgini 2381; disulfoton against, on tobacco Maryland, 3258

EPN, toxicity of, to honey bees, 105; again cotton insects, 189; toxicity of, in sprays, cotton insects, 630; in tests against rice lef hoppers, 2504; with methyl-parathion sprays against Heliothis spp., 2779; in spra

against Curculio caryae, 2963

6,7-Epoxy-3,7-dimethyl-2-nonenyl p-Isopropulation phenyl Ether, against *Tenebrio molitor*, 22,6,7-Epoxy-3,7-dimethyl-2-nonenyl p-Nit phenyl Ether, against Oncopeltus fasciau

cis, trans-10,11-Epoxyfarnesenic Acid Metal Ester, with trans-trans-10,11-epoxyfarneses acid methyl ester, effect of, on larval paraside

of Hypera postica, 2449 trans, trans-10,11-Epoxyfarnesenic Acid Meta Ester, with cis, trans-10,11-epoxyfarneses acid methyl ester, effect of on larval partir sites of Hypera postica, 2449

Epuraea domina, on Citrus in Japan, 3914 Epuraea fungicola sp.n., on Cronartium quercus

in Japan, 2508 eques, Lamachus

equestris, Haplodiplosis (see H. margina Merodon

Eradex (see Thioquinox)

Erannis defoliaria, injurious to fruit trees: France, 1161

Eremaspis zillae, redescription of, 2719 Eremohallaspis farsetae, redescription of, 2: Eretmocerus haldemani, parasitising white on strawberry in California, 225

Ergosterol, produced by mutualistic fun associated with Xyleborus ferrugineus, 151 as source of sterol for Xyleborus ferruginal 3755; in diet for Trogoderma granarium, 3 erichsonii, Pristiphora

eridania, Spodoptera (Prodenia)

Erigeron canadensis, Aphrodes bicinctus on I Ontario, 2468

Erigorgus femorator, parasitising Thaumetop pityocampa in France, 3494

erinea, Aceria

Erinnyis ello, on Carica papaya in Venezu 983; attacking Hevea brasiliensis in Brail 3853

Eriobotrya japonica, Cenopalpus eriobotryi in Greece, 4013

eriobotryi, Cenopalpus

Eriococcus coriaceus, use of dicrotop against, in New South Wales, 3892

Erioischia brassicae (see Hylemya brassicae

hyes (see also Cecidophyopsis and Phyllo-

hyes insidiosus, restriction of peach mosaic is by chemical control of, in California,

whyes malinus, on apple in Soviet Union,

rives padi, distribution of, on plum in rope, 2653; on almond in Greece, 4012 hyes pyri, infestation and control of, on ir in Western Australia, 1319; on pome its in Soviet Union, 3095; bionomics of, on

or in Poland, 3109; on pear in Victoria, .7; on pear in Greece, 4012

types pyri marginemtorquens, on pome ts in Soviet Union, 3095

hyes salicifoliae sp.n., on Pyrus salicifolia

Soviet Union, 3095

whyes similis, distribution of, on plum in crope, 2653

whyes similis similis, damage to greengage in Germany, 3425

thyes vitis, control of, on vines in Hungary, o; on grape vine in Victoria, 3327; on les in Greece, 4012

thyidae, Indodromus meerutensis gen. et ch. associated with, in India, 1581; preyed by Amblyseius finlandicus in Poland, 3102; coniferous plants in Poland, 3110; on engo and tea in Mozambique, 3392; list of, south America, 3669

toma lanigerum, parasitised by Aphelinus tli in India, 507; Syrphus sp. preying on, on the in Argentina, 703; phenols in resistance plants to, 767; simulated cannibalism in, apple rootstocks susceptible to, in stern Cape, 1402; efficiency of Aphelinus tli in controlling, 1466; swellings on apple seed by, 3561; integrated control of, on the in Australia, 3904

oma lanuginosum, on elm in Bulgaria,

55 Soma ulmi, Anthocoris gallarumulmi in galls

med by, on elm in Poland, 2572 (see Chlorfenson)

(see Chlorobenzilate)

vius abietis attacking cones of Picea abies Rumania, 2207; on fir in Greece, 3466 Aundus, Appolonius

sativa, not resistant to Rhopalosiphum ssimi pseudobrassicae in Iowa, 614

Hus, Cheyletus
Aphidius

ni, Rhopalosiphum

t (see Chlorfenson)

rina lithosperma, Ketumala thea attacking, South India, 2669

rocephala, Acantholyda

roneura, insecticides against, on vine in

tario, 1272 roneura elegantula, insecticides against, on

ripevine in California, 3234 proneura gemina, and related species, prephological and behavioural studies of,

ropus, Pimpla sanguinipes eae, Trioza Esso Fruit-tree Grease, applied to mango against *Drosicha stebbingi*, 3384

Esterases, during larval development of *Chilo*

partellus, 3776

Estigmene acraea, parasitised by Leschenaultia adusta, 587; female sex pheromone gland of, 1196; insecticides against, on cotton, 2705; parasitism of, by Exorista mella, 2921; non-anticomplementary activity of haemolymph from, 3647

Estox (see O,O-Dimethyl S-(2-Ethylsulphinyl-1-

methyl)ethyl Phosphorothioate)

esula, Catabena

Ethanol, replaced by methyl p-hydroxybenzoate in diet for *Heliothis virescens*, **1693**; as solvent in extraction of dieldrin and γ-BHC from wheat, **2372**; as attractant for *Platypus* and *Xyleborus* spp., **2487**; as attractant for *Trypodendron lineatum*, **2820**; as solvent for methyl p-hydroxybenzoate and sorbic acid, **3221**

Ether, anaesthesia with, affecting mating by

Plodia interpunctella, 551

Ethion, as acaricide, with other compounds, 58; with carbaryl, toxicity of, to cotton, 96; resistance to, in Myzus persicae, 299; seed treatment with, against Hylemya antiqua and Psila rosae, 302; in sprays against Epitrimerus pyri, 536; resistance to, in Eotetranychus carpini borealis, 597; phytotoxicity of sprays of, to sorghum, 618; in sprays against Lepidosaphes ulmi, 901; in sprays against Tetranychus mexicanus, 988; against Aonidiella aurantii, 1089; emulsion concentrate of, against Tenuipalpus pacificus, 1232; not effective against Ceresa bubalus, 1657; plastic-lined containers reducing toxicity of, to rust mites, 1696; seed treatment with, Urocystis colchici and Hylemya antiqua, 1920; persistence of, in sprays against Ceratitis capitata, 2066; in sprays against Oligonychus ilicis, 2879; in sprays against Tetranychus telarius, 3205; against mites, 3378; residues of, in strawberry, 3832; against Aonidiella aurantii, 4089

Ethionine, in diet inhibiting reproduction in

Pseudosarcophaga affinis, 1748

Ethiopia, parasites of *Leucoptera* spp. on coffee in, **1818**; locomotory behaviour of *Schistocerca gregaria* in, **2232**; occurrence of *Hypothenemus hampei* in, **2540**; handbook for recognition and control of pests of crops in, **2541**

Ethiopian Region, biological control of insects and weeds in, 3397

ethlius, Calpodes

Ethoate-methyl, in dusts and sprays against Dacus oleae, 1118; against Hylurdrectonus araucariae, 2784; in sprays against Costalimaita ferruginea vulgata on guava, 2832; in bait-sprays against Dacus oleae, 3410

O-Ethyl O-4-Bromo-2,5-dichlorophenyl Ethylphosphonothioate, in dips against *Phyllo-*

coptruta oleivora, 591

O-Ethyl S-p-Chlorophenyl Ethylphosphonodithioate, toxicity of, to *Otiorhynchus sulca*tus, 668; effectiveness of, against *Sciopithes* obscurus, 679; against *Euxoa messoria*, 2785 O-Ethyl O-p-Chlorophenyl Ethylphosphonothioate, in sprays against Heliothis virescens, 1747

Ethyl 1, 1a, 3, 3a, 4, 5, 5, 5a, 5b, 6 - Decachlorooctahydro-2-hydroxy-1,3,4-metheno-2H cyclobuta[cd]pentalene-2-levulinate, in sprays against Conorhynchus mendicus, 4015

O-Ethyl S,S-Dipropyl Phosphorodithioate, soil treatment with, in granules against Diabrotica spp., 644; soil treatment with, not effective against Conotrachelus hicoriae, 1784; against Heliothis virescens, 2387; against Clivina impressifrons, 2416

O-Ethyl O-Methyl S-Ethyl-carbamoylmethyl Phosphorodithioate, in sprays against Dacus

oleae, 1118

O-Ethyl O-Methyl S-Methyl-carbamoylmethyl Phosphorodithioate, in dusts and sprays against Dacus oleae, 1118

O-Ethyl S-Methyl Phosphoramidothioate,

against Myzus persicae, 2804
-Ethyl O-Methyl O-2,4,5-Trichlorophenyl phosphorothioate, against Edwardsiana spp., O-Ethyl 1100

O-Ethyl O-p-Nitrophenyl Phenylphosphonothioate (see EPN)

Phosphoramidothioate, with isopropyl salicylate O-ester, against Schizaphis graminum, 3236

Ethyl 2,4,5-Trichlorophenyl Ethylphosphonate, determination of residues of, in crops, 4100

Ethyl-aromatic Terpenoid Ether, blocking of embryonic development in Choristoneura fumiferana by, 3636

Ethyl-DDD, against Bucculatrix thurberiella, 215; toxicity of, to Tephritids, 1694; against *Homona coffearia*, 3044; and other insecticides against Tineola bisselliella, 3538; not harmful to overwintering eggs of Campylomma verbasci, 3621

Ethylene Chlorobromide, residues of, in fruits

and vegetables, 132

Ethylene Diamine Tetraacetate, effects of copper and iron on aldrin in pea plants

nullified by addition of, 331

Ethylene Dibromide, residues of, in fruits and vegetables, 132; toxicity of, to Sancassania krameri and Tyrophagus putrescentiae, 472; as soil fumigant against Pleocoma spp., 631; against storage insect pests in wheat column at different temperatures, 876; and y-BHC, toxicity of, to Monochamus alternatus, 1021; as fumigant against Tribolium castaneum, Sitophilus zeamais and Oryzaephilus mercator in stored maize, 1075; as fumigant against pests in stored maize, 1076; tolerance of seeds of cereals to, 1357; sorption of by wheat and maize of different moisture contents and load factors, 2390; against Costelytra zealandica,

Ethylene Dichloride, and carbon tetrachloride, a mixture of, tolerance of seeds of cereals to, 1357; schedules recommended for use of, against stored product pests, 1541; with carbon tetrachloride, effect of temperature on distribution of, in stored grain, 2420; and p-dichlorobenzene, soil treatment with, against Capnodis tenebrionis, 3096

Ethylene Oxide, schedules recommended use of, against stored product pests, 154 residues of, in wheat and flour after a solvent extraction, 2171

Ethyleneglycol Monobutyl Ether, tested as trit laying chemical for termites, 2303;

Ethyleneglycol Monoethyl Ether, tested as trat laying chemical for termites, 2303

exo-7-Ethyl-5-methyl-6,8-dioxabicyclo[3,3] octane, response of Dendroctonus brevicon to, 2766

m-(1-Ethylpropyl)phenyl Methylcarbama and m-(1-Methylbutyl)phenyl Methylcarba ate, soil treatment with, in granules again Diabrotica spp., 644; in sprays again Agrotis orthogonia, 1719; against Diabrore undecimpunctata, 2426; against Bothynode punctiventris, 3138; against Phytodecta foli cata, 3139

Ethylthiometon (see Disulfoton)

Etiella behrii, on lucerne and clover in Victore 3900

Etiella zinckenella, attacking Crotalaria june in India, 2101; damaging pods of Crotala anagyroides, in India, 3379

Etil Kotnion 40 (see Azinphos-ethyl)

Etiol Oil (see Malathion)

Eubadizon sp., parasitising Pissodes notatus pine in Macedonia, 2305

Eubadizon extensor, parasitising Cydia deliner on Cannabis sativa in Rumania, 273

Eublemma amabilis, effect of insecticidal spa on the longevity and fecundity of, preye upon Laccifer lacca in India, 1362; parasa ing Laccifer spp., 2196; free amino a composition of larvae of, 2532

Eublemma costimacula, attacking Gascar destructor in South Africa, 1307

Eublemma gayneri, infesting sorghum in

Cameroun, 1394

Eublemma olivacea, insecticides against, Solanum melongena in East Pakistan, 325 Eublemma scitula, preying on Saissetia olea Italy, 3489

Eubrachis indica, a new record of, as a seri

pest of apple in India, 1363

eucalypti, Antheraea Eucalyptus, capture of Trichoplusia ni in t

on, in California, 386; Perthida glyphopas Western Australia, 1014; Phoraca: semipunctata on, in Tunisia, 1081; Pata nitens introduced into Madagascar aga Gonipterus scutellatus, on, 1392; pui paper made from, in rearing medium Dacus oleae, 3501; Migdolus morretesi on Brazil, 3801; Helopeltis orophila on, in Coul

Eucalyptus calycogona, population fluctua of Isoneurothrips australis on, in SO Australia, 3989

Eucalyptus camaldulensis, Uraba lugens or W Australia, 3893

Eucalyptus dalrympleana, Uraba lugens ot 15 Australia, 3893

Eucalyptus dumosa, population fluctuation *Isoneurothrips* australis on, Australia, 3989

Eucalyptus fasciculosa, Cardiaspina densi on, in South Australia, 1015, 1872

ulyptus marginata, Perthida glyphopa sp.n. in, in Western Australia, 1008, 1014

alyptus pauciflora, Uraba lugens on, in

Justralia, 3893

Alyptus pilularis, Coptotermes spp. damagg logs of, in Australia, 2210; control of pptotermes spp. on, 2212; Uraba lugens on, Australia, 3893

salyptus radiata, Uraba lugens on,

ustralia, 3893

Allyptus robertsoni, Uraba lugens on, in Justralia, 3893

selyptus rostrata, Phoracantha semipunctata , in Sardinia, 3477

Alyptus rudis, Perthida glyphopa on, in estern Australia, 1014

aclyptus saligna, Uraba lugens on, in ustralia, 3893

Vrcelia rutilla (see Carcelia obesa)

Matoria, bionomics and hosts of, parasitic Heliothis spp., 606

wromia formosa, in bananas from Africa,

aromius bellus, in light-traps in lucerne field

Iran, 3944 fromius ocelleus, trap catches of, in Oregon,

phonomics and rearing of, 664

rysops cnejus, attacking Crotalaria juncea

India, 2101

sma critica, on Cajanus cajan in West

angal, 2674 usma gloriola, larval feeding habits of, on

ius banksiana in Manitoba, 1667 asma hapalosarca, population dynamics of,

: West Pakistan, 510

nsma monitorana, affecting cone crops of ius resinosa in seed-production areas in nited States, 1786

usma rescissoriana, parasitism of, on Pinus onticola in Idaho, 909; parasites of, on nus monticola in Idaho, 3632

sromphale flavimedia, parasitising white-es on strawberry in California, 225

a romphale secundus, parasitising Schizomyia

entalis in India, 2091 of, parasitising Hylesinus .rus, species

riperda, 1509

rus lividus, parasitising Saperda inornata in

lichigan, 1194 heola humilis, attacking young cotton and

te in Brazil, 2021

masus mustelarum, in compost, not damagg cucumber in Germany, 1835

masus numerus, in compost, not damaging cumber in Germany, 1835

nol, attractiveness of, to *Popillia japonica*, 6; attractiveness of lures containing, to es. 600; with methyl cyclohexanepropionate phenylethyl butyrate, in lures for Popillia vonica, 607; and other attractants, in lures

r Popillia japonica, 1692; with anethole, raniol or phenylethyl butyrate in traps for pillia japonica, 2399

chnus agilis (see Protolachnus)

canium (see also Parthenolecanium)

canium bituberculatum, bionomics of, on ple in Soviet Armenia, 2562

canium prunastri, parasites of, in Serbia, 13

Eulecanium tiliae, pheno-immunity in food-plants of, 2813

Eulocastra argentisparsa, attacking Striga in India, colour forms of, 501

Eulophus lineaticoxa, as synonym of Pnigalio metacomet in North America, 359

Eulophus pallipes, as parasite of Orthosia hibisci, 629

Eulophus smerinthi (see E. pallipes)

Eumarchalia gennadii, eggs of Ectomyelois ceratoniae laid on carob pods infested by, in Israel, 4006

Eumasicera sternalis, parasitising complex of Heterocampa guttivitta in Vermont, 643

Eumerus amoenus, bionomics and control of, on onion in Egypt, 2050

euonymi, Unaspis

Euonymus japonicus, prey of Chilocorus kuwanae in hedge of, in Japan, 1900

Euparen (see N'-Dichlorofluoromethylthio-N,N-dimethyl-N'-phenylsulphamide)

Eupatorium odoratum, potential bi control agents of, in Trinidad, 3794

Eupelmella vesicularis, attacking Phyllonorycter blancardella on apple in Quebec, 3642

Eupelmus fulvipes, parasitising Lasioptera rubi on raspberry in Yugoslavia, 441

Eupelmus tachardiae, induced parasitism by, of Laccifer spp. in West Pakistan, 2196

Eupelmus urozonus, parasitising Lasioptera rubi on raspberry in Yugoslavia, 441; as parasite of Eulecanium prunastri, 1513; parasitising Dendrolimus pini on pine in Hungary, 2138; parasitism of Dacus oleae by, in Italy, 3490

Euphalerus nidifex, attacking Piscidia piscipula in Florida, 227

Euphorbia hirta, development of Achaea janata on, 81

euphorbiae, Celerio; Macrosiphum

Euphorocera haywardi, parasitising Colias lesbia on lucerne in Argentina, 2032

Eupithecia abietaria, damaging cones of spruce in Soviet Union, 1485

Euplectrus, parasitising larvae of Heliothis armigera, 1205

Eupoecilia ambiguella, light-traps for studying flight of, in Hungary, 294; in vineyards in France, 1160

Euproctis chrysorrhoea, injurious to fruit trees in France, 1161; bacteria affecting haemolymph of, 1426; Bacillus thuringiensis against, on apple in Bulgaria, 3443

Euproctis flava, diseases of, in Japan, 1337 Euproctis lunata, biology of, on Ricinus communis in Rajasthan, India, 2511; larvae of, parasitised by Apanteles colemani, 2511

Eupteromalus subapterus, nectar-bearing plants attractive to, 1487

Eupteryx nigra, infestation and control of, on Polystichum adiantiforme in Florida, 2879

Eupteryx omani, infestation and control of, on Polystichum adiantiforme in Florida, 2879 euronotus, Drosophila

Europe, Ostrinia nubilalis on maize in, 526; incidence of sharka virus disease in, 774; Ibalia drewseni parasitising Siricidae in, 850; Salticella fasciata in, 854; competition in parasite complexes in, 1133; spread of sharka virus in, 1140; Gnathotrichus materiarius in,

1158; Delphacids in, 1626; distribution of Hylotrupes bajulus in, 2300; Berytinus minor introduced into North America from, 2476; Aphis nasturtii transmitting virus Y to potato in central, 2598; distribution of Eriophyes padi and E. similis on plum in, 2653; Vinsonia stellifera in, 3201; Gastropacha quercifolia in, 3208; collection of Adelgid predators in, 3421; review of genus *Hylastes* in, 3422; forecasting of lucerne gall-midges in, 3431; guide to species of Cinara of central, 3439; longrange migrations of Spodoptera exigua in, 4084

European Red Mite (see Panonychus ulmi) Eurygaster, hyperinfection by Melanospora parasitica in, infected by Beauveria bassiana

in Yugoslavia, 3150

Eurygaster austriaca, on wheat in Turkey, 2085 Eurygaster integriceps, damage to wheat varieties by, in Soviet Union, 706; malathion and fenitrothion against, on wheat in Iran, 796; on cereal crops in Turkey, 2084; damage to wheat by, in Turkey, 2085; parasitism of, in Bulgaria, 3444; effects of sublethal doses of methyl-parathion and trichlorphon on, in Bulgaria, 3445, 3451; biological control of, in Soviet Union, 3554; spraying for control of, on wheat in Soviet Union, 4146; parasitism of, by Trissolcus grandis in Soviet Union, 4151

Eurygaster maura, on wheat in Turkey, 2085

eurygaster, Iphiaulax

Euryscotolynx coimbatorensis, attacking Anania verbascalis in West Pakistan, 502

eurytheme, Colias

Eurytoma, new species of, from USA, 115; morphological characterisation of species of, in Bulgaria, 287; parasitism of *Urophora* sirunaseva by, in France, 506; parasitising Schizomyia orientalis in India, 2091; parasitising larvae of Osphranteria coerulescens, 2782

Eurytoma amygdali, bionomics and control of, on almond in Greece, 1744; on almond in Jordan, 3424; insecticides against, on almond in Israel, 4098

Eurytoma conica, parasitising Ips spp. on pine in Virginia, 1988

Eurytoma curculionum, parasitising Ceutorhyn-

chus rapae on hemp in Italy, 1121 Eurytoma extremitatis sp.n., from Rhyacionia frustrana on pine in Virginia, 115; parasitising Rhyacionia frustrana on pine in Virginia, 140

Eurytoma martellii, parasitism of Dacus oleae by, in Italy, 3490

Eurytoma nodularis, probably parasitic on Pissodes notatus on pine in Macedonia, 2305 Eurytoma pini, parasitising Rhyacionia frustrana on pine in Virginia, 140

Eurytoma pissodis, parasitising Pissodes ter-minalis in Alberta, 2005

Eurytoma platyptera, on lucerne and clover in

Victoria, 3900

Eurytoma roddi, development of Mesopolobus bruchophagi on larvae of, 374; oviposition response of, to chemicals occurring in lucerne in Wyoming, 1937; distribution and effect on seed yield of, on lucerne in Poland, 4124

Eurytoma rosae, parasitising Lasioptera rubi raspberry in Yugoslavia, 441

Eurytoma sciromatis, in cankers caused Cronartium fusiforme on pine in George

Euscelidius variegatus, transmission of yellol organisms by, infected by injection, 3509 Euscelis bilobatus, influence of, on mead

grasses in France, 2849 Euscelis plebeja, on lucerne in Czechoslovaki 738; transmission of yellows organisms 1 infected by injection, 3509

eustrigata, Calpe

Eutetranychus banksi, effect of windbreaks distribution and abundance of, on Citrus

Texas, 378

Eutetranychus orientalis, response of popula tions of, on orange to cessation of spraying Egypt, 910; as food for Amblyseius limonical 1383; as prey of Amblyseius gossipi, 22: development and reproduction of Amblyses largoensis on, 3225; Amblyseius spp. feed: on, 3349; on frangipane in Mozambique 3392; Agistemus exsertus feeding on eggs; 3409

Eutichurus ravidus, preying upon Mahanan posticata, in Brazil, 1283

Eutromula pariana, Sympiesis fragariae sprecorded from, in U.S.A., 359 Euxoa, revision of genus of, in North America

230

Euxoa messoria, characters for distinguish sex of pupae of, 1662; use of trap plants: attracting larvae of, in Ontario, 24 insecticides against on flue-cured tobacco Canada, 2785

Euxoa ochrogaster, laboratory ecology of Alberta, 1266

Euxoa radians, attacking tobacco in Que land, 3311

Euxoa tessellata, on tobacco in Ontario, 2 Euzophera bigella, infesting pome fruits walnuts in Iran, 3936

Euzophera osseatella, on Solanaceae in Egg Pimpla roborator parasitising, 2714

evanescens, Trichogramma

ewingii, Persectania excavata, Calpe

excavatus, Cavelerius excitans, Neodiprion

exclamationis, Agrotis exemius, Hypera

exempta, Spodoptera

Exenterus abruptorius, interrelations between and other parasites of Neodiprion sertife Canada, 1133

Exeristes (see Ephialtes)

Exidechthis canescens (see Devorgilla) exigua, Bathyplectes; Spodoptera; Susumia

exiguus, Cubitermes

Exitianus exitiosus, on maize in South Carol 1221; on soy bean in Mississippi, 1771 exitiosa, Aegeria

exitiosus, Exitianus; Nasutitermes Exochomus illaesicollis, preying on Marchan caucasica sp.n. in Soviet Union, 1107

Exorista, near E. larvarum parasitising Spoots tera littoralis in Israel, 253

sta fasciata, parasitising Thaumetopoea wocampa in France, 3494

sta larvarum, Exorista sp. near, parasitis-Spodoptera littoralis in Israel, 253

sta mella, bionomics of, parasitising tigmene acraea, 2921

ista segregata (see E. fasciata)

wleia dodecella, control of, on pine in and, 1138

wileia nepheos, sprays of oxydemetonthyl against, on Pinus sylvestris in Ohio,

mixin, of Bacillus thuringiensis, 2265

ta, Formica tus, Agistemus

netum, Praon sor, Eubadizon

vimitatis, Eurytoma

siece, image-splitting, use of in measure-

nt of spray droplets, 1259

repocnemis plorans ornatipes, bionomics of, labelling of, with radioactive isotopes,

dellensis, Tetranychus

F

11, Aphis; Empoasca sum, Lysiphlebus n, Earias (see E. vittella) .s (see Prothoate) lis, Pediobius a Rhynchaenus

byri, Macrosiphum

spyrum cymosum, Macrosiphum fagopyri

1, in India, 82

as grandifolia, feeding behaviour of Heterovnpa guttivitta on, 156

rairei, Delphacodes

Armyworm (see Spodoptera frugiperda) :Webworm (see Hyphantria cunea)

ris, Amblyseius w Conoderus Miaris, Amara

i, Habrolepis oma, Sirex

East, Ostrinia zaguliaevi on leguminous ops in, 526

ae, Tyroglyphus (see Acarus siro)

osus, Malaxodes

esenic Acid, juvenile hormone activity of rivatives of, 1094

esoic Acid, synthetic juvenile hormone rived from, 883; solution of, in acetone plied to larvae of *Drosophila melanogaster*,

3,7,11-Trimethyl-2,6,10-dodenesol (see

trien-1-ol)

lesyl Methyl Ether, effect of treatment with, Malacosoma californicum pluviale, 914; lution of, in acetone, applied to larvae of rosophila melanogaster, 2177; effect of, on ipae of Tenebrio molitor, 2421; effect of, on varian development in Dendroctonus pseudorugae, 3624; blocking of embryonic developent in Choristoneura fumiferana by, 3636 s, Acarus

tae, Eremohallaspis (Coccomytilis)

fasciata, Exorista; Gerstaeckeria; Salticella fasciatus, Aeolothrips; Conocephalus; Oncopeltus fasciculata, Oncopera

fasciculatum, Trogodendron fasciculatus, Araecerus

fascifrons, Macrosteles

Fat, in diet for Dermestes maculatus, 3596

Fatty Acids, in lipid fractions of larvae and diet of Heliothis zea, 1191; in lipid fractions from larvae of Heliothis virescens, 1207; in diet for Itoplectis conquisitor, 3287; phagostimulatory effect of, on Ctenicera destructor, 3302

Fecundity, effect of different prey species on, in Amblyseius gossipi, 2296

Feeding deterrents, review of, 1173

Feeds, reviews of pesticides and chemicals in, 2853-2857

Fe-EDTA (see Sodium Ferric Ethylenediamine Tetra-acetate)

Fekama (see Butonate)

Fekama Tribudan (see Trichlorphon) Fekama-Tribuphon S50 (see Butonate)

Felt-tipped Pen, used for marking larvae of Hyalophora cecropia, 1213

feltiae, Microplitis femoralis, Adelencyrtus femorator, Erigorgus femurrubrum, Melanoplus

Fenazaflor, against *Eotetranychus carpini* borealis, 597; toxicity of, to *Stethorus* punctum, 670; biochemical mode of action of, carpini 827

Fenchlorphos, soil treatment with, against Psila rosae, 302; against storehouse pests, 1503 Fenchone, attractancy of, to Anthonomus grandis, 1710

fenestralis, Nythobia (Diadegma) fenestratus, Circulifer

Fenitrothion, and malathion against Anthonomus grandis and Heliothis zea, 127; against Hellula phidilealis, 234; against Cydia delineana, 273; against Cydia molesta, 293; and synergists, potency and metabolism of, in Tribolium castaneum, 464; in sprays against Prasinoxena sp., 497; toxicity of, in sprays to cotton insects, and effect of, on cotton, 630; in baits and sprays against Tipula spp., 787; in sprays against Eurygaster integriceps, 796; against Rhagoletis pomonella, 902; in sprays against Hoplocampa crataegi, 1114; residues of, in carrots, 1164; in sprays against Choristoneura fumiferana, in Ontario, 1257; against Aphodius pseudotasmaniae in pastures in Tasmania, 1295, 1296; in sprays against Oxycanus fuscomaculatus in pastures in Tasmania, 1297; against Oncopera rufobrunnea on pasture in Tasmania, 1298; in sprays against Oncopera intricata on pasture and field crops in Tasmania, 1301; against Lixus juncii, 1516; and malathion against rice and sugar-cane borers, 1567; in aerial sprays against Choristoneura pinus pinus, 1665; susceptibility to, in Trogoderma spp., 1717; against Wiseana spp., 1892; against Distantiella theobroma, 2294; in tests against rice leafhoppers, 2504; effect of, on Tetranychidae and Phytoseiidae, 2577; against Maruca testulalis, 2679; in tests against Cycloneda sanguinea limbifer, 2727; against Hylurdrec-

tonus araucariae, 2784; against Homona coffearia, 3044; and amidithion, toxicity of, to beet weevils, 3128; and amidithion against Heliothis armigera, 3130; with monocrotophos, and heptachlor against Bothynoderes punctiventris, 3138; against Phytodecta fornicata, 3139; poisoning effect of, on horses, 3180; effect of, on Carabids and Lycosid spiders, in sprays against Choristoneura fumiferana, 3288; in sprays against Pineus spp., 3395; in sprays against Enneothrips flavens and Stegasta basqueella, 3809; in dusts against Stiophilus spp., 3812; toxicity of, to rats, 3857; effects of sublethal doses of, on Spodoptera littoralis, 3941; in sprays against Spodoptera exigua, 3943; in sprays against Bulaea lichatschovii, 3939; in sprays against Conorhynchus mendicus, 4015; laboratory purification of, 4095; determination of residues of, in crops, 4100; toxicity of, to Coccinella septempunctata, 4119; toxicity of, to primary and secondary aphid parasites, 4127; toxicity of, to Chrysopa carnea, 4128

Fennel, Cavariella aegopodii on, in Argentina, 1288

Fensulfothion, residues of, in carrots, 180; seed treatment with, against Hylemya platura, 195; soil treatment with, in granules against pests of beans, 610; soil treatment with, in granules against Diabrotica spp., 644; soil treatment with, against Hylemya brassicae, 654; seed treatment with, against Urocystis colchici and Hylemya antiqua, 1920; granules against Antonina graminis, 2019; against Heliothis virescens, 2387; against Clivina impressifrons, 2416; against Hylemya brassicae, 2459; toxicity of, in soil and in swedes, 3126; against Schizaphis graminum, 3236; toxicity of, to rats and sheep, residues of, in sheep and on pasture, 3882, 3883; residues of, in lactating cattle, toxicity of, to cattle, 3884

Fensulfothion Oxygen Analogue Sulphone (see Diethyl 4-Methylsulphonylphenyl Phosphate) Fensulfothion Sulphone (see O,O-Diethyl O-4-

Methylsulphonylphenyl Phosphorothioate) Fenthion, against cotton pests, 94, 96; toxicity of, to honey bees, 105, 106; against Cydia molesta, 293; residues of, in corn silage and effects of feeding dairy cattle the treated silage, 621; against Rhagoletis pomonella, 902; in sprays against Hoplocampa crataegi, 1114; in sprays against Dacus oleae, 1118; residues of, in carrots, 1164; use of, for control of Plecoptera reflexa in West Pakistan, 1377; against Pseudococcus comstocki, 1441; against Lixus juncii, 1516; susceptibility to, in Trogoderma spp., 1717; toxicity of, to honey bees, 2063; persistence of, in sprays against Ceratitis capitata, 2066; effects of, on embryology of Acheta domesticus, 2327; against Tetranychids in orchards, 2577; toxicity of, to predacious arthropods, 2781; against Hylurdrectonus araucariae, 2784; in sprays against Ceratitis capitata, 3003; against rice pests, 3042; toxicity of, to eggs of Tetranychus telarius, 3108; toxicity of, to beet weevils, 3128; residue of, in olives and olive oil, 3133; in sprays against Drosophila and

Carpophilus spp., 3202; in sprays against b weevils, 3456; in bait-sprays against Cerate capitata, 3598; against Ceratitis capitol and Anastrepha spp., 3831; in dusts again Numicia viridis, 3947; against Spodotte littoralis, 3966, 3967; residues of, in olivialis, 3966, 3967; against Spodotte littoralis, 3966, 3967; residues of, in olivialis, 3966, 3967; against Spodotte littoralis, 3967; against Spodotte littoralis, 3967; against Spodotte littoralis, 3966, 3967; against Spodotte littoralis, 3967; against Spodotte littoralis, 3967; against Spodotte littoralis, 3967; agains and olive oil, 4009

Fenthion Sulphoxide, as metabolite of fenth

in maize silage, 621

Fentin Acetate, effects of, on Diparopsis c tanea, 857; effectiveness against Piel brassicae and phytotoxicity of, 4026; residil

of, in potatoes, 4091

Fentin Hydroxide, effects of, on Diparond castanea, 857; preventing Lepidoptere larvae from feeding on leaves of Ricid communis, in India, 2673; effectiveness again Pieris brassicae and phytotoxicity of, 401 residues of, in potatoes, 4091

Fenusa dohrni, bionomics of, on Alnus gluting in Holland, 3524

Fenusa pusilla, systemic insecticides against, Betula populifolia in New York State, 1 parasitism of, in North America, 743; Betula spp. in Connecticut, 924; factors survival of immature stages of, in Quebe 2821

against Gnophothrips fuscus a Ferbam, Cronartium strobilinum, 2792

Fern (see Pteridium aquilinum)

Ferrisia virgata, bionomics, predators a control of, in India, 86

Ferrisiana (see Ferrisia)

ferruginea, Costalimaita; Ostroma

ferrugineus, Rhynchophorus; Rhizophage Xyleborus

Fertilisers, effects of, on attack by cotton be worms, 3172

ferus, Arhopalus

Festuca, Tetranychus elsae on, in New Zeala 3866; acceptability of, for Chorthippus pas lelus in Britain, 4080, 4086

Festuca elatior, Macrosiphum festucae on. California, 2357

Festuca ovina, preference for, in Chorthip parallelus in Britain, 4080

Festuca pratensis, effect of leafhoppers on France, 2849; silver top disease of, in Pola 3105

Festuca rubra, preference for, in Chorthip parallelus in Britain, 4080

festucae, Macrosiphum (Acyrthosiphon)

ficorum, Gynaikothrips

ficus, Aceria; Chrysomphalus (see C. aonidul) Ficus, Aceria ficus transmitting fig mosaic v to, in India, 2529

Ficus bengalensis, Sycophilomorpha Sycoscapteridea guruti sp.n., and Polyn temeraria on, in India, 1579

Ficus carica, Aceria ficus transmitting fig mc virus to, in India, 2529

Ficus microcarpa, natural enemies of Gyna thrips ficorum on, in Brazil, 3815

Ficus nitida, Gynaikothrips ficorum on, in Eg

Fig, Ectomyelois ceratoniae on, in West Australia, 1318; Drosicha stebbingi or India, 2671; Sinoxylon sudanicum on Egypt, 2720; Coleoptera found on,

est fire in Corsica, 2846; Drosophila and pophilus spp. as pests of, in California, 2; effect of rainfall on, infected by umbaria nainiensis in India, 3372; Udumia nainiensis in relation to diseases of, in lia, 3374; Ceroplastes rusci on, in Jordan, 4; Azochis gripusalis on, in Brazil, 3804; ratitis capitata on, in Canary Islands, 4022 also Ficus)

Oryctes rhinoceros and other insects in, 7-239; crop protection problems of banana 1047; control of Nacoleia octasema on nana in, 2228; insect pests of coconut and in, 3035; Adelencyrtus miyarai in, 3968

nis, Pemphigus viata, Noctua :, Achaea

na, Apamea .nd, Sitona lineatus on pea in, 781; Acyrtho-.hon pisum on pea and red clover in, 782; uveria bassiana infecting Myelophilus iperda in, 1624; bark beetles in timber in, 25; insects as vectors of Fomes annosus in, 28; Myelophilus piniperda in pine logs in. Heliothis armigera and Arenostola evilinea in, 1630; possible migration of Itella xylostella from, to Britain, 2241; welophilus piniperda attracted to fraction m pine phloem in, 2250; immigration of eris brassicae into, 2251; distribution and pd plants of leaf-miners in, 2252; entomoical literature published in 1967, 2253; plated populations of Philaenus spumarius islands in, 2862; Myelophilus piniperda on ne in, 3427; sex index of thrips on cereals 1 4105; take-off activity of Myelophilus iperda in, 4106; overwintering stages of acrolepidoptera in, 4108; incidence of nneumonids after outbreak of Oporinia tumnata on birch in, 4109; Urocerus gigas di Sirex juvencus in, 4110; Lygus ruguli-

vidicus, Amblyseius vita theae, systemic insecticides against, on

namental plants in Georgia, 3717 neset pests of, in Greece, 3466 iAlpine (see Abies lasiocarpa) Balsam (see Abies balsamea)

unis on wheat and beet in, 4111

Douglas (see Pseudotsuga menziesii)

2-Fraser (see Abies fraseri)
7-Grand (see Abies grandis)
8-Vordmann (see Abies nordma

Nordmann (see Abies nordmanniana)
Silver (see Abies alba)

White (see Abies concolor)

evaluating risks of pesticides to, 804; bection from infestation, of dried sea-, in ien, 1179; toxicity of rotenone to, 1620; DT residues in, 2455; analysis of penta-orophenol in, 3014; extraction of para-on from, 3461; insecticide residues in, 40; possible mechanism in development of ecticide-resistant varieties of, 3747; insectile residues in, 3748, 3750 (see also individal names)

(Dried), in baits against Crematogaster

p., 1080

Meal, applied to sorghum increasing estations of Atherigona varia, 692

Fitios and Fitios B/77 (see Ethoate-methyl) Fitophos 50 (see Parathion)

flaminius, Homalotylus flandersi, Trichogramma

flava, Altermetoponia; Anomis; Euproctis;

Hoplocampa; Sipha flavens, Enneothrips flaveolatum, Agrypon flaveolus, Anagrus

flavescens, Empoasca; Helopeltis bergrothi flavicauda Spaerophoria (see S. rueppelli)

flavicauda, Spaerophoria (see S. rueppelli) flaviceps, Carneocephala

flavicinctus, Anaphothrips flavicollis, Kalotermes flavicornis, Urocerus gigas flavimedia, Euderomphale

flavipes, Anaphes; Anomala; Anthrenus; Apanteles; Aphelinus; Gryon; Pnigalio; Reticuli-

termes; Xylocoris flavitestacea, Phanerotoma flavofasciata, Kakivoria flavopicta, Tomaspis

flavus, Aphycus; Lasius; Thrips; Tychius

Flax, pests and diseases of, 1141; factors influencing the tolerances of, to fumigants, 1357; seed treatment of, against mites, 1540; Caliothrips indicus on, in India, 2102; pests of, in Soviet Union, 2135; Heliothis spp. on, in Queensland, 3314; Tetranychus moutensis on, in New Zealand, 3867

Flax, False (see Camelina sativa)

Flea-beetles, insecticides without significant effect on, on sorghum in U.S.A., 1743; effect of, on radish yields in Britain, 2078; on Solanum carolinense in Ontario, 2984 fleschneri, Agistemus

Flight, effect of temperature on, in *Hylotrupes bajulus*, 2300; aggregation of, of *Ips* spp. in pine plantations, 2826; investigations on, of insects in Germany, 2840

Flight Energetics, regulation of, by blood circulation in *Manduca sexta*, **2346**

floccosus, Geopemphigus

floralis, Hylemya; Nemorilla; Noctuelia

florea, Apis

Florida, pests of tobacco in, 141; Noctuid larvae on maize in, 197; arthropod pests in, 227; Antennopsis gallica on Reticulitermes spp. in, 540; plant pests in, 567; Heliothis zea on maize in, 659; Solenopsis saevissima richteri in, 921; Caryobruchus gleditsiae on seeds of palms, and Tenuipalpus pacificus on Orchidaceae and Polypodiaceae in, 1232; Brevipalpus phoenicis on Citrus in, 1775; continuous generations of Heliothis zea in, 1792; Litoproscopus futilis, Anastrepha edentata, and Diaprepes abbreviatus in, 2186; studies on Tetranychus yusti in, 2395; control of Saissetia spp. on Citrus in, by natural enemies, 2417; seasonal abundance and mating frequency of Heliothis zea and H. virescens in, 2448; host and limitations plants temperature Diabrotica balteata in, 2461; loss of residues of phorate applied to soil in, 2747; Scolytidae and Platypodidae attracted to ultra-violet light traps in, 2748; larvae of Neodiprion warreni from Pinus glabra in, 2750; treatment against Gnophothrips fuscus and Cronartium strobilinum in pine seed orchard in, 2792;

arthropod pests in, 2879; Aphis craccivora transmitting bean common mosaic virus in, 2891; Neodiprion merkeli in, 2934; Dacus ciliatus and Vinsonia stellifera as potential pest in, Gerstaeckeria spp. in, 3201; Urbanus proteus on snap beans in, 3231; arthropod pests in, 3723; insecticide residues in plants in, 3730; surface slicks as concentrators of insecticides in marine environment in, 3743; Leptogalumna sp. and Arzama densa damaging Eichhornia crassipes in, 3793; Anastrepha suspensa in, 4069, 4075

Florida Beggarweed (see Desmodium pur-

pureum)

floridanus, Typhlodromus floridensis, Ceroplastes florus, Colpoclypeus

Flounder, DDT residues in, 2455; insecticide

residues in ova of, 3728

Flour, protection of, against insects, 93; fumigant residues in, 2171; depth distribution of two strains of *Tribolium castaneum* in, 2628; stored-products insects associated with sacks used for, 2657; susceptibility of Plodia interpunctella in, to Bakthane L-69, 2697; control of insects in, by microwave power, 3594; development of Acarus siro on, 3708; effect of, on fecundity and development of Ephestia cautella, 3922

Fluenetil, in sprays against Tetranychus telarius,

Fluorescent Dye, used in determining spread of

methoxy-DDT, 182

Fluoroacetamide, against Ceroplastes japonicus, 2503; poisoning of dairy cattle by, 3178–3179 p-Fluorophenylalanine, in diet inhibiting reproduction in Pseudosarcophaga affinis, 1748

fockeui, Aculus foetens, Megaponera

Folic Acid, in diet for Agrotis spp., 719 Folidol and Folidol E605 (see Parathion)

Folidol-M (see Methylparathion)

Folsomia, in cultivated fields and grain débris in Canada, 2765

Folsomides, in cultivated fields and grain débris

in Canada, 2765

Fomes annosus, insects as vectors of, in Finland, 1628

Food, residues of organochlorine pesticides in, in Britain, 2641; effect of, on fecundity and survival of adults of Chrysopa californica, 2718; reviews of pesticides and chemicals in, 2853-2857

Food Storage, review of persistent organochlorine pesticides used in, in Britain, 2641

Food-plant, importance of, in population dynamics of insects, 2183

Foodstuffs, organochlorine residues in, in Britain, 2641

forbesi, Aphis

Forda, parasitised by Monoctonia pistaciaecola, 1124

Forest, life-table approach to analysis of insect impact on, in U.S.A., 403

Forest Entomology, in Germany, 3436, 3437 Forest Habitats, relationships between mites and insects in, 2819

Forest Insects, use of barium sulphate in radiography of, 1225

Forest Pests, chemical control of, in Britain, 1 automatic data processing system for survey information on, 151; in Territory of Papi and New Guinea, 1899; in Ontario, 2981: Australia, 3019; parasites of, in Soviet Union 3568; in Soviet Union, 3589; in Spain, 4031 parasites of, in Poland, 4118; in Poland, 4118 Forest Protection, in Germany, 3436, 3437

Forest Trees, juvenile hormone activity in wood and bark extracts of, 1262

Forestry, review of pesticides and other toxi chemicals used in, in Britain, 2641; had monious control of insect pests of, 2847

Forficula auricularia, preying on Cydia fun brana in Soviet Union, 1104

Formaldehyde, in diet for Cydia pomonela 144; eggs of Hemerocampa pseudotsugas treated with, for virus contamination, 96 in diet for Heliothis zea, 1756; in diet f Anarsia lineatella, 2425; in diet for Cyapomonella, 3221; effect of, on granulosis viri of Pieris brassicae, 3273; treatment of eggs Pectinophora gossypiella with, to preven infection with cytoplasmic polyhedron virus, 3656

Formalin, increasing number of Coleopte caught in pitfall traps, 27; suspension living nematodes in, 1122

Formetanate, against Eotetranychus carp borealis, 597; degradation of, to demeth formetanate by rat liver preparations, 676 effectiveness of, against Tetranychus telaru and Panonychus ulmi, toxicity of, to mail malian species, 815; in sprays against Tetrar-chus telarius, 2450; against Myzus persico 2804; against Tetranychus pacificus, 3234;

Formica, breeding chamber for, 3969 Formica cinerea montana, preying on dislodg larvae of Choristoneura pinus in Minneso

3684

Formica exsecta, prey of, in Germany, 447 Formica fusca, preying on dislodged larvae Choristoneura pinus pinus in Minnesota, 36 Formica integra haemorrhoidalis, preying dislodged larvae of Choristoneura pinus

Minnesota, 3684

Formica obscuripes, preying on dislodged larv of Choristoneura pinus in Minnesota, 3684 Formica obscuriventris, preying on disloder larvae of *Choristoneura pinus* in Minneson 3684

Formica pallidefulva schaufussi, preying on c lodged larvae of Choristoneura pinus

Minnesota, 3684

Formica polyctena, colonization of, in for district in Germany, 446; prey of, in Germany, 447; uptake and redistribution animal food by, 448; locality factors affects nests of, in Germany, 449; distribution of Germany and Switzerland, 4103; facta affecting nests of, 4104

Formica rufa, protection of nests of, again predators, 2578; preying on Thaumetopoly

pityocampa, 3495

formicarius, Cylas; Thanasimus Formosa (see Taiwan) formosa, Euchromia; Lorryia formosana, Enarmonia formosanus, Coptotermes

wosus, Cheiloneurus

mothion, against insect pests of soy bean, 2: compatibility of fungicides with, against ests of plum, 280; resistance to, in Myzus ersicae, 299; in sprays against Anuraphis evecta and A. plantaginea, 739; in sprays igainst Anuraphis helichrysi, 872; against assect pests of cotton, 873; against Rhagoletis omonella, 902; fumigant action of, against Distantiella theobroma, 1080; toxicity of, to ratural enemies of aphids, 1112; emulsion oncentrate of, used against Mesomorphus illiger, Opatroides frater and Scleron latines. clamaging tobacco seedlings in India, 1368; gainst Mylabris pustulata, 2520; against etranychids in orchards, 2577; against Hylurdrectonus araucariae, 2784; persistent exicity of, to Rhopalosiphum erysimi, 2791; igainst Homona coffearia, 3044; in baitiprays against Dacus oleae, 3410; in baitprays against *Ceratitis capitata*, 3598; esidues of, in olives and olive oil, 4009; poxicity of, to Chrysopa carnea, 4128

Formyl-4-chloro-o-toluidine, as radioactive netabolite in grapefruit seedlings, 181; as netabolite of insecticide in apple seedlings,

micata, Phytodecta viicatus, Xyleborus schlor (see Trichlorphon) isfamid (see Dimethoate) isferno (see Methyl-parathion) (see Malathion) stiol (see Methyl-parathion) reatus, Metabletus reicollis, Aulacophora

wls, fate of carbofuran in, 136 ctinicorne, Ochthephilum

gaefolii, Capitophorus agaria chiloensis ananassa, Aphis gossypii overwintering on, in Japan, 3913

gariae, Anaphothrips; Macrosiphum; Sympie-

sis; Tarsonemus cance, Phyllonorycter spp. in, 20-21; Cnephasia voumicana on barley in, 301; Hylemya antiqua and Psila rosae in, 302; Oscinella frit on wheat in, 304; Vryburgia lounsburyi on ornamental plants in, 481; Urophora sirunaseva on Centaurea solstitialis in, 506; resistance in maize to Ostrinia nubilalis in, 779, 780; Eotetranychus carpini vitis on vines in, 1786; Napomyza lonicerella in, 1117; competition in parasite complexes in, 1133; Gnathotrichus materiarius in, 1158; Eupoecilia ambiguella and Lobesia botrana in vineyards in, 1160; Lepidopterous larvae injurious to fruit trees in, 1161; Cydia pomonella on apple in, 1162; transmission of potato leaf-roll virus by Myzus persicae in, 1824; aphids transmitting non-pathogenic virus in, 1825; mycoplasma-like particles in phloem of Convolvulus arvensis in, 1826; Macrosiphum pisum and pea mosaic virus in, 1827; agricultural pest warnings in, 2117 Tetranychus telarius on carnations in, 2145; Vagoiavirus melolonthae infecting Melolontha melolontha in, 2146; Lipotropha dorci sp.n. parasitising Dorcus parallelipipedus in, 2147; predators and parasites of Phenacoccus aceris

in, 2149; Bergoldiavirus oleraceae infecting Diataraxia oleracea in, 2153; Aphelinids parasitising aphids in, mycoplasma-like organisms in Melolontha melolontha in, 2157; possible flight of Leptinotarsa decemlineata from, to England, 2237; aphid vectors of chrysanthemum mosaic and aspermy viruses in, 2603; mosaic virus of Buddleia davidii in. 2604: tests on curative treatment of yellow withering of lavender in, 2605; transmission of golden flavescence disease by Scaphoideus littoralis, in, 2608; tests on control of Myzus persicae on peach in, 2610; control measures against Unaspis yanonensis on Citrus in, 2611; Phaenobremia aphidovora recorded from, 2695; influence of leafhoppers on meadow grasses in, 2849; pests and diseases of olive in, 2859; Contarinia tritici and Sitodiplosis mosellana on wheat in, 2860; aphids on peach in, 3347; parasites of Thaumetopoea pityocampa in, 3494; use of micro-organisms against Thaumetopoea pityocampa in, 3496; Apion carduorum on Cynara in, 3510; Contarinia medicaginis on lucerne in, 3511; fungi attacking aphids in, 3514; Psyllopsis fraxini on ash in, 3516; Prospaltella perniciosi against Quadraspidiotus perniciosus in, 3547; use of Chelonus eleaphilus against Prays oleae in, 3549; Opius concolor against Dacus oleae in, 3550; Anaphes lemae sp.n. in, 3970; conditions favouring control of aphids by Entomophthora spp. in, 3972; microbiological control of Thaumetopoea pityocampa on pines in, 4030; Reticulitermes in, 4032; Pseudococcidae in, 4036; Phanerotoma flavitestacea parasitising Ectomyelois ceratoniae in, 4042; Lobesia botrana in, 4044; spread of Cnephasia pumicana in, 4045; Scaphoideus littoralis in, 4046; golden flavescence of vine and Scaphoideus littoralis in, 4047

Frangipani (see Plumeria acutifolia) Frangula alnus (see Rhamnus frangula)

frangulae, Aphis

Frankliniella allochroos, on sunflower and maize in Argentina, 701

Frankliniella bispinosa, infestation and control of, on groundnuts in Georgia, 168; seasonal variation in populations of, in U.S.A., 585 Frankliniella dampfi, as possible synonym of

F. schultzei, 3858

Frankliniella fusca, infestation and control of, on groundnuts in Georgia, 168; genetic resistance of groundnuts to, 2344

Frankliniella interocellaris, as possible synonym of F. schultzei, 3858

Frankliniella intonsa, in Ukraine, 1438

Frankliniella lycopersici, as possible synonym of F. schultzei, 3858

Frankliniella occidentalis, on cabbage California, 573

Frankliniella paucispinosa, on crops in Argentina, 701; as possible synonym of F. schultzei, 3858

Frankliniella rodcos, on maize in Argentina, 701 Frankliniella schultzei, attacking crops and ornamental plants in Victoria, 3326; possible synonyms of, 3858

Frankliniella sulphurea, as possible synonym of F. schultzei, 3858

Frankliniella tenuicornis, sex index of, on cereals

in Finland, 4105

Frankliniella tritici, infestation and control of, on groundnuts in Georgia, 168; seasonal variation in populations of, in U.S.A., 585; Malachius viridis attacking, 1438; biology of, wheat in Rumania, 1496; improved method of extracting, from roses, 2802; not transmitting tobacco ringspot virus, 2889

Frankliniella tritici varicornis, infesting tips of asparagus spears in British Columbia, 1671

frater, Opatroides fraterculus, Anastrepha fraxini, Psyllopsis fraxinicola, Psyllopsis

Fraxinus, Psyllopsis fraxini on, in France, 3516 Fraxinus excelsior, Parlatoria oleae on, in Soviet Union, 1099; Lyctus planicollis on, in Austria, 2845; damage to, by Psyllopsis fraxini in Germany, 3406; preference for, by Psyllopsis fraxini in France, 3516; Psyllopsis spp. on, in Soviet Union, 3562

Freezing, injury in fat-body of Trichiocampus

populi caused by, 1532

frenchi, Coptotermes frenzeli, Pyxinia

Freon-11, in aerosols against ludens, 1700 Anastrepha

Freon-12, in aerosols against Anastrepha ludens, 1700; anaesthesia of Perkinsiella saccharicida and Drosophila melanogaster with, 1760

fresenii, Entomophthora frigidum, Calosoma frischella, Coleophora frischii, Dermestes frit, Oscinella Frog (see Rana)

Frog Tadpoles, selective predation by newts on, treated with DDT, 3608

frogatti, Edwardsiana (see E. australis)

Frontalin (see 1,5-Dimethyl-6,8-dioxabicyclo [3.2.1]octane)

frontalis, Scaphytopius; Scymnus; Systena Fructose, nutritive value of, to Hylemya brassicae, 41; in diet for Laodelphax striatella, 53; feeding response of Sitona cylindricollis to, 129; as feeding stimulant for Homadaula anisocentra, 1948; effect of, on embryonic development of Empoasca fabae, 2904; in diet for Myzus persicae, 3764

frugiperda, Spodoptera

Fruit, Megaselia scalaris on rotting, 2701 Fruit Crops, recommendation against use of DDT against insects attacking, 2641

Fruit Trees, lepidopterous larvae injurious to in France, 1161; Chrysobothris mali on, in California, 1234; Lymantria ampla in India, 2203

Fruit-flies, in Japan, 1040; main attractants for. 2026

Fruit-fly, Mediterranean (see Ceratitis capitata) Frumenta nundinella, on Solanum carolinense in Ontario, 2984

Frumin (see Disulfoton) frustrana, Rhyacionia frustranae, Campoplex frutetorum, Gilpinia (Diprion) fucosa, Agrotis (see A. segetum)

Fucose, in cotton not affected by enzymes: Anthonomus grandis, 690

Fucosterol, as metabolite in Manduca sex 3616

Fulgoroidea, from Rennell and Bellona Island 1566

fuliginosus, Dahlbominus fullo, Polyphylla fulva, Helopeltis rauwolfiae fulvicollis, Cisseps fulvipes, Eupelmus fulvus, Cyrtorhinus fumida, Rodolia fumiferana, Choristoneura

fumiferanae, Apanteles; Glypta
Fumigants, factors influencing the tolerances seeds to, 1357; sorption of, by wheat all maize of different moisture contents and lol factors, 2390; factors affecting distribution of in stored grain, 2420

Fumigation, vacuum chamber for, 3447 Fumigation Standards, recommendations Standing Committee on, 1541-1543 Funambulus palmarum tristriatus, as predator

Hieroglyphus spp., 2096; preying on Oryc. elegans, 3929 Fundal SP (see N'-(4-Chloro-o-tolyl)-N, I

dimethylformamidine Hydrochloride) fundella, Argyresthia funebrana, Cydia

funeralis, Desmia

Fungi, attacking Schistocerca gregaria in Ind. 69; attacking Tephritid flies in laborator 207; spores of, ingested by *Hylemya coarcta* in Britain, 344; attacking Chilocorus bipusallatus in Israel, 459; symbiosis between Am colombica tonsipes and, 576; mite infestation of cultures of, 742; control of, in storproducts by airtight containers or by coolir 810; attractiveness to Rhyssa persuasoria " as symbiont of Sirex spp., 830; infesti Sogatella furcifera, 864; use of, for microb control of insects, 2258; correlation between and arthropods and environmental variab in bulk grain ecosystems, 2625; soil-born interactions between, and Hypogastrura to the state of bergi in Canada, 2765; dispersal of, Coleoptera, 2905; response of Acarus siro associated with stored-food commodition 2909; associated with prothoracic mycangius of Dendroctonus adjunctus, 2919; infection Macrosiphum pisum on pea, 3092; attackis Cydia pomonella, 3221; infecting Pegomi betae, 3440; infecting Saissetia oleae, 3481 pathogenic for Thaumetopoea pityocamy 3496; in sapwood of pine affecting suitability for development of Anobium punctatum, 3529 resistance of nucleopolyhedrosis virus Trichoplusia ni to decomposition by, 3600 infecting Orthezia praelonga, 3836; entry through holes made by Oryctes elegans date palms, 3929; attacking Pimelepho ghesquierei. 3962; Hydrae WY infecting micacea, 4142

Fungi, Entomogenous, isolation of, from Dendroctonus frontalis, 682; aims of research on, in Soviet Union, 3557

Fungi, Injurious (see also Mildew)

enjicides, chemistry of, 320; effect of, on pulations of Eotetranychus carpini vitis, 15; applied in ultra low volume sprays, 793 cola, Epuraea ; us Diseases, pathogenicity of, of Adelges

yeae on Abies balsamea in Quebec, 2472 .;us, Muscardine, attacking Cylas formic-

ii us in Okinawa, 2493

s Dtinus dan (see Carbofuran)

Ag, as alternate carrier for soy bean oil-rex bait for control of Solenopsis saevisna, 1770

hadiaspis zamiae, on Cycas revoluta in pland, 1115

.fer, Asynapta n fera, Sogatella acalis, Ostrinia i is, Pediobius Vrii, Tarsonemus

furium, attacking overwintering larvae of 1114: Toplocampa crataegi in Poland, hizoglyphus echinopus as vector of, on ladiolus in Italy, 1128; interaction radysia sp. with, on lucerne and Trifolium ratense, 2481; infecting Macrosiphum pisum n pea, 3092; review of book on, 3603;

"wium episphaeria, attacking Ceutorhynchus upae on hemp on Italy, 1121

varium larvarum, affecting Adelges piceae,

: arium moniliforme, response of Acarus siro 5, 2909

varium solani, pathogenicity of, to Dendroctnus frontalis, 682; sterol metabolism in, ssociated with Xyleborus ferrugineus, 1534 Busseola; Formica; Frankliniella; Vohieria; Lachnosterna

riceps, Melanotus

vicornis, Pemphigus; Terellia

cipennis, Dahlbominus (see D. fuliginosus); hrips

comaculatus, Oxycanus

cus, Brithothrips; Gnophothrips; Tenebroides icladium dendriticum, Pygmephorus mesemvrinae on apple seedlings infected with, 742 forme, Cronartium

ssol, containing fluoroacetamide (q.v.), 2503

'lis, Litoproscopus

1600 (mixture of tetramethrin, cyclohexanone, kerosene and Freon-11), in aerosols against Anastrepha ludens, 1700

zates, Dyscinetus

haniella saissetiae, parasitising Saissetia spp.

on Citrus in Florida, 2417

lactose, without nutritive value for Hylemya brassicae, 41; feeding response of Sitona cylindricollis to, 129; in cotton degraded by enzymes of Anthonomus grandis, 690; effect of, in diet on Callosobruchus chinensis, 2079; in diet for Myzus persicae, 3764

llápagos Islands, Miridae of, 2836 llecron (see N-(2-Methyl-4-chlorophenyl)-

N', N'-dimethylformamidine)

Galerucinae, relationships between mosaic-like viruses and vectors in, 2329 Gall Midges, in Surinam, 1278; faunistic re-

search on, in Czechoslovakia, 2581

gallarum, Byrsocrypta (see Tetraneura ulmi)

gallarumulmi, Anthocoris

Galleria mellonella, morphogenesis and ultrastructure of scales and imaginal cuticle in, 312; effect of mycotoxins of entomophthoraceous fungi on, 479; ultracytological findings in Borrelinavirus spp. in, 545; spatial and feeding requirements for pupation of, 579; regulatory mechanism of ecdysone release in, 580; used in estimating parasitic activity of Itoplectis quadricingulatus on pine in Oregon, 584; infection and synthesis of Tipula iridescent virus in, 975; infected with Neoaplectana sp., 1122; juvenile hormone-mimicking activity of wood and bark extracts of forest trees on, in Canada, 1262; endotoxins from bacteria as immunising agents against Pseudomonas aeruginosa in larvae of, in Canada, 2219; pathogenicity of Diplogasterid nematodes in larvae of, in California, 2221; Tipula iridescent virus in, 2314; tympanic organ structure and behavioural effects of sound in, 2332; as alternative host for Lixophaga 2725; competition diatraeae, between Apechthis ontario and Itoplectis quadricingulatus in, 2929; staining reactions of haemocytes of larvae of, 3190; toxic effect of Metarrhizium anisopliae on, 3271; development of virus of Heliothis in, exposed to γ-radiation, 3275; parasite eggs of Itoplectis conquisitor dissected from, 3287; activity of strains of Bacillus against, 3643; parasites reared on, in Réunion, 3945; development of dense-nuclei virus during metamorphosis of, 4039

Gambrus (see Agrothereutes)

Gambusia affinis, use of, for screening of insecticides, 2062

gamma, Autographa

Gamma Radiation, effects of, on reproduction of Spodoptera frugiperda, 2187

Gammexane (see BHC)

Garden-rocket (see Eruca sativa) Gardona (see Tetrachlorvinphos)

Garlic, thrips on, in Argentina, 701; crude oil of, as insecticide, 1848; Aceria tulipae on, in Bulgaria, 3455

garnhami, Gregarina

Gas Chromatography, use of, in measuring respiration of Tenebroides mauritanicus, 39; of insecticide residues in soil and beets, 142; of insecticide residues, 617; of plant-protection materials, 844; of fumigant residues in wheat and flour, 2171; measurement of CO2 output of Chlamisus cribripennis by, 3296; determination of parathion residues in fish by, 3461; of insecticide residues in fruits and plants, 4100

Gascardia destructor, prospects for biological control of, in Australia, 1307

Gascardia mimosae, use of, for making adhesive in Egypt, 2647

gasti, Glugea

Gas-liquid Chromatography, use of to monitor levels of a BHC and thionazin, 2; stability of

pyrethrum examined by, 1583; quantitative determination of pyrethrins by, 1586; selective determination of bromides in foodstuffs by, 3183; use of, for pheromone isolation in Aonidiella aurantii, 3771

Gastrimargus africanus, environmental control

of coloration in, 110

Gastrimargus musicus, in Queensland, 3318 Gastropacha quercifolia, distribution and hostplants of, 3208

gaussi, Thripoctenoides gayneri, Eublemma

GC-6506 (see Dimethyl 4-Methylthiophenyl Phosphate)

GC-10033 (see Tetrachlorocyclopropene)

Gebutox (see Dinoseb)

Geigy GS-13005 (see Methidathion) Gelatine, in diet for Hylemya antiqua, 3633 gelechiae, Bracon

Gelgard M, in larval diet for Ceratitis capitata, 4050

Gelis urbanus, relationships of, with coexisting parasitoids of Neodiprion swainei, in Quebec, 2735

gemina, Erythroneura gemmaecola, Bracon

geniculatus, Atrometus; Bagous

genistae, Arytaina gennadii, Eumarchalia

Geococcus coffeae, distribution map of, 2308

Geocoris punctipes, plant feeding by, on bean and barley, 1740; bionomics and entomophagous vector capabilities of, in relation to nuclear polyhedrosis virus of Trichoplusia ni, 2342; predacious on *Pectinophora gossy-*piella in California, 2772; sensitivity of to insecticides, 2781

Geoica phaseoli (see Smynthurodes betae)

Geolaelaps (see Hypoaspis)

Geopemphigus floccosus, in traps in Venezuela. 2830

Georgia, pests of tobacco in, 141; cotton insects in, 160; thrips on groundnuts in, 168; Pseudaulacaspis pentagona on soy bean in, 196; insecticide residues on coastal Bermuda grass in, 204; Quernaspis quercicola on Quercus laurifolia in, 381; Pseudoparlatoria tillandsiae from Tillandsia usneoides in, 384; Rhyacionia spp. on pine in, 552; Heliothis spp. on *Desmodium purpureum* in, 554; *Pseudoplusia includens* in, 555; trap collections for small pecan insects in, 557; *Solenop*sis saevissima richteri in, 558; Frankliniella spp. in, 585; activity of Cydia caryana in, 642; resistance in Pennisetum typhoides to Spodoptera frugiperda in, 666; emergence of Aegeria exitiosa in, 680; Derobrachus brevicollis on Paspalum notatum, maize and groundnuts in, 926; Chionaspis betulae sp.n. on Betula nigra in, 950; winged aphids trapped over grain fields in, 1222; Phenacaspis cockerelli on ornamentals in, 1215; varietal resistance of flue-cured tobacco to Heliothis virescens in, 1218; effect of γ-radiation on flight activity of Spodoptera frugiperda in, 1219; Xylocoris flavipes preying upon stored-product insects in, 1223; scale insects from grasses in, 1224; resistance to Contarinia sorghicola in sorghum, in, 1227; dispersion of

seed and cone insects in crown of PR echinata in, 1228; injurious insects in p. plantations in, 1439; Dioryctria amatella a other insects in Cronartium fusiforme cank in, 1687; Diabrotica undecimpunctata howan on groundnuts in, 1712; baits for pests to peach in, 1761; resistance in Cynor dactylon to Spodoptera frugiperda in, 1766 irradiation of Spodoptera frugiperda in, 212 response of Sitotroga cerealella to sex pher mones in, 2188; Heliothis zea in, 212 Microplitis croceipes parasitising Helioid spp. in, 2360; Nepticula juglandifoliella pecan in, 2383; Heliothis virescens on tobasi in, 2387; sprays of virus and DDT again Heliothis zea and Spodoptera frugiperda 2396; groundnut cultivar resistant to Spodus tera frugiperda in, 2398; seasonal abundata and mating frequency of Heliothis zea a H. virescens in, 2448; Heliothis zea reared 2454; biology of Dioryctria amatella on pir in, 2460; biology of Hylobius pales on p in, 2465; new Eriophyidae from, ecology: Aculus cornutus in, 2736; mass rearing : Heliothis zea in, 2799; investigation on he finding by Trichogramma evanescens in, 283 biology of Pachylobius picivorus on pro seedlings in, 2817; Contarinia sorghicola sorghum in, 2884; control of Lepidoptera cabbage and collards in, 2886; Curca caryae in, 3244; Heliothis virescens on tobac in, 3716; Fiorinia theae on ornamental plal in, 3717; Ips grandicollis on pine-logs Hypoaspis 3718: disjuncta in. Hymenopterous parasites of Dendrocto. frontalis in, 3721

geranii, Capitophorus; Macrosiphum

Geraniol, attractiveness of, to Popillia japon. 176; and eugenol, attractiveness of, to bell 600; with eugenol in traps for Popis japonica, 2399; as bait in traps for Popis japonica, 2775

Geranium diverticulatum, Capitophorus geres

sp.n. on, in India, 82

Geranium lucidum, Macrosiphum geranii on.i India, 82

Geranyl Acetate, attractancy of, to Anthonor

grandis, 1710

Gerbera jamesonii, diseases and pests of, f

Rumania, 3442 gerini, Helopeltis

germanica, Blattella germanus, Xylosandrus

Germany, pesticides in food and environment in, 320; Cnephasia longana damaging lupio and winter vetch in, 443; insecticide residal in soils and plants in, 444; safety periods cherry after insecticide treatments in, 414 Formica polyctena in forest district in, 411 prey of Formica spp. in, 447; nests of Formis polyctena in, 449; virus infection of Choris neura murinana on Abies alba in, 457; Will law on plant protection in, 740; effect of cal rotation on increase of pea pests in, 7 Degeeria luctuosa as parasite of Synharmon conglobata in, 1103; Napomyza lonicerella 1117; Tinea columbiella in imported du feathers in, 1135; West, Prospaltella pernicipale released against Quadraspidiotus pernicipale

1136; Tarsonemus pallidus on strawberry 1139; plant protection and introduction of flustrial methods in agriculture in, 1828: clorops pumilionis on wheat in, 1829; East, eases and pests of crops in, 1830; Aleyrodes pletella on strawberry in, 1831; forecasting important plant pests in, 1834; Uroobovella irginata and other mites damaging cucumtr in, 1835; parasitism of Cydia pomonella apple in, 1836; arthropods on apple in, 13; control of scab, mildew and spider tes on apple in, 2142; Panonychus ulmi on ape vines in, 2143; Tetranychus telarius on ps in, 2144; control of Haplodiplosis Surginata in, 2298; susceptibility of Abies a to secondary insect attack in, 2304; plogy and control of Monomorium pharais in, 2593, 2594; food-plants of Aphis in northern, 2595; eastern, Oscinella r and Hylemya coarctata on pasture grasses 1 2596; race of Aphis nasturtii avoiding tato in northern, 2598; Tenthredinidae of, 99; list of Tineidae of West, 2600; Phaenoemia aphidovora recorded from, 2695; vlemya floralis in, 2839; aphid catches in Juthern, 2840; Tarsonemini associated with hite-ear of grasses in eastern, apomyza carotae on carrot in, 3168; Myzus rsicae and virus disease of asparagus in, Chrysocharis seiuncta parasitising aplodiplosis marginata in, 3399; Psyllopsis uxini on Fraxinus exelsior in, 3406; subecies of Aphis sambuci in, 3407; Anatis cellata in, 3412; parasites of Rhyacionia voliana in, 3415; use of insecticides in, 3419; regrated pest control on apple in, 3420; iophyes similis similis damaging greengage 1 3425; records of unusual pests in, 3426; ganothrips bianchii feeding on aquarium int in, 3429; Hylemya coarctata on wheat 3432; pests of cucumber in, 3433; uptake plants of DDT from soil in, 3434; taplodiplosis marginata on cereals in, 3435; rest entomology and protection in, 3436, 37; Pegomya betae in, 3440; expenditure r pesticides on farms in, 4101; beneficial bod ants in, 4103 taeckeria hubbardi, in Americas and West dies, 3201 na, Afroccidens lodosi and A. sympatrica n. et spp.n. attacking cocoa in, 242; vycarenus spp. in, 346; Pediobius spp. on palm in, 349; pests and diseases of cacao, 1080; Thrips tabaci on onions in, founding by Oecophylla 08: colony nginoda in, 2234; Euchromia formosa digenous in, 2246; integrated control and netic selection of cacao clones resistant to irids in, 2287; Cicadellids attacking cacao , 2289; role of insects in wilting of cacao lits in, 2291; trials of motorised knapsack istblowers in, 2683; phosphorus absorption om fertiliser-insecticide mixtures in soil in, 88; bionomics of Sesamia nonagrioides tanephaga on maize in, 2689; control of phestia cautella in stored cacao beans in,

90; swollen-shoot disease of cacao in, 3977

quierei, Helopeltis; Pimelephila

ii, Invreia

Ghont (see Ziziphus xylopyrus) Giant Foxtail (see Setaria faberii) Gibberella, effect of, on yield of hybrid maize in Yugoslavia, 3151 Gibberellic Acid, effect of, in diet on development and fecundity in Heliothis spp., 619; reducing cabbage virus transmission by Myzus persicae, 1875 Gibbium psylloides, water vapour sorption by larvae of. 125 gibbus, Bruchophagus (see Eurytoma platyptera) gifuensis, Aphidius gigantea, Ibalia gigantorhynchus, Diptacus gigas, Urocerus; Urosirex Gilbert Islands, Valanga gilbertensis on coconut in, 2229 gilbertensis, Valanga Gilpinia frutetorum, Peckelachertus diprioni reared from eggs of, 2478 Gilpinia hercyniae, parasitised by Pleolophus

basizonus in Canada, 2990 girardi, Uroplata

giraulti, Oligosita Gitona, sp. of, infesting Moringa oleifera in southern India, 2205

glabrata, Disonycha glabratus, Phymatodes glabrum, Trogoderma

Gladiolus, Rhizoglyphus echinopus on, in Italy, 1128; treatment of, against Taeniothrips simplex on, in New South Wales, 3320

glaseri, Neoaplectana

Gleditsia caspia, Parlatoria oleae on, in Soviet Union, 1099

Gleditsia triacanthos, chemical constituents of leaves of, as feeding stimulants for larvae of Homadaula anisocentra, 1948

gleditsiae, Caryobruchus glyphopa, Perthida

Gliricidia maculata (see G. sepium)

Gliricidia sepium, effect of, on bionomics of Aphis craccivora, 493; attempt to rear Lysiphlebus testaceipes in Aphis craccivora on, 2514; Ketumala thea attacking, in South India, 2669

Glischrochilus quadrisignatus, on apple in Ontario, 1270

globulifera, Stephanitis (see S. takeyai) glomerata, Melanaspis

glomeratus, Apanteles

gloriola, Eucosma

gloverana, Acleris gloveri, Hyalophora

gloverii, Insulaspis (Lepidosaphes)

Glucokinase, increase of, in Dermestes maculatus fed on glucose-supplemented fatty acid diets, 3596

Glucosamine, failure of, as feeding stimulant

for Sitona cylindricollis, 129

Glucose, nutritive value of, to Hylemya brassicae, 41; in diet for Laodelphax striatella, 53; feeding response of Sitona cylindricollis to, 129; conversion of, to lipid in Manduca sexta, 416; incorporation of, into lipids of male and female Plodia interpunctella, 471; in diet for Galleria mellonella, 579; metabolism of, by males of Schistocerca gregaria, 582; in cotton not affected by enzymes of

Anthonomus grandis, 690; in diet for Agrotis spp., 719; attractiveness of, to Agriotes spp., 808; in diets for Drosophila melanogaster, 1246; in diet for Ips calligraphus, 1705; effect of, in diet for Callosobruchus chinensis, 2079; effect of, on embryonic development of Empoasca fabae, 2904; in diet for Itoplectis conquisitor, 3287; in diet for Dermestes maculatus, 3596; in diet for Myzus persicae, 3764

Glucose-6-phosphatase, relationship of, to level of glucose in diet for Dermestes maculatus,

3596

Glucose-6-phosphate Dehydrogenase, activity of, in Tribolium castaneum, 1552

Glucosinolases, electrophoretic separation of, of Brevicoryne brassicae, 3874

D-Glucurone-γ-lactone, in diet for persicae, 3775

Glucuronic Acid deterring feeding in Sitona cylindricollis, 129

Glue, incorporation of insecticides in, 3862

Glugea disstriae, notes on, 2967

Glugea gasti, elimination of, from genetic stocks of Anthonomus grandis, 651; in bait tests against Anthonomus grandis, 2221

Glutamic Acid, in diet for Agrotis spp., 719 Glutathione, in diet for Myzus persicae, 3775 Glycaspis, use of dicrotophos against, in New South Wales, 3892

Glycerine, in diet for Galleria mellonella, 579; addition of, to terramycin in tests against

Schizaphis graminum, 2446;

Glycerol, content of, in Ichneumonidae exposed to low temperatures, 2661; in baits for Anthonomus grandis, 3213; in diet for Dermestes maculatus, 3596; use of, in scanning microscopy of Acari, 3706 Glycerol-KCI, use of, in scanning microscopy

of Acari, 3706

Glycine, labelled with ¹⁴C, absorption and metabolism of, in irradiated Anthonomus grandis, 415; in diet for Agrotis spp., 719

³H-Glycine, in haemolymph of Pieris rapae, 1211 Glycine javanica, preventing removal of seeds of,

by ants in Queensland, 1316

Glycyphagus destructor, infestation and control of, in stored products, 1540; in stored sugarbeet seed in Poland, 3123

Glycyphagus domesticus infestation and control of, in stored products, 1540; in stored sugar-

beet seed in Poland, 3123

glyphica, Ectypa glyphopa, Perthida

Glypsus conspicuus, preying on Lepidopterous larvae on cotton in Uganda, 1205

Glypta, parasitising Cydia pseudotsugae sp.n. in British Columbia, 531

larvae Glypta fumiferanae, parasitising Choristoneura occidentalis, 2428

Gnaphalium indicum, Dasineura citri ovipositing in buds of, in India, 3371

Gnathotrichus materiarius, spread of, in Europe, 1158

Gnathotrichus retusus, effects of light intensity of flight pattern of, on Pseudotsuga menziesii, in Oregon, 1251

Gnathotrichus sulcatus, effects of light intensity on flight pattern of, on Pseudotsuga menziesii, in Oregon, 1251; host selection behaviour in Washington State, 2959

Gnophothrips fuscus, control of, on Pile elliottii in Florida, 2792

INDEX

Gnorimoschema operculella (see Phthorimaeo Goats, oral toxicity of insecticides to, 214 metabolites of methidathion in milk of, 3:1 Gohieria fusca, infestation and control of, stored products, 1540

Golden Flavescence Disease, Scaphoideus toralis transmitting, to bean in France, 2(1)

golickei, Agrotis crassa

Gonioterma chlorina, shelters constructed and parasites of, on Byrsonima intermedid Brazil, 3799

Gonioterma exquisita, shelters constructed and parasites of, on Byrsonima intermedial

Brazil, 3799

Goniozus, reared from galls of Cydia tricere on Crotalaria juncea in India, 1371

Gonipterus scutellatus, Patasson nitens inti duced from Mauritius against, on Eucalym in Madagascar, 1392

Gonocephalum macleayi, on Helianthus anni

in Queensland, 3316 Gonospileia (see Ectypa)

Gooseberry, disease of, 1141; Tarsonemids in Poland, 3106; insects on, in Soviet Unit 3571

gordius, Sympiesis gossipi, Amblyseius gossypiella, Pectinophora

gossypii, Aphis

Gossypium anomalum, Diparopsis tephragram

on, in Angola, 3953

Gossypium barbadense, factor in resistances to Anthonomus grandis, 773; susceptibility resistance in hybrids of, to Empoasca de tans in India, 866; resistance of, to Empour in Egypt, 2297

Gossypium hirsutum, resistance of, to Anthol mus grandis, 773; susceptibility or resistant in hybrids of, to Empoasca devastans

India, 866

Gossypium sandvicense, Bucculatrix thurber

on, in Hawaii, 2355

Gossypol, effect of, in diets for Heliothis s 626; effect of, on larval developments Pectinophora gossypiella and Heliothis si 1707

Gourd, Bitter (see Momordica charantia) Gourd, Bottle (see Lagenaria vulgaris)

Gourd, Ridge (see Luffa cylindrica)

Gourd, Smooth (see Luffa cylindrica)
Gourd, Snake (see Trichosanthes anguinea) Gourds, insect control by airtight storages 241

Goutweed (see Aegopodium podagraria)

grabhami, Pulvinaria gracilis, Phyllocoptes

Gracillaria azaleella, on azaleas in Connecti 924

Gracillaria theivora, natural enemies of, on in India, 2093

Graeffea crouanii, trunk injection with more crotophos against, on coconut in Fiji, 303!

Grain (Stored), method for calculating do for y-irradiation of, 1442; controlled at spheres to eliminate insect infestations

;30; metabolism of contact insecticides in, .50; correlations between groups of variables ecosystems in, 2626; stored-products zhects associated with sacks used for, 2657 syzaephilus surinamensis in, in Canada, ;27; protection of against insect pests, in rctoria, 3033

en (see Cicer arietinum)

ininaceae, Atherigona oryzae on, rneolamia selecta on, in Brazil, 3845; rcopids on, in Brazil, 3846

rnineae, differential reaction of larvae of viabrotica virgifera to, 2323; as food-plants Tetranychus yusti in Florida, 2395

ninella nigrifrons, on maize in South [arolina, 1221; on soy bean in Mississippi [71; strain of maize stunt agent transmitted , in Ohio, 2893

vinis, Antonina; Paroudablis

inum, Schizaphis; Siteroptes

sinnadera clara, insecticides recommended or control of, damage by, to cultivated plants : Argentina, 996

inaries, test and survey of maize, treated with secticides in dusts in Togo, 1395 warium, Trogoderma

Marius, Sitophilus hati, Aceria; Tenuipalpus della, Hypsipyla andicollis, Ips udiosella, Zeadiatraea

Indis, Anthonomus; Syntermes; Trissolcus

Andlure, slow-release formulations of, 2435 mellus, Nemapogon

nicollisi, Phyllobius

onosan, seed treatment with mixture of asecticides and, 4145

mulatum, Styphlosoma

pefruit, metabolism and translocation of ralecron and its hydrochloride salt in the dings of, 181; development of Ectomyelois eratoniae on, 257; Anastrepha ocresia on, in lorida, 567; Diaphorina citri and greening sisease of, in India, 871; Ceratitis capitata on, n Argentina, 2025; stubborn disease of, in Vest Pakistan, 3979; Ectomyelois ceratoniae n, in Israel, 4006

pefruit (Stored), CO2 fumigation of, inested with Anastrepha ludens, 1741

phium euphrates, in Philippines, 498

phocephala versuta, on maize in South arolina, 1221; on soy bean in Mississippi,

phognathus leucoloma, infestation and conol of, on potato in Argentina, 989; on cotton 'n New South Wales, 3030; on cultivated lants in Victoria, 3323

pholitha prunivora (see Cydia)

iphosoma, rearing of species of, 1456

iss, Bahia (see Paspalum notatum) ass, Bermuda (see Cynodon dactylon)

ass, Blue (see Poa)

ass, Coastal Bermuda (see Cynodon dactylon, lybrid of)

ass, Goose (see Bromus mollis)

ass, Meadow (see Poa annua)

ass, Molasses (see Melinis minutiflora) ass, Orchard (see Dactylis glomerata)

ass, Pangola (see Digitaria decumbens)

Grass, Pará (see Brachiaria purpurascens) Grass, Rhodes (see Chloris gayana)

1081

Grass Sprouts, in diet for Popillia japonica, 952 Grasses, Oedaleus senegalensis on, in India, Oligonychus spp. on, in Australia, 520; responses of Schistocerca gregaria to windborne odour of, 747; damage to, by *Tipula* spp. in Britain, 814; pests and diseases of, 1141; Antonina graminis on, in Brazil, 1282; froghoppers on, in Brazil, 1795; pests of, in Soviet Union, 2135; Oscinella frit and Hylemya coarctata on pasture, in eastern Germany, 2596; Cisseps fulvicollis on, in Canada, 2828; Tarsonemini associated with white-ear of, in eastern Germany, 2842; pests of, in Victoria, 3034; occurrence of silver top disease of, in Poland, 3105; damage to, by batesi in Queensland, 3310; Othnonius damaged by Rhopaea magnicornis, 3321; Aphodius tasmaniae on, in South Australia, 3329; Halotydeus destructor on, in South Australia, 3331; Aceria tulipae on, in Bulgaria, 3455; reproduction in Macrosiphum festucae on, 3532; Neodusmetia sangwani introduced against Antonina graminis on, in Brazil, 3821; Zulia entreriana on, in Brazil, 3829; Aeneolamia selecta on, in Brazil, 3845; Cercopids on, in Brazil, 3846; residues of fensulfothion on, 3882, 3883; Chorizococcus herbicola on, in Australia, 3896; eggs of Numicia viridis collected on, in Swaziland, 3947; Hydraecia micacea on, migrating to hops, 4142; as reservoirs of wheat streak mosaic virus, 4147

Grasshoppers, papers at international study conference on, 317; coding method for markrecapture studies on, in New Zealand, 347; in Sierra Leone, 482; food selection in, in North Dakota, 749; in California, 932; alpine, in habitat modified by deer and chamois, in New Zealand, 1293; in Western Australia, 1320; communicative behaviour in, 1790; sound-control apparatus in, 2124; future of control of, 2616; killing of, by sprays applied against Aphis gossypii in

Iran, 3940

Grassland, pests of, in United States, 2357; Meromyza coronoseta sp.n. from, in Poland, 2571

grassmani, Trogoderma

Grease, in mixture with coal-tar applied to mango against Drosicha stebbingi, 3384 Grease-film Extraction, of arthropods from soil,

greatheadi, Azotus

Greece, mites attacking Dacus oleae in laboratory in, 207; Phloeomyzus redelei and Melanophila picta on poplar in, 741; Marchalina hellenica in, 1107; Eurytoma amygdali on almond in, 1744; pairing in Dacus oleae in, 2073; pests and diseases of olive in, 2859; Panonychus ulmi on fruit trees in, 3132; insecticide residues in olive and olive oil in, 3133; Dacus oleae on olive in, 3133, 3134; insect pests of Cynara scolymus in, 3135; Dacus oleae on olive in, 3410; Gypsonoma aceriana and Phyllocnistis suffusella on poplars in, 3430; Bryobia spp. and Petrobia harti on plants in, 3462; treatment of fruittree nursery stock in, 3463; Tetranychids on plants in, 3464; insect pests of Abies cephalonica in, 3466; mites on olive in, 3979; insecticide residues in olives and their oil in, 4009; Eriophyids on cultivated plants in, 4012; Cenopalpus eriobotryi on loquat in, 4013; Dacus oleae on olive in, 4071

Greengage, transmission of sharka virus by Myzus persicae on, 1140; damage to, Eriophyes similis similis in Germany, 3425

greeni, Lindingaspis

Greenidea longirostris, sp.n., in India, 1582

gregaria, Schistocerca

Gregarina garnhami, effect of, on growth of

Schistocerca gregaria, 1538

Gregarina katherina, parasitising Coccinellid predators of Parlatoria blanchardii in Mauritania, 4043

Gregarines, specificity of, parasitising Orthoptera, 337; from Orthoptera, 1093

Gregopimpla himalayensis, intraspecific competi-

tion in, in Japan, 2496

Gretchena bolliana, morphology of reproductive systems of, 376; examining trap collections for, attacking pecan in Georgia, 557

Grevillea banksii, Homoeosoma vagella on, in

Oueensland, 3315

Grevillea robusta, Homoeosoma vagella on, in Queensland, 3315

Grid Traps, for Trichoplusia ni, 593 Griselda radicana, defoliating trees in Oregon

and Washington, 554, 2428

grisella, Achroia grossa, Ostoma grossulariae, Aphis grossulariata, Abraxas

Groundnuts, transmission of rosette disease of, by Aphis craccivora in India, 61; Rhyparochromus sordidus reducing quality of, in Africa, 108; Frankliniella spp. on, in Georgia, 168; Spodoptera littoralis on, in Israel, 260; attacked by Plodia interpunctella, Caliothrips braziliensis on, in Argentina, 701; response of Dysdercus koenigii to, 769; in bait for Monomorium pharaonis, 855; Derobrachus brevicollis on, în Georgia, 926; pests and diseases of, 1141; economic consequences of restriction of use of organochlorine insecticides on, in U.S.A., 1229; aphid-borne virus disease of, in Queensland, 1311; factors influencing the tolerances of, to fumigants, 1357; effect of, on development, as food plant for Diacrisia obliqua, 1359; varietal resistance in, to Diabrotica undecimpunctata howardi in Georgia, 1712; Caliothrips indicus on, in India, 2102; use of controlled atmospheres to eliminate insect infestations in, 2330; genetic resistance of, to Frankliniella fusca, 2344; cultivar of, resistance to Spodoptera frugiperda in, in Georgia, 2398; evaluation of selected lines of, for resistance to Diabrotica undecimpunctata howardi, 2423; control of Diabrotica undecimpunctata howardi on, in Virginia, 2426; aphids transmitting mottle leaf virus to, 2484; Aphis craccivora on, in India, 2514; Heliothis armigera on, in Bulgaria, 3130; insect pests of, in Queensland, 3312; omission of, from diet for Dacus oleae, 3501; insecticide residues in, in North Carolina, 3732; insecticide residues in, in Texa 3734; insecticide residues in, in Virgini 3735; Enneothrips flavens and Stegasta ball queella on, in Brazil, 3809; effect of, on or position, fecundity, and development Ephestia cautella, 3922

Groundnuts (Stored), fumigation of, with methyl bromide against Tribolium castanevo and Plodia interpunctella, 405; infestation at control of Trogoderma granarium in Nigera 1069; coverage of, for protection again damage by weather and pests, fumigation of against Tribolium castaneum in Nigeria, 107 fumigation of, in railway waggons again insect pests in Nigeria, 1074; polyethylel bags for handling of, in Nigeria, 1079

grylli, Entomophthora

Gryllids, Gregarines from, 1093 Grylloidea, Gregarine parasites of, 337

Gryllotalpa africana, Hexamitus honighergi a. H. gryllotalpae spp.n. in, in India, 15% damaging rice seedlings in India, 2526

Gryllotalpa gryllotalpa, bionomics and control of, in Soviet Union, 3090; on maize Yugoslavia, 3152

gryllotalpae, Hexamitus

Gryllotalpidae, control of, by Larra sp.

Brazil, 3817

Gryllus bimaculatus, infection of, by Rickettsie grylli, 1092; factors affecting activity of, 3998 Gryllus campestris, distribution of, in Holland 2243

Gryllus capitatus, infection of, by Rickettsie grylli, 1092

Gryon sp., parasitic upon Rhynocoris albopus

tatus, 1182

Gryon antestiae, parasitic upon Rhynoca albopunctatus, 1182

Gryon flavipes, parasitising eggs of Leptocor. oratoria on rice in Sarawak, 3345

GS-1152 (mixture of pyrethrum extract, DE cyclohexanone, oil, Freon-11 and Freon-1. in aerosols against Anastrepha ludens, 1700 GS-12956 (see 2-Methoxy- Δ^2 -1,3,4-thiadiazolo

GS-13005 (see Methidathion)

GS-13007 (see O.O-Dimethyl O-((2-Methoxy)) oxo- Δ^2 -1,3,4-thiadiazolin-4-yl)methyl) Ph phorothioate)

GS-28369 (see 2-Methoxy-4-methylsulphon) methyl- Δ^2 -1,3,4-thiadiazolin-5-one) GS-28370 (see 2-Methoxy-4-methylsulphinia

methyl- Δ^2 -1,3,4-thiadiazolin-5-one) Guarea spp., Xyleborus and Platypus spile

attracted by wood from, 2487 Guatemala, Antonina graminis in, 2034; be-

virus in, 3795

Guava, Anastrepha ocresia on, in Florida, 500 juice from fruit of, in diet for Achaea spp. a Anua tirhaca, 1060; Lymantria ampla fed d 2203; Achaea janata on, in India, 252 Drosicha stebbingi on, in India, 2671; control of Costalimaita ferruginea vulgata on, Brazil, 2832; Stiphra robusta on, in Bran 3818; Lorryia benensis on, in Paraguay, 3811. Selenothrips rubrocinctus on, in Brazil, 38 insect pests of, in Brazil, 3837

guerreronis, Aceria Guinea, Helopeltis spp. in, 3963

nea Pigs, effects of DDD and DDT on drenocortical steroids in, 2107 meensis, Porphyroptera vulono-γ-lactone, in diet for Myzus persicae, Am Arabic, repellent effect of, in prevention

of ant removal of pasture seeds, 1316 Agistanus, Agriotes

uti, Sycoscapteridea

(sathion (see Azinphos-methyl) (sathion A (see Azinphos-ethyl) sathion K (see Azinphos-ethyl)

sation 20, against Phthorimaea operculella, 1796

stata, Chirida; Platyprepia

Itatus, Rhopalicus tivitta, Heterocampa tulatus, Blaniulus tulosa, Austracris

dyana, insects attacking Salvinia in, 2723

mnolaelaps (see Hypoaspis)

naikothrips ficorum, Montandoniella mora-ruesi predacious on, in Egypt, 2709; natural renemies of, on Ficus microcarpa in Brazil, 3815

naikothrips karnyi, bionomics and predators of, on Piper in India, 3376

plure, Synthetic (see (+)-12-Acetoxy-cis-9-

octadecen-1-ol)

psonoma aceriana, inheritance of resistance of poplars to, in Greece, 3430

: ptol (see (+)-10-Acetoxy-cis-7-hexadecan-1 (ol)

Н

arlovi, Nalepella

abrobracon (see Bracon) abrocytus thyridopterigis, parasitising Rhyacionia frustrana on pine in Virginia, 140

ibrolepis algoensis, sp.n. reared from Aspidiotus capensis in South Africa, 3968

abrolepis aspidioti, parasitising Chrysom-

phalus spp. in Africa, 3968 abrolepis dalmanni, parasitising Asterole-

canium spp. in South Africa, 3968

abrolepis fanari, as synonym of H. aspidioti in Africa, 3968

abrolepis obscura, as parasite of Quadraspidiotus perniciosus in Rhodesia, 1399; parasitising Coccids in South Africa, 3968 pabrolepis occidua sp.n., reared from Melanaspis phenax in South Africa, 3968

abrolepis rouxi, parasitising Aonidiella aurantii on Citrus in South Africa, imported into

California, 3968

abrolepis setigera, sp.n., reared from Lindingaspis greeni in South Africa, 3968 adena sordida, virus in parasites of, in Soviet

Union, 1457 review and reclassification of

adeninae, revi larvae of, 3779

adronotus (see Gryon) nemorrhoidalis, Formica integra; Heliothrips;

Syngamia ake, DDT residues in, 2455

akea, Aphanosperma spp.n. and, in Australia, possible biological control of, in South Africa, 1005

hakusanus, Microdiprion haldemani, Eretmocerus halesiana, Aceria

Haliaeetus leucocephalus, insecticide residues in, 3739

Halibut, insecticide residues in ova of, 3728 Halimococcus thebaicae, redescription of, 2719 Halotydeus destructor, diapause and postdiapause development in aestivating eggs of, 1873-1874; attacking pasture in Victoria, 3034; on pasture in South Australia, 3331; distribution of, in relation to climate in Australia, 3902; on rape in Western Australia. 3907

haloxyloni, Targionia halterata, Megaselia Haltica (see Altica)

Haltichella rhyacioniae, parasitising Rhyacionia frustrana on pine in Virginia, 140

Halticoptera patellana, seasonal abundance of, as parasite of Liriomyza spp. on lucerne in California, 647

annulicornis, infestation Halyomorpha parasitism of, on cacao in Ghana, 1080 Halyomorpha reflexa, attacking cacao and

Solanum verbascifolium in Ghana, 1080

hamadryadella, Phyllonorycter

hampei, Hypothenemus hapalosarca, Eucosma

Haplodiplosis equestris (see H. marginata) Haplodiplosis marginata, new method of assessing results of control of, on winter wheat in Germany, 2298; restricted para-

sitism of, by Chrysocharis seiuncta in Germany, 3399; occurrence of, on cereals in Germany, depending on preceding crop, 3435 Haplothrips aculeatus, sex index of, on cereals in Finland, 4105

Haplothrips niger, in Ukraine, 1438 Haplothrips reuteri, in Ukraine, 1438

Haplothrips trellesi species resembling on sunflower in Argentina, 701

Harmonia arcuata (see Coccinella)

Harmonia axyridis, predation response of, to density of Aphis craccivora, 1335

Harpalus calceatus, preying on Cydia funebrana in Soviet Union, 1104

Harpalus rufipes, recommendation against use of aldrin sprays and dusts against, 2641; incidence of, in soil in lucerne fields in Poland, 3585

harpipterus. Crambus harrisoni, Diclidophlebia harti, Petrobia

harveyi, Bessa hassani, Tegonotus

Hauptmannia brevicollis, as predator of thrips, 1438

Hawaii, residues of bromide fumigants in fruits and vegetables in, 132; pathogens and pests associated with Tephritid flies in laboratory in, 207; Eucelatoria armigera released in, 606; catches of Chrysopa basalis in traps in, 684; Icerya purchasi on Desmodium sand-wicense in, 951; sympatric associations of Iridomyrmex humilis, Pheidole megacephala and Anoplolepis longipes in, 1193; Tarophagus proserpina damaging Colocasia esculenta in, 1292; Sepedon spp. in, 1345; insects intro-

duced from, to Madagascar, 1392; toxicity of insecticides to Tephritids in, 1694; Dacus dorsalis not infesting pineapple varieties in, 1714; Sternochetus mangiferae in mangoes in, 1763; Bucculatrix thurberiella on Gossypium sandvicense in, 2355; sticky traps for Tephritids in, 2374; host-plant range of Liriomyza in, 2749; trimedlure in traps for Ceratitis capitata in, 3254

hawaiiensis, Holepyris Hawthorn (see Crataegus)

Haydek Diet, Galleria mellonella reared on,

haywardi, Apanteles; Euphorocera

Hazel (see Corylus avellana)

Hazel, California (see Corylus cornuta californica)

HD-1 (see Bacillus thuringiensis alesti, δendotoxin of)

hearseiana, Sphyracephala

Heat, use of, for recovery of Phthorimaea operculella from potato foliage, 1012; treatment of stored products with, for control of insect pests, 1356; action of, on mites, 3114; treatment with, against Trogoxylon aequale in dried roots of Derris elliptica, 3518

Heather, Orgyia antiqua damaging, in Scotland,

2650

hebetor, Bracon

Heclotox 3 (see BHC)

hectographus, Dryocoetes

Hedera, Phenacaspis cockerelli on, in Georgia,

hederae, Aspidiotus (see A. nerii)

Hedgerows, Yponomeuta padellus in, in Britain, 809

Hedya nubiferana, injurious to fruit trees in France, 1161; larvae of, possibly parasitised by Ascogaster quadridentata in Holland, 2249; on apple in Poland, 4117

Hedylepta indicata, on beans in Brazil, 3855 Helconina, parasitism of Cydia lobarzewskii by,

in Yugoslavia, 439 helianthi, Acanthiophilus

Helianthus annuus, Homoeosoma electellum on, in Texas, 210; Anania verbascalis breeding on, in West Pakistan, 502; thrips on, in Argentina, 701; Agriotes ponticus injurious to, in Soviet Union, 1101; bionomics of Homoeosoma electellum on, in Texas, 1210; pests of, in Soviet Union, 2135; tests for control of larvae of Homoeosoma electellum on, in Texas, 2391; Systena frontalis on, 2394; attractiveness of flowering heads of, to Sitophilus zeamais in Louisiana, 2408; control of Homoeosoma electellum on, in California, 2415; Oncopeltus fasciatus reared on, 2803; insect pests of, in Queensland, 3316; Homoeosoma nebulella on, in China, 3355

Helicella candicans, parasitised by Salticella

fasciata, 854

Helicella virgata, parasitised by Salticella

fasciata, 854

helichrysi, Brachycaudus; Macrosiphum

heliopa, Scrobipalpa

Heliothidinae, generic revision of, and list of species in North America, 3279

Heliothis, uniparental race of Trichogramma pretiosum in eggs of, in U.S.A., 1955; para-

sitised by Microplitis croceipes in Georgian 2360; suppression of, on glabrous cotton is Texas, 2783; attacking pasture in Victoria 3034; development of virus of, in Galleria mellonella exposed to γ-radiation, 32757 inclusion bodies and virions of nucleopoly hedrosis of, 3649; on apple in South Australial 3904; mortality in larvae of, from spray applied against Aphis gossypii in Iran, 394. Heliothis armigera, DDT against, on cotton i

Tanzania, 91; malathion against, on cotton in Middle East and Africa, 796; spraya against, on cotton in Rhodesia, 1054, 1055 virus isolated from Pachypasa capensis no pathogenic for, 1059; insecticides to determ mine damage by, to cotton in Mozambique 1061; Rhynocoris albopunctatus upon, in Uganda, 1182; natural enemies of on cotton in Uganda, 1205; in Finland, 1630 on cereal crops in Turkey, 2084; insecticide against, on sorghum in India, 2098; parasis ised by Trichogramma achaeae sp.n. in India 2150; infesting Moringa oleifera in southers India, 2205; mass rearing of, in India, 25131 as pest of legume seed crops in Queenslanct 3022; attacking beans in Queensland, 30242 on cotton in New South Wales, 3030 Wales, 30300 injuriousness, bionomics and control of, or tomato in Soviet Union, 3093; effect on competitive ability of males of, sterilised with tepa, 3099; infestation and control of, on cotton in Bulgaria, 3130; on maize in Yugo slavia, 3152; attacking tobacco in Queens land, 3311; attacking groundnut in Queens land, 3312; on flax in Queensland, 3314; o Helianthus annuus in Queensland, 33161 injuriousness and control of, on beans it Queensland, 3317; control of, on carnation i Italy, 3483; on cotton in Iran, 3933; rearing of, on semi-synthetic diet, 4011; rearing an effects of inbreeding on, 4037; natural enemies and control of, on cotton in Afghanius tan, 4137

Heliothis armigera conferta, food-plants, pesses status and natural enemies of, in New Guineas 2639

Heliothis assulta, food-plants, pest status and

natural enemies of, in New Guinea, 2639
Heliothis punctigera, on safflower in Queens land, 3021; on cotton in New South Wales 3030; attacking tobacco in Queensland, 33111 attacking groundnut in Queensland, 3312 on flax in Queensland, 3314; on Helianthum annuus in Queensland, 3316; injuring crops in Victoria, 3325; on lucerne and clover it Victoria, 3900; on rape in Western Australiais 3907

Heliothis rubrescens, recorded from New

Guinea, 2639

Heliothis stombleri sp.n., resembling Heliothil zea in U.S.A., 1685–1686

Heliothis subflexa, substance in, eliciting host seeking response by Microplitis croceipes 3697

Heliothis virescens, disulfoton against, ox tobacco in Florida and Georgia, 141; matin frequency of, collected from light-traps it Texas, 163; insecticides against, on cotton in Texas, 189; endotoxin of Bacillus thuringiens |

toxicity of insecticides to, on cotton in Texas, 1630; insecticides against, 923; spermatoigenesis of, 958; host plants of, in Texas, 1188; fatty acids in lipid fractions from larvae of. 1207; varietal resistance of flue-cured tobacco to, in Georgia, 1218; wheat germ diet with reduced casein content for rearing of, 1693; toxicity of insecticides to, 1698; toxicity of petroleum oils to, on cotton in Texas, 1699; effect of gossypol on larval development of. 1707; insecticides against, on cotton in Texas, 1747; diapause reactions of larvae of, to light, 1938; factors in parasitism of, by Cardiochiles nigriceps, 1968; fate of C¹⁴-labelled endrin in larvae of, 1970; insecticides against on tobacco in Georgia, 2387; control of, on tobacco in North Carolina, 2392; effect of carbofuran and disulfoton by parasitism of, **Ecphoropsis** perdistinctus in Tennessee, 2409; Chrysopa carnea in tests for control of, in U.S.A., 2432; seasonal abundance and mating frequency of in Florida and Georgia, 2448; effects of carbofuran and disulfoton against, on Ecphoropsis perdistinctus, 2738; tests of insecticide sprays for control of, on cotton in Mississippi, 2779; biological, behavioural and biochemical studies on, 2954; behaviour of Chrysopa carnea in relation to, on cotton, 2958; on soybean in Alabama, 2971; hostparasite relations between Cardiochiles nigriceps and, 2973; metabolism of trichlorphon in, 3008; ovipositional preference of, for Nicotiana spp. in Kentucky, 3224; susceptibility of, to nucleopolyhedrosis virus, 3659; substance in, eliciting host-seeking response by Microplitis croceipes, 3697; effects of fertiliser level and tobacco variety on damage by, 3716; effects on, of parasitism by Cardiochiles nigriceps in Mississippi, 3752 leliothis zea, ultra-low-volume ground equipment for control of, on cotton, 127; effect of nitrogen fertilisation and insecticides on, on cotton in Georgia, 160; mating frequency of, collected from light-traps in Texas, 163; husk and kernel resistance to, in maize hybrids, 171; assessment of *Trichogramma pretiosum* as parasite for, 177; insecticides against, on cotton in Texas, 189; susceptibility of glanded and glandless cottons to damage by, in Mississippi, 192; control of, on maize in Florida, 197; endotoxin of Bacillus thuringiensis and chemical insecticides against, on cotton in Texas, 209; machine to manipulate eggs of, in mass-rearing programme, 213; toxicity of pyrethroids to, on cotton in Texas, 221; Trichogramma pretiosum reared from,

in California and Mexico, 360; photoperiod

and chemical insecticides against, on cotton

n Texas, 209; toxicity of pyrethroids to, on potton in Texas, 221; photoperiod and dia-

bause in, 368; seasonal occurrence of, on

Desmodium purpureum in Georgia, parasitism

of, by Cardiochiles nigriceps, 554; Eucelatoria

parasites of, 606; biochemical study of resistance to organophosphates in, 612; effect of biologically active substances in diet on

development and reproduction of, 619; food

utilisation and growth of larvae of, 626;

and diapause in, 368; oxygen consumption by, 375; electromagnetic communication and olfaction in, 396; sexual dimorphism of, in antennae, 507; seasonal occurrence of, on Desmodium purpureum in Georgia, 554; heat production and wing-beat frequency in, 561; predators of, on cotton in Arkansas, 563; parasitism of, by Leschenaultia adusta, 587; light-traps for, on tobacco in Virginia, 594; effect of fatty-acid composition of, on insecticide susceptibility, 596; Eucelatoria parasites of, 606; effect of biologically active substances in diet on development and reproduction of, 619; food utilization and growth of larvae of, 626; toxicity of insecticides to, on cotton in Texas, 630; insecticidal dusts for control of, on maize in Florida, 659; effects of adding molasses to insecticidal sprays against, 922; insecticides against, 923; growth and fatty-acid composition of, as affected by dietary fats, 934; external morphology of antennae of, 1183; host plants of, in Texas, 1188; fatty acids in lipid fractions of larvae of, 1191; rôle of antennae and compound eyes of, in attraction to light, in California, 1249; Heliothis stombleri sp.n. resembling, in U.S.A., 1685-1686; toxicity of insecticides to, 1698; toxicity of petroleum oils to, on cotton in Texas, 1699; effect of gossypol on larval development of, 1707; grid stratification in cotton fields for surveys on, in Arizona, 1726; mating of, and failure to separate after copulation, 1728; parasitism of, by Trichogramma pretiosum in California. 1734: resistance in maize to, 1736; insecticides against, on cotton in Texas, 1747; utilization of glanded and glandless cotton diets by, 1753; artificial diet for, 1756; not controlled by light-traps on maize in North Carolina, 1759; marker dye for, 1762; distribution and abundance of, in U.S.A., 1792; diapause reactions of larvae of, to light, 1938; essential fatty acids in, 1965; insecticides against, on cotton in California, 2070; larval feeding response to water extracts of host plants, 2189; nucleopoly-hedrosis virus in, 2217; infrared communication system theory in, 2328; rapid method of marking with dyes, 2350; parasitised by Microplitis croceipes, in U.S.A., 2360; control of, on maize in Georgia, 2396; Chrysopa carnea in tests for control of, in U.S.A., 2432; seasonal abundance and mating frequency of, in Florida and Georgia, 2448; sterile-male release method against, in U.S. Virgin Islands, 2454; larval growth of, on glanded and glandless cottons, 2764; tests of insecticide sprays for control of, on cotton in Mississippi, 2779; Trichogramma pretiosum parasitising eggs of, 2787; production of pupae of, on different crops in field cages, in Georgia, 2799; as host for Trichogramma evanescens, 2810; haemagglutination by nucleopolyhedrosis virus of, 2876; size and number of spray droplets on, 2880; evaluation of tomatos for resistance to, in Alabama, 2883; antenna-cleaning function of epiphysis on foreleg of, 2945; biological, behavioural and biochemical studies on, 2954; behaviour of Chrysopa carnea in relation to, on cotton, 2958; rela-

tionship of infestations by, to reduction of soy bean yields in Alabama, 2971; host-parasite relations between Cardiochiles nigriceps and, 2973; improved control of, with molasses insecticide sprays on cotton in Arkansas, 3198; movement of, in Arkansas, 3199; insecticides against, on cotton in California, 3204; insecticides and pathogens against, on tomato in South Carolina, 3242; susceptibility of, to methyl-parathion, 3251; on soy beans in Alabama, 3259; haemocyte changes in, infected with nucleopolyhedrosis virus, 3267; activity of strains of *Bacillus* against, 3643; stability and infectivity of virions of nuclear polyhedrosis virus of, 3644; non-anticomplimentary activity of haemolymph from, 3647; susceptibility of, to nucleopolyhedrosis virus, 3659; substance in, eliciting hostseeking response by Microplitis croceipes, 3697; rôle of photoperiod and temperature in induction of pupal diapause in, 3761; ecology of, in California, 3792; simultaneous infec tions by Microsporidia and viruses in, 4129 Heliothrips haemorrhoidalis, attacking crops and ornamental plants in Victoria, 3326; on Gerbera jamesonii in Rumania, 3442

Heliotropium indicum, consumption of, by Utetheisa pulchella, 1340

Helium, mortality of Sitophilus spp. in atmo-

spheres of, 1742 Helix hortensis, parasitised by Salticella fasciata, 854

hellenica, Marchalina

Hellula, on rape in Western Australia, 3907 Hellula hydralis, attacking brassica crops in Victoria, 3324

Hellula phidilealis, sprays against, on cabbage

in Trinidad, 234 Hellula undalis, bionomics of, in India, 1360; in light-traps in lucerne field in Iran, 3944 Helopeltis, revision of species of, 3963

Helopeltis anacardii, attacking cashew Mozambique, 1398; in Africa, 3963

Helopeltis basilewskyi sp.n., in Congo, 3963 Helopeltis bergevini, description of, as possible synonym of H. schoutedeni, 3963

Helopeltis bergevini mayambensis, raised to specific rank, 3963

Helopeltis bergrothi, infestation and natural enemies of, on cacao in Ghana, 1080; on cacao in Ghana, 2291; distribution and foodplants of, in Africa, 3963

Helopeltis bergrothi disciger, identification of in relation to H. bergrothi, 3963

Helopeltis bergrothi flavescens, identification of, in relation to *H. bergrothi* in Africa, 3963

Helopeltis bergrothi lalandei, identification and host-plants of, in Africa, 3963

Helopeltis bergrothi mayumbensis, on cacao in Congo referable to H. orophila nigra, 3963

Helopeltis bergrothi nigripes, identification of, in relation to H. bergrothi in Africa, 3963

Helopeltis carayoni sp.n., erected from specimens from Cameroun, 3963

Helopeltis corbisieri sp.n., distribution and hostplants of, in Africa, 3963

Helopeltis gerini, on cacao and Cinchona in Cameroun, 3963

Helopeltis ghesquierei sp.n., erected from specimens from Congo, 3963

Helopeltis labaumei, in Africa, 3963 Helopeltis lalandei, in Africa, 3963

Helopeltis lemosi, on cacao in São Tomé, 3961 Helopeltis maynei, in Africa, 3963

Helopeltis orophila, on Cinchona in Africa, 396) Helopeltis orophila nigra, mirids on Cinchon

misidentified as, H. bergrothi mayumbensu on cacao in Congo referable to, 3963

Helopeltis plebejus, considered a form of h schoutedeni in Togoland, 3963 Helopeltis podagricus, note on, 3963

Helopeltis poppiusi, sp.n., in Africa, 3963 Helopeltis pseudomaynei sp.n., description of 3963

elopeltis rauwolfiae, at vomitoria in Congo, 3963 Helopeltis attacking Rauwolfill

Helopeltis rauwolfiae fulva, not distinct from H. rauwolfiae in Africa, 3963

Helopeltis rubrinervis, Caesalpinia on cacas recorded as, on cacao referable to H. com bisieri sp.n. in Cameroun, 3963

Helopeltis sanguineus rubra, identical with H. schoutedeni, 3963

Helopeltis sanguineus vanderysti, identical with H. schoutedeni, 3963

Helopeltis schoutedeni, insecticides to determini damage by, to cotton in Mozambique, 1061i host plants of, in Mozambique, 1398 identification and distribution of, in Africa 3963

Helopeltis seredensis sp.n., identification, dis tribution and host-plants of, in Africa, 396. Helopeltis villiersi, in Ivory Coast and Guineas 3963

Helopeltis waterhousei, description insufficient for precise identification of type species of

Helopeltis westwoodii, in Africa, 3963 helvolus, Aphycus

Hemerobius stigmaterus, as predator of Rhyad cionia frustrana on Pinus taeda in Mississippiek 562

Hemerocampa pseudotsugata, food preference in natural population of, in California, 170 nuclear polyhedrosis virus in populations of on Abies concolor in California, 544; larvaxi eclosion in, 960; distribution and parasitism of cocoons of, on Abies concolor in California, 1677; sampling methods for, on Abies concolor in California and Arizonar 2474; candidiasis in larvae of, in U.S.A., 327

Hemerophila (see Eutromula)

Hemianaphothrips (see Anaphothrips)

Hemilecanium imbricans, status of, in Africa s

Hemilecanium theobromae, in Africa, 245

Hemiptera, incidence and control of, out lucerne in India, 88; interaction of planus phenols and salivary phenolases in relational ship between plants and, 767; device for collecting eggs of, 1046; in Territory of Papua 8 and New Guinea, 1899; from Japan Archipelago, including Formosa, 2507; as predal tors of Odontotermes latericius in Zambial 2542; species of attacking Vigna unguiculate

Uganda, 2679; predacious on Pectinophora ssypiella in California, 2772; on maize,

ipterus, Metamasius

visarcoptes dzhashii sp.n., Lepidosaphes ickii and other natural enemies of, on Citrus (Soviet Union, 1108

vitarsonemus latus, insecticides against, tacking sesame in Tanzania, 90; on pea in dia, 1049

wzopha, Pyroderces
nlock, Western (see Tsuga heterophylla)

(see Cannabis sativa)

spepilachna vigintioctopunctata, insecticides rainst, on Solanum melongena in East akistan, 3252

vici, Simyra

srana, Pandemis

dachlor, in soil drenches against termites, 1; effect of, on reproduction in Bracon obetor, 205; soil treatment with, against rrotis ipsilon, 267; favourable effect of soil catment with, on beet plants, 278; seed natment with, against Agriotes sputator and ustulatus, 288; non-epoxidation of, by : zyme in peas, 331; soil treatments with, and sprays against Pleocoma spp., 631; soil catment with, against Lachnosterna coninguinea, 657; seed treatment with, against griotes spp. and Ctenicera lata, 709; aerial catment with, in granules against Solenopsis ievissima richteri, 921; soil treatment with, sprays against Cyclocephala signaticollis, eterogomphus pauson and Graphognathus licoloma, 989; effectiveness of, against Scyophorus interstitialis, 1065; against Agrotis getum, 1468; against Tanymecus dilaticollis, .95; against Lixus juncii, 1516; against trips tabaci, 2048; and malathion, persisnce of, in sprays against Ceratitis capitata, 66; soil treatments with, against termites d shoot borers, 2094; against larvae of pnoderus sp. and Lachnosterna cribrosa in xas, 2405; against strains of Amphimallon yalis, 2422; with attapulgite or bentonite, ectiveness of, against Hypera postica, 2441; ks arising from persistent use of, in itain, 2641; persistance of, in soils, 2758; sceptibility of Coptotermes formosanus to, plied to soil, 2778; against Gnophothrips scus and Cronartium strobilinum, 2792; oassay of residues of, with Musca domestica, 64; and fenitrothion, against Bothynoderes enctiventris, 3138; against Drosophila and urpophilus spp., 3202; carbon reducing stake of, from soil, 3214; persistence of soil eatment with, against Reticulitermes, 3245; against Hylemya ed treatment with, against Hylemya arctata, 3432; against Blaniulus guttulatus d Archiboreoiulus pallidus, 3519; residues , in river sediment and water, 3729; resiies of, in fish, 3740; and kerosene, in sprays gainst Trachyderes thoracicus, 3803; and

ngicides, seed treatment with, 4145 tachlor E25, and naled, against Bothynores punctiventris, 3138

tachlor Epoxide, residue alterations of, in statoes during processing, 2345; residues of, ter hydrolysis and chloroacetylation, 3018; carbon reducing uptake of, from soil, 3214; residues of, in eagles, 3739; residues of, in fish, 3740; residues of, in pheasants, 3749

Heptachloronorbornene, residues of, in river sediment and water, 3729

Heracleum sphondylium, nutrients in, for Hylemya brassicae, 41

Herbicides, chemistry of, 320; effect of dietary protein on toxicity of, in rats, 1095; use of, increasing injuriousness of soil insects, 1134; with insecticides, against Rhopalosiphum padi, 1163; residues of, in streams, 3738

herbicola, Chorizococcus; Dactylopius Hercinothrips bicinctus, on banana, 2620

Hercules 13842 (see O,O-Dimethyl Phosphorodithioate S-Ester with N-(2-Bromo-1-mercaptoethyl)phthalimide)

hercyniae, Gilpinia herhericus, Epitrimerus

Herring Gull (see Larus argentatus)

hervali, Acmopolynema hesperiana, Zeiraphera hesperidum, Coccus

hesperus, Lygus

Hessian Fly (see Mayetiola destructor)

Heterocampa biundata, parasites and predators of, in Vermont, 643

Heterocampa guttivitta, identification and feeding behaviour of larvae of, 156; parasites and predators of, in Vermont, 643

Heterococcus rehi, new records of parasites and predators of, in India, 2676

Heterogomphus pauson, infestation and control of, on potato in Argentina, 989

Heteropeza pygmaea, use of thionazin against, on mushrooms in Britain, 1649

Heteroptera, on lucerne in Czechoslovakia, 738; in Yugoslavia, 3155

Heterospilus, parasitising Ips spp. on pine in Virginia, 1988

Hevea brasiliensis, Neodryocoetes hubbardi infesting seeds of, strung as necklaces, 3294; Erinnyis ello on, in Brazil, 3853

Hexachlorobenzene, residues of, in food-stuffs,

Hexachlorobutadiene, soil treatment with, against Capnodis tenebrionis, 3096; (as fumigant), phytotoxicity of, to orange and olive, 3463; soil fumigation with, against Phylloxera vitifoliae, 4153; method for determination of, in wine, 4160

Hexachloronorbornadiene, residues of, in river sediment and water, 3729

Hexadecanol, in diet for Galleria mellonella, 579 cis-7-Hexadecen-1-ol Acetate, as attractant for Pectinophora gossypiella, 2439; traps baited with, for Pectinophora gossypiella, 2916; tetradecyl acetate reducing attractiveness of, to males of Pectinophora gossypiella, 3212

Hexaethyl Ethylthiomethylidynetriphosphonate, toxicity of, to Tephritids, 1694

Hexahydroxy dimethylnaphthodianthrone, distribution of, in Hypericum hirsutum in relation to choice of feeding site by Chrysomela brunsvicensis, 754

Hexalure (see cis-7-Hexadecen-1-ol Acetate) Hexamera, congeneric with Protohystricia, 3870

Hexamethylditin, against Bucculatrix thurberiella, 215; granules of, against Pemphigus populitransversus, 2444; antifeeding properties of, for Spodoptera littoralis, 3045

Hexamitus gryllotalpae sp.n., in Gryllotalpa

africana in India 1578

Hexamitus honighergi sp.n., in Gryllotalpa africana in India, 1578

Hexane, adsorption of γ-BHC from, on selected adsorbents, 333; as solvent for extraction of dieldrin in soil, 3015, 3016

Hexanoic Acid, attractiveness of, to bees, 600 trans-2-Hexenal, in diets for Telea polyphemus and Antheraea pernyi, 632
Hexokinase, increase of, in Dermestes maculatus

fed on high-glucose diets, 3596

Hexoses, effect of, on feeding in Costelytra

zealandica, 3871

Heydenia unica, parasitising Ips spp. on pine in Virginia, 1988; parasitising *Ips grandicollis* on pine logs in Georgia, 3718; parasitising *Dendroctonus frontalis* in Georgia, 3721

hibisci, Amblyseius; Orthosia

Hibiscus, Cycloneda sanguinea limbifer preying on Aphis gossypii on, in Cuba, 2727

Hibiscus cannabinus, Oxycarenus hyalinipennis attacking seeds of, in Ghana, 346; as trap crop reducing incidence of aphid-borne virus infection in papaya in Venezuela, 980

Hibiscus esculentus, Oxycarenus hyalinipennis attacking seeds of, in Ghana, 346; response of Dysdercus koenigii to, 769; Anomis flava on, in Mali, 2036; ovipositional response to, in Earias vittella in India, 2074; attempt to rear Lysiphlebus testaceipes in Aphis gossypii on, 2514; Aphis gossypii on, in Egypt, 2694; Phaenobremia aphidovora predacious on Aphis gossypii on, in Egypt, 2695; varietal susceptibility of varieties of, to attack by cotton bollworms, in Egypt, 2711; Amrasca devastans reared on, 2773; varietal resistance in, to Tetranychus telarius in India, 3924

Hibiscus manihot, mosaic disease of, in Papua and New Guinea, 840

Hibiscus syriacus, Aphis gossypii on, in Japan, 3913

Hickory (see Carya alba)

Hickory, Mockernut (see Carya tomentosa) Hickory, Pignut (see Carya glabra)

hicoriae, Conotrachelus hiemalis, Platygaster

hieroglyphica, Acantholyda Hieroglyphus banian, squirrels preying on, on cereal crops in India, 2096

Hieroglyphus nigrorepletus, squirrels preying on, on cereal crops in India, 2096

hilare, Acrosternum

hilaris, Pheropsophus

Hilda patruelis, parasitised by Psyllechthrus oophagus in Africa, 2043

Hilyotrogus holosericeus, attacking fruit in India, 3365

Himacerus apterus, as predator of apple pests in Poland, 724

himalayensis, Gregopimpla

hippocastani, Melolontha

Hippodamia convergens, suppressive effect of insecticides on, on sorghum in U.S.A., 1743; sensitivity of to insecticides, 2781

Hippodamia quinquesignata punctulata, as precitor species on cabbage in California, 573

hippophaes, Capitophorus hirta, Epicometis

hirtipennis, Epitrix

hirundo, Sterna

Hispa stygia, insecticides against, on sorghyll in India, 2098

hispae, Ephialtes hispanicus, Aphytis Hispella (see Hispa)

Histeridae, preying on Oryctes rhinoceros India, 504; Rhadinaphelenchus cocophilus is found in, on coconut in Venezuela, 2018

Histidine, lack of, in diet affecting reproduct: in Pseudosarcophaga affinis, 1748; γ-radiata causing decrease of, in amino acids Anthonomus grandis, 3773

Histiostoma, effects of hypopi of, on Diabrow

balteata, 663

Histiostoma sapromyzarum, attacking mun rooms in Germany, 742

Hodotermes mossambicus, distribution of for ing holes of, in South Africa, 1401; influent of temperature and relative humidity weight loss and survival of, in South Afri 2543

Hodotermitidae, composition and size colonies of, in Arizona and Mexico, 959

Holcaeus (see Telenomus)

Holcocera pulverea, effect of insecticidal spri on the longevity and fecundity of, preys upon Laccifer lacca in India, 1362

Holcus, acceptability of, for Chorthippus pare lelus in Britain, 4080, 4086

Holcus lanatus, Costelytra zealandica on, in N Zealand, 1891; damage to, by Costely zealandica in New Zealand, 1894

Holepyris hawaiiensis, fumigants against, stored cacao in Nigeria, 1070, 1071

Holland, Hylemya antiqua on onion in, 11 parasitism of Stigmella malella by Cirrosp. vittatus in, 1146; distribution of Gry campestris in, 2243; Euchromia formosco bananas imported into, 2246; list of injuri insects and mites in, 2247; list of Syrphili of, 2248; Ascogaster spp. parasitising le rollers in, 2249; development of Malacosol neustria in, 2302; Phaenobremia aphidow recorded from, 2695; control of vegetas pests in, 2861; Tarsonemus sp. on cycland in, 3104; virus disease of asparagus in, 311 Carcelia obesa on oak and pine in, 341 flight activity in Carcelia obesa in, 34 Fenusa dohrni on Alnus glutinosa in, 35 Cirrospilus vittatus in, 3526, 3527; Patado declinata in, 3970

Holly, Phytomyza ilicis and P. ilicicola on Connecticut, 924; Operophtera brumata a

2236

Hollyhock (see Althaea rosea) holosericeus, Hilyotrogus

holoxanthus, Aphytis

Homadaula anisocentra, phagostimulants s larvae of, 1948

Homalotylus flaminius, parasitising Chilocola bipustulatus in Israel, parasites of, in Israel, parasites of, in Israel, parasitising Chilocorus kuwanae Japan, 1900

aoarginine, effect of, in diet for Anthonomus

\undis, 3699

: oeosoma electellum, colour preference and x attraction in, on sunflower in Texas, 210; onomics of on Helianthus annuus in Texas, 10; means of controlling larvae of, on sunwer in Texas, 2391; insecticides for control on Helianthus annuus in California, 2415 oeosoma nebulella, on Helianthus annuus in hina, 3355

:: oeosoma vagella, damaging Macadamia in neensland, 3313; bionomics of, on Macamia spp. in Oueensland, 3315

vona coffearia, insecticides against, on tea in

(ylon, 3044 mae, Elasmus

moptera, on lucerne in Czechoslovakia, 738; ect of insecticides on eggs of, in Japan, 58; on maize, 3152

duras, aphids on banana in, 231

stus, Dysdercus

ey, in diet for Agrotis ipsilon, 190; in diet for uinta cannae, 992; attractiveness of, to toracantha semipunctata, 1081; in diet for ult Ceratitis capitata, 2056; in traps for spa orientalis, 2064; as food for Chrysopa lifornica in studies on fecundity, 2718; in let for Pegomya betae, 3440; effect of, on espan of Callosobruchus maculatus, 3486

reydew, food ingested in, by Hylemya taretata, 344; method for studying, of hids collected by ants, 720; excretion of, om Ceroplastes pseudoceriferus, and its plication to evaluation of insecticides, 05; as food for Zonosemata electa, 2985; teretion of, by Empoasca flavescens, 3081: inblyseius finlandicus feeding on, in Poland, 02; transmission of pea enation mosaic us by injection of, in Megoura viciae, 3167; creted by Parthenolecanium corni apuliae, 82; collection of, from Toumeyella lirio-ndri, 3709; of Rhopalosiphum erysimi, irbohydrates and nitrogenous compunds in,

g Kong, Sepedon sauteri in, 1345; taxonomy two Diaspididae in, 1882; Pieris rapae and utella xylostella on brassica crops in, 2509

r, hergi, Hexamitus

p Pine (see Araucaria cunninghamii)

poe (see Upupa epops)

'ocampa crataegi, bionomics, natural ene-es and control of, on Crataegus in Poland,

locampa flava, chemical control of, on plum Rumania, 280

wocampa minuta, chemical control of, on am in Rumania, 280 locampa testudinea, control of, on apple in

kraine, 1421 ingi, Ips

Tetranychus telarius on, in Germany,

44; Hydraecia micacea on, 4142 leum sativum, Costelytra zealandica on, in

ew Zealand, 1891

deum vulgare, multiplication of some storedoduct insects on, 2386; effects of DDT on,

dnia circellata, feeding behaviour of, on assica juncea, 2739

Hormone, Juvenile, effect of, on synthesis and accumulation of blood protein in Telea polyphemus, 336; deferred action of, in insects, 883; activity in extracts of forest trees, 1262

Hormones, in relation to contribution to insect control, 806; survey of methods of testing, 1173; activity of insect moulting, in Japanese yew, 1474; commercial use of, against insects, 2069; use of, for insect control, 2556; controlling moulting in insects, 2662

Hormones, Plant (see Plant Hormones)

Hornbeam, Lymantria dispar on, in Yugoslavia, 3143

horni, Capitophorus

horrida, Acanthomia

Horse, poisoning effect of fenitrothion on, 3180 Horse-chestnut (see Aesculus hippocastanum)

Horse-nettle (see Solanum carolinense)

Horticulture, review of persistent organochlorine pesticides used in, in Britain, 2641 hottentotta, Villa

Household Pests, of U.S.A., handbook of behaviour, life-history and control of, 2185

Houses, Monomorium pharaonis in, in Poland, 3124; pests of, in Bulgaria, 3452; infestation of, by Attagenus megatoma and Supella longipalpa, 4029

howardi, Diabrotica undecimpunctata

howardii, Aphelinus

howitti, Aphodius (see A. tasmaniae)

Hoya, Epipagis monostictalis mining leaves of,

hubbardi, Gerstaeckeria; Neodryocoetes

hugellii, Dorysthenes

Human Fat, residues of DDT and DDE in, in Poland, 2575; organochlorine residues in, 2641

humeralis, Sitona

Humidity, effect of, on insect population of lucerne, 88; effect of, on development of eggs. of Nomadacris septemfasciata and Locusta migratoria migratorioides, 111; effect of, on development of Ectomyelois ceratoniae, 257; effect of, on flight of Anoxia villosa, 265; effect of, on behaviour of Taylorilygus vosseleri, 351; electromagnetic sensing of, in Heliothis zea, 396; effect of, on susceptibility of Tribolium castaneum to pyrethrins, 434; effect of, on eggs of Plodia interpunctella, 467 models for development and survival of Hyphantria cunea in relation to, 525; effect of, on populations of Anthonomus grandis, 616; effect of, on activity of grasshoppers, 749; discrimination between levels of, in Anthrenus verbasci, 829; effect of, on Aceria sheldoni, 837; effect of, on toxicity of insecticide deposits to Tribolium castaneum, 858; effect of, on toxicity of insecticides to Tribolium castaneum, 869; effect of, on activity of Oecophylla longinoda, 1080; effect of, on development of Agriotes ponticus, 1110; Locustana pardalina reared in high, 1400; effect of, on stored-product mites, 1540; effect of, on termination of hypopial stage of Caloglyphus mycophagus, 1659; effect of, on diapause in Halotydeus destructor, 1873; effect of, on toxicity of BHC dust to Sitophilus oryzae, 2512; chamber for studying responses of small arthropods to gradients of, 2801;

effects of, on Panonychus ulmi, 2816; effect of, on response of Noctuid larvae to Biospore 2802, 2851; response of Oryzaephilus surinamensis to, 2915; effect of, on population of Anaphothrips flavicinctus, 3083; effect of, on Prays oleae, 3146; effect of, on susceptibilities of stored-product insects to fumigants, 3301; effect of, on life-span of Callosobruchus maculatus, 3486; effect of, on spore discharge in Entomophthora grylli, 3529; effect of, on abundance of Stephanitis typica, 3919; in relation to population dynamics of Myzus persicae, 3937; effect of, on fungal infections in aphids, 3972; effect of, on populations of Aphytis spp., 3973; effect of, on development of Hylemya platura, 4007

humilis, Aphelinus; Euetheola; Iridomyrmex humuli, Myzus

Hungary, Capnodis tenebrionis in, 291; moth pests of peach in, 292; Cydia molesta in, 293; flight of vine moths in, 294; duration of development of Melolontha melolontha in, 295; mites on vines in, 296; mites on grape vine in, 297; Aegeria tipuliformis damaging currants in, 298; Myzus persicae on potato in, 2115; light-trap network for plant protection forecasting in, 2116; system of forecasting outbreaks of insect pests in, 2120; Dendrolimus pini on pine in, 2138; resistance of sour cherry hybrids to Quadraspidiotus perniciosus in, 2139; leafhoppers on rape infected with new disease in, 2141; Acanthiophilus helianthi as pest of Centaurea cyanus in, 2522; Deladenus siricidicola sp.n. from Sirex juvencus in, 2866; Hyphantria cunea in, 3145

Hura crepitans, Huradiplosis surinamensis on, in

Surinam, 1278

Huradiplosis surinamensis, described from leaf galls on Hura crepitans in Surinam, 1278

Hyacinth, Water (see Eichhornia crassipes)

Hyadaphis (see Rhopalosiphum)

Hyalesthes obsoletus, transmission of stolbur virus by, in Serbia, 1508; mycoplasma-like particles in Convolvulus arvensis collected near Lavandula hybrida infested by, in France 1826; control of, on lavender in France, 2605

hyalinata, Diaphania

hyalinipennis, Oxycarenus

Hyalophora cecropia, artificial diet for, 632; preyed upon by Dendrocopos spp., 1199; marking of larvae of, in Illinois, 1213; proteins eluted from male antennae of, 1239; juvenile hormone of, 2177; effects of epine-phrine and lipase on fat body of, 2910; absence of acute oral toxicity of juvenile hormone of, in mice, 3611

Hyalophora gloveri, artificial diet for, 632

Hyalophora promethea, preyed upon by Dendro-

copos spp., 1199

Hyalopterus amygdali, toxicity of isomers of nicotine to, 55; DNC-ammonium against, on

peach in Bulgaria, 289

Hyalopterus pruni, chemical control of, on plum in Rumania, 280; hostplant specific colour behaviour in, 750; not transmitting sharka virus disease, 774; Phaenobremia aphidovora attacking, on Prunus in Egypt, 2695; Leucopis puncticornis aphidivora attacking, on Prunus in Egypt, 2696; populations of, on peach l France, 3347; on plum in Poland, 4115

Hyamine 10X, in dips for elimination saprophytic fungi from dead bodies Dendroctonus frontalis, 682

Hybridisation, in Chilocorus, 2174

Hydraecia micacea, bionomics, natural enemand control of, on hops in Soviet Union, 414 hydralis, Hellula

hydrangeae, Tetranychus

Hydrellia, systematic and ecological study of, North America, 2999 Hydrochloric Acid, in diet for *Dacus cucurbiti*

1778; in rearing medium for Ceratitis capitat 2056: in diet for Ceratitis capitata, 4020 Hydrochlorination Reaction Mixture, effects

on Choristoneura fumiferana, 398

Hydrogen Chloride, synthetic juvenile hormon derived from farnesoic acid by treatment with, **883**

Hydrogen Cyanide, sorption of, by wheat a maize of different moisture contents and loll

factors, 2390

Hydrogen Ion Concentration, effect of, ambient water on Tanytarsus dissimilis, 20 Hydroxethyl Cellulose, in baits for Anthonomy grandis, 3213

20-Hydroxyecdysone, injection of, inducimoulting in ligatured Lepidopterous larv-

N-(Hydroxymethyl)-1-cyclohexene-1,2-dica: oximide 2,2-Dimethyl-3-(2-methylpropenyl)

cyclopropanecarboxylate (see Tetramethrical Hygiene and Public Health, review of certif persistent organochlorine pesticides used: in Britain, 2641

Hylastes, BHC and DDT against, on pu seedlings, 2239; review of, in Europe, 3422 Hylastes brunneus, infesting timber in Finla 1625; as vector of root-rot fungus in Finla:

Hylastes cunicularius, infesting timber in F land, 1625

Hylastes glabratus, infestation and control on spruce slash in Soviet Union, 711

Hylastes opacus, infesting timber in Finla 1625

Hylastes palliatus, infestation and control of, spruce slash in Soviet Union, 711; infests timber in Finland, 1625

Hylastes rufipes, aerial sprays against, on elde

in Michigan, 1919

Hylemya antiqua, control of resistant strains in France, 302; monitoring for insecticing resistance in, in Britain, 788; iodofenpide against, on brussels sprouts, 816; rearing as control of, on onion in Holland, 1143; c trol of, on onion in Michigan, 1920; insens cide treatments against, on onion in Quele 1979; differential characters of pupae: 2850; control of, on vegetables in Holla 2861; method for mass-rearing of, on a s ficial diet, 3633

Hylemya arambourgi, distribution of attack

barley by, in Kenya, 839

Hylemya brassicae, nutritive values of bohydrates and related compounds to, soil treatments for control of, on radish d New York State, 654; on broccoli in Oreginal

:94; insecticides against, on cauliflower in roland, 728; monitoring for insecticide esistance in, in Britain, 788; insecticides gainst, on cauliflower and brussels sprouts h Britain, 799; insecticide evaluation for iontrol of, in Britain, 800; dimethoate and riazinon against, on cauliflower and other Brassica crops in Britain, 801; iodofenphos gainst, on brussels sprouts, 816; control neasures against, in Britain, 826; control of. n Soviet Union, 1440; bibliographic notes on liology of, in Quebec, 1658; insecticidal conol of, in Prince Edward Island, 2459; treatnents against, on cauliflower in Northern reland, 2612; recommendation against use of Ildrin and dieldrin against, on cruciferous rops, 2641; differential characters of pupae 1f, 2850; control of, on vegetables in Holland, 1861; reproductive behaviour and effects of nale accessory gland substance in, 2926; oxicity of fensulfothion to, 3216; rearing of, 230; spatial pattern of, on cabbage in Ontario, 3281; insecticides against, in Belium, 3520; sampling of, on cabbage in Ontario, 3627

clemya coarctata, adult feeding and egg evelopment of, in Britain, 344; damage to wheat by, in Britain, 812; movement and ovision of, in Britain, 1639; cultural method of control of, on cereals in Britain, 1642; ame thrower not killing eggs of, in Britain, 1643; as pest of pasture grasses in eastern fermany, 2596; recommendation against use of aldrin and heptachlor in seed dressings fgainst, 2641; occurrence and control meaures against, on wheat in Germany, 3432; lemya floralis, attractive effect of allyl isoshiocyanate on, in Germany, 2839; differential

haracters of pupae of, 2850

tlemya liturata, bibliographical notes on bio-

ogy of, in Quebec, 1658

lemya platura, insecticides as seed treatments gainst, in New York State, 195; monitoring or insecticide resistance in, in Britain, 788; odofenphos against, on brussels sprouts, 816; bibliographical notes on biology of, in Juebec, 1658; differential characters of pupae of, 2850; control of, on vegetables in Holland, 1861; bionomics of, in Israel, 4007

les (see Celerio)

tlesinus crenatus, bionomics of, in Poland,

11131

lesinus oleiperda, behaviour of, in Dalmatia, 509

lobius abietis, as vector of root-rot fungus in Finland, 1628; control of, on pine seedlings

with DDT emulsion, 2239

lobius pales, bionomics of, in Pennsylvania, 172; in Indiana, 931; effectiveness of Beauveria bassiana and Metarrhizium anisopliae igainst, 2438; biology of, on pine in Georgia, 2465; Beauveria bassiana and Metarrhizium misopliae previously recorded from, 2812; infectivity of Neoaplectana spp. for, reared in species isolation, 3650

olobius radicis, damaging Pinus resinosa in

Michigan, 2353

plobius rhizophagus, infection of, by muscar-

dine fungi in Wisconsin, 2812

Hyloicus caligineus, as alternate host for Telenomus dendrolimi in Japan, 1327

Hylotrupes bajulus, distribution map of, 314; pupation and flight requirements of, and effect of climate on distribution of, in Europe, 2300; pesticides for control of, in Denmark, 3539

Hylurdrectonus araucariae, insecticidal control of, on Araucaria cunninghamii in New Guinea, 2784

Hylurgops (see Hylastes)

Hymenia recurvalis, parasitised by Cardiochiles hymeniae sp.n., on Amarantus and Trianthema in India, 1367; Cardiochiles hymeniae reared from, in India, 3583

hymeniae, Cardiochiles

Hymenoptera, incidence and control of, on lucerne in India, 88; parasitising Pseudoplusia in Florida, 197; parasitising Coleotechnites piceaella in Quebec, 306; parasitising Apion spp. in Britain, 454; parasitising Perthida glyphopa on Eucalyptus in Western Australia, 1014; parasitising Mesohomotoma tessmanni on cacao in Ghana, 1080; parasitising Phytomyza atricornis on pea in India, 1369; effect of parasitic, on insect pests in Byelorussia, 1465; parasitising bark beetles in Finland, 1625; suppressive effect of insecticides on, on sorghum in U.S.A., 1743; in Territory of Papua and New Guinea, 1899; parasitism of Rhopalomyia californica by, 1941; key to families of, with entomophagous representa-tives, 2172; book on parasitic, 2310; parasitism of Melanaspis obscura by, in Maryland, 2906; parasitising Ips confusus in California, physiology of endoparasitic species of, 3163; identification of, parasitising Mythimna unipuncta in Ontario, 3290; in store-houses and human habitations in Bulgaria, 3452; preyed on by sawflies, 3577; parasitising *Pimelephila ghesquierei* in Ivory Coast, 3962; preyed on by Sitta europea on Quercus ilex in Spain, 4028; parasites of, in Poland, 4118

hyoscyami, Pegomya

Hypera exemius, on Rumex in Missouri, 113 Hypera meles, on leguminous plants in Missouri and Iowa, 113

Hypera nigrirostris, on leguminous plants in Missouri, 113

Hypera postica, on lucerne in Missouri, 113; effect of lipid content on insecticide susceptibility of adults of, 173; suction machine for sampling populations of, on lucerne, 193; insecticides against, on lucerne in Ohio, 194; effect of partial control of, on nutritional values of lucerne hay in South Dakota, 222; infected with Nosema sp. in New Jersey, 548; insecticides against, on lucerne in Idaho, 640; measuring larval populations of, by volume on lucerne in Vermont, 658; feeding behaviour of larvae of, parasitised by Bathyplectes curculionis on lucerne, 671; chemical basis of host selection and plant resistance in, 771; mating behaviour of, 946; eggs of, on lucerne in New Jersey, 1181; on lucerne in Quebec, 1656; first record and parasites of, in Quebec, 1663; frequency and duration of mounting and copulation by, 1929; parasitism of, by Microctonus colesi and M. aethiops in U.S.A.,

1950; parasitised by Microctonus aethiops, 2334; parasitised by Microctonus aethiops and M. colesi in U.S.A., 2410; evaluation of insecticides against, on lucerne in New Jersey, 2441; assessment of damage caused to first cutting of lucerne by larvae of, in U.S.A., 2442; effects of mixture of 10, 11-epoxyfarnesenic acid methyl esters on parasites of, 2449: establishment of Microctonus aethiops as parasite of, in Michigan, 2451; population changes and abnormal development in, in relation to development of resistance to BHC in Soviet Armenia, 2564; relationship between height of lucerne and rate of larval development of, in Indiana, 2777; tests of insecticides for control of, on lucerne in New York State. 2780; neuroendocrine and physiological adjustments in adults of, 2912; mortality and abnormalities caused by y-radiation on, 2914; effects of diet and temperature on reproduction and survival of, 2930; net for mass collection of, 2940; Bathyplectes exigua as parasite of, 3089; insecticides against, on lucerne in Arkansas, 3200; insecticides against, on lucerne in Bulgaria, 3450

Hypera punctata, infesting leguminous plants in

U.S.A., 113

Hypera rumicis, as possible synonym of H. exemius, 113

Hypericin (see Hexahydroxydimethylnaphthodianthrone)

Hypericum hirsutum, choice of feeding site by Chrysomela brunsvicensis on, 754

Hyperodes, insecticides against sp. of, on Poa annua in New York State, 3232

Hyperodes bonariensis, sampling of, 887 Hyperomyzus (see Amphorophora)

hypersiphonata, Schizaphis

Hyphantidium terebellum, damaging spruce

cones in Soviet Union, 1485

Hyphantria cunea, models for development and survival of, in relation to temperature and humidity, 525; pathogenicity of commercial preparations of *Bacillus thuringiensis* for, 547; granulosis of, 1334; control of, in Ukraine, 1424; disposable insulated container for rearing, 2354; life tables and mortality of, in urban areas of Japan, 2498; biology of, and population dynamics of, in Japan, 2632; effects of food plants on haemolymph proteins in larvae of, 2634; heritability of diapause intensity in, in Canada, 2814; distribution, bionomics and parasitism of, in Yugoslavia, 3145; infectivity of virus of, for Bombyx mori and Pieris rapae, 3468; parasites of, 3472; in Poland, 4132

hyphantria, Hyphantrophaga

Hyphantrophaga hyphantria, parasitising Lambdina punctata in Utah, 3685

Hypoaspis disjuncta, sp.n. associated with Popilius disjunctus in Georgia, 3719

Hypoaspis krantzi sp.n., associated with barkbeetles in U.S.A., 560

Hypochaeris, Costelytra zealandica on, in New Zealand, 1891

hypochlora, Colaspis

Hypogastrura, in cultivated fields and grain débris in Canada, 2765

Hypogastrura tullbergi, interactions between soil-borne fungi and, in Canada, 2765

Hyponomeuta (see Yponomeuta)

Hypophloeus, congeneric with Corticeus, 29388 Hyposoter didymator, parasitising Spodopter littoralis in Israel, 253

Hyposoter ebeninus, infection of, with Nosem

mesnili in Czechoslovakia, 4112

Hypothenemus hampei, occurrence Ethiopia, 2540; laboratory rearing of, 2833 2834; effect of solution based on plant provi ducts on rearing of, 3838; attraction of extracts of ripe and green coffee beans, 3838

Hypsipyla grandella, immunity of Toona ciliato australis and Khaya ivorensis to attacks by, i. Costa Rica, 233; host selection behaviour on Meliaceae, in Costa Rica, 1274; hor preference of larvae of, in Costa Rica, 1275 systemic insecticides against, in Cedrer odorata in Costa Rica, 2488; parasitised t Trichogramma sp., in Costa Rica, 2489
Hypsipyla robusta, Trichogramma parasitising

2489

hypudaei, Proctolaelaps

hyrax, Chilo hyrtaca, Metanastria

Hyssopus thymus, parasitising Metzneria laj pella in North Dakota, as parasite of Rhys cionia on pine, 939; discrimination against Rhyacionia buoliana parasitised b Orgilus obscurator, 3628

Hystricina, as synonym of Bothrophora, 3870

hystrix, Abacarus

T

Ibalia drewseni, bionomics, hosts and geograph cal distribution of, introduced for release against Sirex noctilio on Pinus radiata Tasmania, 850

Ibalia gigantea sp.n., associated with wor wasps in Canada, 2996

Ibalia leucospoides, parasitism of Siricidae by

Iberian Peninsula, Ostrinia nubilalis maur tanica from, 526

Icerya pulcher, on fruit trees in India, 3082 Icerya purchasi, behaviour, distribution, and population dynamics of, on Desmodius sandwicense in Hawaii, 951; distribution mass of, 2308; on Citrus in Trinidad, 2724

iceryae, Cryptochetum iceryi, Pulvinaria

iceryoides, Rastrococcus

Ichneumon, species of, parasitising pupae Cisseps fulvicollis, 2828

Ichneumon unicinctus, parasitising Sesamin calamistis in Mauritius, 2536,

Ichneumonidae, new to Bulgaria, 281; light traps for, on tobacco in Virginia, 594; parair sitising Croesia semipurpurana in Quebe a 904; parasitising rice stem borers, 134 reared from Cidaria juniperata in Ontario 2008; glycerol content of, exposed to loo temperatures, 2661; parasitising Bruchal pisorum and Macrosiphum pisum on pea Soviet Union, 3092; parasitising Tortrician in Italy, 3481

thyura (see Pvgaera)

ho, Circulifer tenellus in, 186: Hypera postica in lucerne in, 640; parasitism of Eucosma escissoriana on Pinus monticola in, 909; cold emperatures reducing overwintering populaions of Scolytus ventralis in, 971; baits for Dendroctonus ponderosae on Pinus strobus in, :774; Corticeus substriatus in, 2938; Chorisoneura lambertiana on Pinus contorta latifolia n, 3280; Scolytus ventralis on Abies grandis n, 3283; parasites of Eucosma rescissoriana on Pinus monticola in, 3632

ocerus atkinsoni, new genus Amritodus for,

oscopus clypealis, aerial sprays against, on mango in India, 3358

otropha, Ceritrypetes

\italis, Acigona torata, Dasineura

x paraguensis, Dichopelmus notus on, in Paraguay, 3824

vicola, Phytomyza

is, Oligonychus; Phytomyza

Sesicollis, Exochomus

nois, studies on early stages of Hyalophora vecropia in, 1213; carbaryl against Popillia aponica in, 2376; bionomics of Simyra henrici in, 2385; selected insecticides for conrol of Clivina impressifrons on maize in. 2416; sterilisation of radiosensitive males of Tribolium confusum in, 2800

aginis, Thrips Bricans, Hemilecanium tidan (see Phosmet)

idazole, in diet inhibiting reproduction in

Pseudosarcophaga affinis, 1748 itata, Melanolophia

maculata, Scutigerella watiens, Bradysia

picticeps, Nephotettix (see N. virescens)

polita, Acarocheyla portunitas, Ragmus postor, Iphiaulax pressifrons, Clivina

mitus, Chelonus arnatus, Anagrus atomus, Bruchidius vertulas, Tryporyza

ertus, Archytas ·ludens, Pseudoplusia clusum, Trogoderma lusus, Apanteles completa, Deois

consequens, Taeniothrips lecisa, Ecpantheria

dia, termites in, 57; mites on tea in, 58; pests and diseases of tea in, 59; conservation of natural enemies of tea pests in, 60; rosette disease of groundnuts transmitted by Aphis craccivora in, 61; insecticide residues on rape in, 62; Schistocerca gregaria in, 63; Raoiella indica on Areca catechu in, 65; Schistocerca gregaria in, 67; Rhopalosiphum erysimi on mustard in, 68; natural enemies of Schistocerca gregaria in, 69; Chrotogonus trachypterus damaging cotton in, 71; Oedaleus senegalensis in, 72; Leucinodes orbonalis on Solanum melongena in, 73; Diaphorina citri on Citrus in, 74; Callosobruchus chinensis as pest of stored pulses in, 75; Lygaeus pandurus in, 76;

Diaphorina citri on orange in, 77; crickets in rubber plantations in, 78; Agrotis sp. on onion in, 79; Tarucus theophrastus on Ziziphus jujuba in, 80; aphids in, 82; Leptocorisa acuta on rice in, 83; Margaronia unionalis on jasmine in, 84; Agropistis limbatus on jasmine in, 85; Ferrisia virgata in, 86; Athalia lugens proxima in, 87; insect population of lucerne in, 88; termite control in rubber plantations in, 89; Coccophagus spp. in, 246; Circulifer spp. in, 366; Amritodus atkinsoni in, 419; Apion corchori on Corchorus capsularis in, 462; mites infesting baked-wheat preparations during storage in, 472; Atherigona oryzae on rice in, 494; Eulocastra argentisparsa on Striga in, 501; natural enemies of Oryctes rhinoceros in, 504; Aphelinid parasites of aphids in, 507; Diaeretiella rapae parasitic on aphids on crucifers in, 509; Lachnosterna consanguinea in, 657; host preferences of Aulacophora spp. in, 861; Aphididae of, 862; Empoasca nagpurensis on wheat in, 863; Sogatella furcifera on rice in, 864; Aphis craccivora and pea mosaic virus in, 865; varietal resistance in cotton to Empoasca devastans in, 866; Apion corchori on jute in, 867; Rhynchophorus ferrugineus on coconut in, 868; Diaphorina citri and greening disease of Citrus in, 871: Anuraphis helichrysi on peach in, 872; cotton pests in, 873; fumigation of stored wheat in, 876; mycoplasmalike bodies associated with spike disease of sandal in, 878; tea pests in, 1049; Chilo zonellus on maize in, 1051; Utetheisa pulchella in, 1340; Sepedon sauteri in, 1345; studies on growth of populations of Callosobruchus analis and Trogoderma granarium in, 1354; Apoderus sissu and its egg parasite on Dalbergia sissoo in northern, 1355; disinfestation of stored seeds by heat treatment in, 1356; factors influencing the tolerances of seeds to fumigants in, 1357; effect of infestation of Chilo partellus on maize in, 1358; effect of diet on development of Diacrisia obliqua in, 1359; bionomics of Hellula undalis in, 1360; Atherigona as pest of wheat and sorghum in, 1361; effect of insecticidal sprays on Eublemma amabilis and Holcocera pulverea preying upon Laccifer lacca in, 1362; a new record of Eubrachis indica, as a serious pest of apple in, 1363; a new record of Dorylus labiatus preying upon Microtermes mycophagus in, 1364; Dacus ciliatus and D. cucurbitae reared from stem galls on Coccinia indica in 1365; Hymenia recurvalis parasitised by Cardiochiles hymeniae sp.n. on Amarantus and Trianthema in, 1367; tests on control of Mesomorphus villiger, Opatroides frater and Scleron latipes, damaging seedlings of tobacco in, 1368; a new record of Opius and Neochrysocharis parasitising Phytomyza atricornis, on pea in, 1369; parasites reared from galls of *Cydia tricentra* attacking *Crotalaria juncea* in, 1371; description and bionomics of *Thyropygus* in, 1372; bionomics, taxonomy and morphology of Thysanoptera in, 1373; book on plant protection in, 1374; book on pests of vegetables in, 1375; insects introduced from, to Madagascar, 1392;

Encyrtid parasites reared from Laccifer lacca in 1575; new records of Tenuipalpid mites from, 1576; parasites of Sesamia inferens and Atherigona nudiseta in, 1577; Hexamitus spp.n. in Gryllotalpa africana in, 1578; fig insects in, 1579; Neocypholaelaps pradhani sp.n. on flowers of apple in, 1580; aphids in, 1582; Nephotettix impicticeps on rice in. 1750; Earias vittella in, 2074; Procystiphora mangiferae on mango in, 2089; Dasineura papivora infesting flower buds of papaya in, 2090; Schizomyia orientalis on Acacia leucophloea in, 2091; termite control in, 2092; natural enemies of Cydia leucostoma and Gracillaria theivora on tea in, 2093; economics of soil insecticides applied to sugar-cane in, 2094; aphids on potato in, 2095; squirrels preying on Hieroglyphus spp. on cereal crops in, 2096; Latoia bicolor on sugar-cane in, 2097; control of sorghum pests in, 2098; resistance in castor to Empoasca flavescens in, 2099; Chilo infuscatellus on sugar-cane in, 2100: insect pests on Crotalaria juncea in, 2101; Caliothrips indicus on pea and other plants in, 2102; Cydia tricentra on Crotalaria juncea in, 2103; rôle of mites in agricultural production in, 2104; Citrus decline and associated insects in, 2105; Trichogramma spp.n. in, 2150; insecticides against Homoptera on rice in, 2199; Plutella xylostella on cauliflower and cabbage in, 2201; effect of sublethal dosages of BHC on *Dysdercus koenigii* in, 2202; bionomics of *Lymantria ampla* in, 2203; possible occurrence of tungro and yellow dwarf viruses on rice in, 2204; insect pests of Moringa oleifera, in southern, 2205; pests of Ziziphus xylopyrus in, 2206; biology and control of Ragmus importunitas on Crotalaria anagyroides, in, 2510; biology of Euproctis lunata on Ricinus communis in, 2511; effect of temperature and humidity on toxicity of BHC dusts to Sitophilus oryzae in, 2512; mass rearing of Heliothis armigera in laboratory in, 2513; laboratory breeding of Lysiphlebus testaceipes in, for release against Aphis craccivora on groundnuts, effects of temperature and isolation on oviposition by Corcyra cephalonica in, 2515; Anuraphis helichrysi on peach in, 2516; control of Carpomyia vesuviana on Ziziphus in, 2517; susceptibility of wheat varieties to Sitophilus oryzae in, 2518; insects intercepted in, from seed samples, 2519; insecticides for control of Mylabris pustulata on maize in, 2520; bionomics of Coccotrypes carpophagus in areca nuts in, 2521; new host plant for Acanthiophilus helianthi and Craspedoxantha octopunctata in, 2522; Sogatella furcifera parasitised by Pachygonatopus in, 2523; Chilo partellus on maize in, 2524; Tetrastichus nyemitawus parasitising Atherigona sp. on wheat in, 2525; Gryllotalpa africana damaging rice seedlings and potato tubers in, 2526; Achaea janata on guava in, 2527; natural enemies of Sogatella furcifera on rice in, 2528; fig mosaic virus transmitted by Aceria ficus in, 2529; Demarchus pubipennis damaging Cajanus cajan in, 2530; Amsacta moorei parasitised by Atherigona orientalis in, 2531;

Ketumala thea attacking tea, Erythrina lithol sperma and Gliricidia sepium in South, 26691 bionomics of Drosicha stebbingi on Citrus in 2671; Coccinella arcuata predacious o Delphacidae in, 2672; fentin hydroxide a antifeedant for Lepidopterous larvae in 2673: Menochilus sexmaculatus, Coccineles septempunctata and Syrphid larvae predacious on aphid pests in, 2675; new records of parasites and predators of Heterococcus rehi in 2676; new records of parasites of rice stemborers in, 2677; estimation of damage t tobacco caused by Spodoptera litura in, 2681 Rhopalosiphum erysimi on mustard in, 2682 sterilisation of males of Phthorimaea opercade lella by metepa in, 2755; growth, longevity and reproduction of Amrasca devastans of Hibiscus esculentus in, 2773; Rhopalosiphun erysimi on Brassica plants in, 2791; rearing c Atherigona varia soccata in, 2807; list c aphids from Gujarat State, 2811; catalase and auxins of Ricinus communis and resistance to Empoasca flavescens in, 2841; thiometon inhibiting germination of sarson seeds in 3007; Tropilaelaps clareae recorded from Apis dorsata colonies in, 3037; mites i colonies of honey bees in, 3039; Empoascant flavescens on castor in, 3081; Coccids affects ing fruit trees in, 3082; Anaphothrips flavicino tus on Panicum maximum in, 3083; natura enemies of sugar-cane pests in, 3084 Cnaphalocrocis medinalis on rice in, 3085 Diaphorina citri on Citrus in, 3086; thiometo residues on cauliflower in, 3087; Dacue ciliatus in, 3201; Chilo partellus on maize in 3253; Amritodus atkinsoni and Idioscopus S255, Amridua and latioscopia and latioscopia clypealis on mango in, 3358; parasites chethorimaea operculella in, 3359; biblic graphy of plant feeding mites in, 336R Pectinophora gossypiella on cotton in, 3362 aphid fauna of, 3364; beetles eating stone and pome fruits in, 3365; Dasineura citri on Citruin, 3367; historical notes on Cecidomyië studies in, 3368; cultural methods against Cecidomyiids on crops in, 3369; Meunierielu mangiflorae sp.n. on mango in, 3370; Dass neura citri ovipositing in buds of Gnaphalium indicum in, 3371; Udumbaria nainiens in infesting figs in, 3372; Udumbaria nainiens and diseases of fig in, 3374; Thysanopters collected in, 3375; Gynaikothrips karnyi o Piper in, 3376; Pentalonia nigronervosa o banana in, 3377; mites on tea in, 33788 Etiella zinckenella damaging pods of Crotos laria anagyroides in, 3379; Menochilin sexmaculatus preying on Toxoptera auranova in, 3380; Pachydiplosis oryzae on rice in 3381; sprays applied to cotton in, 3382; hor 20 range of Tetranychus telarius in, 3383 Drosicha stebbingi on mango in, 3384 Trogoderma granarium in stored wheat in 3385; Amphibolus venator as predator stored-product pests in, 3386; Leptomastinigrocoxalis parasitising Centrococcus insolv tus in, 3388; Cardiochiles hymeniae sp. reared from Hymenia recurvalis in, 3588 Stephanitis typica on coconut in, 3919 Asphondylia sesami on Sesamum in, 3920 Rhopalosiphum erysimi on rape in, 39214

setranychus telarius in, 3924; Amrasca evastans on cotton in, 3926; Pyemotes ventriosus parasitising Nephantis serinopa in, 3927; sogatella furcifera on rice in, 3979

an Ocean, air-borne Lygaeidae trapped

ver, 1002

vana, Diabrotica longicornis on maize in, 34; releases of Anaphes flavipes against vulema melanopus in, 385; Pseudocneorhinus ifasciatus in, 413; DDT residues in mint hav nd oil in, 655; Scutigerella immaculata on naize in, 927; Aceria tulipae in, 928; Rhopaloiphum maidis on maize in, 929; Cydia pomorella and other pests of apple in, 930; Tylobius pales and Pissodes spp. in, 931; Tylobius pales and Pissodes spp. in, 931; hagoletis pomonella on apple in, 1730; naphes flavipes established against Oulema uelanopus in, 1755; Argyrotaenia velutinana h, 2393; Acalymma vittatum and Diabrotica 'ndecimpunctata howardi and light-traps in, (770; relationship between height of lucerne nd rate of development of Hypera postica 1, 2777; Cydia pomonella in, 2808; Anaphes javipes established against Oulema melanopus h, 3233

ca, Coelidia; Eubrachis; Raoiella

cata, Hedylepta

scus, Caliothrips; Chilo; Parageniaspis

ngenella, Acrobasis

nstinctus, Pleolophus

ordromus meerutensis gen. et sp.n., associated rith Eriophyid mites in India, 1581

ole, effect of, in diet on development and eproduction in *Heliothis* spp., 619 ole-3-acrylic Acid, effect of, in diet on

-ole-3-acrylic Acid, effect of, in diet on evelopment and fertility in *Heliothis* spp.,

ole-3-butyric Acid, effect of, in diet on evelopment and reproduction in *Heliothis* pp., 619

conesia, Atherigona oryzae on rice in, 494 cophenyl Acetate, esterase activity in Chilo artellus demonstrated with, 3776

loseius ricini gen. et sp.n., associated with l'etranychid mites in India, 1581

rmis, Mirococcus (Phenacoccus)

rens, Sesamia, Sturmiopsis; Tetrastichus
ra-red Radiation, attractants for insects
elected for absorption in, 254; effect of, on
rocturnal moths, 410; for control of storedroduct mites, 1540; evidence for communitation system using, in Heliothis zea, 2328;
ffect of, on overwintering larvae of Pectino-

hora gossypiella, 3354 uscatellus, Chilo lisiae, Adelencyrtus

inica, Endria

nicus, Cheiloneurus Votata, Tryporyza

pheron, Lecanium

pus (see Altermetoponia)

rnata, Saperda

ositol, in diets for Saturniids and Pediasia eterrella, 632–633; in diet for Agrotis spp.,

stemma contariniae, parasitising Contarinia nedicaginis in France, 3511

uirenda, Prospaltella

Insecticides, nervous activity in relation to mode of action of, 5; effect of climatic factors on susceptibility of insects to, 70; effect of, on Apis mellifica, 104; residues of, in food and environment, 320; identification of, in mixtures by mass spectrometry, 335; resistance to, in insects, mites and ticks, 516; timing of, against Rhyacionia spp., 552; honey bee mortality as related to surfaces treated with, 598; resistance to, in Heliothis virescens, 612; systemic treatment with, against Stephanitis spp., 697; regulation on use of, 740; monitoring for resistance to, in root flies, 788; methods for monitoring resistance to, in aphids, 790; applied in ultra-low-volume sprays, 792, 793; evaluation of, for control of *Hylemya bras*sicae, 800; risks of, to fish, 804; toxicity of, to honey bees, 805; evolutionary aspects of resistance to, in insects, 807; use of, on vegetable crops, 821, 822; principles, evolution and trends in development of, 1148; against Rhopalosiphum padi in Norway, 1163; residues of in carrots, in Norway, 1164; review of techniques for testing, 1173; economic consequences of restriction of use of organochlorine, in U.S.A., 1229; residual effectiveness of, in Ohio, 1233; effect of aerial spraying of, on forest-floor arthropods in Ontario, 1257; residues of in fruit, foliage and soil in vineyard in Ontario, 1272; against Oxycanus fuscomaculatus in Tasmania, 1297; against Oncopera in Tasmania, 1298, 1301; against Epiphyas postvittana in Tasmania, 1299-1300; handbook of, available in Nigeria, 1418; mode of entry of contact, 1529; penetration of pyrethroid, into Phaedon cochleariae, 1531; resistance to, in Myzus persicae, 1539; persistence of, in environment, 1555; genetics of resistance to, in Lepidoptera, 1559; toxicity of, to mammals, 1614; detoxication of, in mammals, 1618; dynamics of insect toxicology and its relationship to performance, synergism, and structureactivity relationship of, 1623; liquid densitygradient mixer for use in measuring biological interaction with, 1764; residues of, on Citrus, 1809; determination of hydrophilic-lipophilic properties of, 1837; biological principles for use of, 1845; development of resistance to, in insects and mites, 1855; determination of, in human and animal tissues, 1911; sweep-net method in tests of, on potato, 1980; methods for detecting resistance to, in *Spodoptera littoralis*, 2061; use of Gambusia as test animal for screening of, 2062; synergism and potentiation in, 2166; assessment of, for control of Mirids on cacao in West Africa, 2288; micro-organisms as new sources of, 2262; metabolism of contact, in stored grains, 2550; guide to new, 2557; biochemical and genetic bases of insect resistance to, 2678; effect of, granulated, against Laodelphax striatella in Japan, 2680; methods to test pests for resistance to, 2858; diuretic hormone release in Rhodnius pro-lixus treated with, 2872; mechanism of metabolism of, by rabbit liver oxidase, 2953; use of, 3049; effect of, in irrigation water on eggs of Homoptera, 3058; applied by pipe-duster

against Chilo suppressalis and planthoppers, 3059; in granules against Tipula aino, 3060; against Quadraspidiotus perniciosus, 3075; problems in accelerated testing of, 3187; residues of, in Larus argentatus, 3189; method for evaluation of, against Diabrotica virgifera, 3256; conference concerning users and uses of, 3536; behaviour of, in soils, 3537: residues of, in foods and feeds, 3592; residues of, in starlings, 3736; in wings of mallards and black ducks, 3737; residues of, in streams, 3738; system for monitoring atmospheric concentrations of, 3741; surface slicks as concentrators of, in marine environment, 3743; possible mechanism in development of fish resistant to, 3747; residues of, in soil and soil invertebrates, 3751; action of, in presence of sticker-spreaders, 3802; retention and distribution of, on dressed cereal seed, 4092; residues of, in total diet, 4093; metabolites of, and their determination in foods,

4102 (see also Pesticides) Insects, symposium on ultrastructure of, 1; nervous activity in, in relation to mode of action of insecticides, 5; attacking Schistocerca gregaria in India, 69; effect of climatic factors on susceptibility of, to insecticides, 70; stabilization of microsomal preparations of, by freezing, 202; trap to test response of, to different light intensities, 203; attacking Dacus dorsalis in laboratory, 207; data on, for optical scanner, 220; control of, by airtight storage in small containers, 241; rôle of systematics in biological control of, 247; microanalytical methods in studies of control of, in stored products, 313; review of, attacking banana, 315; night-flying by, in relation to wind, 319; survey methods in studies on, 322, 323; self-checking coding method for mark-recapture studies on, 347; photometric device for measuring foliage loss caused by, 383; alternatives to conventional insecticides for control of, in U.S.A., 404; relationships among polyhedrosis and granulosis viruses of, 424; harmful and beneficial species of, in Soviet Union, 428; electro-auragrams of, in free flight, 431; Formica spp. as predators of, in Germany, 447; control of, in bagged grain by asphyxiation, 473; chemical basis of sociality of, 487; textbook on physiology of, 490; as pollinators of crops, 491; as pests of vegetables in Philippines, 496; in São Tomé and Principe, 500; attacking poplars in West Pakistan, 511; insecticide resistance in, in Australia, 516; of Virginia, 565, 566; affecting ornamental conifers in California, 569; suction trap for collecting segregated samples of, in liquid, 571; compartmented disposable plastic trays for rearing of, 676; device for separating and holding small photopositive species of, 677; sampling device for estimating populations of, on cotton, 683; losses and production cost attributed to, in U.S.A., 699; methods to determine losses caused by phytophagous species of, 700; protection of trees and shrubs against, in towns in Soviet Union, 721; rôle of secondary plant substances in food-plant selection by phytophagous species of, 746; physical aspects of artificial diets for,

759: effects of different proportions of nutrients on, 760; plants as source of material with hormone activity for, 765; insect-plans relationships determining susceptibility or resistance of plants to, 769; plant breeding for resistance to, 775-783; losses due to, i stored products, 785; potential contribution by insect hormones and analogues to control of, 806; evolutionary aspects of resistance to insecticides in, 807; Bacillus thuringiensa against, 809; control of, in stored grain by air tight storage or by cooling, 810; control of, i, West Pakistan, 856; on airfields in New Zea land, 888; list of collected on Niue Island 894; population regulation in, 899; applyini. wax in work with, 920; electronic barrier for 969; transcoceanic dispersal studies of, 10010 problems of taxonomy of, 1026; problems is morphology of, 1028; population ecology of in Japan, 1029; aspects of adaptation is bionomics of, 1030; development and dialepause in, 1031; neurophysiology of chemical senses of, 1032; nutritional physiology of 1033; biochemical aspects of metamorphosis of, 1034; natural enemies of, 1036; isolation of northern cereal mosaic virus from, i Japan, 1039; control of, in gardens i Rhodesia, 1056; associated with stored pro-ducts in Nigeria, 1078; calculating effective ness of microbiological treatment for contra of, 1132; attacking sugar-cane setts, 1134. chemical control of, 1149; electron microscope studies on cuticle of, 1206; dispersic of, in seeds and cones of *Pinus echinata*, Georgia, 1228; study of programme research on, on cotton, in California, 123 probable effects on, of air pollution, 125 electrophoretic patterns of egg proteins from 1252; inexpensive flight inducer, 1258; liqui nitrogen operated chamber for supercooling studies on, 1267; list of injurious, Colombia, 1277; list of, attacking cultivate plants in Paraná, Brazil, 1281; pests of coche in South Pacific, 1290; exotic, as pests plants in South Pacific, 1291; heat treatment of stored products to control, in India, 135 apparatus for dipping, 1370; control of rice in Formosa, 1396; as pests of forest-panels plantations in Georgia, 1439; pests, microbiological control of, 1498; structure and properties of cuticle of, 1528; infesting distance of the control of th plant and animal products carried in freigi containers, 1551; freezing and frost resistant in, 1560; resistance of nerve ultrastructure ed to alteration by pyrethrins, 1585; responsi of, to chemicals in food plants, 1590; organi sulphur compounds as attractants for, 15% pheromones of social species of, 1597; and feedants for, in plants, 1598; attractants fold of vegetable origin, 1601; methodology f isolation and identification of pheromones is 1604; electrophysiological investigation olfaction in, 1606; toxicity of rotenone 1620; molecular biology of insecticide resets tance in, 1621; accumulation of, in relation air movement near windbreaks, 1647; noctular nal catches of, in Quebec, 1654–1655; survive methods in studies on, 1791, 1793; acclimate tion to high and low temperatures in, 1800

ctors affecting threshold values for control i, 1832; regularities in adaptations of, to rrestrial life, 1851; culture of cells and isues of, 1856; steroid metabolism in, 1857; oluminescent communication in, 1859; rôle epicuticular lipid in, as water barrier, 1860; pretive dusts in control of, 1860; host becificity determination of, for biological ontrol of weeds, 1861; effects of defoliation y, on trees, 1864; regulation of feeding in. 366; comparative morphology of genitalia 1, 1867; taxonomy of, in Australia, 1868; cology and insect colonization for biological untrol of, 1870; common names of, approved Entomological Society of America, 1956; piethods for forecasting, assessment and etection of, 2108-2120; regulating function nervous system of, 2121; sympathetic entres of nervous system of, 2122; synaptic ansmission in, 2123; nervous control of hythmic muscle movements in, 2124; sponneous electrical activity in nervous system f, 2126; photoreceptors in, 2129; chemoreceptor organs of, 2130, 2131; neurosecrery cells of, 2132; list of injurious, in colland, 2247; microbial control of, 2254–285; pathogens, safety of, for man and verteates, 2274; safety of beneficial, from pathgens, 2275; of Malawi, 2309; monograph parasitic, 2310; plastic cage for study of, in plants, 2452; substrate for positioning hinute, for stereoscopic microscopy, 2453; re-history of, as pests on vegetables in critish Columbia, 2457; annotated list of prest, in Uganda, 2539; morphology and onomics of, as pests of *Pistacia* in Syria, 706; in fauna of areas of Nubian region, 710; as pests of cabbage in Egypt, 2715; lationships between mites and, in forest abitats, 2819; book on control of injurious, 338; integrated and harmonious control of, 347; attacking tropical crops, 2865; control f, on apple in Pennsylvania, 2950; comparion of models of functional response in, 989; blackbirds preying on, in Ontario, 997; toxicity of N-(mercaptomethyl)phthalinide-S-(O-alkyl)-alkylphosphonodithioates nd thioates to, 3012; introductions of, and iological control, 3161; in stored grain in opical and subtropical areas, 3174; biotic gents in control of, as important natural esource, 3175; control measures against, 207; biological control of, in Canada, iological control of, in Asian and Pacific commonwealth countries, 3337; chemo-erilisation of, 3357; new International Organisation for Biological Control of, 3360; iological control of, in Africa, 3397; paratism in, 3423; outline review of current tethods of control of, 3502; review of atural history of, in Britain, 3528; adaptaons in wood-boring, 3533; problems of mass earing of, for biological control, 3542; bioogical control of, in Soviet Union, 3543-545; multiplication of enemies of, 3546; letermination of times for sampling soil for, 573; economic importance of, in stored prolucts, 3588; chemosterilants in control of, 591; in Syria, 3599; in Iraq, 3600; mathe-

matical model of population of, with overlapping generations, 3676; rôle of female monogamy in sterile-male method of control of, 4010; yellows-type diseases of Solanaceae transmitted by, 4035

insertum, Rhopalosiphum

insidiosus, Eriophyes; Orius; Trechnites

insignis, Melanchra insolitus, Centrococcus

instigator, Pimpla instructor, Ctenochares

insulana, Earias

insularis, Nythobia

Insulaspis, key to species of, 1882

Insulaspis corni, preyed on by Chilocorus

kuwanae in Japan, 1900

Insulaspis gloverii, attacking Hemisarcoptes dzhashii sp.n. on Citrus in Soviet Union. 1108; distribution of, on Citrus in Western Nigeria, 2430

Insulaspis pinea, taxonomy of, on Pinus taeda in Hong Kong, 1882

integer, Coccotrypes (see C. carpophagus); Ips integra, Formica

intermedia, Aulacophora (see A. **Platycleis**

intermedius, Aeolothrips; Dysdercus; Schedorhinotermes

intermittens, Acanthomytilus (Lepidosaphes) International Organisation for Biological Control of Noxious Animals and Plants, reorganisation of, 3160; restructuring and statutes of,

interocellaris, Frankliniella interpunctella, Plodia interrupta, Actia

interruptor, Cremastus

interruptus, Scymnus, Tydeus, Passalus interstitialis, Scyphophorus; Zabrotes

intonsa, Frankliniella

Intration (see Thiometon) intricata, Oncopera

inunctus, Tetrastichus invisor, Phaeogenes

Invreia ghanii sp.n., parasitising Chilo partellus in Pakistan, 1570

Iodine, use of, for determining mortality of Aonidiella aurantii, 4089

Iodine, Radioactive, labelling Eyprepocnemis plorans with, 3405

Iodofenphos, against *Bucculatrix thurberiella*, 215; use of, against wide range of insect pests, susceptibility to, in Trogoderma spp., 1717; in sprays against Agrotis orthogonia, 1719; evaluation of, as mothproofing agent, 2406; against Pemphigus populitransversus, 2444; sprays of, against Heliothis spp., 2779; in dusts against Sitophilus spp., 3812

Iowa, Rhopalosiphum erysimi pseudobrassicae on oil-bearing crucifers in, 614; Ostrinia nubilalis on maize in, 949; biology of Systena frontalis on maize in, 2394; Diabrotica virgifera on maize in, 3256

iowensis, Curculio

Iphiaulax, possible use of, for control of Phoracantha semipunctata in Sardinia, 3477 Iphiaulax eurygaster, parasitising Saperda inor-

nata in Michigan, 1194

Iphiaulax impostor, parasitising Melanophila picta in Greece, 741

Ipinae, Tarsonemidae co-existing in habitats with, 1254

Ipomoea, insects from, in Ontario, 505 Ipomoea batatas (see Sweet Potato)

Ips, associates of, on Pinus taeda in Texas, 2911; Hopping's group IX of, in North America, 2993

Ips amitinus, infestation and control of, on spruce slash in Soviet Union, 711

Ips avulsus, Hymenopterous parasites of, on pine in Virginia, 1988; comparison of flight aggregation in, in Tennessee, 2826

Ips bidentatus, infesting timber in Finland, 1625 Ips caelatus, attracted to ultra-violet light-traps

in Florida, 2748

Ips calligraphus, development of, on foliage-based diets, 1705; Hymenopterous parasites of, on pine in Virginia, 1988; fatty-acid composition in, during postembryonic development, 2935; on pines in Dominican Republic, 3979

Ips cembrae, bionomics of, on larch and pine in

Scotland, 1680

Ips chalcographus, infestation and control of, on spruce slash in Soviet Union, 711; bionomics of, 1482

Ips confusus, pheromones of, 1605; Hymenopterous parasites of, in California, 2957; in relation to other *Ips* spp. in North America, 2993; probabilistic phototactic behaviour in, 3297

Ips cribricollis, and related species in North America, 2993

Ips curvidens, on fir in Greece, 3466

Ips grandicollis, response of, to attractant produced by males attacking Pinus taeda in North Carolina, 912; Hymenopterous parasites of, on pine in Virginia, 1988; flight aggregation in, in Tennessee, 2826; and related species in North America, 2993; attack sequence of, on pine logs in Georgia, parasites of, 3718

Ips hoppingi sp.n., on pines in Arizona, Texas, and Mexico, 2993

Ips integer, distribution and food-plants of, in North America, removed from synonymy with I. plastographus, 3623

Ips laricis, bionomics of, 1482

Ips lecontei, and related species in North America, 2993

Ips montanus, and related species in North America, 2993

Ips paraconfusus sp.n., on pines in California and Oregon, 2993

Ips pilifrons, woodpeckers preying on, in Colorado, 3617

Ips pini, flight and host-selection behaviour of, in Washington State, 940; Hymenopterous parasites of, on pine in Virginia, 1988

Ips plastographus, Ips integer removed from synonomy with, 3623

Ips plastographus maritimus subsp.n., distribution and food-plants of, in North America, 3623

Ips plastographus plastographus, distribution and food-plants of, in North America, 3623 Ips quadridens, infesting timber in Finland, 1625 Ips sexdentatus, bionomics of, 1482 Ips spinidens, on fir in Greece, 3466 Ips typographus, infestation and control of, c spruce slash in Soviet Union, 711

Ips vorontzowi, on fir in Greece, 3466

ips, Tarsonemus

ipsilon, Agrotis Iran, Ostrinia nubilalis persica from, 526; pess of date palm, wheat and cotton in, 796; bid logy of Papilio demoleus demoleus on Citrus is 1180; Curculionids on beet in, 1545; Osphranteria coerulescens on Rosaceae i 1928; control of Osphranteria coerulescens G fruit trees in, 2782; Sphenoptera davatchii (Prunus in, 3515; Oryctes elegans on dai palms in, 3929; Zeuzera pyrina on apple i 3930; Lepidopterous fauna of, 3931, 3931 Heliothis armigera on cotton in, 3933; Clere and Meloid fauna of, 3934; Scarabaeidae in 3935; Euzophera bigella and Cydia pomoner in, 3936; Myzus persicae on potato in, 3931 Bulaea lichatschovii on beet in, 3939; Aph gossypii on cotton and tobacco in, 3940; beat pests in, 3942; Spodoptera exigua on clovo in, 3943; moths caught in light-traps lucerne field in, 3944

Iraq, Ommatissus binotatus on date palms i 796; Ommatissus binotatus lybicus and other pests of date in, 2068; insect fauna of, 3600 Iridomyrmex, methods for preventing remove of pasture seeds by, in Queensland, 1316

Iridomyrmex detectus, weight loss of, und laboratory conditions in South Australian 2543; weight loss of workers of, during sun mer and winter in South Australia, 268 ecology and nest microclimatology of,

Australia, 3328

Iridomyrmex humilis, seasonal life cycle of, Citrus in California, 1184; sympatric associ tions with Pheidole megacephala and Anoplepis longipes, in Hawaii, 1193; YBF: against, preying on Aphytis melinus in Sicil

Iridomyrmex purpureus (see I. detectus)

Iris germanica, parasites of Macrosiphin euphorbiae on, in California, 3686 Iron, effect of, on aldrin in pea plants, 32

trace amounts of, in diet for Macrosiphul pisum, 3698

Irradiation, gamma, of stored grain, 1442; commodity treatment against Dacus tryw in Australian fruit, 2209; damage and rept of larvae of Tenebrio molitor after, 2734 isabella, Pyrrharctia

Isaria (see Paecilomyces)

isis, Nilotaspis (Coccomytilis)

Isobenzan, toxicity of, in sprays to cotton insects, 630; soil treatment with, again Lachnosterna consanguinea, 657; agaid Rhynchophorus ferrugineus, 868; in sproagainst Phthorimaea operculella, 870; eff tiveness of, against Scyphophorus interstiz lis, 1065; repellent effect of, against removal of pasture seeds, 1316; emulsion concentrate of, used against Mesomorpu villiger, Opatroides frater and Scleron latin damaging tobacco seedlings in India, 130 against Lixus juncii, 1516; soil treatment with, against sugar-cane pests, 2094; effect

sorghum yields, 2098; against Cydia centra, 2103; against Coptotermes spp., 12; against Spodoptera frugiperda, 3006; thod for estimating susceptibility of stelytra zealandica to granules of, 3885 obutyl S-Phthalimidomethyl Ethylphosonodithioate, mammalian toxicity and ecticidal and acaricidal activity of, 3012 lus, attacking Centaurea solstitialis, 506 in, non-epoxidation of, by enzyme in peas. il; toxicity of, in sprays to cotton insects, 1); metabolism of 6,7-dihydro derivative of, microsomes and Spodoptera eridania, 73; residues of, in river sediment and water,

an, resistance to, in Myzus persicae, 299; ainst Hypsipyla grandella, 2488; against wzus persicae, 2610; toxicity of soil treatents with, to mites and Aphis gossypii, 3531 mucine, γ-radiation causing decrease of, in nino acids in Anthonomus grandis, 3773 aleucine, effect of, on embryonic develop-

ent of Empoasca fabae, 2904

seurothrips australis, population fluctuation t on Eucalyptus in South Australia, 3989 thraffinic Oil, toxicity of, to cotton insects,

a-Isopropenyl-1-methylcyclobutaneethanol, rsex attractant in Anthonomus grandis, 486 gropyl Alcohol, with detergent, for extracen of thrips from flowers, 2802

vopyl Salicylate O-Ester, with O-Ethyl cosphoramidothioate, against Schizaphis

inminum, 3236

copyl Salicylate O-Ester with O-Methyl cosphoramidothioate, toxicity of, to Lepotarsa decemlineata, 1781; against Pemigus populitransversus, 2444; against shizaphis graminum, 3236 ropyl-4,4'-dibromobenzilate, effect of, on

ineficial insects and mites, against Phyl-

Voptruta oleivora, 261

opropylphenyl Methylcarbamate, against odelphax striatella and Nephotettix cinctios, 2500; in tests against rice leafhoppers, 04; effect of soil applications of, on Buclatrix thurberiella, 2705; in sprays against lirids, 3959

opropylphenyl Methylcarbamate, toxicity to Otiorhynchus ovatus, 668; against plantappers and leafhoppers, 2635; effect of soil plications of, on Bucculatrix thurberiella

d Estigmene acraea, 2705

tera, in Territory of Papua and New Juinea, 1899; on St. Helena, 3964

pma, in cultivated fields and grain débris in anada, 2765

aleraldehyde, attractancy of, to Anthonomus Vandis, 1710

el, pathogens and pests associated with ephritid flies in laboratory in, 207; Casca nithi and Aphytis holoxanthus as parasites of hrysomphalus aonidum in, 249, 250; changes insect fauna of Citrus in, 251; Phanerotoma vitestacea released against Ectomyelois eratoniae in, 252; parasites of Spodoptera ittoralis on cotton in, 253; Apion spp. on inter leguminous crops in, 256; Aonidiella urantii on Citrus in, 259; Spodoptera lit-

toralis on groundnut in, 260; Phyllocoptruta oleivora on Citrus in, 261; present status of systematic entomology in, 262; natural enemies of Chilocorus bipustulatus on Citrus in, 459; Aonidiella aurantii on roses in, 1089, 1090; Macrosiphum rosae and Tetranychus cinnabarinus on roses in, 1090; toxicity of insecticides to predaceous mites on Citrus in, 1091; behaviour of Trogoderma granarium in. 1237; centrally organised control of Ceratitis capitata in citrus groves in, 1382; effect of diet on feeding development and oviposition of Amblyseius limonicus in, 1383; Phthorimaea operculella on potato plants in, 1384; list of insects associated with stored products in, 1385; Chorthippus dirshi and Chorthippus peneri spp.n., from, 1386; varietal susceptibility of pear trees to attack by Aphanostigma piri in, 1387; Kermes bytinskii sp.n., on Quercus ithaburensis in Israel, 1388; phenological studies of Chilocorus bipustulatus on subtropical fruit trees in, 1389; bark and timber beetles of, 1390; survey of Pyralidae in Lake Tiberias region of, 1391; Phyllonorycter spp. on Platanus spp. and Celtis australis in, 1795; Aonidiella aurantii on roses in, 2072; resistance in sorghum cultivars to Sesamia cretica in, 2083; interactions of Hymenopterous parasites of Parlatoria pergandii in, 2497; Amblyseius chilenensis and A. hibisci as potential biological control agents in, 3349; Phyllobius granicollisi sp.n., in, 3480; use of microorganisms against Thaumetopoea wilkinsoni in, 3496; parasites attacking Spodoptera littoralis on cotton in, Habrolepis aspidioti parasitising Chrysomphalus spp. in, 3968; Aphytis spp. parasitising Aonidiella aurantii in, 3973; Amblyseius engaddensis in, 3996; Typhlo-dromus drori in, 3997; Carabus sp. in, 3998; Braconid fauna including Apanteles judaicus in, 3999; Ceroplastes rusci and C. floridensis in, 4000; Ceroplastes floridensis on Citrus in, 4001; parasites of Apion arrogans in, 4002; Spodoptera littoralis in, 4003; Lariophagus distinguendus parasitising Sitophilus oryzae in, 4005; food-plants of Ectomyelois ceratoniae in, 4006; Hylemya platura in, 4007; strain of Ceratitis capitata insensitive to phosphamidon in, 4008; Aonidiella aurantii on Citrus in, 4089; Eurytoma amygdali on almond in, 4098

israeli, Tetrastichus

Italian Ryegrass (see Lolium multiflorum)

italicus, Calliptamus

Italy, Urophora sirunaseva on Centaurea solstitialis in, 506; Napomyza lonicerella in, 1117; Dacus oleae on olive in, 1118; Perilloides bioculatus released against Leptinotarsa decemlineata on potato in, 1119; Opius concolor as parasite of Dacus oleae on olive in, 1120; Ceutorhynchus spp. on crucifers and Cannabis sativa in, 1121; use of nematode DD-136 against Leptinotarsa decemlineata in, 1122; Monoctonia pistaciaecola parasitising Pemphigus and Forda in, 1124; Rhizoglyphus echinopus on Gladiolus in, 1128; list of Syrphidae of, 2245; pests and diseases of olive in, 2859; Corythucha ciliata on plane

trees in, 3166; Gastropacha quercifolia in, 3208; species of Otiorhynchinae new to, 3480; natural enemies of Tortricids on strawberry in, 3481; Parthenolecanium apuliae on grape vine in, 3482; Heliothis armigera on carnations in, 3483; Plusia chalcites on beans in, 3484; Aphidiini in, 3487; Dacus oleae on olive in, 3490; Opius concolor against Dacus oleae in, 3550; insecticide contamination of milk in, 3724; Tetraneura ulmi in, 4014; Conorhynchus mendicus on beet in, 4015; Phymatodes glabratus in, 4018; Calepitrimerus russoi and Cecidophyopsis malpighianus on laurel in, 4019; Semanotus spp. on Juniperus spp. in, 4021; sterile-male technique for control of Ceratitis capitata in, 4054, 4055

Itoplectis conquisitor, parasitising Croesia semipurpurana in Quebec, 904; parasitising pupae of Cisseps fulvicollis, 2828; axenic rearing of,

on meridic diet, 3287

Itoplectis maculator, competing with Cephaloglypta murinanae in Europe, 1133

Itoplectis quadricingulatus, release of, against Rhyacionia buoliana on pine in Oregon, 584; competition between Apechthis ontario and, Galleria mellonella, 2929; parasitising Acleris gloverana in Alaska, 3286

Ivory Coast, *Pediobius* spp. on oil palm in, **349**; parasites of Coelaenomenodera elaeidis in, 2040; Mirids attacking cacao in, 2287; rice pests in, 3956; Mirids on cacao in, 3959, 3960; Pimelephila ghesquierei on Elaeis guineënsis in, 3962; Helopeltis spp. in, 3963; swollen-shoot disease of cacao in, 3977

Ivy, damaged by Grammadera clara in Argen-

tina, 996

Jaapiella medicaginis, emergence of overwintering generation of, in Czechoslovakia, 3126; control of, on lucerne in Bulgaria, 3449

jaceae, Macrosiphum jacksoni, Macropulvinaria

jacobaeae, Tyria jacobsoni, Varroa

Jalysus spinosus, effects of carbofuran and disulfoton, on, 2738; preying on eggs of *Manduca* sexta in North Carolina, 3263

Jamaica, Saccharosydne saccharivora on sugarcane in, 348; list of sugar-cane arthropods of, 2011; ecology of Saccharosydne sacchariyora on sugar-cane in, 2666; Neodryocoetes hubbardi infesting seeds from, 3294; coconut lethal yellowing disease in, 3307; Leptogalumna sp. damaging Eichhornia crassipes

Jamides celeno, defoliating cacao flush in Papua and New Guinea, 2640

janata, Achaea

Japan, Ostrinia spp. in, 526; Thysanoptera of, Adoxophyes orana in, 1018-1020; Monochamus alternatus on pine in, 1021; entomology in, 1025; insect population ecology in, 1029; fruit-piercing moths and their control in, 1038; isolation of northern cereal mosaic virus in, 1039; fruit flies of, 1040;

parasitism of Pieris rapae crucivora Apanteles glomeratus on cabbage in, 104 pests and virus disease of rice in, 104 Dendrolimus spectabilis and parasites on pi in, 1327, 1328; spiders on Citrus in, 132 Aphidius gifuensis parasitising Myzus persico on radish in, 1330; Chilo suppressalis on r in, 1331; planthopper pests on rice in, 131 Tetranychus kanzawai on tea in, 1330 Rhyacionia simulata on pine in, 1336; diseaz of Euproctis flava in, 1337; Unaspis yanonene in, 1338; crucifer-infesting aphids in, 131 Syrphid larvae attacking aphids in, 134 Tachinidae from, 1342; Sepedon sauteri 1 1345; Oligota yasumatsui preying Panonychus citri in, 1347; Apanteles chilot in, 1348; winter diapause of Sepedon saum in. 1349; Phytoseiulus persimilis preying Tetranychus telarius on clover in, 1341 Diaspine scales in, 1572; Braconid parasi of leaf rollers in, 1573; prey of Chiloco kuwanae in, 1900; Apanteles glomeratus par sitising Pieris rapae crucivora in, 1901; how plants of Proceras venosatus in, 1916 Anagrus sp. parasitising Laodelphax striate in, 1908, 1909; review of Microdiprion 2492; Devorgilla canescens and Ephes cautella in, 2495; intraspecific competition Gregopimpla himalayensis in, 2496; mortal of Hyphantria cunea in urban areas of, 24! of insecticides against Laodelph striatella and Nephotettix cincticeps in, 251: effect of temperature on development Agrotis spp. in, 2501; photoperiod inductiflying form of Callosobruchus maculatus. 2502; Ceroplastes japonicus on Citrus 2503; tests of insecticides against pla hoppers on rice in, 2504; measurement honeydew excretion by Ceroplastes pseuceriferus for evaluation of insecticides 2505; Trioza machilicola sp.n. on Mach thunbergii in, 2506; Epuraea fungicola sp on Cronartium quercuum in, 2508; biola and population dynamics of Hyphan. cunea in, 2632; diazinon controlling Co. suppressalis on rice in, 2633; effectiveness methylcarbamates against planthoppers a leafhoppers, in, 2635; life-cycle of Dendr mus spectabilis on pine in, 2636; insect page of Petasites japonicus in, 2637; studies Lardoglyphus konoi in, 2837; effect of foo plants on Tetranychus telarius in, 300 history of Agricultural Chemicals Inspects Station in, 3049; oviposition of Spodoph litura in, 3050; Ostrinia varialis in, 306 Cnaphalocrocis medinalis in, 3052; Chlor oryzae on rice in, 3053; outbreaks of pla hoppers on rice in, 3054; Laodelphax stw tella and Nephotettix cincticeps on rice 3055; Laodelphax striatella and rice str virus in, 3056; Nilaparvata lugens on rices 3057; effect of insecticides on eggs of Home ptera in, 3058; control of Chilo suppresso and planthoppers in, 3059; Tipula aino 3060; Rhopalosiphum rufiabdominalis on ill in, 3061, 3062; virus disease of Spodopulitura in, 3063; Unaspis yanonensis on Ci. in, 3064; seasonal prevalence of Unably yanonensis in, 3066; Pseudaulacaspis pendly

na on plum in, 3067; Phyllocnistis citrella 3068; Panonychus citri on Citrus in, 3069; vcivoria flavofasciata in, 3070; Demotina biculata on tea in, 3071; Allotropa sp. asitising Planococcus kraunhiae on perrmon and Citrus in, 3072; labour saving itrol of Citrus diseases and insects in. 4; control of Quadraspidiotus perniciosus 3075; fruit-piercing moths on tomato in, 6; fruit-piercing moths on Citrus in, 3077; trol of aphids on fruit trees in, 3078; lo hyrax and C. suppressalis in, 3908; lo suppressalis in, 3909; Aleurocanthus iferus on Citrus in, 3910; estimation of unbers of Nephotettix cincticeps in fallow -field in, 3911; food-plants of Symphyta 13912; primary and secondary food-plants Aphis gossypii in, 3913; Oxycetonia unda and Epuraea domina on Citrus in 4; Gastropacha quercifolia in, 3208; vagrus sp. parasitising eggs of rice plantopers in, 3348

Archipelago, list of Hemiptera from,

ica, Popillia

nicum, Rhizobium

zicus, Anastatus; Ceroplastes

ne, Margaronia unionalis on, in India, 84 vinum angustifolium, Agropistis limbatus on, India, 85

ergus pseudocellaris, influence of, on dadow grasses in France, 2849

us (see Coelidia)

insects introduced from, to Madagascar, 92

tella pellucida, on maize in Yugoslavia,

psongrass Mosaic Virus, aphid vectors and ctor-virus relationships of, on maize, 1972 rin, insect pests of argicultural importance

23424 r (see Sorghum) da, Oxycetonia cus, Apanteles Indifoliella, Nepticula

indis, Acrobasis ns mandshurica, effect of, on haemolymph inteins of Hyphantria cunea reared on, 2634 ns nigra, feeding responses of subterranean mites to, in Mississippi, 389; Reticulitermes tvipes not surviving on oven-dried decayed bod of, 2908

e (see Ziziphus) i, Lixus

la, Leptinotarsa

us spp., eggs of Tettigella viridis in stems of,

erata, Cidaria

eri, Aleuropteryx; Caru!aspis

erina, Cinara

perus communis, Cidaria juniperata on, in ntario, 2008; Carulaspis juniperi on, 2649; nymatodes glabratus on, in Italy, 4018; manotus russicus on, in Italy, 4021

perus communis depressa, Cidaria juniperata

n, in Ontario, 2008

perus horizontalis, Cinara juniperina on, in itain 342

Juniperus oxycedrus, Phymatodes glabratus on, in Italy, 4018

Juniperus oxycedrus macrocarpa, Semanotus russicus on, in Italy, 4021; Semanotus laurasi on, in Sardinia, 4021

Juniperus phoenicea, Phymatodes glabratus on, in Italy, 4018

Juniperus phoenicis, Semanotus russicus on, in Italy, 4021

Juniperus thurifera, Phymatodes glabratus on, in

Italy, 4018 Juniperus virginiana, predaceous Coccinellid

oviposition responses to, 917; food seeking by Adalia bipunctata hatching from eggs laid on boards of, 919

Juniperus virginiana crebra, Cidaria juniperata on, in Ontario, 2008

Jute (see Corchorus)

Juvabione, blocking of embryonic development in Choristoneura fumiferana by, 3636

juvencus, Sirex

Juvenile Hormone, effects of, on adult differentiation in Drosophila melanogaster, 2177; activity of, of acetals applied to pupae of Tenebrio molitor, 2421; activity of, of mixed ethers against Oncopeltus fasciatus and Tenebrio molitor, 2759

K

Kahikatea (see *Podocarpus dacrydioides*) Kakivoria flavofasciata, forecasting generations

of, in Japan, 3070

Kalotermes flavicollis, in dead trees of Casuarina equisetifolia in Egypt, 2716; in dead material of forest trees in Corsica, 2846

Kalotermitidae, composition and size colonies of, in Arizona and Mexico, 959: reaction of, to trail-laying substances, 2303

Kanamycin Sulphate, in diets for Saturniids and Pediasia teterrella, 632-633

Kansas, Schizaphis graminum on sorghum in, 624; Agrotis orthogonia on wheat in, 1719; control of Schizaphis graminum on sorghum in, 2403; Acrosternum hilare feeding on soybean seeds in, 2419; tests with fumigants in stored grain in, 2420; injury to lucerne by Macrosiphum pisum in, 2790; Entomophthora

kanzawai, Tetranychus

Kaolin, and phosphorus absorption from fertiliser-insecticide mixtures in soil, 2688

grylli infesting Bradysia sp. in, 3529

Kapok (see Ceiba pentandra)

Karaniycin Sulphate, in diet for Heliothis armigera, 4011

Karathane (see Dinocap)

Karbikron (see Dicrotophos)

karnyi, Gynaikothrips

Kashmir, Scolytus nitidus and Scolytoplatypus sp. damaging fruit trees in, 66

Katelsous, containing rock phosphate and ground sulphur, 93 katherina, Gregarina

Kazakhstan, Aleyrodidae of, 2569

Keiferia lycopersicella, insecticides against, on tomato in California, 608; sources of, attacking tomatoes in California, 609; larval density, parasitism and fruit infestation of, on tomato in California, 623

Kelevan (see Ethyl 1,1a,3,3a,4,5,5,5a,5b,6-Decachlorooctahydro-2-hydroxy-1,3,4-metheno-2H-cyclobuta[cd]pentalene-2-levulinate)

Kelthane (see Dicofol)

Kenaf (see Hibiscus cannabinus)

Kentucky, Manduca spp. on tobacco in, 152; Draeculacephala mollipes in, 377; Manduca sexta on tobacco in, 1745; responses of Tetranychus spp. to extracts and essential oils of strawberry foliage in, 2761, 2762; Heliothis virescens on Nicotiana spp. in, 3224

Kentucky Bluegrass (see Poa pratensis) Kenya, nocturnal insect flight direction in relation to wind in, 319; Physcus subflavus recorded from Aulacaspis tegalensis in, 345; Achrysocharis spp. on coffee and mango in, 349; Archips occidentalis and Tortrix dinota on coffee in, 357; Bruchid beetles of stored pulses in, 470; cotton pests in, 796; recognition and control of pests of agriculture in, 838; Hylemya arambourgi on barley in, 839; Ascotis selenaria reciprocaria on coffee in, 1067; legislation on protection of stored products in, 1069; aerial drift spraying against Spodoptera exempta in, 1817; parasites of Leucoptera spp. on coffee in, 1818; crop pests in, 1822; Diarthrothrips coffeae on coffee in, 2035; Psyllechthrus oophagus in, 2043; Apanteles sesamiae from, established Mauritius, 2536; natural enemies Aulacaspis spp. on sugar-cane in, 2537; Cicadulina niger on sugar-cane in, 2668; insect associations with Acacia spp. in, 2691; Malaxodes farinosus transmitting disease of molasses grass in, 2900; coffee root mealybug complex in, 3394; Pineus spp. on pine in, 3395; Charops sp. parasitising Orgyia mixta in, 3396; virus disease transmitted by Sesselia pusilla on rice in, 3952; Helopeltis in, 3963; Acanthoscelides obtectus in beans in, 3976; Chilo partellus in, 3979

Kermes bytinskii, life history of, on Quercus ithaburensis in Israel, 1388

Kerosene, repellent effect of, against ant removal of pasture seeds, 1316; in water against Gryllotalpa gryllotalpa, 3090; heptachlor in, 3803

kerri, Empoasca

Kerria lacca (see Laccifer)

Kestrels, DDE thinning eggshells of, in U.S.A., 2180

Ketumala thea, sp.n. attacking tea, Erythrina lithosperma and Gliricidia sepium in South India, 2669

Khaya ivorensis, immunity of, to attacks by Hypsipyla grandella in Costa Rica, 233; Hypsipyla grandella on, in Costa Rica, 1275 Kidney Bean, in media for Agrotis spp., 1326

King Crab (see Paralithodes californiensis) kissophila, Bryobia

Kleidocerys, Loania canadensis bred from, on Spiraea latifolia, 1170

Knapsack Mistblowers, comparison trials of motorised, in Ghana, 2683

knoteki, Phaenops

Knutsonia lineata, feeding on Sphaeriid clams in Sweden, 1638

kochi, Alopecosa koehleri, Copidosoma koenigii, Dysdercus

Kohlrabi, uptake of DDT from soil by, 343430 Kojic Acid, as insecticidal mycotoxin in insecultures, 3270

konoi, Lardoglyphus

Korea, Gastropacha quercifolia in, 3208

krameri, Sancassania krantzi. Hypoaspis kraunhiae, Planococcus

K. Rogor 40 (see Dimethoate)

kuehniella, Ephestia kukisch, Pinzulenza Kumulus (see Sulphur) kurentzovi, Ostrinia

Kurile Is., Ostrinia orientalis in, 526

kuvanae, Ooencyrtus kuwanae, Chilocorus

Kuwanaspis pseudoleucaspis, on Bambusa

Poland, 1115

${f L}$

labaumei, Helopeltis labiata, Pararcyptera labiatus, Dorylus

Labidura riparia, predacious on pupae Pectinophora gossypiella, in California 27

laboriosa, Tetragnatha labradus, Zizera otis

Labrorychus chlamidatus, parasitising Croe

semipurpurana in Quebec, 904 laburni, Aphis (see A. craccivora)

lacca, Laccifer

Laccifer albizziae, parasitic relations w Eupelmus tachardiae and Eublemma amabi

Laccifer lacca, Encyrtid parasites reared fro in India, 1575; Eublemma amabilis predata of, 2532; bibliography of, 3601

Laccifer sindica, parasitic relations with Eup mus tachardiae and Eublemma amabilis, 2 Lachnosterna, susceptibility of, to Neoaplects glaseri, 226; larvae of, in Arizona, 961 (

also *Phyllophaga*)

Lachnosterna anxia, distribution of, in r manent meadow in Quebec, 3618

Lachnosterna consanguinea, toxicity of inse cides to larvae of, in India, 657; infected Serratia marcescens, 3923

Lachnosterna coriacea, attacking fruit in Inc. 3365

Lachnosterna cribrosa, insecticides agaidia larvae of, in Texas, 2405

Lachnosterna fusca, distribution of, in p manent meadow in Quebec, 3618

Lachnosterna longipennis, attacking fruit India, 3365

Lacinipolia renigera, parasitised by Agres ipsilon in U.S.A., 363

Lactate, activity of, in Tribolium castane 1552

lacteus, Coptotermes lactis, Carpoglyphus

Lactose, in diet for Myzus persicae, 3764 lactucae, Amphorophora

lacunana, Argyroploce

ipid, infesting cultures of Piricularia zae in Germany, 742

... Deroceras ciollis, Platymeris water, Orgilus

watus, Alphitobius; Phaedon

1. Macrosteles

wyana, Cornicacoecia sinaria cineraria, empty fruit cases of (see (urds)

fiaria vulgaris, preference of Aulacophora eicollis for, in India, 861

sinia, redescription of, in Africa, 358 Asinia aristolochiae, redescription of, 358 disinia mazoeensis sp.n., described from beimens misidentified as Pulvinaria aristo-

hiae in Africa, 358 disinia montana sp.n., described from speci-ns misidentified as Pulvinaria aristolochiae

Africa, 358

sinia rhodesiensis sp.n., described from ecimens misidentified as Pulvinaria aristothiae in Africa, 358

sisinia strachani, redescription of, from hiopian region, 358

dei, Helopeltis; Helopeltis bergrothi

sachus eques, interrelations between, and ner parasites of Neodiprion sertifer in nnada, 1133

wbdina fiscellaria fiscellaria, nuclear polydrosis viruses infecting, in Ontario, 3631 abdina fiscellaria lugubrosa, rearing of, on rix laricina and Tsuga canadensis, 2007; us isolated from, infecting L. f. fiscellaria

Ontario, 3631

Abdina fiscellaria somniaria, virus isolated om, infecting L. f. fiscellaria, in Ontario,

sibdina punctata, bionomics and parasites of, oak and maple in Utah, 3685

vertiana, Choristoneura

i, Tetranychus

pellicorns, larvae of, damaging maize in algoslavia, 3152

tiines, from Laos, 1352

vium album, nutrients in, for Hylemya

lassicae, 41

inides boeticus, as pest of legume seed crop Oueensland, 3022

prosema absistalis (see L. diemenalis) orosema diemenalis, as pest of legume seed ops in Queensland, 3022

vectes, evaluation of, in control of Scuti-rella immaculata in New York State, 911 drin (4:1 mixture of 3,4,5-, and 2,3,5-triethylphenyl methylcarbamate), against abrotica undecimpunctata howardi

oundnut in Virginia, 2426 ei, Liriomyza

Proni, Phlebotomus Prius, Dermestes erum, Eriosoma

nate (see Methomyl)

osterol, as source of sterol for Xyleborus

rugineus, 3755 ium domesticum, Prasinoxena sp. on, in

nilippines, 497 ana camara, insects introduced against, in ueensland, 3023

lantana, Epinotia

lantanae, Dolicholabis; Ophiomyia

lanthanus, Melanoplus lanuginosum, Eriosoma

Lanzones (see Lansium domesticum)

Laodelphax striatella, primary in vitro culture of cells of, 47; survival of nymphs of, on carbohydrate solutions, 53; rice infected with stripe virus by, in Japan, 1043; parasitism of eggs of, by Anagrus sp., 1325; as vector of rice stripe disease and black-streaked dwarf disease, effect of climatic conditions on occurrence of, on rice in Japan, 1332; artificial feeding of, 1905; parasitised by Anagrus sp. in Japan, 1908-1909; tests of insecticides against, on rice seedlings in Japan, 2500; tests of insecticides for control of, on rice in Japan, 2504; effectiveness of methylcarbamates against, in Japan, 2635; effect of granulated insecticides on, in Japan, 2680; heat suppression of plant-virus propagation in, 2874; phases of maize rough dwarf virus multiplication in, 2875; forecasting second generation of, on rice in Japan, 3055; seasonal fluctuation of, on rice in Japan, infected with rice stripe virus in Japan, 3056; parasitised by Anagrus on rice in Japan, 3348; biochemical genetics of malathion resistance in, 3982

Laos, Sesamia inferens and Chilo suppressalis on rice in, 235; Cerambycidae and Lamiines from, 1351–1353

Laphygma (see Spodoptera)

lappella, Metzneria

Larch, Dendrolimus superans on, in Soviet Union, 430; Eulophid parasites of Zeiraphera diniana on, in Switzerland, 458; Lepidoptera on, in Switzerland, 1131; parasites of Coleo-phora laricella on, in Quebec, 1996; Agathis pumila parasitising Coleophora laricella on, in Canada, 2466

Larch, European (see Larix decidua) Larch, Japanese (see Larix leptolepis) Larch, Western (see Larix occidentalis)

lardarius, Dermestes

Lardoglyphus konoi, effect of relative humidity on age composition of population of, in Japan, 2837

largoensis, Amblyseius

laricana, Spilonota laricella, Coleophora laricinellae, Chrysocharis

laricis, Ips

Larinus, attacking Centaurea solstitialis, 506 Larinus cynarae, on Cynara scolymus in Greece,

Larinus scolymi, on Cynara scolymus in Greece,

Lariophagus distinguendus, parasitising Sitophilus oryzae in Israel, 4005

Larix, Ips cembrae on hybrid of, in Scotland,

Larix decidua, Ibalia drewseni parasitising pests of, 850; Ips cembrae on, in Scotland, 1680

Larix laricina, parasites of Pristiphora erichsonii on, in Newfoundland, 2003; rearing Lambdina fiscellaria lugubrosa on forced foliage of, 2007

Larix leptolepis, Ips cembrae on, in Scotland,

Larix occidentalis, Tetropium velutinum damaging wood of, in British Columbia, 1670; host selection behaviour of Gnathotrichus sulcatus in relation to, 2959; Tetropium velutinum infesting logs of, in Canada, 2976

Larra, control of Gryllotalpidae by, in Brazil,

3817

Larus argentatus, insecticide residues in, 3189 larvarum, Exorista

Laser Holography, use of, for studying behaviour of insecticide particles, 2796

Lasioderma serricorne, water vapour sorption by larvae of, 125; effect of juvenile hormones on eggs of, 164; damage to mattress ticking by, in U.S.A., 412; toxicity of dichlorvos to, 172; fumigants against, in stored cacao in Nigeria, 1070, 1071; green and ultra-violet light as attractants for, 1722; effect of low temperature on larvae of, 1725; fumigants against, in stored wheat, 1765; preference of, for fresh and stored 'Lanka' tobacco, 2200; and air-humidity and food-moisture gradients, 2801; effect of food odours on oviposition by, on muslin, 3261; effect of nicotine in tobacco on, 3398

Lasiophthicus pyrastri, attacking aphids in Poland, 4115

Lasioptera (see also Prolasioptera)

Lasioptera convolvuli, attacking Calystegia sepium in Ontario, 505

Lasioptera rubi, bionomics and parasitism of, on raspberry in Yugoslavia, 441

Lasius flavus, transplantation of nest-mounds of, in habitat containing also L. niger and Myrmica scabrinodis, 1154

Lasius niger, transplantation of nest-mounds of L. flavus in habitat containing, 1154; as natural enemy of Myelophilus piniperda, 1492; labelling method for estimating populations of, 4083

Laspeyresia (see Cydia) lata, Acrida; Ctenicera

latebrosa, Spodoptera cilium

lateralis, Corimelaena

latericius, Odontotermes

Latheticus oryzae, Amphibolus venator predator of, in India, 3386

Lathridius minutus, feeding on fungi, 2359 Lathrolestes marginatus, parasitising Hoplocampa testudinea, 1421

Lathromeroides, biology of, as an egg parasite of Apoderus sissu, 1355

Lathyrus odoratus, transmission of pea viruses by Macrosiphum pisum on, producing diagnostic local lesions, 2897

laticeps, Zootermopsis

laticollis, Bryocoropsis; Orius; Prionus

latiferreana, Cydia

latipes, Scleron

Latoia bicolor, on sugar-cane in India, 2097

latro, Anomalon

latus, Hemitarsonemus; Polyphagotarsonemus; Taeniothrips

latysiphon, Rhopalosiphoninus

Launea nudicolus, Agrotis sp. on, in India, 79 laurasi, Semanotus

Laurel (see *Laurus nobilis*)

laurensis, Amitermes

lauri, Aonidia

Lauric Acid, solution of, in acetone, applied the larvae of Drosophila melanogaster, 2177 Laurus nobilis, Aonidia lauri on, in Poland, 11113 Calepitrimerus russoi and Cecidophyopo

malpighianus on, in Italy, 4019

Lauryl Acetate, rate of evaporation of, free various substrates, 3683

Lavandula hybrida, mycoplasma-like participal in Convolvulus arvensis collected in field of, France, 1826

Lavandula latifolia, control of yellow withering

of, in France, 2605

Lavandula officinalis, control of yellow with ing of, in France, 2605 lavandulae, Thomasiniana

Lavender, curative treatment of yellow withit ing of, in France, 2605

Lavender, Wilting (see Lavandula hybrida) Lead Arsenate, against Rhagoletis pomoneis and DDT, 902; in sprays against Epiphy postvittana on apple, in Tasmania, 122 1300; persistence of, against Ceratitis cartata, 2066

Leaf Structure, and absorption of pesticidit

1520

Leafhopper, device for collecting eggs of, 104 occurrence of, on maize in South Carolin 1221; bionomics of, 1862

Leaf-miners, distribution and food plants of, Finland, 2252

Lebanon, Ceratitis capitata on Citrus in, 359

Lebaycid (see Fenthion) Lecanium corni (see Parthenolecanium) Lecanium inopheron, in Africa, 358

Lecanium tiliae (see Eulecanium)

lecheana, Ptycholoma

Lecithin, with dimethoate, 3717 lecontei, Enoclerus; Ips; Neodiprion leei, Thysanofiorinia

legeri, Perezia

Leguminosae, as food-plants of Tetranychi yusti in Florida, 2395; Apion spp. associate ; with wild species of, near Leningrad, 2567 Leiophron pallipes, Leiophron sp. close to, pa. sitising Lygus rugulipennis on rye in Polan

737; plants influencing host selection by, 37 Lema bilineata, morphology of, on tobacco South Africa, 2685

Lema lichenis, Anaphes lemae sp.n. reared froll in France, 3970

Lema trilineata daturaphila, host plant range e 964; stridulatory organ of, and analysis sound produced by, 1192

lemae, Anaphes

Lemon, Aphytis melinus released Aonidiella aurantii on, in Argentina, 997 control of Panonychus citri on, in Californ 2378; Phyllocoptruta oleivora on, in Victor Aceria sheldoni on, in Victoria, 3327; Acer sheldoni and Aculops pelekassi on, in Gree 4012

Lemophagus curtus, released against Oule melanopus in Michigan, 1755

lemosi, Helopeltis

lengi, Ceratomegilla maculata lenticularis, Quadraspidiotus

lepideus, Reticulitermes nus lepideus, Reticulitermes flavipes racted by aqueous extracts of woods

cayed by, 2908

ites trabea, trail-following substances for ticulitermes lucifugus santonensis in pine lod infected with, 757; Reticulitermes wipes attracted by aqueous extracts of ods decayed by, 2908

42, Pulvinaria

whium sativum, not resistant to Rhopalohum erysimi pseudobrassicae in Iowa, 614 locyrtus, in cultivated fields and grain bris in Canada, 2765

adoptera, palmitoleic-acid content of larvae 31; methods for collecting, holding and termining parasitism of eggs of, 217; raine container separating, in light-traps, 219: Agration and meteorology with reference to, : Near East, 263; sex pheromones of, 484; rcillus thuringiensis against, 809; methods r dissecting and mounting genitalia of tales of, 968; key to larvae of, attacking tton in Africa, 1053; distribution of, on rch in Switzerland, 1131: larvae of, injurious fruit trees in France, 1161; larvae infesting erghum panicles in Cameroun, 1394; genetic pects of development of insecticide resisnce in, genetics of, 1559; Braconid para-es of, in Japan, 1573; sensory responses of, chemical and tactile stimuli, 1593; ethodology for isolation, identification, and inthesis of sex pheromones in, 1595; sex neromones of, 1603; light-traps not controlig, on maize in North Carolina, 1759; in erritory of Papua and New Guinea, 1899; Dok on parasitic, 2310; associated with ulacaspis on sugar-cane in East Africa, 337; species of attacking Vigna unguiculata Uganda, 2679; insecticides against, on ibbage and collards in Georgia, 2886; on

aize, 3152; Nabis sp. feeding on, in Canada, 305; in Pacific Islands, 3336; in store-Jouses and human habitations in Bulgaria, 152; preyed on by sawflies, 3577; population rsponses of, following exposure to y-radiaon, 3695; microsomal oxidases in larvae of, 781; light-trap catches of, in New Zealand, 369; on apple in South Australia, 3904; in an, 3931, 3932; preyed on by Sitta europea n Quercus ilex in Spain, 4028; parasites of Poland, 4118; effectiveness of bacterial

reparations against larvae of, 4135 idosaphes (see also Insulaspis)

idosaphes beckii, preying on Hemisarcoptes zhashii sp.n. on Citrus in Soviet Union, 108; distribution of, on Citrus in Western

ligeria, 2430 idosaphes bicuspis (see Acanthomytilus)

idosaphes gloverii (see Insulaspis)

idosaphes intermittens (see Acanthomytilus) idosaphes machili, on Cymbidium in New

ealand, 895

idosaphes sacchari (see Acanthomytilus) idosaphes ulmi, control of, on apple in Quebec, 901; on apple in Turkey, 2086; on erry-fruit bushes in Soviet Union, 3571 vinotus reticulatus, feeding on fungi, 2359; orrelation between, and environmental actors in bulk grain ecosystems, 2625

Lepomis macrochirus, absorption of endrin by, 3745

Leptinotarsa decemlineata, effect of shelter belts on numbers of, in potato fields in Poland, 433; bionomics of, infesting potato in Soviet Union, 704; chlorinated-pinene aerosols for control of, on potato in Soviet Union, 705; suitability of Perilloides bioculatus for introduction against, in Soviet Union, 717; reaction of Drosophila melanogaster to, treated with dieldrin, 722; DDT resistance in, in Poland, 729; mixtures of insecticides with fertilisers against, in Poland, 730; factors affecting fecundity of, on potato in Poland, 731; food requirements of, 733; pathogenicity of *Paecilomyces farinosus* for, 734; frogs and toads as predators of, in Poland, 735; artificial diet without crude plant material for 762; effects of host-plant age on, 764; chemical basis of host selection and plant resistance in, 771; Perilloides bioculatus released against, on potato in Italy, 1119; biological control of, on potato in Italy, 1122; larval growth of, on artificial diets, 1144; aspects of host-plant relationship of, 1145; Boverin in combination with insecticides against, 1420; effect of Beauveria bassiana on microflora of, 1425; effect of Boverin on fecundity of, 1427; effect of Beauveria bassiana on haemolymph of, 1428; Beauveria bassiana and metabolism in, 1430; effect of different doses of Beauveria bassiana on, 1431; Boverin and insecticides against, in Ukraine, 1437; detection of vitamin A in larvae of, 1473; method of labelling, 1501; Meigenia mutabilis not developing in, 1510; toxicity of insecticides to, 1781; parasitised by Muscina stabulans on potato in Bulgaria, 1838; phenological indicators of seasonal development of, in Poland, 1840; biological control advocated against, 1847; garlic as insecticide against, 1848; population dynamics of, in Bohemia, 2301; possible flight of, from France to England, 2237; biochemical components in haemolymph of, 2965; on 2984: Solanum carolinense in Ontario, potential use of Perilloides bioculatus against, in Soviet Union, 3088; effects of feeding by, on potato in Czechoslovakia, 3428; rôle of parasites in reducing numbers of, in Arkansas, 3473; teratology of, provoked by toxin of *Bacillus thuringiensis*, 3657; occurrence of, in Soviet Union, 4143

Leptinotarsa juncta, biochemical components in haemolymph of, 2965

leptocerus, Achrysocharis

Leptocorisa acuta, infesting rice in India, 83

Leptocorisa oratoria, effect of, on rice yields in Malaysia, 463; Gryon flavipes parasitising eggs of, on rice in Sarawak, 3345

Leptocorisa varicornis (see L. acuta)

Leptogalumna, species of, damaging Eichhornia crassipes in America, 3793

Leptoglossus zonatus, on Carica papaya in Venezuela, 983

Leptohylemyia (see Hylemya)

Leptomastidea bifasciata, parasitism by, of Phenacoccus aceris in France, 2149

Leptomastix nigrocoxalis, parasitism of Centrococcus insolitus by, in India, 3388

Leptopius, as pest of legume seed crops in Queensland, 3022

Leptopius squalidus, on cultivated plants in Victoria, 3323

Leptothrips mali, preying on Tetranychus telarius in California, 149

Leptotrachelus mexicanus puncticollis, preying upon Mahanarva posticata, in Brazil, 1283 Lepturinae, from Laos, 1351

Leptus curtipes, species of Leptus near, preying on Altica carduorum in Canada, 1683

lesbia, Colias

Leschenaultia adusta, bionomics of, parasitising Estigmene acraea, 587; genetic marker for, 2944

Lestodiplosis, preying on Chilocorus bipustu-

latus in Israel, 459

Lestodiplosis aonidiellae, preying on Aulacaspis on sugar-cane in East Africa, 2537

Lethane 70, mode of action of, on adults of

Sitophilus granarius, 2597

Lettuce, Frankliniella paucispinosa on, in Argentina, 701; extract of, in diet for Locusta migratoria, 761; Phytomyza syngenesiae reared on, 789; Amphorophora lactucae as vector of virus disease of, in South Australia, 1310; attractiveness of extracts of, to Spodoptera littoralis, 1852; methods of sampling adult populations of Macrosteles fascifrons on, in Quebec, 1978; aphids and slugs on, in Holland, 2861; in diet for Scutigerella immaculata, 3228; uptake of DDT from coil by 2424. DDT from soil by, 3434; insecticide residues in, 4100

leucatella, Recurvaria

Leucine, in haemolymph of Ephestia kuehniella.

Leucinodes orbonalis, insecticide control of, on Solanum melongena in India, 73; insecticides against, on Solanum melongena in East Pakistan, 3252; infected by Serratia marcescens, 3923

leucoloma, Graphognathus

Leucophaea maderae, comparative effects of (+)*trans*-chrysanthemate of (\pm) -allethrolone, allethrin, and pyrethrins against, 303; effects of epinephrine and lipase on fat body of, 2910

Leucopis, parasitising eggs of Marchalina caucasica sp.n. in Soviet Union, 1107; controlling Adelges nordmannianae on Abies bornmülleriana in Turkey, 2848

Leucopis puncticornis aphidivora, seasonal abundance of, in Egypt, 2694; rearing of pupal parasites of, 2696; reared on Aphis gossypii, attacking Hyalopterus pruni on Prunus, in Egypt, 2696

Leucoptera, parasites of, on coffee in East Africa, 1818

Leucoptera scitella, bionomics and control of, on apple in Bulgaria, 286; description of stages of, 1517

leucospoides, Ibalia leucostoma, Cydia leucotreta, Cryptophlebia leucurus, Aesiotes lewisi, Brevipalpus lewisii, Aulacophora

Light, effect of, on behaviour of Aceria shelded 37; trap to test response of insects to differe intensities of, 203; effect of, on flight Anoxia villosa, 265; effect of, on takebehaviour of Schizaphis graminum, 370; cfb of, on nests of Formica polyctena, 449; relation to sex pheromone release by female of Trichoplusia ni, 957; effect of, on active of grasshoppers, 749; effect of, on fli behaviour of Schizaphis graminum, 91 effect of, on mating activity of Adoxophiorana, 1020; reactions of Melolontha me lontha to, of various wavelengths, 1159; eff of continuous, on Plodia interpunctella, 12/18 rôle of antennae and compound eyes attraction 1215 Heliothis zea in to. of, activity effect on flight Gnathotrichus, in Oregon, 1251; respon of Ecphoropsis perdistinctus to, of differs wavelengths, 1697; as attractant for stone product insects, 1722; responses of larvae Trichoplusia ni and Spodoptera frugiperda d 1768; effect of, on response of Epiphia postvittana to sex pheromone, 1869; diapan reactions of larvae of Heliothis spp. to, 19" effect of, on biology of Trichogramma t tiosum, 1947; effect of, on sexual behavious Ephestia kuehniella, 1990; locomotory bes viour of Schistocerca gregaria towards, 22: effect of, on reproduction in Amblyst largoensis, 3225; effect of, on post-diapadevelopment of Cephus cinctus, 3246; 1 ponse behaviour of Ips confusus to, of ferent wavelengths, 3297; effect of, on P. rosae, 3416; effect of, on spore discharge Entomophthora grylli, 3529; effect of, infestation of Triplochiton scleroxylon Diclidophlebia spp., 3981; electrophylogical response to, in compound eyes stored-product insects, 3995; take-off the holds of, for aphids, 4082 Light-traps, for Manduca spp., 152; Heliothis spp., 163; rain-free contain

separating Lepidoptera in, 219; for study flight of vine moths, 294; for pecan insess 557; for *Trichoplusia ni*, 593; effect of fursize and lamp wattage on performance 594; for *Cydia caryana*, 642; for *Euchrone* ocelleus, 664; effects of height of, on catci of cranberry moths, 665; for Acrobi vaccinii, 681; for Adoxophyes orana, 1019; insects, 1558; for stored-product insection for plant-protection for casting, 2116; for Operophtera brumata, 222 for Operophtera bruceata, 2979; for fri piercing moths, 3076, 3077; for Azot gripusalis, 3804; for Neoleucinodes eleganta 3805; for Diaphania spp., 3807; for Noctul 3864; for Lepidoptera, 3869; for moths, 3

lignosellus, Elasmopalpus

Ligustrum, attractiveness of traps near, to b 600

Ligyrus (see Bothynus)

Liliaceae, Vryburgia lounsburyi on, in Francisco

Lima Bean, Hylemya platura on, in New Y State, 195; effect of, on bionomics of A craccivora, 493; attacked by Plodia in punctella, 495; in diet for Peridroma saw

); effect of seaweed extract sprays on granychus telarius and Amblyseius fallacis t, in West Virginia, 693; DDT and endrin idues in, 1226; pest status of *Plathypena* sbra on, in Delaware, 1749; rearing Lirioza munda on, 1783; evaluation of acaries against Tetranychids feeding on, 2437 xum, Riccardoella

xtus, Agropistis; Thymalus fer, Cycloneda sanguinea

.t, ethion not compatible with sprays conming, 58; use of, in prevention of ant moval of pasture seeds, 1316

): (Citrus), Diaphorina citri and greening

?ease of, 871;

ir-sulphur, not harmful to overwintering igs of Campylomma verbasci, 3621; against Acidophyopsis ribis and Anthocoptes ribis,

manthaceae, Phyllotreta cruciferae feeding

, in New York State, 388

conene, apparent unattractiveness of, with -ms-verbenol, to Dendroctonus ponderosae,

viicus, Amblyseius

ioniinae, position of faunistic research on,

: Czechoslovakia, 2580

sonius canus, control of, on summer potato : Washington State, 1732

sus, Bagous

othrips cerealium, effect of windbreak on ttern of infestation of, on wheat in Britain,

othrips denticornis, effect of windbreak on ttern of infestation of, on wheat in Britain. 16; sex index of, on cereals in Finland, 4105 clool, attractancy of, to Anthonomus grandis,

clool Oxide, attractancy of, to Anthonomus

Landis, 1710 alane (see BHC) latox 3 (see BHC)

Singaspis greeni, Habrolepis setigera reared

om, in South Africa, 3968

Jorus lophanthea, preying upon Phenacaspis *ckerelli in Georgia, 1215

rris, Atomaria; Neodiprion taedae rta, Blaesoxipha; Celerio; Knutsonia rtella, Anarsia

erticoxa, Eulophus ptopennis, Anomala tutum, Trypodendron

intus, Neophilaenus; Sitona

rla, Thymelicus irlaris, Lygus

blatus, Adelphocoris; Capsodes

nanensis, Aphytis 1. Thrips

reanus, Phytodecta

vaemya agilis, parasitising larvae of Heliothis

:migera, 1205

pleic Acid, in larvae of Heliothis zea, 934; viposition response of Eurytoma roddi to, 037; phagostimulatory effect of, on Cteni-era destructor, 3302; in larvae of Chilo uppressalis, 3916

olenic Acid, in larvae of Heliothis zea, 934

otetranidae, review of, 228

seed (see Flax)

Linseed Oil, surface treatment of gourds with, 241; in diets for Saturniids and Pediasia teterrella, 632-633; Heliothis spp. on flax grown for, in Queensland, 3314

Liogenys cribricollis, attacking Schinus latifolius

in Brazil, 2356

Liogenys macropelma, description of adult and distribution of, 2356

Liogenys tibialis, attacking peach in Brazil, 2356 Lipaphis (see Rhopalosiphum)

Lipase, effect of, on insect fat-body, 2910

Lipids, no feeding stimulant properties in, for Lygus hesperus, 583; in larvae and diet of Heliothis zea, 1191; in larvae of Heliothis virescens, 1207; content of male Schistocerca gregaria during adult development, 1245; classes of, in larvae of Chilo suppressalis, 3916

Lipogenesis, changes in enzymes associated with, in development of Schistocerca gregaria,

Lipolexis gracilis, parasitising Toxoptera aurantii in Soviet Union, 1123

Lipotropha dorci sp.n., parasitising Dorcus parallelipipedus on chestnut in France, 2147

Liquidambar formosana, effect of, on haemo-lymph proteins of larvae of Hyphantria cunea reared on, 2634

liriodendri, Toumeyella

Liriomyza, sp. of, on lucerne in Massachusetts, 198; review of literature on host-plant range of, in continental U.S.A. and Hawaii, 2749; on Gerbera jamesonii in Rumania, 3442

Liriomyza brassicae, host-plant range of, in

U.S.A. and Hawaii, 2749

Liriomyza bryoniae, L. langei no longer a synonym of, 2749 Liriomyza langei, host-plant range of, in U.S.A.,

2749

Liriomyza minutiseta, host-plant range of, in Hawaii, 2749

Liriomyza munda, survival of eggs of, in chrysanthemum during cold storage, 211; seasonal and distributional abundance and parasites of, on lucerne in California, 647; rearing of, on lima bean, 1783; host-plant range of, in U.S.A., 2749

Liriomyza pictella, seasonal and distributional abundance and parasites of, on lucerne in

California, 647

Liriomyza pullata, host-plant range of, in Hawaii, 2749

Liriomyza quadrata, morphology of male copulatory apparatus in, 3667

Liriomyza trifolii, host-plant range of, in U.S.A., 2749

Lirothion (see Parathion)

Lisaea heterocarpus, Caryedon lisaeae sp.n. on, in Soviet Union, 1880

lisaeae, Caryedon

lissoderus, Pheropsophus

Lissorhoptrus oryzophilus, susceptibility of, to

Neoaplectana glaseri, 226

Listroderes costirostris, attacking tobacco in Queensland, 3311; on cultivated plants in Victoria, 3323; on rape in Western Australia, 3907

Listroderes obliquus (see L. costirostris)

Litchi (see Nephelium)

Lithocolletis (see Phyllonorycter)

Litomastix (see Copidosoma)

Litoproscopus futilis, larvae destroying inflorescences of Sabal palmetto in Florida, 2186 Litsea, Papilio clytia palephates on, in Philip-

pines, 498

littoralis, Scaphoideus; Spodoptera

litura, auct. Prodenia (see Spodoptera littoralis)

litura, Spodoptera

liturata, Hylemya; Mahanarva; Sphenorhina livida, Baccha; Campylomma

lividus, Euderus

Lixia, Trachyderes thoracicus on, in Brazil, 3803 Lixophaga, parasitising Saperda inornata in Michigan, 1194

Lixophaga diatraeae, parasitising Diatraea saccharalis on sugar-cane in Cuba, 2725; massrearing of, discontinued in Réunion, 3945

Lixus juncii, insecticidal tests against, in Yugoslavia, 1516; on beet in Spain, 4024 Lixus scabricollis, on beet in Spain, 4024 Lizerius sp., in traps in Venezuela, 2830 Loania canadensis, description of, bred from Kleidocerys, 1170

lobarzewskii, Cydia

Lobesia botrana, light-traps for studying flight of, in Hungary, 294; observations on third flight of, in vineyards in France, 1160; effect of photoperiod and temperature on diapause in, in France, 4044

Loblolly Pine (see *Pinus taeda*) lobosus, Tetranychus (see T. yusti) Lobsters, DDT residues in, 2455

Locusts, migration and meteorology with reference to, in Near East, 263; papers at international study conference on, 317; effect of ecdysones of Pteridium aquilinum on, 1168; innervation and electrical activity of flight muscles of, 1176; orientation of, 1177; in Western Australia, 1320; injurious, in Soviet Union, 1470; penetration of malathion into, 1530; wing apparatus in, 2124; future of control of, 2616; new methods in control of, 3536

Locust, Honey (see Gleditsia triacanthos)

Locusta migratoria, effect of meridic diets and photoperiod on development of, 761; method for recording numbers of, in Soviet Union, 1449; antennae sensitive to wind in, 1810; on cereal crops in Turkey, 2084; leg receptors participating in flight-initiation reflex in, 2125; reflex mechanisms of flight initiation and inhibition in, 2134; in Queensland, 3318

Locusta migratoria capito, as synonym of L.m. migratorioides in Madagascar, 1084

Locusta migratoria migratorioides, function of mouth-part receptors in relation to feeding in, 40; effect of humidity on development of eggs of, 111; water availability in soil and egg development in, 847; identity, ecology and behaviour of, in Madagascar, 1084; orientation of, 1177; feeding behaviour of nymphs of, 1547; electroretinographic responses of, 3171; metabolism of methidathion by, 3215; pheromone production in, 3759

Locustana pardalina, natural regulation and artificial control of, in South Africa, 354; selection for solitaria coloration in, reared in

high humidity, 1400

lodosi, Afroccidens

Loganberry, recommendation against use o DDD as post-blossom spray on, 2641 Lolium, Abacarus hystrix causing virus-like symptoms in, 442; unsuccessful attempt i

rear Euchromius ocelleus on, 664

Lolium multiflorum, in cultural method of concr trol of Adoryphorus couloni, in Tasmania 1302; reproduction in Macrosiphum festucace on, 3532

Lolium perenne, effects of Wiseana spp. on, i. New Zealand, 1888; sheep feeding on, treate with insecticides in New Zealand, 1889 Costelytra zealandica on, in New Zealandi 1891: damage to, by Costelytra zealandica in i New Zealand, 1894; effect of leafhoppers or a in France, 2849; silver top disease of, 1 y Poland, 3105

Lonchaea zetterstedti, identity, distribution ana biology of, 3634

London-rocket (see Sisymbrium irio) longana, Cnephasia

longicorne, Cornops longicornis, Diabrotica; Paratrechina

longilobus, Aspidaspis (Targionia) longinoda, Oecophylla longior, Tyrophagus longipalpa, Supella

longipennis, Lachnosterna

longirostris, Callibaphus; Dysdercus; Greenide

longiseta, Longitarsus longisetosus, Aphis ruborum

Longitarsus apicalis, in Bulgaria, 282 Longitarsus longiseta, in Bulgaria, 282 Longitarsus nasturtii, in Bulgaria, 282

Longiunguis (see Aphis)

Longivesica, in North America, 230 Lonicera, aphids on, in Norway, 1165

Lonicera alpigena, Rhopalomyzus poae on, Norway, 1165 Lonicera chrysantha, Prociphilus xylostei on,

Norway, 1165 Lonicera implexa, Napomyza lonicerella on, i

Italy, 1117

Lonicera periclymenum, Napomyza lonicere on, in Europe, 1117

Lonicera tatarica, Rhopalomyzus lonicerae a. Prociphilus xylostei on, in Norway, 1165 Lonicera xylosteum, Napomyza lonicerella on. Europe, 1117; Prociphilus xylostei on,

Norway, 1165 lonicerae, Rhopalomyzus lonicerella, Napomyza lophanthae, Lindorus

Lophocateres pusillus, infesting stored produl in Spain, 4031

Lophosternus (see Dorysthenes)

Lophyroplectus luteator, interrelations between and other parasites of Neodiprion sertifer Canada, 1133

Lopus (see Capsodes)

Loquat (see Eriobotrya japonica)

loreyi, Mythimna

Lorryia benensis, on guava in Paraguay, 3828 Lorryia formosa, in Brazil and Paraguay, 3 Lorryia panitae, on Andropogon lateralis Citrus in Paraguay, on peach in Brazil, 3

lotrix, Utetheisa

diana, Solenopsis saevissima richteri preving Rhyacionia frustrana on pine in, 167: udoparasitus thatcheri associated ndroctonus frontalis in Pinus taeda in, 232: ptotermes formosanus in, 408; flight habits Sitophilus zeamais in, 635; Conotrachelus oriae on pecan in, 1784; phospholipids in rindroctonus frontalis in, 1933; bait tests lainst Anthonomus grandis in, 2221; attraceness of Helianthus annuus to Sitophilus rimais in, 2408; Sitophilus zeamais in maize harvest and during storage in, 2768; eyletids associated with Dendroctonus antalis in, 3674; Arzama densa damaging hhornia crassipes in, 3793 buryi, Vryburgia

azal (see Fenazaflor)

Astege affinitalis, on cotton in New South ales, 3030

Istege sticticalis, on maize in Yugoslavia,

mus lunifer, attacking fruit in India, 3365 1. s, Asaphes

rne, insect population of, in India, 88; pera spp. on, in Missouri, 113; injury to, Empoasca fabae in U.S.A., 128; Lygus sperus on, in Arizona, 137; effect of inperature, photoperiod, and soil moisture resistance of, to Therioaphis trifolii, 155; impling populations of Hypera postica on, 3; Hypera postica on, in Ohio, 194; Agrozid leafminers on, in Massachusetts, 198; vion arrogans on, in Israel, 256; Tychius vus on, in Rumania, 271; metabolism of ethidathion in, 328; Trichogramma parae of Colias eurytheme on, in California, 0; varietal resistance in, to Empoasca fabae Nebraska, 605; new severe strain of verioaphis trifolii infesting resistant variety , in California, 611; effect of forage insects I delaying regrowth of, 625; Hypera postica , in Idaho, 640; Liriomyza spp. and parates on, in California, 647; larval populations Hypera postica on, in Vermont, 658; val feeding of Hypera postica parasitised

Dakota, 698; Caliothrips South aziliensis on, in Argentina, 701; effect soil cultivation on infestation ontarinia medicaginis in Poland, 727; pre-ence of Bombus spp. for pollen of, in pland, 736; insect fauna of, in Czechoslo-kia, 738; Colias lesbia on, in Argentina, 1: injuriousness of Contarinia medicaginis u, in Poland, 1116; Macrosiphum pisum and nerioaphis trifolii on, in Czechoslovakia, 26; Macrosiphum pisum on, in Czechobyakia, 1127; pests and diseases of, 1141; gs of Hypera postica on, in New Jersey, 81; Heliothis on, in Texas, 1188; Charips ctrix in fields of, in California, 1197; not tacked by Adoryphorus couloni, in Tasania, 1302; not infected with red leaf virus

on,

of, by Megachile rotundata

Bathyplectes curculionis

ollination

Victoria, 1034; preventing removal of eds of, by ants in Queensland, 1316; ypera postica on, in Quebec, 1656; thrips igrating from, to asparagus in British olumbia, 1671; Therioaphis trifolii on, in

United States, 1711; parasites of *Plathypena scabra* on, in Missouri, 1752; deposits from aerial application of insecticides on, in Arizona, 1767; varietal susceptibility in, to Adelphocoris lineolatus, damage to. Adelphocoris lineolatus in Minnesota, 1774; attractiveness of extracts of, to Spodoptera littoralis, 1852; hosts for Charips victrix on, in California, 1922; oviposition response of Eurytoma roddi to chemicals occurring in, in Wyoming, 1937; Colias lesbia on, in Argentina, 2031; Euphorocera haywardi parasitising Colias lesbia on, in Argentina, 2032; Macrosiphum pisum on, in Argentina, 2033; Ceresa bubalus on, in Turkey, 2087; control of Spodoptera littoralis on, in Cyprus, 2389; temperature effects on Macrosiphum pisum on, 2400; resistance of, to Therioaphis trifolii and Macrosiphum pisum in Nevada and Arizona, 2401; spider populations on, in Virginia, 2402; cage method for evaluation of insecticides for field control of *Hypera postica* on, 2441; assessment of damage caused to first cutting of, by *Hypera postica*, 2442; Hypera postica on, in Michigan, 2451; Berytinus minor on, in New York State, 2476; interaction of Bradysia sp. with Fusarium spp. on, in United States, 2481; influence of mosaic virus on growth and survival of, 2486; relationship between height of, and rate of larval development of Hypera postica, 2777; insecticides for control of Hypera postica on, 2780; evaluation of cultivars of, for resistance to Therioaphis trifolii, 2788; injury to, by Macrosiphum pisum in Kansas, 2790; transmission of virus of, by Macrosiphum pisum quantified on sweet pea as diagnostic local lesions, 2897; in diet for Hypera postica, 2930; as food-plant of Campylomma livida, 3029; emergence of overwintering generation of gall midges on, in Czechoslovakia, 3126; vigintiquattuorpunctata Subcoccinella Sitona sp. on, in Bulgaria, 3131; Apion spp. on, in Yugoslavia, 3137; Phytodecta fornicata on, in Yugoslavia, 3139; Hypera postica on, in Arkansas, 3200; metabolites of methidathion in, 3215; effect of aphids on yield of, in Nebraska, 3227; effect of excision of stem cuttings on resistance of, to *Therioaphis* trifolii, 3235; Colias electo on, in South Africa, 3278; Merophyas divulsana on, 3309; insect pests of, in Queensland, 3319; Aceria medicaginis on, in Victoria, 3327; pests of, in Bulgaria, effect of dimethoate on yield of, 3449; injurious insects of, in Bulgaria, 3450; Tetranychus telarius and T. turkestani on, in Bulgaria, 3457; Contarinia medicaginis on, in France, 3511; changes in soil-insect fauna in fields of, in Poland, 3585; Therioaphis trifolii on, in U.S.A., 3712; insecticide residues in, in Ontario, 3742; pests of, in Victoria, 3900; moths caught in light-traps in field of, in Iran, 3944; powdered, in diet for Ceratitis capitata, 4020; distribution and effect on seed yield of Eurytoma roddi on, in Poland, 4124 Lucerne Flour, in diet for Ostrinia nubilalis

2140; in diet for Heliothis armigera, 4011; in

diets for Ceratitis capitata, 4060

Lucerne Hay, effect of partial control of Hypera postica on nutritional values of, in South Dakota, 222

Lucerne Meal, in diet for Epiphyas postvittana,

893 lucifugus, Reticulitermes luctuosa, Degeeria, Medina luctuosus, Oxycarenus ludeni, Tetranychus

ludens, Anastrepha

Luffa acutangula, preference for, by Aulacophora lewisii, 861

Luffa cylindrica, preference for, by Aulacophora lewisii, 861

lugens, Athalia; Nilaparvata; Uraba

lugubris, Chrotogonus

lugubrosa, Lambdina fiscellaria

Lumisterol, antagonistic to progeny production or survival in Xyleborus ferrugineus, 3755

luna, Patasson (see P. conotracheli)

lunata, Euproctis lunatus, Microterys lunguncus, Panka lunifer, Lucanus lunula, Calophasia Lupin (see *Lupinus*) lupina, Bothrophora

Lupinus luteus, damaged by Cnephasia longana

in Germany, 443 luteator, Lophyroplectus luteellus, Chilo luteola, Pyrrhalta luteotactella, Neodrepta lybica, Empoasca lybicus, Ommatissus binotatus

lycimnia, Coccophagus lycopersica, Aculops

lycopersicella, Keiferia

lycopersici, Aculops; Frankliniella Lycosidae, effect of sprays on, in Ontario, 3288

Lyctus africanus, larval activity of, 1009

Lyctus brunneus, mandibular grooving of wood surface by, hatching of larvae of, 1009; on fig in Corsica, 2846

Lyctus discedens, larval activity, oviposition and characters for distinguishing sexes of adults

of, 1009

Lyctus planicollis, hatching of larvae of, 1009; taxonomy and biology of, in Austria, 2845

Lygaeidae, air-borne species of, trapped over Atlantic, Indian and Pacific Oceans, 1002 Lygaeus pandurus, notes on, in India, 76

Lygocerus, Ephedrus reported as new host record for, in California, 3686

Lygus (see also Taylorilygus)

Lygus desertus, effect of temperature on development of, 1773

Lygus elisus, insecticides against, on beans in Washington State, 610; seed feeding by, increasing growth of carrot and bean plants,

Lygus hesperus, fluctuations of populations of, in lucerne in Arizona, 137; gustatory discrimination between meridic diets by, 583; insecticides against, on beans in Washington State, 610; reproductive biology of, in California, 1235; effect of temperature on development of, 1773; effect of temperature on longevity and fecundity in, 1927; seed

feeding by, increasing growth of carrot and bean plants, 1935; effects of, on growth yield, and quality of cotton, 1969; model simulate mating behaviour of, 2371; pe status on cotton in California, 2373; effect : temperature on development of eggs at nymphs of, 2920; metabolism of trichlorphe in, 3008; control of, on cotton in U.S.A. 3713

Lygus lineolaris, effect of, in delaying regrow of lucerne, 625; effect of temperature development of, 1773; control of, on cott in U.S.A., 3713; plants influencing has selection by Leiophron pallipes parasitising

3787

Lygus pratensis, on berry-fruit bushes in Soyn

Union, 3571

Lygus rugulipennis, Leiophron sp. parasitisiri on rye in Poland, 737; on lucerne in Czech slovakia, 738; effect of, on yield and qualed

of wheat in Finland, 4111

Lymantria ampla, bionomics of, in India, 22:5 Lymantria dispar, ultra-cytological findings Borrelinavirus spp. in, 545; effects of starvi tion on, 574; feeding rhythm in larvae of, . oak in Connecticut, 602; rearing of, 144 nuclear polyhedrosis virus-induced changi in, 1494; effect of γ-irradiation of eggs of 1507; effectiveness of sex-scent traps for sus veying populations of, 1511; survey of para sites of, in Yugoslavia, 1518; factors causis qualitative changes in populations of, Connecticut, comparison between Malaca soma californicum and, 1681; structure of si attractant of, 2429; carbaryl against, in New York, 2962; as threat to horticulture and forestry in Ontario, 2983; effects of mixtun of virus and insecticides on, 3140; strain Bacillus thuringiensis isolated from, in Yug. slavia, 3142, 3143; toxicity of Bacilu thuringiensis to, in Yugoslavia, 3142, 314 air-borne dispersal of larvae of, in Connection cut, 3223; soil fertilisers protecting form trees against, in Germany, 3438; Bacilil thuringiensis against, on apple in Bulgari 3443; susceptibility to polyhedrosis virus in U.S.A., 3651

Lymantria monacha, population dynamics in Czechoslovakia, 1491; soil fertilisers p tecting forest trees against, in Germany, 348 Lymnaea ollula, Sepedon spp. introduci

against, in Hawaii, 1345

Lypha dubia, life-history and development parasitising Operophtera brumata in t laboratory, failure of, to become establish in Canada, 2645; timing of attack by, Operophtera brumata in Britain, 4 synchronisation between populations

Operophtera brumata and, in Britain, 4079 Lypha setifacies, parasitising Croesia semipu

purana in Quebec, 904

Lyprops badius, new record of, in Uganda, 18 Lysimachia vulgaris, Aphis frangulae on, 2595 Lysiphlebus ambiguus, parasitising Toxopte aurantii in Soviet Union, 1123

Lysiphlebus fabarum, attacking aphids

Poland, 4115

Lysiphlebus testaceipes, introduction of, again aphids in Soviet Union, 1123; rearing of,

phis craccivora and A. gossypii on different ist plants, 2514

. 17 nuttalli, structure of spermatophore of, 21

${f M}$

wadamia, insect pests of, in Queensland, 3313 wadamia ternifolia, Homoeosoma vagella h, in Queensland, 3315

si adamia tetraphylla, virus of Anthela varia 5h. 3266; Homoeosoma vagella on, in Queens-

nd. 3315

medonia, Pissodes notatus on pine in, 2305

Agillavryi, Chaetocnema thili, Lepidosaphes

whilicola, Trioza

Vehilus thunbergii, Trioza machilicola sp.n. on.

ckerel, DDT residues in, 2455

Aleayi, Gonocephalum

cremphytus varianus, microsomal mixedunction oxidase activity in, 187

rrocarpae, Nepticula crocentrus ancylivorus, parasitising Cydia volesta on peach in Ontario, 3622

crocentrus marginator, parasitising Aegeria lipuliformis in Soviet Union, 3571

derocentrus muesebecki, parasitising Gonio-

erma spp. in Brazil, 3799

vcrocheles, preferring Diptera for food, 1835 verocheles vagabundus, in compost transfering to cucumber when animal food was inavailable in Germany, 1835; on cucumber .n Germany, 3433

acrochelids, preying on Unaspis citri in Vene-

kuela, 982

icrolepidoptera, overwintering stages of, in Finland, 4108

acromischoides aculeatus, preying on Mirids on cacao in Ghana, 1080

acronota quadrilineata, attacking fruit in

India, 3365 cropelma, Liogenys acropes (see Cavelerius)

cropilis, Phytoseiulus, Phytoseius

scropterus, Torymus

acropulvinaria, erection of, 358

acropulvinaria acaciae sp.n., description of, on Acacia in Sudan, 358

acropulvinaria jacksoni, as type species of

Macropulvinaria in Africa, 358

icropus, Sepedon

acrorhaphis acuta, preying on Lepidopterous larvae on cotton in Uganda, 1205

acrorhaphis spurcata (see M. acuta)

acrosiphoniella (see Macrosiphum)

acrosiphum, parasitised by Aphelinus humilis in India, 507; distribution of, on cereals in Britain, 1648; in traps in Venezuela, 2830

acrosiphum absinthii, in Sicily, 3488 acrosiphum aetnensis, in Sicily, 3488

Pacrosiphum ambrosiae, unable to transmit banana mosaic virus, 2894

acrosiphum artemisiae meridionalis, on Arte-

misia spp. in Sicily, 3488

transmitting barley lacrosiphum avenae, yellow-dwarf virus in Colombia, 1276; distribution of, on cereals in Britain, 1648; transmission by, of non-pathogenic virus in France, 1825; sprays against, on oats in Michigan, 1921; transmitting barley yellowdwarf virus from oats in Canada, 2479; transmission of barley yellow-dwarf virus by, 2896; persistence and distribution of barley yellow-dwarf virus in, 3662; light and temperature thresholds for take-off by, 4082

1111

Macrosiphum dirhodum, distribution of, on cereals in Britain, 1648; transmission by, of non-pathogenic virus in France, 1825

Macrosiphum euphorbiae, nutrition of, on chemically defined diets, 758; resistance to, in Solanum spp., 925; insecticides against, on potato in Brazil, 2022; weeds in beet fields as source of yellows virus for, in Belgium, 3522; parasites of, on Iris germanica in California, 3686

Macrosiphum fagopyri sp.n., on Fagopyrum cymosum in India, 82

Macrosiphum festucae, on Festuca elatior in California, 2357; reproductive behaviour of, on cereals and grasses in Britain, 3532

Macrosiphum fragariae, distribution of, cereals in Britain, 1648; parasitism of, Monoctonus paulensis in California, 3777

Macrosiphum geranii sp.n., on Geranium lucidum in India, 82

Macrosiphum helichrysi, in Sicily, 3488

Macrosiphum jaceae, associated with Citrus decline in India, 2105

Macrosiphum miscanthi, as vector of barley yellow-dwarf virus on wheat in New South Wales, 524

Macrosiphum pisum, toxicity of YBHC to, 2; spread of bean yellow mosaic virus by, in Washington State, 122; insecticides against, on beans in Washington State, 610; effect of soil type on efficacy of insecticides against, on peas in Nova Scotia, 636; on lucerne in Czechoslovakia, 738; nutrition of, on chemically defined diets, 758; resistance in pea and red clover to, in Finland, 782; factors affecting size of, 852; effect of decreased size on reproduction in, 853; oviposition responses to juniper of Coccinellids predaceous on, 917; food seeking by Adalia bipunctata preying on, on broad bean, 919; virginoparae of, attracting males of Myzus persicae, 942; dispersal and reduction of colonies of, by Aphidius smithi in Washington State, 944; population dynamics of, on lucerne in Czechoslovakia, 1126; effect on, of Aphidius ervi in Czechoslovakia, 1127; Coccinellids as predators of, in Britain, 1150; parasitised by Aphidius smithi in California, 1169; as food for Chrysopa septempunctata, 1450; toxicity of resmethrin to, 1587; oil emulsions reducing transmission of pea mosaic by, in France, 1827; suitability of parasites of, for development of Charips victrix in California, 1922; hyperparasitism of, by Charips victrix, 1924; factors affecting transmission of pea enation mosaic virus by, 1945; rearing of Aphidius smithi for release against, 1967; spread, injuriousness and control of, on lucerne in Argentina, 2033; temperature effects on biological activity of biotypes of, on lucerne in

Arizona, 2400; longevity, reproduction and nymphal development of, on lucerne in Nevada and Arizona, 2401; Berytinus minor not feeding on, in laboratory, 2476; transmitting mosaic virus to lucerne, 2486; inhibition of transmission of plant-pathogenic viruses by, in Belgium, 2606; distribution and movement of, on Vicia faba, 2667; sprays of carbofuran controlling, 2780; injury by, to lucerne in Kansas, 2790; use of, to separate two strains of pea enation mosaic virus, 2895; simultaneous transmission of pea viruses by, quantified on sweet pea in California, 2897; infestation and natural enemies of, on pea in Soviet Union, 3092; transmission of pea enation mosaic virus by, 3167; effect of, on yield of lucerne in Nebraska, 3227; continuous rearing of, on holidic diet, 3682; chemically defined diet for, 3698; comparison of natural and artificial food sources for, 3703; intrinsic factor affecting alate production in, 3754; parasitism of, by *Monoctonus paulensis* in California, 3777; sprays against, on bean in Iran, 3942; light and temperature thresholds for take-off by, 4082

Macrosiphum rosae, aldicarb effective against, on roses in Israel, 1090; on oil-bearing rose in

Soviet Union, 3566

Macrosiphum sanborni, effects of dimethyldithiocarbamates against, 1588; transmitting chrysanthemum mosaic virus, 2603; in Sicily, 3488

Macrosiphum silvestrii, in Sicily, 3488

Macrosiphum solani, transmitting virus disease of clover, in Victoria, 1304; weeds in beet fields as source of yellows virus for, in Belgium, 3522

Macrosiphum tanacetarium, in Sicily, 3488 Macrosiphum tapuskae, in Sicily, 3488

Macrosteles fascifrons, not transmitting bean yellow mosaic virus in Washington State, 122; on maize in South Carolina, 1221; on soy bean in Mississippi, 1771; sex and age of, in relation to transmission of clover prolifera-tion causal agent, 1936; methods of sampling adult populations of, on lettuce in Quebec, 1978; Mycoplasma-like organism in tissues of, 2313; transmitting aster yellows virus in Manitoba, 2482; effects of tetracyclines on transmission of aster yellows by, 2901

Macrosteles laevis, as vector of cereal virus

disease, 1462; on rape infected with disease in Hungary, 2141; on maize in Yugoslavia, 3469; cereal viruses transmitted by, in

Sweden, 3541

Macrosteles sexnotatus, influence of, on meadow grasses in France, 2849

maculata, Ceratomegilla; Desiantha; Therioaphis (see T. trifolii)

maculator, Itoplectis

maculatus, Callosobruchus; Dermestes; Rhaphitelus

maculipennis, Plutella (see P. xylostella) maculipes, Pnigalio

maculiventris, Podisus

Madagascar, Locusta migratoria migratorioides in, 1084; Scolytoidea in, 1087; insects for biological control introduced into, 1392; rearing of Nythobia stellenboschensis

for the control of Phthorimaea operculella: 1393; Rickettsiella cetonidarum sp.n. infecti: Cetoniid larvae in, 2151; Euchromia formo recorded from, 2246; Pediobius furvus from released in Mauritius, Ichneumon unicincus in, 2536; Dacus ciliatus in, 3201; Steneoto sonemus madecassus on rice in, 3389; sugas cane mosaic virus in, 3390; biological contu of insects and weeds in, 3397; Maliarpreseparatella on rice in, 3958

madecassus, Steneotarsonemus maderae, Leucophaea

madiunensis, Aulacaspis

Magnesium, effect of (as plant nutrient), population of scale insects, 1142

Magnesium Chloride, in artificial diets f Myzus persicae, 1243

magnicornis, Rhopaea

Magnolia, Phenacaspis cockerelli on, in George 1215

Mahanarva fimbriolata, previously misidentifiif as Sphenorhina liturata var. ruforivulata, co fused with M. liturata, in Brazil, 1287

Mahanara indicata, M. posticata misidentifii as, in Brazil, 1287

Mahanarva liturata, synonymy of, in Brazil 1287

Mahanarva posticata, distribution and natural enemies of, on sugar-cane in Brazil, 1281 misidentified as M. indicata, in Brazil, 1283 biological control of, in Brazil, 3844

Mahanarva quadripunctata, distribution of,

Brazil, 1287

Mahanarva rubicunda var. indentata, distrib tion of, in Brazil, 1287

Mahogany, Nigerian (see Khaya ivorensis)

maidis, Dalbulus; Rhopalosiphum Maine, parasites of Dasineura balsamicola Abies balsamea in, 1678; DDT residues earthworms and robins associated with co taminated forest soils in, 2992; Phyllonoryc

spp. on apple in, 3642

Maize, aphids on, in Ohio, 133; Sitotroga cer lella used in selection of, with high amyle content, 169; husk and kernel resistance insects in hybrid strains of, 171; Diabrota longicornis on, in Indiana, 184; Noctu larvae on, in Florida, 197; rating methods by assessing resistance of, to Ostrinia nubilal 266; Agrotis ipsilon on, in Rumania, 26. Agriotes sputator and A. ustulatus on, efforting of insecticides on, 288; Trichogramma: parasitising Heliothis zea on, in Mexico, 30 predation by birds on Zeadiatraea grands sella on stubble of, in Mississippi, 369; Drois culacephala mollipes on, in Kentucky, 37 Atherigona oryzae on, 494; Plodia interpunt tella reared on, 495; Ostrinia spp. on, 52 Zeadiatraea grandiosella on, in Mississip effect of insecticides on, 613; dispersal Sitophilus zeamais from stored maize to fi of, in Louisiana, 635; diapause in Busses fusca on, in Nigeria, 641: Diabrotica spp. 6 in Nebraska, 644; Dalbulus maidis and stul virus of, in U.S.A., 656; Heliothis zea on, Florida, 659; rearing of Euchromius ocelle on leaves of, 664; thrips on, in Argenti 701; seed treatment of, against wireworms Soviet Union, 709; breeding of varieties

or resistance to Ostrinia nubilalis in France, 79; resistance in inbred lines of, to Ostrinia ubilalis in France and Yugoslavia, 780; Derobrachus brevicollis on, in Georgia, 926; Scutigerella immaculata on, in Indiana, 927: bundance of Rhopalosiphum maidis on, in adiana, 929; biotypes of Ostrinia nubilalis eared on, in North Central United States, :49; Chaetocnema macgillavryi on, in Veneuela, 981; Mesograpota polita feeding on pollen on, in Venezuela, 985; infestation of Chilo zonellus on, in relation to altitude, 1051; itenotus affinis on, in Ghana, 1080; Agriotes conticus injurious to, in Soviet Union, 1101; ests and diseases of, 1141; Cicadellids on, in South Carolina, 1221; economic consequences of restriction of use of organochlorine insectiides on, in U.S.A., 1229; Glischrochilus "uadrisignatus on, 1270; effect of, on development, as food plant for Diacrisia obliqua, §359; Sesamia calamistis and Sciomesa biluma on, in Madagascar, 1392; insecticides against bests of, in Mozambique, 1397; phosphine i umigation of, 1410; resistance of sweet, to Oscinella frit, 1452; Tanymecus dilaticollis on, 1495; Hyalesthes obsoletus on, 1508; Ostrinia ubilalis on, 1515; Heliothis stombleri sp.n. on, in U.S.A., 1685; mycoplasma as suspected etiologic agent of stunt disease in, trans-: nitted by Dalbulus elimatus, 1802; infestation of, in field by stored-product insects in Uganda, 1819; resistance to Chilo partellus in, in Uganda, 1704; residues of phorate and tits metabolites on, in Georgia, 1718; Trichogramma pretiosum parasitising Heliothis zea on, in California, 1734; resistance in, to Heliothis zea, 1736; commercial preparation containing, in diet for Heliothis zea, 1756; light-traps not controlling Lepidopterous pests on, in North Carolina, 1759; factors affecting position of Spodoptera frugiperda on, 1768; Heliothis zea on, in U.S.A., 1792: aphid vectors and vector-virus relations of Johnsongrass mosaic on, in Mississippi, 1972; Pseudonapomyza spicata on, in Egypt, 2049; unsuitable for oviposition by Earias vittella in India, 2074; squirrels preying on Hieroglyphus spp. on, in India, 2096; Diabrotica virgifera on, in Missouri, 2361; susceptibility of, to Schizaphis graminum, 2364; Melanotus communis on, in North Carolina, 2370; control of Diabrotica longicornis on, in Ohio, 2377; Simyra henrici on, in Illinois, 2385; Systena frontalis and Diabrotica longicornis on, 2394; sprays with virus against Lepidoptera on, 2396; control of Clivin impressifrons on, 2416; control of Mylabris pustulata on, in India, 2520; percentage infestation of Chilo partellus on, at different altitudes, 2524; yield of, not significantly affected by fertiliser-insecticide mixtures in Ghana, 2688; bionomics of Sesamia nonagrioides botanephaga on, in Ghana, 2689; production of pupae of Heliothis zea on, 2799; Cisseps fulvicollis infesting, in Canada, 2828; temperature affecting transmission of rough dwarf virus of, by Laodelphax striatella, 2874; multiplication of rough dwarf virus of, in Laodelphax striatella, 2875; stunt disease

of, transmitted by Dalbulus maidis in U.S.A., 2893; pathogen transmitted by Malaxodes farinosus responsible for stunting and seed reduction in, 2900; in diet for Mythimna unipuncta, 2995; Spodoptera frugiperda on, in Venezuela, 3006; effect of, on Tetranychus telarius in Japan, 3047; Heliothis armigera on, in Bulgaria, 3130; effects of Ostrinia nubilalis and Gibberella sp. on yield of hybrid strain of, in Yugoslavia, 3151; book on protection of, from pests, diseases and weeds in Yugoslavia, 3152; residues of tetrachlorvinphos on, 3186; resistance in, to Diatraea saccharalis and D. lineolata, 3192; damage to, by Ostrinia nubilalis in U.S.A., 3209; development and reproduction of Amblyseius largoensis on pollen of, 3225; infection with virus increasing susceptibility of, to attack by Chilo partellus, 3253; damage to, by Diabrotica virgifera, 3256; Amblyseius spp. feeding on pollen of, 3349; distribution of eggs of Ostrinia nubilalis on, 3351; sugar-cane mosaic virus in, in Madagascar, 3390; Chilo partellus on, in Mozambique, 3391; development of Agistemus exsertus on pollen of, 3403; Aceria tulipae on, in Bulgaria, 3455; Tetranychus telarius and T. turkestani on, in Bulgaria, 3457; Auchenorrhyncha on, in Yugoslavia, 3469; development of *Acarus siro* on, 3708; insecticide residues in, in Ontario, 3742; resistance in, to Spodoptera frugiperda in Brazil, 3811; Catarhinus tricholaenae on, in Paraguay, 3824; eggs of Numicia viridis collected on, in Swaziland, 3947; rice yellow mottle virus transmitted mechanically to, in Kenya, 3952; Diatraea saccharalis reared on cut stalks of, 3991; Tetraneura ulmi on, in Italy, 4014; ground stalks of, in diet for Ceratitis capitata, 4020, 4060; ground stalks of, in medium for Dacus oleae, 4072

Maize Flour, in medium for Drosophila melanogaster, 100; Callosobruchus analis not ovipositing on, 2491; in diet for Heliothis armigera, 4011; in diet for Cydia pomonella, 4040

Maize Meal, as diet for Ephestia kuehniella, 2717; in baits for Noctuid larvae, 3242

Maize Pollen, grains of, as food for Amblyseius limonicus, 1383

Maize Protein Hydrolysate, in bait-spray for

Rhagoletis pomonella, 1730

Maize (Stored), fenthion residues in, 621; dispersal of Sitophilus zeamais from, to maize field in Louisiana, 635; treatment against Ephestia cautella infesting bags of, in Malawi, 1050; fumigation of, against insect pests in Nigeria, 1075, 1076; sacks for, lined with polyethylene, 1076; heat treatment of, against insect pests in India, 1356; factors influencing the tolerances of, to fumigants, 1357; test and survey of, treated with insecticides in dusts, in Togo, 1395; insecticides against pests of, in silos, 1404; susceptibility of, to Sitophilus spp., Sitotroga cerealella, and Rhyzopertha dominica, 2053, 3191, 3834; sorption of fumigants by, 2390; distribution of fumigants in, 2420; effect of, on development of Ephestia cautella, 3922; relationship between infestation of Sitophilus zeamais in, at harvest

and during storage, 2768; pests of, in Yugoslavia, 3152; insecticide treatment of, against Sitophilus spp. in Brazil, 3812; pests of, in Brazil, 3848; causes of losses of, in Brazil,

Maize-cob Grits, in diet for Heliothis virescens, 1693; as carrier for soybean oil-mirex bait replaced by Fur-Ag, 1770

majalis, Amphimallon

major, Centeterus; Penthaleus

majusculus, Orius

Malachite Green, for marking cocoons of Neodiprion sertifer, 530

Malachius, preying on Cydia funebrana in Soviet Union, 1104

Malachius viridis, as predator of Frankliniella

tritici, 1438 Malacosoma americanum, microorganisms iso-lated from, in Quebec, 2001

Malacosoma californicum pluviale, effects of hormonal mimics on mortality, metamorphosis and reproduction of, 914; comparison between Lymantria dispar and, 1681; predation by Podisus maculiventris on, 3295

Malacosoma disstria, infection and mortality of, caused by polyhedrosis viruses, in Canada, 1253; microorganisms isolated from, in Quebec, 2001; screening of insecticides against, 2002; virus disease of, 2967; starvation experiments with larvae of, 297 response of, to Bacillus thuringiensis, 3276

Malacosoma neustria, preparations of Bacillus thuringiensis against, on apple and oak in Soviet Union, 710; injurious to fruit trees in France, 1161; booklet on biology and foodplants of, in Soviet Union, 1841; larval development of, influenced by condition of food-plant in Holland, 2302; Bacillus thuringiensis against, on apple in Bulgaria, 3443

Malacosoma neustria testacea, intraspecific competition in Gregopimpla himalayensis para-

sitic on, 2496

Malacosoma pluviale, pathogenicity of commercial preparations of Bacillus thuringiensis for, 547

Malaoxon, effect of synergists on toxicity of,

to Oncopeltus fasciatus, 2803

Malathion, in sprays against Raoiella indica, 65; against lucerne pests, 88; in dusts and sprays against grain storage pests, 93; residues of, on Corchorus olitorius, 98; toxicity of, to honey bees, 106; and other insecticides against Anthonomus grandis and Heliothis zea, 127; effect of treatment by aircraft of ULV sprays of, on grasshoppers, 158; and methoxy-DDT, effect of lipid content on susceptibility to, in *Hypera postica*, 173; against cotton insects, 189; against *Hypera postica*, 194; against Epitrix hirtipennis, 199; against Anarsia lineatella, 277; compatibility of fungicides with, against pests of plum, 280; resistance to, in Myzus persicae, 299; potency and metabolism of, in Tribolium castaneum, 464; method for detecting resistance to, in Tribolium castaneum, 469; in sprays against Tischeria aenea, 567; against Nysius raphanus, 604; in dusts and sprays against insect pests of dried raisins, 615; in sprays against Schizaphis graminum, 624;

cholinesterase inhibition by, in Tribolius castaneum, 648; in dust and spray deposit against Plodia and Oryzaephilus spp., 66h toxicity of, to irradiated and normal adults is Pectinophora gossypiella, 673; in aerial spran against Rhagoletis cingulata, 674; effective ness of, against Sciopithes obscurus, 675 and oil, in sprays against Rhopalosiphus insertum and Psylla mali, 794; aerial applica tion, effectiveness of, in sprays and baik against pests of Citrus, date palm, wheat and cotton, 796; effect of temperature and humis ity on contact toxicity of, to Tribolium car taneum, 858; in sprays against Phthorimasa operculella, 870; in sprays against Anurapho helichrysi, 872; against insect pests of cotton 873; in sprays against Anthonomus granded 923: in sprays against Tetranychus mexicanur 988; against Grammadera clara, 996; in sprav against Ephestia cautella, 1050; againi Phthorimaea operculella, 1057; against Troga derma spp., 1069; against Aonidiella auranti 1089; toxicity of, to natural enemies (aphids, 1112; against stored grain insectors) 1156; residues of, in carrots, 1164; in spray against Dacus tryoni, 1306; use of, for control of Plecoptera reflexa in West Pakistan, 137" in dusts, against pests of stored maize, i Togo, 1395; against *Quadraspidiotus perw ciosus*, 1399; against pests of stored maize 1404; against storehouse pests, 1503; againing Neotetranychus rubicola, 1514; penetration a into locusts, 1530; and fenitrothion, developed ment of ultra-low-volume concentrate a 1567; against pests of stored grain, 1584 toxicity of, to Tephritids, 1694; toxicity of, 1. Argyrotaenia citrana, 1703; susceptibility t in Trogoderma spp., 1717; toxicity of, Alopecosa kochi, 1720; in deposits again insect pests of stored rice, 1727; in bail sprays against Rhagoletis pomonella, 1730; sprays against Bhagoletis pomonella, 1730; sprays against biotype of Schizaphis graminus and other insects, 1743; contact toxicity of, Alsophila pometaria, 1757; method for detecting resistance to, in Tribolium castaneuro 1794; aerial drift spraying with, against Cardonaga argunta 1817; against Magra Spodoptera exempta, 1817; against Macri siphum pisum, 2033; against Phthoriman operculella, 2059; persistence of, in spran against Ceratitis capitata, 2066; in dus against Ceresa bubalus, 2087; Tribolium can taneum resistant to, 2170; against Plutes xylostella, 2201; against Phryganidia can fornica, 2397; against Schizaphis graminum 2403; influence of simulated rain on residul activity of, 2412; against Capsus simulary 2424; effectiveness of granules of, again Hypera postica, 2441; in tests against rice leas hoppers, 2504; sprays of, against Carpomy vesuviana, 2517; against Mylabris pustulau 2520; with chlorfenson, against Tetram chids, 2577; against Laodelphax striatel 2635; in tests against Cycloneda sanguin limbifer, 2727; with methyl-parathion, again n Heliothis spp., 2779; with methoxy-DD against Hypera postica, 2780; against Hylad drectonus araucariae, 2784; against Gnoples thrips fuscus and Cronartium strobilinum 2792; effect of synergists on toxicity of,

Oncopeltus fasciatus, 2803; labelled with 14C. in vitro metabolism of, during midgut peneration, 2870; against Plutella xylostella, 3005; dust treatment of header-harvesters with, against wheat grain pests, 3031; in lusts and sprays against pests of farm-stored irain, 3033; against Cerambyx dux, 3043; in sprays and dusts against Cnaphalocrocis medinalis, 3085; toxicity of, to eggs of Tetranychus telarius, 3108; against Panonyrhus ulmi, 3111; in aerial and bait sprays against Dacus oleae, 3134; against Phytodecta fornicata, 3139; in sprays against insect vecfors of plum pox virus, 3141; against Hypera postica, 3200; against Drosophila and Carpobhilus spp., 3202; susceptibility of fruit-flies lo, at different body sites, 3217; against Ceratitis capitata, 3237; in sprays and dusts against Taeniothrips simplex, treatment of Gladiolus corms in storage with, 3320; against Amritodus atkinsoni and Idioscopus vlypealis, 3358; against pests of apple, 3365; in sprays against *Pineus* spp., 3395; in baitsprays against *Dacus oleae*, 3410; effectiveness of trap logs and sprays of, against Biricids, 3476; against Apion carduorum, 3510; against stored-grain pests in barge holds, 3513; in talc mixed into wheat grain, 3539; marmful to Campylomma verbasci, 3621; i oxicity of, in mist sprays to Diptera and rioney bees, 3711; against Neophyllaphis podocarpi and Metcalfa pruinosa, 3723; penetra-tion of, through isolated midgut of insects, 3786; action of, in presence of sticker-apreaders, 3802; in dusts against Sitophilus spp., 3812; and sprays against Sciara annulata, 3860; residues of, in rape, against Rhopalosiphum erysimi, 3921; and dieldrin, against Callosobruchus chinensis, 3925; and andosulfan, in sprays against *Heliothis* armigera, 3933; in dusts and sprays against *Numicia viridis*, 3947; biochemical genetics of resistance to, in Laodelphax striatella, 3982; effect of, on cultures of insect cells, 3992; and protein hydrolysate, in bait-spray against *Ceratitis capitata, 4053; determination of, on tiomatos and Solanum melongena, 4096

talawi, Coccinellid swarms on mountain tops in, 340; Achrysocharis pulcherrimus on mango maize in, 349; Ephestia cautella infesting stored maize in, 1050; invertebrates of, 2309; Coccus inpika sp.n. in, on Myrica salicifolia, 2648;

Chilo partellus in, 3979

talaxodes farinosus, transmitting disease of

molasses grass in Kenya, 2900

layanus, Nephotettix

talaysia, Leptocorisa oratoria on rice in, 463; Atherigona oryzae on rice in, 494; integrated control of rice stem borers in, 1574; Valanga nigricornis on oil palm in Western, 1881; Nephotettix virescens transmitting virus disease of rice in, 2227; research in entomodogy in Western, 3079

aldeson (see Malathion) laldison (see Malathion)

aleic Hydrazide, effect of, on bud-break in Abies balsamea, 1754

ılella, Stigmella

rallard (see Anas platyrhynchos)

Mallocephala, Euphorocera haywardi reared from, in Argentina, 2032

malloi, Vogtia

Mallotus oppositifolius, Panka lunguncus sp.n. on, in Central African Republic, 1814

malpighianus, Cecidophyopsis

Malt, in bait-traps for Cydia molesta, 990, 994 Malt Extract, in baits for Ceratitis capitata, 2028

Malta, Cerambyx dux infesting fruit trees in, 3043

Maltings, survey of infestation in, in Britain, 1156

Maltose, nutritive value of, to Hylemya brassicae, 41; in diet for Laodelphax striatella, 53; feeding response of Sitona cylindricollis to, 129; in diet for Myzus persicae, 3764

Malvaceae, as food-plants of Tetranychus yusti

in Florida, 2395
malvella, Pexicopia

Malvex (see Malathion)

Mali, Trogoderma spp. infesting stored products in, 1069; Anomis flava on cotton and Hibiscus esculentus in, 2036; rice pests in, 3956; Helopeltis in, 3963

mali, Anuraphis (see A. plantaginea) Aphelinus; Atractotomus; Chrysobothris; Leptothrips;

Melichares; Zetzellia

Maliarpha separatella, biological control of, on rice in Madagascar, 1392; on rice in West Africa, 3956; bionomics and control of, on rice in Madagascar, 3958

malimalifoliella, Phyllonorycter malinellus, Yponomeuta padellus

malinus, Ériophyes malivorella, Coleophora

Mamestra (see also Ceramica and Diataraxia)
Mamestra brassicae, sterilising effect of tepa on,
300; Bacillus thuringiensis galleriae against,
1125; susceptibility of, to Bacillus thuring
giensis, 1454; effects of vitamins E and C on,
in Soviet Union, 2560; Bacillus thuringiensis
not effective against, in Yugoslavia, 3142;
integrated control of, on cabbage in Rumania,
3441

Mammals, attacking Schistocerca gregaria in India, 69; Coleoptera collected from nests of, in Transcarpathian Region, 2566; organochlorine residues in, in Britain, 2641

Man, effects of use of organochlorine pesticides on, in Britain, 2641

Mancokar (see Maneb)

Mancozeb, complex of zinc and maneb, 1091; not harmful to Campylomma verbasci, 3621

Mandarin, *Diaphorina citri* and greening disease of, 871; stubborn disease of, in West Pakistan, 3979

Manduca quinquemaculata, ultra-violet lighttraps for control of, on tobacco in Kentucky, 152; light-traps for, on tobacco in Virginia, 594; Winthemia manducae reared from, 3688

Manduca sexta, ultra-violet light-traps for control of, on tobacco in Kentucky, 152; effect of juvenile hormones on eggs of, 164; lipid transport in, 416; light-traps for, on tobacco in Virginia, 594; activity of males of, sterilized with tepa on tobacco in North Carolina, 691; factors determining selection of plants for oviposition by, 748; olfactory coding by

larvae of, 751; feeding behaviour of, in relation to receptor response to chemical stimuli in plants, 753; attacks on eggs of, by Telenomus sphingis followed by marking, 953; leaf consumption and development of, on tobacco in Kentucky, 1745; trehalase activity in tissues of, 1931; flight energetics and temperature regulation in, 2346; blacklight trap collections of, in Puerto Rico, 2363; effect of carbofuran and disulfoton on parasitism of, by Apanteles congregatus in Tennessee, 2409; effects of carbofuran and disulfoton against, on Apanteles congregatus, 2738; Trichogramma pretiosum parasitising eggs of, 2787; traps for males of, 2809; metabolism of insecticides during penetration of isolated midgut of, 2870; Bacillus thuringiensis against, on tomato in South Carolina, 3242; Jalysus spinosus as predator of eggs of, in North Carolina, 3263; fucosterol as metabolite in, 3616; Winthemia manducae sp.n. parasitising, in North Carolina, 3670; parasitism of, by Winthemia manducae in North and South Carolina, 3688; skeleton and muscles of, 3692; penetration of insecticides through isolated midgut of, 3786

manducae, Winthemia
Maneb, effect of, on mite populations, 296; effect of, on populations of Eotetranychus carpini vitis, 786; effect of, on predaceous mites, 1091; toxicity of, to Trichogramma cacoeciae, 1137; Dithane M-45 containing, 2022; as constituent of Dithane M-22 (q.v.), 2577

Manganese, effect of, on aldrin in pea plants, 331; trace amounts of, in diet for Macro-

siphum pisum, 3698

Manganese Sulphate, seed treatments with mixture of insecticides/fungicides and, 4145 mangiferae, Drosicha; Procystiphora; Sternochetus

mangiferus, Oligonychus

mangiflorae, Meunieriella Mango, Achrysocharis pulcherrimus reared from galls on, in Africa, 349; phenological studies of Chilocorus bipustulatus on, in Israel, 1389; Phytoseiidae on, in India, 1581; morta-lity of Anastrepha ludens in buried fruit of, in Mexico, 1741; fruits of, treated by dielectric heating against Sternochetus mangiferae, in Hawaii, 1763; Procystiphora mangi-ferae on, in India, 2089; Lymantria ampla fed on leaves of, 2203; Drosicha stebbingi on, in India, 2671; Sinoxylon sudanicum on, in Egypt, 2720; Vinsonia stellifera as potential threat to, in Florida, 3201; Amritodus atkinsoni and Idioscopus clypealis on, in India, 3358; Meunieriella mangiflorae sp.n. on, in India, 3370; Drosicha stebbingi on, in India, 3384; mites on, in Mozambique, 3392; Toxotrypana curvicauda on, in Florida, 3723; reaction of varieties of, to Aceria mangiferae in Brazil, 3810; Selenothrips rubrocinctus on, in Brazil, 3833; insect pests of, in Brazil, 3837; Aceria sp. on, in Brazil, 3856

maniculatus, Peromyscus

Manihot esculenta, Dolicholabis lantanae on, in Surinam, 1278; fermented, as rearing medium for Drosophila melanogaster, 2244; Callosobruchus analis not ovipositing on starch of 2491; Helopeltis bergrothi on, in Africa, 3961

Manitoba, occurrence of Dendroctonus simples in, 1664; Choristoneura pinus pinus on pinin, 1665; Saperda concolor in, 1666; Eucosmi gloriola on Pinus banksiana in, 1667; fungi a food for stored-product insects in, 2359; mult tiplication of stored-product insects on varie ties of wheat, oats and barley in, 23868 Macrosteles fascifrons transmitting asteryellows virus to wheat and oats in, 2482 Ibalia gigantea in, 2996
Mannitol, nutritive value of, to Hylemya brase

sicae, 41; deterring feeding in Sitona cylindra,

collis, 129

Mannose, feeding response of Sitona cylindral collis to, 129; in cotton not affected by enzymes of Anthonomus grandis, 690; in did

for Myzus persicae, 3764 Mantids, preying on Chilocorus bipustulatus i Israel, 459; as possible predators of Mirids o

cacao in Ghana, 1080 Manure (see Dung)

Maple (see Acer grandidentatum)

Maple, Red (see Acer rubrum)

Maple, Silver (see Acer saccharinum)
Maple, Sugar (see Acer saccharum)

Maps, of distribution of pests, 314

Maranta arundinaceae, damaged by Rhopaers

magnicornis, 3321 marcescens, Serratia

Marchalina caucasica sp.n., bionomics, natura enemies and host trees of, in Soviet Union. 1107

Marchalina hellenica, M. caucasica sp.n. min identified as, on pine in Greece and Turkew 1107

marcidus, Tumultitermes

Margarodes tritici, on cereal crops in Turkey

Margaronia unionalis (see Palpita unionalis) marginata, Haplodiplosis; Microweisea; Uroobd vella

marginator, Macrocentrus marginatus, Lathrolestes

marginellus, Collops

marginemtorquens, Eriophyes pyri

marginiventris, Apanteles

Marietta mexicana, parasitising Phenacaspi pinifoliae on pine in Quebec, 900

Marietta picta, as parasite of Eulecanium prof

nastri, 1513

maritimus, Ips plastographus Marlate (see Methoxy-DDT)

maroccanus, Dociostaurus; Tenebroides

martellii, Eurytoma

Maruca testulalis, infesting beans in Salvado 2014; attacking Vigna unguiculata in Ugandas experiments on control of, 2679; as pest of legume seed crops in Queensland, 3022, attacking beans in Queensland, 3024; in juriousness and control of, on beans in Queensland, 3317

Maryland, Epilachna varivestis on snap bean il 161; Frankliniella spp. in, 585; pesticide wildlife relationships in, 1690; aphids in 1789; tests of juvenile hormone activity acetals in pupae of Tenebrio molitor, 24211 Oncopeltus fasciatus and Tenebrio molitor in I

2759; Melanaspis obscura on Quercus oalustris in, 2906; Epitrix hirtipemis on tobacco in, 3258; toxicity of insecticides to Diptera and honey bees in, 3711

asonaphis maxima, parasitised by Aphidius rubifolii on Rubus parviflorus in British

iColumbia, 1674

ass Rearing, of Heliothis armigera in India. 12513

assachusetts, Agromyzid leaf-miners ducerne in, 198; trap catches of cranberry moths in, 665; Acrobasis vaccinii on cran-berry in, 681; Psylliodes napi on Barbarea vulgaris in, 1211; baited traps for control of Popillia japonica in, 2399; Berytinus minor in, 12476; glycerol content of insects exposed to dow temperatures in, 2661; effect of colour and design of traps on captures of Popillia iaponica and Bombus spp. in, 2775; aphids in,

ussasoit, Sympiesis

astotermes, attractiveness of trail-laying sub-istances to, 2303

trol of, in Queensland, 3025; reproduction by macropterous form of, 3899

astrus aciculatus, relationships of, with coexisting parasitoids of Neodiprion swainei, in Quebec, 2735

astrus argeae, biology of, as parasite of saw-:flies in U.S.A. and Canada, 1220

atacil (see Aminocarb) até (see Ilex paraguensis) ateriarius, Gnathotrichus

aterna, Othreis

vattesia, infecting larvae of Ephestia kuehniella, 12629

: attesia grandis, in bait tests against Anthonomus grandis, 2221

'atricariae, Aphidius

attress Ticking, damaged by Lasioderma serricorne, 412

vaura, Eurygaster

vauretanica, Ostrinia nubilalis

auritania, Gregarine parasitising Coccinellid predators of Parlatoria blanchardii in, 4043 auritanicus, Tenebroides

'auritia flexuosa, red-ring disease of, in

Surinam, 1800

auritius, Azotus williamsi in, 345; predators released against Oryctes rhinoceros in, 504; insects for biological control introduced into, Madagascar, 1392; Scolytoidea of, from 1405; biological control of sugar-cane pests of, parasites of stem-borers in, 2536; Aulacaspis tegalensis as pest of sugar-cane in, 2537: Dacus ciliatus in, 3201; Adelencyrtus miyarai parasitising Aulacaspis tegalensis in, 3968

aurus, Dysdercus axillosum, Psalidium axima, Masonaphis

faximiliana maripa, red-ring disease of, in Surinam, 1800

axwelli, Oxypleurites

fayetiola destructor, ability of races of to survive on different wheat cultivars, 1201; parasites of, 1486, 1487; damaging winter wheat and spring barley in Scotland, 2656; cultural methods for control of, on wheat and other cereals in India, 3369

mavnei, Helopeltis

Maytenus senegalensis, Gascardia destructor on.

in South Africa, 1307 mayumbensis, Helopeltis bergevini

mazoeensis, Lagosinia mcdanieli, Tetranychus

mckenziei, Aculodes (Aculus)

Meadow, influence of Acridoidea on primary production of, in Poland, 2576

Meals, stored-products insects associated with sacks used for, 2657

Mealybugs, infestation and control of, on cacao in Ghana, 1080; control of, as vectors of causal virus of swollen-shoot disease of cacao in West Africa, 3977

Meat, in baits for Monomorium pharaonis, 3124 Meat Grease, in poison baits for Tapinoma

sessile, 1758

Mecarbam, soil treatment with, against Psila rosae, 802; persistence of, in soil, 1527; against Hylemya brassicae, 2459; against Aonidiella aurantii, 4089

Medetera, ability of, to prey on Coleopterous

larvae, 52

Medetera aldrichii, preemergence orientation of, in U.S.A., 401; emergence and adult behaviour of, on *Pinus ponderosa* in South Dakota, 2463

medicaginis, Aceria; Apanteles; Contarinia; Jaapiella

Medina luctuosa, parasitising Altica querce-torum in Soviet Union, 3563

medinalis, Cnaphalocrocis

Mediterranean Basin, Ceratitis capitata and Dacus oleae in, 796

mediterraneus, Pnigalio Medlar (see Mespilus) meerutensis, Indodromus megacephala, Pheidole

attacking Calystegia Megacerus discoideus, sepium in Ontario, 505

Megachile rotundata, management of, lucerne pollination in South Dakota, 698

Megacoccus tasmaniensis gen. et sp.n., in Tasmania, 3680

Megaponera foetens, as predator of Odonto-termes latericius in Zambia, 2542

Megaselia, revision of Nearctic species of groups I and II of, 3785

Megaselia halterata, microvilli on nematode parasitising, 1811

Megaselia necrophaga, effect of temperature on, attacking Spodoptera frugiperda, 3808

Megaselia paludosa parasitising Tipula paludosa in Britain, 2651

Megaselia scalaris, not causing obvious harm to Diabrotica balteata, 663; rearing cage for Ceratitis capitata to prevent entry by, 2056; first record of, in Egypt, 2701; life-history of, in laboratory, 2702; mass-rearing method for, 2703; sterilisation of pupae of, by gamma radiation, 2704; effect of temperature on, attacking Spodoptera frugiperda, 3808

Megastigmus abietis, as synonym

strobilobius, 343

Megastigmus atedius, in Britain, 343 Megastigmus piceae (see M. atedius)

Megastigmus specularis, in Britain, 343 Megastignus strobilobias, M. abietis as synonym of, 343

Megastigmus zwoelferi (see M. atolius)

megatoma, Attagenus

Megoura pallipes sp.n., in India, 1582

Megoura viciae, toxicity of y-BHC to, 2; as food for Chrysopa septe aparentia, 1450; transmission of pea enation mosaic virus by, 3167

Meigenia mutabilis, as parasite of Onema melanopus, 1510; parasitising Phytoaceta linnacanus on willow in Buigarta, 1838

Melaleuca hypericipilia, Coroplastes sineusis on,

in New South Wales, 3897

Melanagromyza bonavistae sp.n., on Dolichos lablab and Vigna unguicalans in Uganda, 1885 Melanagromyza chalcosoma, bionomics of, on Vigna unguiculata in Uganda, 2538; attacking Vigna unguiculata in Uganda, 2670

Melanagromyza lantanac, establishment of against Lantana camara in Queensland, 3023 Melanagromyza phaseoli, as pest of legume seed crops in Queensland, 3022; attacking beans in Queensland, 3024; on beans in Queensland. 3026; injuriousness and control of, on beans in Queensland, 3317

Melanagromyza simplex, control of, on veget-

ables in Holland, 2801

Melanaspis glomerata, resistance in sugar-cane

to, 770

Melanaspis obscura, bionomics and natural enemies of, on Quercus palustris in Maryland, 2906

Melanaspis phenax, Habrolepis occidua reared from, in South Africa, 3908

Melanchra, observations on branched rods of granulosis virus infections of, 2214

Melanchra insignis, adult activity of, in New Zealand, 3864

Melanchra mutans, adult activity of, in New Zealand, 3864

Melanchra ustistriga, adult activity of, in New Zealand, 3864

melanderi, Nomia

melanogaster, Drosophila

Melanogryllus desertus, on maize in Yugoslavia,

Melanolophia imitata, pathogenicity of commercial preparations of Bacillus thuringiensis for, 547

Melanophila cyanea, and desiccation in Pinus sylvestris in Yugoslavia, 346?

Melanophila picta, infestation and natural enemies of, on poplar and Saliv spp. in Greece, 741

Melanoplus bivittatus, parasitism of, by Blacsoxipha lineata, 395

Melanoplus femurrubrum, parasitism of, by Blaesoxipha lineata, 395

Melanoplus femurrubrum femurrubrum, structure and fibre connections of calvees in brain of, 2347

Melanoplus lanthanus, in Montana, 1186

Melanoplus sanguinipes, parasitism of, by Blaesoxipha lineata, 395; egg laying by allatectomized females of, 581; temperature preference of, 918; effect of crowding on, 1949; developmental metabolism of, indicated by oxygen consumption, 1971; effect of simulated rain on residual activity of carbana and malathion applied against, 2412

melanopus, Oulema

Melanospora parasitica, as superparasite o Beauveria bassiana on Eurygaster sp., 3150 melanostigma, Coeloides

Melanotus communis, resilin in cuticle of, 21904 control of, in North Carolina, 2370

Melanotus fusciceps, bionomics and ecology oit in Soviet Union, 1101

Melasoma (see Chrysomela)

N-(2-(5-Methoxyindol-3.) Melatonin (see (DethyDacetamide)

meles, Hypera

Melezitose, nutritive value of, to Hylem. brassicae, 41; in diet for Myzus persicae, 3764 Meliaceae, Hypsipyla grandella on, in Costolia Rica, 1274, 1275

Melibiose, nutritive value of, to Hylem. brassicae, 41; in diet for Myzus persicae, 3764 Melichares mali, infesting cultures of Piriculara

oryzae in Germany, 742

Melichares tarsalis, preying on eggs of Ephesical kuehniella, 2629; in stored sugar-beet seed in a. Poland, 3123 Meligethes, iodofenphos against, on rape, 816

Meligethes seneus, DDT resistance in, in Poland, 729

meliloti, Rhizobium Melilotus, Sitona cylindricollis on, 208

Melilotus infesta, effect of nitrate content of, or. resistance to Sitona cylindricollis in Nebraska. 116

Melinis minutiflora, Malaxodes farinosus transmitting disease of, in Kenya, 2900

melinus, Aphytis

Melipax (see Toxaphene) Melissopus (see Cydia) mella, Exorista

mellifica, Apis mellinus, Phaeogenes mellitor, Bracon

mellonella, Galleria Meloidae, in Iran, 3934

Meloidogyne, control of, by aldicarb, 1415 Melolontha hippocastani, infestation and contre

of, in Poland, 4133

Melolontha melolontha, duration of development of, in Hungary, 295; numbers of, i beet fields in Soviet Union, 708; reactions of to light of various wavelengths, 1159 Vagolavirus meloloritue in pupae and adult s of, 1548; use of Vagoiavirus melolonthae fe control of, in France, 2146; increased sue coptibility of, to Beauveria tenella caused b Bacillus popilliae, 2154; mycoplasma-lix organisms in, in France, 2157; virus similal to Lagoiavirus melolonihae of, found t larvae of Orimonius patesi, 2213; compositio of inclusions of poxvirus of, 2314; factor affecting transmission and effectiveness o Vagoiavirus melolonthae in, 4038; infestatio and control of, in Poland, 4133

melolontha, Melolontha

Melon, trap for Diaphania spp. on, in Brazil

Melophorus, methods for preventing removal q pasture seeds by, in Queensland, 1316 Melprex (see n-Dodecylguanidine Acetate)

embracidae, catalogue of types of, in British Juseum, 2176

nazon, in sprays against Rhopalosiphum rysimi, 68; resistance to, in Myzus persicae, 99; effect of soil type on efficacy of, in anules against Macrosiphum pisum, 636; in prays against Anuraphis helichrysi, 872; in prays against Adelges piceae, 913; against anymecus dilaticollis, 1495; against Lixus ncii, 1516; effect of, on Anthocoris spp., 523; in sprays against sorghum pests, 1820; gainst Rhopalosiphum erysimi on mustard in adia, 2682; against Trialeurodes vaporasorum and Myzus persicae, 2705; toxicity of oil treatments with, to mites and Aphis ()ssypii, 3531; in sprays against Aphis fabae, 950; toxicity of, to Coccinella septempuncta, 4119; toxicity of, to primary and tecondary aphid parasites, 4127; toxicity of,) Chrysopa carnea, 4128; against cotton ests, 4137

dacella, Dioryctria vdax, Rhagoletis adicus, Conorhynchus mestriesii, Atrachya

nochilus sexmaculatus, preying on nymphs of vogatella furcifera in India, 2528; as predator aphid pests in West Bengal, 2675; preying la Toxoptera aurantii in India, 3380

entha piperita, DDT residues in hay and oil com, in Indiana, 655; residues of phorate in may and oil of, Tetranychus telarius on, in regon, 686

utha spicata, DDT residues in hay and oil om, in Indiana, 655

thastri, Sphaerophoria

othone, attractancy of, to Anthonomus andis, 1710

ball, action of microgranules of, against tephotettix cincticeps, 2680 P (see Fenitrothion)

wanoplus, methods for preventing removal of asture seeds by, in Oueensland, 1316 "Mercaptomethyl)phthalimide-S-(O-alkyl)kylphosphonodithioates, synthesis and bio-

gical properties of, 3012

scator, Oryzaephilus curic Chloride, effect of, on breaking of diahuse in eggs of Atrachya menestriesii, 46; use i, in method for measuring phosphine con-Intrations, 2617; use of, to prevent fungal towth in culture of Itoplectis conquisitor, 1:87

"cury, content of, in total diet, 7; effect of, in breaking of diapause in eggs of Atrachya renestriesii, 46; residues of, in potato, 828

vidionale, Podagrion

dionalis, Macrosiphum artemisiae

visus destructor, nectar-bearing plants attracve to, 1487

Itoria, Encarsia

keli, Neodiprion mis, parasitising Phthorimaea operculella in

hodesia, 1057 mis nigrescens, effects of, on Schistocerca regaria, 1380

mithid, parasitising Sogatella furcifera in idia, 864

Merodon equestris, recommendation against use of dieldrin dips and aldrin dusts against, 2641 Meromyza americana, loss of yield caused by, to cereal crops in South Dakota, 595

Meromyza coronoseta sp.n. from grassland in Poland, 2571

Merophyas divulsana, infestation and control of, on lucerne in Queensland, 3309; carbaryl against, on lucerne in Queensland, 3319; on lucerne and clover in Victoria, 3900

mesembrinae, Pygmephorus

Mesembryanthemum, pollen of, with honey, as food for Chrysopa californica, 2718

mesnili, Nosema; Perezia

Mesochorus discitergus, parasitising Rogas nolophanae and Protomicroplitis facetosa in Missouri, 1752

Mesodiplogaster lheritieri, pathogenicity of, in larvae of Galleria mellonella, 2222

Mesograpta polita, feeding on pollen on maize

in Venezuela, 985 Mesohomotoma tessmanni, infestation natural enemies of, on cacao in Ghana, 1080; on cacao in Ghana, 2291

Mesoleius aulicus, parasitising Pristiphora erichsonii in Newfoundland, 2003

Mesoleius tenthredinis (see M. aulicus)

Mesomorphus villiger, effect of different insecticides used in tests against, damaging tobacco seedlings in Andhra Pradesh, 1368

Mesopolobus bruchophagi, bionomics

laboratory propagation of, 374
mesozonella, Salebria
mespilella, Phyllonorycter

Mespilus, Cydia molesta on, in Hungary, 293; Eriophyid mites on, in Soviet Union, 3095

Mespilus germanica, Eriophyes pyri emtorquens on, in Soviet Union, 3095

Mesquite (see Prosopis glandulosa)

Messa nana, new to Canada, on birch, biology of, 1269

messoria, Euxoa

Mesurol (see Methiocarb)

Metabletus foveatus, incidence of, in soil in Iucerne fields in Poland, 3585

metacomet, Pnigalio

Metagonistylum minense, Diatraea saccharalis used for rearing of, 3800

Metaisosystox (see Methyl-demeton-S)

Metamasius hemipterus sericeus, attacking sugar-cane in Cameroun Republic, 1068; Rhadinaphelenchus cocophilus not found in, on coconut in Venezuela, 2018

Metanastes vulgivagus, on cotton in New South Wales, 3030

Metanastria hyrtaca, infesting Moringa oleifera in southern India, 2205;

Metaphycus (see Aphycus)

Metapolophium (see Macrosiphum)

Metarrhizium anisopliae, infecting Oryctes rhinoceros, 504; infesting Diabrotica balteata, 663; infesting Oryctes rhinoceros on coconut in Western Samoa, 884; as natural control agent against Derobrachus brevicollis in Georgia, 926; effectiveness of, for control of Hylobius pales, 2438; infecting Saccharosydne saccharivora, 2666; infecting Hylobius rhizo-phagus on Pinus banksiana, 2812; insect toxins from, 3271; attacking Rhopaea magnicornis, 3321; infecting Bothynoderes puncti-

ventris, 3474 Metaseiulus occidentalis, preying on Tetrany-chus telarius in California, 149; anatomy of, on apple in Utah, 367; as predator of Eotetranychus carpini borealis on pear in Oregon, 597; effect of insecticides applied against Cydia pomonella on, on apple in British Columbia, 620; toxicity of insecticides to strains of, 622; photoperiodic induction of diapause in, 943; effect of predation by, on *Tetranychus mcdanieli*, 1200; comparative studies on four strains of, in U.S.A., 1930; comparative studies on strains of, 2326; comparative studies of predation by, and Phytoseiulus persimilis on Tetranychus telarius, 2626; predacious on spider mites in pear orchards in Oregon, 2786; as predator of vine mites in California, 3206; low toxicity of tricyclohexyltin hydroxide to, preying on mites on apple in British Columbia, 3638

Metasyrphus (see Syrphus) Metasystox (see Methyl-demeton) Metasystox i (see Methyl-demeton-S)

Meta-Systox-R (see Oxydemeton-methyl) Metasystox-S (see O,O-Dimethyl S-(2-Ethyl-

sulphinyl-1-methyl)ethyl Phosphorothioate) Metatetranychus (see Panonychus)

Metation (see Fenitrothion)

Metcalfa pruinosa, infestation and control of, in Florida, 3723

meteori, Sympiesis Meteorology, migration and, 263

Meteorus argyrotaeniae, parasitising Acleris gloverana in Alaska, 3286

Meteorus cognatus, parasitising Saperda inor-nata in Michigan, 1194

Meteorus versicolor, effect of bacterial preparations applied against Malacosoma neustria on, 710

Metepa, as chemosterilant for Choristoneura fumiferana, 586; sterilisation of males of Phthorimaea operculella by, 2755; effects of, on Drosophila melanogaster, 2763; behavioural effects of, on males of Drosophila melanogaster, 2776; effect of, as chemosterilant for Choristoneura fumiferana, 3211

Methallyl Chloride, toxicity of, to pests of

stored products, 3122

Methanol, as solvent in extraction of dieldrin and γ -BHC from wheat, 2372; attractiveness of, to *Trypodendron lineatum*, 2820; use of, in

soil extraction of dieldrin, 3016

Methidathion, compatibility of fungicides with against pests of plum, against Tetranychid mites, 280; against Cydia molesta, 293; metabolism of, in lucerne plants, 328; determination of, in forage crops, 329; fate of, in lactating cow, 330; effect of, in sprays on Cydia pomonella and other pest and beneficial species on pear, 603; against Keiferia lycopersicella, 608; against Rhagoletis pomonella, 902; against Phthorimaea operculella, 1057; against Ascotis selenaria reciprocaria, 1067; against Epiphyas postvittana, on apple in Tasmania, 1299; against Cydia pomonella, 1314; against Quadraspidiotus perniciosus, 1399; against Agrotis orthogonia, 1719; against biotype of Schizaphis graminum and

other insects, 1743; effect of, on reproducted potential of Tetranychus telarius, 1769 against aphids, 1921; against Epitrix hirn pennis, 2192; against Nepticula jugland foliella, 2383; against Tetranychus telarid 2450: against Unaspis vanonensis, 261 against Hypera postica, 2780; effects of dair ingestion of, on calves, 3010; against Hyper postica, 3200; labelled with 14C, 3215; mer bolic fate of, in plants, soil, insects an mammals, 3215; against Hyperodes, 3232 against Schizaphis graminum, 3236; againt Phenacaspis pinifoliae, 3783; against Aona diella aurantii, 4089

Methiocarb, effectiveness of, against Scioputh obscurus, 679; in baits and sprays again: Tipula spp., 787; against Rhagoletis pont nella, 902; in sprays against Cydia pomonele damage to apples by, 1314; toxicity of,

beet weevils, 3128

Methiochlor, comparative metabolism of, are DDT and methoxy-DDT in mammals, as insects, 2741

Methionine, in artificial diets for Myzus persicco 1243; lack of, in diet affecting reproductive in Pseudosarcophaga affinis, 1748

Methomyl, effect of, in sprays on Cydia pont nella and other insects and mites of appil 620; effects of, applied to larvae of Chorism neura occidentalis, 646; effectiveness against Ascotis selenaria reciprocaria, bi assays of, with parasites of Coccus alpini suitability of, for use on coffee, 1067; effet tiveness of, against Orosius argentatus, 1563 in sprays against Agrotis orthogonia, 1711 toxicity of, to Leptinotarsa decemlinea? 1781; in sprays against Myzus persicae a Macrosiphum euphorbiae, 2022; against E trix hirtipennis, 2192; against Hypsip grandella, 2488; against Myzus persico 2804; against Lepidoptera, 2886; against Homona coffearia, 3044; against Eryth neura elegantula, 3234; against Spodotte eridania, 3242; toxicity of soil treatment with, to mites and Aphis gossypii, 35.4 toxicity of, to honey bees, 3880; in spreadors against Conorhynchus mendicus, 4015; agais

Aonidiella aurantii, 4089; effect of

acylation of, 4090

Methoxy-DDT, residues of, on Corchologolitorius, 98; effect of lipid content on s ceptibility to, in Hypera postica, with man thion, 173; spray drift reduced by additions thickeners to, 182; against Hypera posting 194; against Epitrix hirtipennis, 199; again Sitona cylindricollis, 208; toxicity of, to be 279; in sprays against Anuraphis devecta a A. plantaginea, 739; toxicity of, to nature enemies of aphids, 1112; against Exoteu dodecella, and DDT, and BHC, 1138; mixture against pests of sugar-beet, 1505; toxic to Alopecosa kochi, 1720; toxicity of Scolytus multistriatus and Dendrosoter p tuberans, 1733; on-target deposits from aelit application of, 1767; against elm bark-beets 1919; unsatisfactory against Phthorim operculella, 2059; against Haplodiplosis m. 18 ginata, 2298; effect of, on Tetranychidae Phytoseiidae, 2577; comparative metabol

f, with DDT and methiochlor in insects, 1741; with malathion, against Hypera postica. 780; against Hypera postica, with diazinon, 1200; susceptibility of fruit-flies to, at diferent body sites, 3217; against Tineola bisselsella, and pyrethrins, 3538

Ilethoxy-4H-1,3,2-benzodioxaphosphorin-2ulphide, in sprays against Myzus persicae nd Macrosiphum euphorbiae, 2022; action of,

gainst Laodelphax striatella, 2680

N-Methoxycarbonyl-N-methylcarbamoylhethyl) dimethyl phosphonothiolthionate, gainst Pemphigus populitransversus, 2444 (thoxychlor (see Methoxy-DDT)

12-(5-Methoxyindol-3-yl)ethyl)acetamide :ffect of, in diet on development and repro-

juction in Heliothis spp., 619

In ethoxy-4-methylsulphinylmethyl- Δ^2 -1,3,4miadiazolin-5-one, as derivative of methi-tathion, in rats, 3215

. Hethoxy-4-methylsulphonylmethyl- Δ^2 -1.3.4niadiazolin-5-one, as derivative of methid-thion in rats, 3215

2-Methoxy-5-oxo-Δ2-1,3,4-thiadiazolin-4rl(methyl] O,O-dimethyl Phosphorodithioate

ee Methidathion)

:lethoxyphenyl Methylcarbamate, against aodelphax striatella and Nephotettix cincti-.eps, 2500

Hethoxyphenyl Methylcarbamate, against ; aodelphax striatella and Nephotettix cincti-.eps, 2500

Tethoxy- Δ^2 -1,3,4-thiadiazolin-5-one, as derivative of methidathion in plants and mam-

thyl Aromatic Terpenoid Ether, blocking of imbryonic development in Choristoneura imiferana by, 3636

thyl p-Benzoate, in medium for Cephus

inctus, 3248

thyl Bromide, residues of, in fruits and egetables, 132; against Arhopalus ferus, 236; exicity of, to Tribolium castaneum and lodia interpunctella in groundnuts, 405; igainst Tyrophagus putrescentiae and Calo-Typhus berlesei, 466; toxicity of, to Sancasania krameri and Tyrophagus putrescentiae, 72; against Ephestia cautella, 1050; against rogoderma spp., 1069; against insects in cored cacao, 1071; against insect pests in air carehouse, 1072; against pests in stored roundnuts, 1073; against stored-products tests, 1077; for control of stored-product nites, 1540; schedules recommended for use of, against stored-product pests, 1541; effect f, on seed germination, 1543; against storedroduct insects, 1765; residues of, in wheat Ind flour, after cold solvent extraction, 2171; orption of, by wheat, and maize of different aoisture contents and load factors, 2390; gainst Acarus siro, 3120; susceptibilities of ryzaephilus surinamensis and Sitophilus ranarius to, 3301; phytotoxicity of, to range and olive, 3463; against Dioryctria

O-4-Bromo-2,5-dichlorophenyl **Aethyl** henylphosphonothioate, against cotton inects, 189; persistence of residues of, on loastal Bermuda grass, oxygen analogue of, 204; and endrin, against Spodoptera littoralis, 819; toxicity of, to Leptinotarsa decemlineata, 1781; in guide to new compounds, 2557; sprays of, against Heliothis, 2779; against Lepidoptera, 2886; effect of, on plants, against Spodoptera eridania, 3242

N-(Carbamoyloxy)thioacetimidate, against cotton insects, 189; in sprays against Myzus persicae and Macrosiphum euphorbiae,

Methyl Cellulose, repellent effect of, in prevention of ant removal of pasture seeds, 1316

Methyl Cyclohexanepropionate, as lure for *Popillia japonica*, with eugenol, 607, 1692 Methyl-demeton, in sprays against Rhopalo-siphum erysimi, 68; against Anarsia lineatella, 277; in sprays against Tydeus vitis, 713; in sprays against Quadraspidiotus perniciosus, 714; effect of, on apple, 714, 715; effect of, on plum, 715; in sprays against Anuraphis devecta and A. plantaginea, 739; in sprays against Anuraphis helichrysi, 872; in sprays against Tetranychus mexicanus, 988; against Edwardsiana spp., 1100; residues of, in carrots, 1164; in sprays against aphid vectors of barley yellow dwarf virus, 1322; in sprays against *Thrips tabaci*, 1823; against *Macro*siphum pisum, 2033; not controlling Eriophyes padi on plum, 2653; against Rhopalosiphum erysimi on mustard, 2682; effect of soil applications of, on Bucculatrix thurberiella, against Tetranychus cinnabarinus, against Trialeurodes vaporariorum and Myzus persicae, 2705; against mites, 3567; persistence of residues of, in strawberry, resistance to, in Tetranychus telarius, 3832; against Myzus persicae and Epicauta atomaria, 3847; in sprays against aphids, Empoasca sp. and Tetranychus telarius, 3942

Methyl-demeton-O, with herbicides, against

Rhopalosiphum padi, 1163

Methyl-demeton-S, against cotton pests, 96; Drosophila melanogaster as test organism for screening of, 100; toxicity of, to honey bees, 102, 105, 106; toxicity of, to natural enemies of aphids, 1112; against Tetranychids in orchards, 2577; against Panonychus ulmi, 3111; toxicity of soil treatments with, to mites and Aphis gossypii, 3531; toxicity of, to Coccinella septempunctata, 4119; daily rhythms of activity of insects and susceptibidaily lity to, 4121; toxicity of, to primary and secondary aphid parasites, 4127; toxicity of, to Chrysopa carnea, 4128

Methyl 3,4-Dichlorophenyl Methylphosphonate, determination of residues of, in crops,

4100

O-Methyl O-3,4-Dichlorophenyl Methylphosphonothioate, determination of residues of, in crops, 4100

Methyl (+,--)-trans,trans,cis-10-Epoxy-7-ethyl-3,11-dimethyl-2,6-tridecadienoate, applied to Drosophila melanogaster, 2177

Methyl Ethyl Ketone, vamidothion in, 3915 Methyl Eugenol, in traps for Chrysopa basalis,

Methyl Farnesoate, dihydrochloride of, applied to larvae of Drosophila melanogaster, 2177; effect of, on embryogenesis in Pyrrhocoris

apterus, 4114

Methyl p-Hydroxybenzoate, in diet for Cydia pomonella, 144; in diet for Epiphyas postvittana. 893: in diets for Drosophila melanogaster, 1246; in diet for Heliothis virescens, 1693; in diet for Ips calligraphus, 1705; in diet for Heliothis zea, 1756; in diet for Dacus cucurbitae, 1778; in diet for Anarsia lineatella, 2425; in diet for Cydia pomonella, 3221; in diet for Scutigerella immaculata, 3228

Methyl 18β-Hydroxy-11,17α-dimethoxy-3β,20αyohimban-16β-carboxylate-3,4,5-trimethoxybenzoate, effect of, in diet on development in

Heliothis spp., 619
Methyl Indole-3-acetate, effect of, in diet on development and reproduction in Heliothis

Methyl Palmitate, in diet for Galleria mel-

lonella, 579

Methyl-parathion, toxicity of, to honey bees, 106; against Anthonomus grandis and Heliothis zea, with malathion, 127; against cotton insects, 160; effect of lipid content on susceptibility to, in Hypera postica, 173; against cotton insects, 189; effective against Hypera postica, 194; against Heliothis zea, 197; against Heliothis virescens and H. zea, 209; against Bucculatrix thurberiella, 215; resistance to, in Heliothis virescens, 221; against Hellula phidilealis, with DDT, and toxaphene, 234; against Stigmella malella, 285; against Cydia molesta, 293; resistance to, in Myzus persicae, 299; effect of, on egg production of Anthonomus grandis, 411; effect of fatty-acid composition of Heliothis zea on susceptibility to, 596; persistence of deposits of, against Keiferia lycopersicella, in sprays against Keiferia lycopersicella, 608; phytotoxicity of sprays of, to sorghum, 618; toxicity of, to irradiated and normal adults of Pectinophora gossypiella, 673; in dusts and sprays against Piesma quadratum, 723; in sprays against Anuraphis devecta and A. plantaginea, 739; effects of adding molasses to, in sprays against Heliothis zea, 922; in sprays against Heliothis zea, H. virescens and Anthonomus grandis, with other insecticides, 392; susceptibility to, in Tenebrio molitor, 941; toxicity of, to natural enemies of aphids, 1112; in sprays against Hoplocampa crataegi, 1114; in sprays against Oxycanus fuscomaculatus in pastures in Tasmania, 1297; in sprays against Epiphyas postvittana, on apple in Tasmania, 1299; in sprays against Oncopera intricata on pasture and field crops in Tasmania, 1301; in sprays against Spodoptera litura, toxicity of, to Tephritids, 1694; toxicity of, to Lepidopterous pests of cotton, 1698; persistence of residues of, on cotton, 1699; effect of, on reproductive potential of Tetranychus telarius, 1769; in sprays against Myzus persicae and Macrosiphum euphorbiae, with parathion, 2022; persistence of, against Ceratitis capitata, 2066; aerial application of, against Heliothis zea, 2070; against Homoeosoma electellum, 2391; increasing fecundity in Coccus hesperidum on Citrus seedlings, 2414; against Homoeosoma electellum, 2415; in tests against rice leafhoppers, 2504; with other insecticides against Heliothis spp., 2779 susceptibility of Adoxophyes orana to, 3048 against *Panonychus ulmi*, 3111; against *Heliothis armigera*, 3130; treatment with reducing incidence of virus in asparagus 3169; against Anthonomus grandis, 3198 against Hypera postica, 3200; against Heliothis zea, with molasses, 3204; against Schizaphis graminum, 3236; drift of, aerialli applied at low volume, 3239; again: Heliothis zea, with carbaryl, 3242; suscept bility of Heliothis zea to, 3251; effects of sull lethal doses of, on Eurygaster integricep-3445, 3451; effect of, on sorghum yield, 34464 against Adelges tardus, 3517; residues of, i. olives and olive oil, 4009; against Scaphoider's littoralis, 4047; determination of residues of in crops, 4100; daily rhythms of activity insects and susceptibility to, 4121; against 4139; again Phyllonorycter pyrifoliella, Eurygaster integriceps, 4146

O-Methyl S-Phenyl Methylphosphonodithioata in sprays against Heliothis virescens, 1747

O-Methyl Phosphoramidothioate, with Isu propyl salicylate O-ester, against Pemphigus populitransversus, 2444; with isopropyl salici late O-ester, against Schizaphis graminum 3236

O-Methyl Phosphoric Acid, as metabolite

bromophos, 464

N-Methyl Pyridinium-2-aldoxime, failure of, ... antidote for poisoned honey bees, 1715 Methyl p-Quinone, response to, in Tribolius

confusum, 1849

n-Tetradeca-trans-2,4,5-trienoata (—)Methyl produced by males of Acanthoscelia obtectus, 316

3,7,11-Trimethyl-2,6,10-dodecatriens Methyl

Ether (see Farnesyl Methyl Ether) 2-Methyl-4-allylphenyl Methylcarbamate (st

AMPMC)

m-(1-Methylbutyl)phenyl Methylcarbaman m-(1-ethylpropyl)phenyl and methylca bamate, soil treatment with, in granula against Diabrotica spp., 644; in sprays agairi Agrotis orthogonia, 1719; against Bothyn deres punctiventris, 3138; and m-(1-etht propyl)phenyl methylcarbamate, 3138, 313 against Phytodecta fornicata, 3139

N-((Methylcarbamoyl)oxy)thioacetimidic Action Ester with 3-mercaptopropionitrile, synismer, against Heliothis virescens and H. ze

N-(2-Methyl-4-chlorophenyl)-N', N'-dimeth formamidine, metabolism and translocation of, in grapefruit seedlings, 181; against Bib culatrix thurberiella, 215; effectiveness of, sprays against mites, 297; against Eotetran chus carpini borealis, 597; toxicity of, Stethorus punctum, 670; in sprays again Panonychus ulmi and Tetranychus spp., 88 in sprays against Tetranychus mexicanus, 98 against Lepidoptera, 2886; against Panoris chus ulmi, 3859

N-(2-Methyl-4-chlorophenyl)-D-glycosylamitin as metabolite of insecticide in apple seedling

332

Ithylene Chloride, attractiveness to males of xtract of, of females of Adoxophyes orana, 3018-1020

1-Methylenebis-(4-hydroxycoumarin), effect if, in diet on development and reproduction

in Heliothis spp., 619 61s-3',4'-Methylenedioxyphenoxy-6,7-epoxy-1,7-dimethyl-2-nonene, effect of, as insect

is-3',4'-Methylenedioxyphenoxy-6,7-epoxy-1,7-dimethyl-2-octene, effect of, as insect

cvicide, 164
is-3',4'-Methylenedioxyphenoxy-6,7-epoxy-1-ethyl-7-methyl-2-nonene, effect of, as insect vicide, 164

|thylenedioxyphenyl Compounds. themical aspects of, in relation to synergistic

oction, 1619

flethylindole, effect of, in diet on developnent and reproduction in *Heliothis* spp., 619. Ilethyl-1-naphthyl Thiocyanate, in dips igainst Phyllocoptruta oleivora, 591

: Methyl-N-(1-naphthyl)monofluoracetamide gainst Costalimaita ferruginea, 2832

:Tethylphenyl Methylcarbamate, in tests rgainst rice leafhoppers, 2504; against plantoppers and leafhoppers, 2635

wiculosus, Agriotes

Atil-Merkaptofos (see Methyl-demeton) stiram (see Polyethylene Thiuram Disul-

stopolophium (see Macrosiphum)

tox (see Methoxy-DDT)

striona bicolor, attacking Calystegia sepium in Ontario, 505

stzneria lappella, in seed heads of Arctium vinus and A. tomentosum in North Dakota, Tymenopterous parasites of, 939

"zneriae, Agathis

unieriella mangiflorae sp.n., on mango in

andia, 3370

vinphos, resistance to, in Myzus persicae, 99; in sprays against Eriophyes insidiosus, 27; against Otiorhynchus sulcatus, adjuvant encreasing effectiveness of, 678; against Uscotis selenaria reciprocaria, 1067; against feliothis armigera, 3130; against lucerne ests, 3450; in sprays against Apion rarduorum, 3510; residues of, in strawerry, 3832; toxicity of, to Coccinella septemunctata, 4119; toxicity of, to primary and econdary aphid parasites, 4127; toxicity of, o Chrysopa carnea, 4128

cicana, Marietta

vsicanus, Tetranychus

scicanus puncticallis, Leptotrachelus

xico, Anthonomus grandis on cotton in, 131; athogens and pests associated with Tephritid ies in laboratory in, 207; Trichogramma retiosum in, 360; long-range dispersal of Anthonomus grandis in, 685; termites in, 959; Teliothis stombleri sp.n. in, 1685; Anastrepha udens killed in buried mangos and oranges n, 1741; review of work on Anastrepha idens and Aleurocanthus woglumi in, 1957; Dendroctonus rhizophagus sp.n. on pine in, 987; Antonina graminis in, 2034; Zonosenata vittigera in, 2771; Ips hoppingi in, 2993; Gerstaeckeria spp. in, 3201; Ips spp. in, 3623; Anastrepha ludens in, 4069

MGK 874 (see 2-(Octylthio)ethanol)

micacea, Hydraecia

micans, Dendroctonus

Mice, toxicity of phoxim and its analogues to. 2871; induction of microsomal oxidase system in, by DDT, 3197; absence of acute oral toxicity of *Hyalophora cecropia* juvenile hormone in, 3611; penetration of insecticides through isolated midgut of, 3786

Michigan, Collembola of, 568; Saperda inornata on Populus tremuloides in, 1194; introduced parasites of Oulema melanopus in, 1755; control of elm bark-beetles in, 1919; control of onion maggot and smut in, 1920; control of Oulema melanopus and aphids on oats in, 1921; Hylobius radicis damaging Pinus resinosa in, 2353; establishment of Microctonus aethiops in, as parasite of Hypera postica, 2451; Berytinus minor in, 2476; Conophthorus spp. on pines in, 2822, 2823; dispersal of Pleolophus basizonus in, 2990; Dendrosoter protuberans as control agent for Scolytus multistriatus in, 3196; Anaphes flavipes established against Oulema melanopus in, 3233; Aphrophora saratogensis on Pinus resinosa in, 3241; Phyllonorycter spp. on apple in, 3642

Micractis (see Ostrinia)

Microbial Agents, survey of methods of testing, 1173;

Microbial Control, of mites and ticks, 2268; of aphids and scale insects, 2269; of termites, 2270; influence of environment and crop management on, 2271; possibility of pest resistance to, 2272; economics of, 2279; past achievements of, and future prospects for, 2285

Microbial Insecticides, standardization and assay of, 2279; formulation of, 2280;

Microbracon hebetor (see Bracon)

Microcerotermes serratus, infestation and control of, in Queensland, 3025

Microclimate, differences of, affecting population parameters of strains of Tribolium castaneum, 2623

Microctonus, effect of diet and temperature on survival of, in Hypera postica, 2930

Microctonus aethiops, parasitising Hypera postica in U.S.A., 1950; as parasite of Hypera postica, 2334; distribution of, in U.S.A., 2410; response of, to mixture of cis,trans- and trans,trans-10, 11-epoxyfarnesenic acid methyl ester, 2449; establishment of, as parasite of Hypera postica, in Michigan, 2451; as parasite of Hypera postica, 2930

Microctonus colesi, parasitising Hypera postica in U.S.A., 1950; distribution of, in U.S.A., 2410; response of, to mixture of cis, transand trans, trans-10,11-epoxyfarnesenic acid methyl ester, 2449

Microctonus deceptor, parasitising Altica quercetorum in Soviet Union, 3563

Microdiprion, Japanese species of, 2492

Microdiprion hakusanus, as sp.n. from Japan, 2492

Microgramme arga, feeding on fungi, 2359

Microlepidoptera, attacking Centaurea solstitialis, 506

Micromelum minutum, Papilio palinurus daedalus on, in Philippines, 498

Micromus (see Austromicromus)

Micro-organisms, as sources of new toxins, 2262; synergism of, and chemical insecticides, 2267

Microplitis croceipes, parasitising Heliothis spp. in Georgia, 2360; substance stimulating hostseeking by, 3697

Microplitis demolitor, introduced into Egypt against Spodoptera spp., 2712

Microplitis feltiae, parasitising Agrotis ipsilon and Lacinipolia renigera in U.S.A., 363

Microplitis rufiventris, parasitising Spodoptera littoralis in Israel, 253; bionomics of, parasitising larvae of Spodoptera spp. in Egypt, 2712; parasitising Spodoptera littoralis on cotton in Israel, 3702

Microscope, adaptation of for stereoscopic viewing of small insect parts, 846

Microscopy, use of glycerol-KC1 in, 3706 Microscopy, Electron, of wheat streak mosaic virus-like particles in Aceria tulipae, 974; of Tipula iridescent virus in Galleria mellonella, 975; of RNA of cytoplasmic poly-

hedrosis virus of Bombyx mori, 977; of haemocytes of Spodoptera littoralis, 3648, 3654

Microsporidia, ineffectiveness of, to activate polyhedrosis virus in *Colias eurytheme*, **549**; infecting Euproctis flava, 1337; infection with, affecting juvenile-hormone-like effect of frass of Tenebrio molitor, 3660; simultaneous infection with viruses and, in Heliothis zea, 4129

Microtermes mycophagus, a new record of Dorylus labiatus preying upon, in India, 1364; Microterys lunatus, as parasite of Eulecanium prunastri, 1513

Microtus pennsylvanicus, temporary effect of endrin on population of, in Canada, 3292

Microweisea, review of genus of, 3673

Microweisea marginata, as type-species for Cryptoweisea peninsularis gen. et sp.n. in North America, 3673

Middle East, Salticella fasciata in, 854 Midilinae, revision of subfamily of, 528 Miedzian 50 (see Copper Oxychloride)

Migdolus morretesi, bionomics, host-plants and

behaviour of, in Brazil, 3801 Migration, of Plutella xylostella from Finland to Britain, 2241; discussion on insect, from Finland, 2251

migratoria, Locusta

migratorioides, Locusta migratoria

mikii, Asphondylia

Mildew, combined control of, and mites on vines, 296, 297; fungicides applied against, on grape vines, 786; sprays against on apple in Germany, 2142; sulphur dust against, 3203

Milk, residues of methidathion in, 330; fenthion residues in, after feeding cows treated silage, 621; in diet for Popillia japonica, 952; distribution of dieldrin in fractions of, 1974: reduction of residues of γBHC , endrin and DDT in, 2729; metabolite of carbaryl in, 3017; determining carbanolate residues in, 3018; metabolites of methidathion in, 3215 evaporated, in diet for Hylemya antiquo 3633; contamination of, by insecticides, 37242 in diet for Spodoptera littoralis, 3938

Milk Powder, in diet for Pegomya betae, 34404 development of Acarus siro on, 3708; in diel

for Heliothis armigera, 4011

Milk Solids, commercial preparation contain ing, in diet for Heliothis zea, 1756

Milkweed (see Asclepias)

Millet, Pearl (see Pennisetum typhoides)

millierella, Phyllonorycter

Millipedes, descriptions and bionomics of, i India. 1372:

Milorganite, aldicarb mixed with, 3262 Mimosa, Bruchidae associated with, 916

Mimosa strigillosa, Acanthoscelides tridenty culatus sp.n. in seed-pods of, in Texas, 916 mimosae, Crematogaster; Gascardia

minense, Metagonistylum

Mineola (see Acrobasis) Mineral Oil, suppressing virus yellows of sugar beet, 2485; inhibition by, of transmissi of plant-pathogenic viruses by aphids, 26000 Mineral Salts, in diet for Cydia pomonella, 3222

minimuncus, Panka

Minnesota, Ostrinia nubilalis on maize in, 94% Adelphocoris lineolatus damaging lucerne i 1774; Capsus simulans causing silvertop of Poa pratensis in, 2424; sugar-beet viruyellows in, 2485; Choristoneura pinus in, 3686 minor, Berytinus; Neophilaenus; Pleocoma Mint Oil, DDT residues in, in Indiana, 655 Minthea rugicollis, larval activity of, 1009 minuscula, Phytomyza

minuta, Hoplocampa; Sergentomyia minutiseta, Liriomyza minutum, Trichogramma

minutus, Lathridius; Orius

MIPC (see 2-Isopropylphenyl Methylcarbar ate) Mipcin, microgranules of, against rice pest

2680

mirabilis, Cerapterocerus Miramella alpina, bionomics, food-plants are control of, in Yugoslavia, 438

miranda, Saissetia

Mirex, alternative carrier for, in baits for control of Solenopsis saevissima, 1770; in gelatta or plastic coats, for control of Solenopula

saevissima richteri, 2411

Miridae, carbaryl against cyclodiene-resistant on cacao in Ghana, 2294; of Puerto Ricio 2722; effect of insecticides on, in cotto fields, 2781; attacking cacao in Ivory Coand 2287; of Galapagos Islands, 2836; collected from galls of Psyllopsis fraxinus on ash t France, 3516; preying on Phyllonoryca blancardella on apple in Quebec, 364 insecticides against, on cacao in Ivory Coanta 3959, 3960

miridivorus, Tetrastichus

Mirococcus inermis, synonymy of, 2708 Miscanthaspis, Aulacaspis tegalensis included genus of, 3968

miscanthi, Macrosiphum

Mississippi, Heliothis zea on strains of cottains 192; birds preying on Zeadiatra grandiosella on maize stubble in, 369; to a

mites attacking timber in, 389, 390; Rhyacionia frustrana and its natural enemies on Pinus taeda in, 562; Zeadiatraea grandiosella on maize in, 613; studies on larvae of tanthonomus grandis in, 1189; baits for Solenopsis saevissima in, 1770; survey of leafhoppers on soy bean in, 1771; pesticide colerances of freshwater invertebrates in. 1962; Johnson-grass mosaic virus on maize n, 1972; Dioryctria amatella damaging pines n, 2367; control of Solenopsis saevissima vichteri in, 2411; attractiveness of formuations of grandlure to Anthonomus grandis n, 2435; shipment of Anthonomus grandis irom, 2440; tests for control of Tetranychus relarius on cotton in, 2450; growth of Heliothis zea on cottons in, 2764; host-plant preferences of Trichoplusia ni in, 2769; relative susceptibilities to soil insecticides of Coptotermes formosanus in, 2778; tests of nsecticides for control of cotton pests in, 2779; effect of insecticides on predacious arthropods in, 2781; Erythroneura gemina in, 2966; control of subterranean termites in, B245; Anthonomus grandis on cotton in, 3264; numan serum DDT concentration related to environmental DDT exposure in, 3725; pesticide residues in, 3729; insecticide residues in plants in, 3731; possible mechanism n development of insecticide-resistant fish En 3747; parasitism of Heliothis virescens by Cardiochiles nigriceps in, 3752 tissouri, Hypera spp. in, 113; Sitotroga cereal-

ella used in selection of high-amylose inaize in, 169; spider mite complex in, 228; Agrotis ipsilon and Lacinipolia renigera parasitised by Microplitis feltiae in, 363; Bradysia impatiens on soy bean in, 364; emergence cage for adults of Diabrotica spp. in, 688; Pieris rapae in, 945; Ostrinia nubilalis on maize in, 949; Pieris rapae and Trichoplusia ni barasitised by Trichogramma evanescens, in, 1195; Heliothis stombleri sp.n. in, 1685; parasites of Plathypena scabra on lucerne and soy bean in, 1752; Diabrotica virgifera in, 2361; overwintering habits of Trichogramma spp. in, 2379; parasites released against Pieris rapae on cabbage in, 3240

risumenops asperatus, on lucerne in Virginia,

isumenops celer, biology of and its significance tin biological control of sorghum pests, 2333 ites, attacking Schistocerca gregaria in India, 59; insecticides controlling, on Solanum melongena in India, 73; attacking Dacus pleae in laboratory, 207; infesting farm grain stores in Britain, 474; in São Tomé and Principe, 500; infesting Oryctes rhinoceros in India, 504; insecticide resistance in, Australia, 516; in Queensland, 521-522; insecticides to determine damage by, to cotton in Mozambique, 1061; as pest of seeds of fodder plants in Soviet Union, 1097; preying on eggs of Marchalina caucasica sp.n. in Soviet Union, 1107; chemical control of, 1149; infestation by, of dry plant and animal products carried in freight containers, 1551; associated with apple in Nova Scotia, 1676; factors affecting threshold values for control

of, 1832; role of, in agricultural production in India, 2104; list of injurious, in Holland, 2247; microbial control of, 2254-2285; petroleum oils against, on orange in Texas, 2793; relationships between insects and, in forest habitats, 2819; attacking tropical crops, 2865; associated with Melanaspis obscura in Maryland, 2906; control of, on apple in Pennsylvania, 2950; preyed on by Amblyseius finlandicus in Poland, 3102; passage of, through alimentary canal of verte-brates, 3117; effects of cleaning grain with granary grain-cleaner on numbers of, 3118; on maize, 3152; in stored grain in tropical and subtropical areas, 3174; bibliography of, plant-feeding, in India, 3361; on Citrus in Mozambique, 3393; in storehouses and human habitations in Bulgaria, 3452; in Portugal, 3504; collected from galls of Psyllopsis fraxinus on ash in France, 3516; control of, on grape vine, 3567; preying on Phyllonorycter blancardella on apple in Quebec, 3642; associated with plants of economic importance in Brazil, 3822

mitocera, Oncopera mixta, Orgyia miyarai, Adelencyrtus

Mobam (see Benzo[b]thien-4-yl Methylcarbamate)

mobaraensis, Streptomyces

Mocap (see O-Ethyl S,S-Dipropyl Phosphorodithioate)

Mocis trifasciata, as pest of legume seed crops in Queensland, 3022

Mock Orange, Pseudocneorhinus bifasciatus on,

in Indiana, 413
Models, of host-parasite insect interactions, 2989

modestus, Podisus

modulatus, Nephotettix

Molasses, in medium for Drosophila melanogaster, 100; spray drift reduction with, added to methoxy-DDT, 182; effects of addition of, to insecticidal sprays against Heliothis zea, 922; combined sprays of, and carbaryl against Heliothis armigera, Diparopsis casagainst Heliothis armigera, Diparopsis castanea and Earias spp., 1054; in baits for Ceratitis capitata, 2025; parathion with, against Heliothis zea, 2070; in insecticide sprays against Heliothis zea, 3198; methylparathion with, against Heliothis zea, 3204

molesta, Cydia molitor, Tenebrio

mollipes, Draeculacephala

Mollusca, insecticide residues in, 3748; intercepted in quarantine in New South Wales, 3894

Moloukhia (see Corchorus olitorius)

mombinpraeoptans, Anastrepha

Momordica charantia, preference by Aulacophora lewisii, 861

monacha, Lymantria

Monalonion dissimulatum, on cacao in Brazil,

Monitor (see O,S-Dimethyl Phosphoramidothioate)

monitorana, Eucosma monoceros, Oryctes

Monochaeta (see Cyzenis)

Monochamus, sequential sampling plan for larvae of, in logs of Pinus contorta in Alberta, 1737

Monochamus alternatus, Medetera sp. feeding on dead larvae of, 52; toxic action of γBHC and ethylene dibromide to, on pine in Japan,

Monochamus oregonensis, reared from felled spruce trees in British Columbia, 1668

Monochamus quadrimaculatus, infesting cedar pine in Transbaikalia, 1484

Monochamus urussovii, bionomics of, 1482

Monocrotophos, against cotton insects, 189; against Bucculatrix thurberiella, 215; resistance to, in Heliothis virescens, 221; against Cvdia molesta, 293; in sprays against Zeadiatraea grandiosella, 613; toxicity of, to irradiated and normal adults of Pectinophora gossypiella, 673; in aerial sprays against Tetranychus telarius, 686; in sprays against Heliothis zea and Anthonomus grandis, 923; toxicity of, to Lepidopterous pests of cotton, 1698; effect of cholinesterase reactivators on honey bees poisoned with, 1715; in sprays against Agrotis orthogonia, 1719; uptake of, applied to stems of cotton, 1735; in sprays against Myzus persicae and Macrosiphum euphorbiae, 2022; aerial application of, against Heliothis zea, 2070; sprays of, against Spodoptera littoralis, 2389; against Schizaphis graminum, 2403; deposits from low-volume and ultra-low-volume sprays of, 2413; against Pemphigus populitransversus, 2444; in sprays against Tetranychus telarius, 2450; against Hypsipyla grandella, 2488; against Osphranteria coerulescens, 2782; against Lepidoptera, 2886; trunk injection with, against Graeffea crouanii, 3035; against rice pests, 3042; against Bothynoderes punctiventris, 3138; against Phytodecta fornicata, 3139; against Heliothis zea, 3204; against Schizaphis graminum, 3236; resistance to, in Tetranychus telarius, 3404; in dusts against Enneothrips flavens and Stegasta basqueella, 3809; against Aceria guerreronis, 3820; toxicity of, to honey bees, 3880; in sprays against Mirids, 3960; in sprays against Conorhynchus mendicus, 4015; against Aonidiella aurantii, 4089; in sprays against Eurytoma amygdali, 4098

Monoctonia pistaciaecola, parasitising Pem-phigus and Forda in Italy, and eastern Europe,

1124

Monoctonus paulensis, host specificity of, parasitising aphids in California, 3777

monodactylus, Oidaematophorus

Monolepta australis, attacking groundnut in Queensland, 3312

Monomorium, methods for preventing removal of pasture seeds by, in Queensland, 1316; predacious on Diatraea saccharalis on sugarcane in Cuba. 2725

Monomorium pharaonis, chlordecone baits against, in Britain, 855; DETA 25 against, in Czechoslovakia, 1493; biology and control of, in buildings in Germany, 2593, 2594; infestation and control of, in buildings in Poland, 3124

Mononychus punctumalbum, as pest of seeds of ornamental plants in U.S.S.R., 1097

monostictalis, Epipagis

Monoterpenes, repellent effect of, on Trypodene dron lineatum, 2820 Monsanto CP-7769 (see Hexaethyl Ethylthior

methylidynetriphosphonate) Monsanto CP-8574 (see Tetramethyl (Dithioi

dimethylene)diphosphonate) Monsanto CP-40273 (see O-Propyl O-p-Nitron

phenyl Methylphosphonothioate)

Monsanto CP-40294 (see O-Phenyl O-p-Nitror phenyl Methylphosphonothioate)

Monsanto CP-43858 (see 4',4",5-Trichloro-2-

hydroxy-3-biphenylcarboxanilide)

Montana, Dioryctria spp. in, 907; Melanoplus lanthanus in, 1186; Choristoneura occidentalu on Pseudotsuga menziesii in, 1708; effect c simulated rain on residual activity of mala thion and carbaryl in, 2412; Choristoneura lambertiana on Pinus contorta latifolia in 3280; Blissus canadensis sp.n. in, 3630

montana, Cicadetta: Formica cinerea: Lagosiniva Montandoniella moraguesi, biology of, i

Egypt, 2709

montanus, Colladonus; Chorthippus; Ips; Tinos calloides

monticolella, Dioryctria montrouzieri, Cryptolaemus moorei, Amsacta moraguesi, Montandoniella Morestan (see Quinomethionate) Morganella (see Melanaspis)

mori, Bombyx Moringa oleifera, effect of, on bionomics of

Aphis craccivora, 493; insect pests of, i southern India, 2205 Morocco, Ostrinia nubilalis mauretanica from 526; Ibalia drewseni parasitising Siricidae i: 850; Ceratitis capitata on apricot in, 2060

2067; release of sterile adults of Ceratir capitata in, 4057 Morocide (see Binapacryl)

morretesi, Migdolus

Morus alba, Pseudaulacaspis pentagona migra ing from, in Georgia, 196

Morus bombycis, effect of, on haemolymph preteins of Hyphantria cunea reared on, 2634

mosellana, Sitodiplosis mossambicus, Hodotermes

Moth, Indian Sann-hemp (see Utetheisa pulci)

Moth, infra-red stimulation of nocturnal species

of, 410 Tropical Warehouse (see Ephests) Moth,

cautella) Moth Larvae, preying on eggs of Marchalid

caucasica sp.n. in Soviet Union, 1107 Moth-proofing, recommended withdrawal

DDT as agent for, 2641; tetrachlorvinphila applied to woollen cloth for, 2795 Mould, on leaves and wood in diet for Orych

spp., 1801 Mould Inhibitors, in diet for Cydia molesus

Moulting, control of, in Calpodes ethlius, 2640 Mountain Pine Beetle (see Dendroctonus por derosae)

mountensis, Tetranychus

suralia, key to, in Florida, 567

vzambique, Achrysocharis pulcherrimus on nango in, 349; cotton yields and pests in, 061; effect of insecticides on cotton yields n, 1062; insecticides against maize pests in, 397; review of Helopeltis in, 1398; safety intervals for pesticides in, 1815; diseases and jests of potatoes in, 1816; Chilo partellus in, 1391; mites on cultivated plants in, 3392; nites on Citrus in, 3393; Aphis fabae on eans in 3950; pests of apple and pear in, 1951; Helopeltis in, 3963

J'MC (see 3,4-Dimethylphenyl Methylcar-

P (see O,O-Dimethyl O-(4-(Methylthio)-molyl) Phosphorothioate)

zycol (see BHC)

I'MC (see 3-Methylphenyl Methylcarbamate) .vor, effect of temperature on, attacking i podoptera frugiperda, 3808

cor alternans, effect of, on persistence of DDT and dieldrin in culture and in soil, 638

scuna (see Stizolobium)

Asebecki, Macrocentrus riberry, damaged by Grammadera clara in Argentina, 996; Xylosandrus spp. reared on, 1024; treatment of, with fenthion, 1441; ymantria ampla fed on, 2203; Hyphantria unea on, in Yugoslavia, 3145; Migdolus norretesi on, in Brazil, 3801

ntilineatus, Cirrospilus *tistriatus, Scolytus

ada, Agrotis (see Euxoa radians); Cycloneda; iriomyza

Indulus, Tytthus

Ing Bean (see Phaseolus aureus)

wiceus, Phyrdenus

winanae, Cephaloglypta

Cybocephalus

as musculus, metabolism of insecticides ruring penetration of section of intestine of,

sa, Cosmopolites sordidus on, in Florida,

sca domestica, toxicity of isomers of nicotine 5, 55; comparative effects of (+)-trans-hrysanthemate of (\pm) -allethrolone and alle-hrin against, 303; Mesopolobus bruchophagi ropagated on, 374; effectiveness of 5-benzyl-1-furylmethyl (+)-trans-ethano-chrysanthenate against, 820; chemosterilant activity of rgano-metal compounds against, 857; toxiity of resmethrin to, 1587; effects of dihethyldithiocarbamates against, 1588; 1,3iolein as attractant in mushroom for, 1599; oxicity of phoxim and its analogues to, 2871; ioassay with, of insecticide residues in soil, 964; toxicity of metabolite of carbaryl to, 017: effectiveness of (+)-trans-chrysanthenate of (\pm) -allethrolone against, 3181; kojic cid as insecticidal mycotoxin in cultures of, 270; development of Anatis ocellata on, 412; insecticidal strips against, in Denmark, 539; activity of strains of Bacillus against, toxicity of insecticides to, 3711; noulting-hormone activity in, of extracts rom Gymnosperms and ferns, 3863, 3872; aily rhythm of activity of, in Poland, 4121

Musca domestica vicina, effects of Piericidin A-related compounds on, 1023;

muscarum, Stenomalina

Muscina stabulans, parasitising Leptinotarsa decemlineata on potato in Bulgaria, 1838

muscorum, Bdella

Mushrooms, mite infestation of, 742; paedogenetic Cecidomyiid larvae in beds of, in Britain, 1649

musicus, Gastrimargus

Mussels, insecticide residues in, 3728

Mustard (see *Brassica juncea*) Mustard Oil (see Allyl Isothiocyanate)

mustelarum, Eugamasus mutabilis, Meigenia

mutans, Melanchra

Mycetaea hirta, as pest of seeds of fodder plants in Soviet Union, 1097

mycophagus, Caloglyphus; Microtermes Mycophila speyeri, use of thionazin against, on

mushrooms in Britain, 1649

Mycoplasma, organism like, causing grassy stunt disease, in Philippines, 492; bodies like, associated with sandal spike disease, 878; organisms like, in larvae of Melolontha melolontha, 2157; organism similar to, in Macrosteles fascifrons, 2313; bodies like, isolated from vines, 2609; bodies like, in Colladonus montanus and celery, 2877; causing yellows-type diseases, 3509; isolated from larvae of Bombyx mori, 3918

Myelophilus minor, and desiccation in Pinus

sylvestris in Yugoslavia, 3467

Myelophilus piniperda, Medetera sp. feeding on dead larvae of, 52; bionomics and control of, on pine in Czechoslovakia, 1492; Beauveria bassiana for control of, in Finland, 1624; infestation of timber by, in Finland, 1625; as vector of root-rot fungus in Finland, 1628; effect of population density on number of progeny of, in pine logs in Europe, 1629; reaction mechanism to odour of fraction from pine phloem, in Finland, 2250; orientation of, to pine in Finland, 3427; and desiccation in *Pinus sylvestris* in Yugoslavia, 3467; effect of temperature on take-off activity of, in Finland, 4106

Myiopardalis pardalina (see Carpomya parda-

lina)

Myiophagus, infecting Saissetia spp. on Citrus in Florida, 2417;
Mylabris pustulata, insecticides for control of,

on maize in India, 2520

Myo-inositol, feeding response of Sitona cylindricollis to, 129

myopaeformis, Aegeria

Myrcene, attractiveness of, with trans-verbenol, to Dendroctonus ponderosae, 2774

Myrica salicifolia, Coccus nyika sp.n. on in Malawi, 2648

Myricyl Alcohol, in diet for Galleria mellonella,

Myriophyllum, natural enemies of, in Pakistan,

Myriophyllum indicum, insects attacking, in Pakistan, 508

Myriophyllum spicatum, insects attacking, in Pakistan, 508

Myriophyllum tuberculatum, insects attacking, in Pakistan, 508

Myrmica brevinodis, alarm pheromones of, 577 Myrmica rubra, labelling method for estimating populations of, 4083

Myrmica ruginodis, labelling method for estimating populations of, 4083

Myrmica scabrinodis, transplantation of nestmounds of L. flavus in habitat containing, 1154

Myrmicidae, Sitta europea preying on, on Quercus ilex in Spain, 4028

Mythimna loreyi, distribution map of, 314

Mythimna separata, on rice in Fiji, 237; recorded from New Guinea, 2639; on rice in Fiji, 3035; nuclear polyhedrosis virus of, in China, 3352; adult activity of, in New Zealand, 3864

Mythimna unipuncta, light-traps for, on tobacco in Virginia, 594; effects of temperature on immature stages of, in Canada, 1256; nuclear-polyhedrosis virus causing hypertrophy of tracheal cells of larvae of, in California, 2218; food consumption and growth in, 2995; identification of Hymenopterous parasites of, in Ontario, 3290; infected by Serratia marcescens, 3923

mytilaspidis, Aphytis Myzodes (see Myzus)

Myzus cerasi, not transmitting sharka virus disease, 774; on cherry in Poland, 4115
Myzus cerasi pruniavium, on cherry in Poland,

4115
Myzus circumflexus, nutrition of, on chemically

defined diets, 758

Myzus humuli, as vector of sharka virus disease, 774; as vector of sharka disease of apricot in Switzerland, 1129; on plum in Poland,

4115 Myzus persicae, spread of bean yellow mosaic virus by, in Washington State, 122; disulfoton against, on tobacco in Florida and Georgia, 141; on banana in Honduras, 231; susceptibility or resistance of, to insecticides, 299; resistance to parathion in, in Denmark, 452; Aphelinid parasites of, in India, 507; Diaeretiella rapae reared from, in India, 509; insecticides against, on beans in Washington State, 610; without significant numbers on beet in Poland, 723; host-plant behaviour by, 750; nutrition of, on chemically defined diets, 758; as vector of sharka virus disease, pirimicarb against, 818; unable to transmit mosaic virus of Hibiscus manihot, 840; resistance to, in Solanum spp., 925; arrest and aggregation of, 942; as vector of virus disease of papaya in Venezuela, 980; on Carica papaya in Venezuela, 983; effects of Piericidin A-related compounds on, 1023; transmission of sharka virus by, 1140; effect of potato leaf-roll virus on, 1147; Coccinellids as predators of, in Britain, 1150; artificial diets for, in California, 1242; peanut mottle virus transmitted by, in Queensland, 1311; spatial distribution of, and parasitism by Aphidius gifuensis on radish in Japan, 1330; ecological studies on, in Japan, 1339; as food for Chrysopa septempunctata, 1450; biological control of, in glasshouses, 1524;

insecticide resistance mechanism in, 15398 effect of resistance to dimethoate on, or turnip in Britain, 1646; acquisition and trans mission of stylet-borne viruses by, probining intercellularly, 1651; transmission of potated leaf-roll virus by, in France, 1824; gibberellil acid and ammonium nitrate reducing cabbaga virus transmission by, in Britain, 1875; com ditions for transmission of cabbage blace ring-spot virus by, in Britain, 1884; lightini system for production of sexual forms on 1940; rates of uptake of plant sap and syn thetic diet by, 1943; insecticides against, or potato in Brazil, 2022; on potato in India 2095; associated with *Citrus* decline in India 2105; forecasting of, on potato in Hungary 2115; population numbers of, in relation t food-plants in Britain, 2159; Berytinus minor not feeding on, in laboratory, 2476; trans mitting groundnut mottle virus in Venar zuela, 2484; transmitting virus yellows t sugar-beet, in Minnesota, 2485; evaluation a some insecticides against, 2505; transmitting chrysanthemum mosaic and aspermy viruses 2603: transmitting mosaic virus of Buddle davidii, 2604; inhibition of transmission plant-pathogenic viruses by, in Belgium 2606; not transmitting yellow stunt of whear 2607; tests on control of, on peach in Franci 2610; on mustard cover and sugar-beet i Britain, 2652; variation in photoperiod response within natural populations of, il England, 2663; movements of, on Vicia fability 2667; seasonal abundance of, and associated predators on brussels sprouts in Egypt 2694; tests of organophosphorus insecticide against, on peppers, 2075; effect of spra. on, on Capsicum in California, 2804; traps in Venezuela, 2830; as vector banana mosaic virus in Puerto Rico, 289. use of membrane feeding by, in determining properties of virus, 2898; contri measures against, on beet in California, 289 embedding procedure for study of stylets of in leaves, 2939; honeydew from, as food adults of Zonosemata electa, 2985; tram mission of pea enation mosaic virus by, 316 associated with virus disease of asparagus Europe, 3169; mass-rearing of parasite-fre examples of, on Brassica juncea 32600 populations of, on peach in France, 3340 development of Anatis ocellata on, 34100 effectiveness of derris powders against, 351 use of, in determination of beet vellows in Belgium, 3521; weeds in beet fields as sourry of yellows virus for, in Belgium, 352% resistance to insecticides in, 3613; host plan affecting parasitism of, by Diaeretiella rapa 3635; diet for, 3698; utilization of different sugars by, 3764; utilization of dehydring ascorbic acid and related compounds b 3775; apteriform development induced in by radish seedlings, 3770; insecticides again; on potato in Brazil, 3847; population dyn mics of, on potato in Iran, 3937; Entomin phthora spp. in, on peach in France, 397 reproduction of, related to mineral nutrities of potato plants, 3990

zus varians, DNC-ammonium against, on each in Bulgaria, 289; on peach in France,

110242 (see Carbofuran)

vam, effect of, on mite populations, 296

isidae, as predators of pests of Pinus sylvestris l Ohio, 2418; preying on *Phyllonorycter* lancardella on apple in Quebec, 3642 is, preying on *Heliothis zea* on cotton in

rkansas, 563; feeding behaviour of, feeding n Lepidopterous larvae in Canada, 3305 inis alternatus sensitivity of, to insecticides.

1781

vis americoferus, predacious on Pectinophora pssypiella, 2772; sensitivity of, to insecti-

ades, 2781 vis roseipennis, sensitivity of, to insecticides, 1781

:) C (see Carbaryl)

roleia octasema, control of, on banana in

iji, 2228; on banana, 2620

1D (see Nicotinamide-adenine Dinucleotide) odiasa siva, infesting Moringa oleifera in outhern India, 2205

DP (see Nicotinamide-adenine Dinucleotide Phosphate)

spurensis, Empoasca

viiensis, Udumbaria

ed, against Ascotis selenaria reciprocaria, 1067; fumigant action of, against Distantiella heobroma, 1080; against Lixus juncii, 1516; oxicity of, against sawflies and forest tent aterpillar, 2002; ineffective against Plutella cylostella, 2509; against Mylabris pustulata, 1520; toxicity of aerial sprays of, to honeysees, 3040; against Bothynoderes punctivenris, 3138; against Phytodecta fornicata, 4139; toxicity of, in mist sprays to Diptera and honeybees, 3711

elepella haarlovi piceaeabietis, sub sp.n. damaging needles of Picea abies in Finland,

matettix, gen. et sp.n., from South Africa,

ra, Messa; Trichogrammatoidea

vella, Recurvaria ulus, Neodiprion

phthenic Oil, toxicity of, to cotton insects,

Naphthol, residues of, in milk and plants, 8018

Naphthyl Acetate, ability of aliesterases of liphids to hydrolyse, 3613

Naphthyl Acetate, esterases hydrolysing, in Laodelphax striatella, 3982

Naphthyl N-Acetyl-N-methylcarbamate, toxiity of, to Spodoptera littoralis, 1702 Naphthyl N-Methylcarbamate (see Carbaryl)

oi, Pieris; Psylliodes pomyza carotae, bionomics and injurious-

ness of, on carrot in Germany, 3168

pomyza cichorii, control of, on vegetables in Holland, 2861

pomyza lonicerella, bionomics, geographial distribution and food-plants of, 1117

Narcissus Bulb Fly (see Merodon equestris) narunensis, Ostrinia

naso, Conotrachelus

Nasonia vitripennis, alteration of sex ratio in. 2321

Nasonovia lactucae (see Amphorophora)

nasturtii, Aphis; Longitarsus

Nasutitermes exitiosus, possible paralysis virus of, in Australia, 2317; population of large mound of, in Australia, 3895

Nasutitermes triodiae, infestation and control

of, in Queensland, 3025

Nasutitermes walkeri, infestation and control of, in Queensland, 3025

Natural Selection, generalised theorem of, 476 nausharensis, Circulifer

navalis, Teredo

NC-5016 (see Phenyl 5,6-Dichloro-2-trifluoromethylbenzimidazole-1-carboxylate)

Near East, Gastropacha quercifolia in, 3208

Nebraska, sweet clover and Sitona cylindri-collis in, 116; Sitona cylindricollis on Melilotus in, 208; varietal resistance in lucerne to Empoasca fabae in, 605; Diabrotica spp. attacking maize roots in, 644; transmission of cowpea mosaic virus by Epilachna varivestis in, 695; Macrosiphum pisum and Therioaphis trifolii on lucerne in, 3227

nebulella, Homoeosoma necrophaga, Megaselia

Nectar, toxicity of insecticides in, to bees, 102,

105 Nectarine, insecticides against Chrysobothris

mali on, in California, 1234; Nectria diploa, attacking Melanaspis obscura in Maryland, 2906

nedae, Phalacrotophora

Neem Oil Emulsion, against pests of apple, 3365

neglecta, Saissetia

neglectus, Stenocorynus (see S. subfasciatus)

Nemaphos (see Thionazin)

Nemapogon granellus, as pest of seeds of ornamental plants in Soviet Union, 1097

Nematodes, attacking Schistocerca gregaria in India, 69; infesting beet in Poland, 723; insecticides against, in in Italy, 1128; Uropoda orbicularis and Eugamasus spp. feeding on, in compost in Germany, 1835; use of, for microbial control of insects, 2261; associated with Pissodes spp. in U.S.A., 2924; attacking tropical crops, 2865; attacking tobacco in Queensland, 3311

nematorum, Olesicampe

Nematospora coryli, associated with Acanthomia spp. on Cajanus cajan in Tanzania, 1821; associated with Acrosternum hilare feeding on soy-bean seeds, 2419

Nemestrinidae, parasitic on Acrididae, 338

nemoralis, Anthocoris

Nemorilla floralis, parasitising Cornicacoecia lafauryana in Italy, 3481

nemorum, Anthocoris

Nemosoma elongatum, preying on borers in conifers and shade trees in Spain, 4031

nenuphar, Conotrachelus

Neoaplectana, use of, in biological control of Leptinotarsa decemlineata, extraction of

larvae of, from Galleria mellonella, 1122; parasitising Diparopsis castanea, 2867

Neoaplectana carpocapsae, infectivity of DD-136 and Czech strains of, for Hylobius pales, 3650 Neoaplectana glaseri, susceptibility of insect pests to, 226; infectivity of, for Hylobius pales, 3650

neocaledonicus, Tetranychus

Neochetina bruchi, damaging Eichhornia crassipes in South America, 3793

Neochrysocharis, a new record of, parasitising Phytomyza atricornis, a serious pest of pea in India, 1369;

neocynodonis, Aceria

Neocypholaelaps pradhani sp.n., on flowers of apple in India, 1580

Neodiprion excitans, on Pinus glabra in Florida, 2750

Neodiprion lecontei, parasitised by Pleolophus basizonus in Canada, 2990

Neodiprion merkeli, possibly of hybrid origin, in Florida, 2750; distinguishing morphological and biological characters of, 2934

Neodiprion nanulus nanulus, parasitised by Pleolophus basizonus in Canada, 2990

Neodiprion pratti banksianae, screening of insecticides against, 2002; infestation of, on Pinus banksiana in Quebec, 2004; parasitised by Pleolophus basizonus in Canada, 2990

Neodiprion sertifer, effect of temperature on nuclear polyhedrosis virus in, 456; biological control of, in Canada, 499; Aptesis basizona as parasite of, in Ontario, 529; use of dyes for determining age of cocoons of, in soil in Ontario, 530; parasitism of, in North America, 743; inter-relations in parasite introductions against, in Canada, 1133; sprays against, on Pinus sylvestris in Ohio, 2418; parasitised by Pleolophus basizonus in Canada, 2990; diapause in, in Yugoslavia, 3144; virus used for control of, on pine in Yugoslavia, 3470

Neodiprion swainei, population and reproductive capacity of, on Pinus banksiana in Quebec, 1265; parasitism of, by Pleolophus indistinctus in Quebec, 1926; on Pinus banksiana in Quebec, 2004; relationships of coexisting parasitoids of, 2735; parasitised by Pleolophus basizonus in Canada, 2990

Neodiprion taedae linearis, Mastrus argeae parasitic upon, in Arkansas, 1220; attacking *Pinus taeda* and *Pinus echinata* in south-central United States, 2352

Neodiprion virginianus, bionomics of, on pine in New Brunswick, 1985

Neodiprion warreni, larvae of, from Pinus glabra in Florida, 2750

Neodrepta luteotactella, damaging Macadamia in Queensland, 3313

Neodryocoetes hubbardi, infesting seeds strung as necklaces, 3294

Neodusmetia sangwani, effectiveness of, against Antonina graminis in Brazil, 2019; introduced against Antonina graminis on forage grasses in Brazil 3821

Neoleucinodes elegantalis, light-traps used against, on tomato in Brazil, 3805

Neoleucopis (see Leucopis)

Neomolgus sp., dusts of Fusarium larvarum and Cephalosporium coccorum against, 2472

Neomyzus (see Myzus)

Neophilaenus campestris, on maize in Yugu slavia, 3469

Neophilaenus lineatus, models applicable studies on population dynamics of, 4076 Neophilaenus minor, on maize in Yugoslavir

Neophyllaphis podocarpi, infestation and con trol of, on Podocarpus spp. in Florida, 373 Neophysopus (see Anaphothrips)

Neoplectops pomonellae, as parasite of Cya pomonella in Soviet Union, 1444

Neoprochiloneurus, notes on, 3478 Neopynamin (see Tetramethrin)

Neoron (see Isopropyl 4,4'-Dibromobenzilata Neosar (see O.O-Dimethyl S-Sulphonylbenzer Phosphorodithioate)

Neoseiulus (see Amblyseius)

Neotetranychus rubicola, bionomics and contri of, on raspberry in Serbia, 1514

Nepal, Sepedon sauteri in, 1345

Nephantis serinopa, parasitism of, by Pyemou ventricosus in India, 3927

Nephelium, residues of bromide fumigants i 132; Thysanofiorinia leei sp.n. on, in Ho Kong and Formosa, 1882

nepheos, Exoteleia Nephotettix, sprays against, on rice in Philin pines, 1567

Nephotettix afer, description of, 1887

Nephotettix apicalis, transmission of tung disease of rice by, in Philippines, insecticic against, 492; replaced by N. nigropictus, 188 transmitting yellow-dwarf virus of rice Mysore State, India, 2204

Nephotettix bipunctatus, conspecificity of virescens with, 1887

Nephotettix cincticeps, harmful effects of r dwarf virus on, 1044; discrimination stadium and sex of nymphs in, 1045; descr tion of, 1887; effects of temperature a wind on activity of, 1904; tests of insecticion against, on rice seedlings in Japan, 25% effectiveness of methylcarbamates agains in Japan, 2635; insecticides against, 268 forecasting second generation of, on rice Japan, 3055; estimation of numbers of fallow rice field in Japan, 3911; residu effect of vamidothion against, on rice, 39

Nephotettix impicticeps, as synonym of virescens, 1887 Nephotettix malayanus, description of, 1887 Nephotettix modulatus, description of, 1887 Nephotettix nigropictus, description of, 1888

distribution map of, 2308 Nephotettix nigropictus yapicola, description 1887

Nephotettix parvus, description of, 1887

Nephotettix sympatricus sp.n., in Ceylon, 18 Nephotettix virescens, transmission of tung disease of rice by, in Philippines, virus dise of rice transmitted by, in East Pakistan, 44 varietal resistance in rice to, 772; control on rice in India, 1750; description of, 185 transmitting virus diseases of rice in E Pakistan, 2197; toxicity and duration effectiveness of insecticides against, 21 possibly transmitting tungro virus and yello dwarf virus of rice in India, 2204; trail

itting virus disease of rice in Malaysia, 27; distribution map of, 2308;

thus regularis, preying on Ferrisia virgata in adia, 86

aticula juglandifoliella, biology and control

i, on pecan in Georgia, 2383

vicula macrocarpae sp.n., bionomics of, on vuercus macrocarpa in Ontario, 3284, 3285 eleistoxin (and its derivatives), ganglionic locking and insecticidal activity of, 1609 W, Aspidiotus

jum oleander, Aphis nerii on, 1123

ol, attractancy of, to Anthonomus grandis. 710

olidol (see 3,7,11-Trimethyl-1,6,10-dodeatrien-3-ol)

yl Acetate, attractancy of, to Anthonomus randis, 1710

plia, parasitising larvae of Earias biplaga,

roptera, preying on Mesohomotoma tesssanni on cacao in Ghana, 1080; book on arasitic, 2310; species of, predacious on ectinophora gossypiella in California, 2772 wtria, Malacosoma

tada, temperature effects on Macrosiphum isum in, 2400; relative resistance of lucerne

sones to aphids in, 2401

*U Brunswick, Choristoneura fumiferana on bies balsamea in, 1754; Neodiprion virginiacus on pine in, 1985; Apamea finitima damagge barley in, 1989; heritability of diapause tensity in Hyphantria cunea in, 2814; DDT sidues in salmon after forest spraying in, 198; Phyllonorycter spp. in, 3642

Guinea, Scolytoidea of, 1406; Poecilips associated with Pteridium veridophytae quilinum in, 1993; Drosophila of, 2226; nterpillars defoliating cacao flush in, 2640; rology, ecology and control of Vanapa berthuri on Araucaria cunninghamii in, 2638; od-plants, pest-status, natural enemies,

nd records of Heliothis spp. in, 2639

Whampshire, Berytinus minor in, 2476; Myllonorycter spp. on apple in, 3642; Vicromerus bidens in, 3668

Jersey, Nosema sp. infecting Hypera pstica in, 548; capture of bees in traps baited ith lures to attact Popillia japonica in, 600; mblyseius fallacis preying on Panonychus mi in, 645; eggs of Hypera postica on lucerne , 1181; aphids in, 1787-1788; Microctonus p. parasitising Hypera postica in, 1950; valuation of insecticides against Hypera pstica on lucerne in, 2441; non-diapausing rvae of Microctonus aethiops collected in, 151; Berytinus minor in, 2476

Mexico, Conophthorus ponderosae on Pinus underosa in, 379; Dioryctria cambiicola in, 17; occurrence and distribution of Chirourips in, 1185; Agriphila plumbifimbriella and rambus harpipterus in, 2907; Dendroctonus

besus on spruce in, 3247

vSouth Wales, Plectris aliena infesting grasses 1, 515; Anobium punctatum in, 519; Oligonyius spp. on grasses in, 520; aphid vectors and barley yellow-dwarf virus on wheat in, 24; Panonychus citri recorded in, 1003;

Coleoptera associated with stored products in, 1007; Perthida phoenicopa in, 1008; Oncopera spp. in, 1010; Dacus tryoni in, 1013; Dacus tryoni in towns in, 1306; Gascardia destructor on Citrus in, 1307; Coleoptera intercepted in quarantine in, 1308; aeration of stored grain in, 1309; Orosius argentatus and tobacco yellow dwarf virus in, 1561; virus disease of Othnonius batesi in, 2213; Acanthoscelides obtectus in, 3027; grain insects in farm machinery and storages in, 3028; Campylomma livida on apple in, 3029; cotton pests in, 3030; Taeniothrips simplex on Gladiolus in, 3320; Rhopaea magnicornis in, 3321; Sitona humeralis in, 3330; outbreak of Chortoicetes terminifera in, 3332; tristeza virus of Citrus in, 3334; trunk injections against pests of trees in, 3892; arthropods intercepted in quarantine in, 3894; Ceroplastes sinensis in, 3897; disease of Panonychus citri in, 3898; apple pests in, 3904

New York State, Argyrotaenia velutinana on apple in, 147; Fenusa pusilla and Rhyacionia frustrana in nursery plots in, 157; Hylemya platura on lima beans in, 195; food-plant range of Phyllotreta cruciferae in, 388; Frankliniella spp. in, 585; Hylemya brassicae on radish in, 654; Rhagoletis pomonella infesting apricot in, 667; list of aphids of, 696; Lamyctes sp. preying on Scutigerella immaculata in, 911; Psylliodes napi and Phyllotreta on Barbarea vulgaris in, 1211; adult diapause in Chrysopa carnea in, 1244; diapause in Chrysopa carnea in, 1986; insect and mite populations developing on apple in, 2365; resistance of Amphimallon majalis to chlorinated hydrocarbon cyclodiene insecticides in, 2422; Dendroctonus brevicomis and its predators in, 2766; Berytinus minor in, 2476; insecticides for control of Hypera postica in, 2780; pea enation mosaic virus from, 2895; Tortricids on apple in, 2902; effect of carbaryl as watershed pollutant in, 2962; Hyperodes sp. nr. anthracinus in, 3232; Pissodes strobi on Pinus strobus in, 3262; Phyllonorycter spp. on apple in, Phenacaspis pinifoliae on pine in, 3783; beet mosaic transmitted by aphids in, 3791

New Zealand, Arhopalus ferus attacking Pinus in, 236; mark-recapture studies on grasshoppers in, 347; Rhopalosiphum padi and barley yellow dwarf virus in wheat in, 480; potential biological control of Myriophyllum spp. in, 508; Diaspididae on orchids in, 895; insects and birds on airfields in, 888; habitat of alpine grasshoppers in, 1293; Cavariella aegopodii on carrot in, 1522; Teleogryllus in, 1562; Wiseana spp. on grasses and clover in, 1888; DDT and yBHC residues in soil, pasture and sheep in, 1889; Brevicoryne brassicae on rape in, 1890; Costelytra zealandica on pasture plants in, 1891, 1893, 1894; Wiseana spp. in, 1892; Aceria cottieri causing galls on Coprosma robusta in, 2208; Panonychus ulmi on apple in, 3859; Sciara annulata attacking seedlings of cucumber and annual flowers in, 3860; Bracon variegator parasitising Coleophora spp. on white clover in, 3861; protection of plywood against Anobium

punctatum in, 3862; insect moulting-hormone activity of extracts from Gymnosperms and ferns in, 3863, 3872; activity of Noctuids in, 3864: precocious metamorphosis in Costelytra zealandica in, 3865; Tetranychus spp. in, 3866, 3867; light-trap catches of Lepidoptera in, 3869; identity and synonymy of Bothrophora and its type-species in, 3870; sex pheromone of Costelytra zealandica in, 3876; DDT residues in sheep from ingestion of soil in, 3878; rate of reinfestation of pasture plots by Costelytra zealandica in, 3879; aphids on rape in, 3881; possible DDT mortality in Salmo gairdneri in, 3886; harmful effects and residues of fensulfothion in pastures in, 3882-3884

Newfoundland, Adelges piceae on Abies balsamea in, 913; parasites of Pristiphora erichsonii in, 2003; Chorthippus curtipennis in,

Newts, selective predation by, on frog tadpoles treated with DDT, 3608

Nexion (see Bromophos)

Nezagan (see Bromophos-ethyl)

Nezara viridula, distribution map of, 314; attacking beans in Queensland, 3024; attacking groundnut in Queensland, 3312; on Helianthus annuus in Queensland, 3316; control of, on beans in Queensland, 3317

Nezara viridula smaragdula, on cotton in New South Wales, 3030

ni, Trichoplusia

Niacin, oviposition response of Eurytoma roddi to. 1937

Niagara 10242 (see Carbofuran)

Nicandra, feeding preference for, in Lema trilineata daturaphila, 964 Nicandra physaloides, Phthorimaea operculella

on, in Rhodesia, 1057

Nicaragua, Ceratitis capitata in, 1709; sterilemale releases of Ceratitis capitata in, 3237; bean virus in, 3795; eradication of Ceratitis capitata in, 4053, 4059

Nicotiana benthamiana, trichome exudates transporting soil-applied disulfoton to leaf surfaces

in, 1780

Nicotiana gossei, trichome exudates transporting soil-applied disulfoton to leaf-surfaces in, 1780

Nicotiana occidentalis, ovipositional preference of Heliothis virescens for, in Kentucky, 3224 Nicotiana repanda, Heliothis on, in Texas, 1188; ovipositional preference of Heliothis virescens for, in Kentucky, 3224

Nicotiana sylvestris, ovipositional preference of Heliothis virescens for, in Kentucky, 3224

Nicotiana tabacum, ovipositional preference of Heliothis virescens for, in Kentucky, 3224 Nicotinamide-adenine Dinucleotide, not affect-

ing rate of epoxidation of aldrin in pea plants, 331

Nicotinamide-adenine Dinucleotide Phosphate, not affecting rate of epoxidation of aldrin in pea plants, 331; linked isocitrate dehydrogenases, activity of, in Tribolium castaneum, 1552

Nicotine, physiological activity of optical isomers of, 55; toxicity of, to susceptible and resistant strains of Myzus persicae, 299; autoradiographic studies on distribution c in Periplaneta americana, 1612; (as furn gant), against unwanted parasites of aphic 1785; effect of, in tobacco on Lasioderni, serricorne, 3398; penetration of, through isolated midgut of insects, 3786

Nicotine Sulphate, against Diaphorina citri, 7 in sprays against Edwardsiana spp., 1101 against Sciara annulata, 3860; effect of, cultures of insect cells, 3992; toxicity of, Coccinella septempunctata, 4119; toxicity (to primary and secondary aphid parasital 4127; toxicity of, to Chrysopa carnea, 41282 Nicotinic Acid, in diet for Agrotis spp., 719

nidifex, Euphalerus niger, Athous; Cicadulina; Haplothrips; Lasis,

Orius

Niger Republic, Schistocerca gregaria a. Schouwia purpurea in, 109; Trogoderns

granarium in, 1069

Nigeria, Sosylus spp. in, 243; Busseola fusca maize in, 641; fumigation of stored carragainst insects in, 1070, 1071; fumigation a coverage of stored groundnuts in, 10% fumigation of bagged groundnuts in railw waggons against insect pests in, 1074; fun gation of stored maize against insect pests 1075, 1076; control of stored product per in, 1077; insects associated with stored p ducts in, 1078; polythene bags for handli produce in, 1079; flight activity of *Podagr*, on *Urena lobata* in, 1209; light-trap catelog of Codatable literalian 1111. of Spodoptera littoralis in, 1411; distributu of Diclidophlebia sp. in, 1412; soil removal. ants in, 1413; Zonocerus variegatus on banc in, 1414; insecticides against tomato pests: 1415; behaviour of Sahlbergella singularis 1416; distribution and life cycles of A doidea in, 1417; agricultural insecticis available in, 1418; parasites of agricultui insect pests in, 1419; insects and their natu enemies on palms in, 1812; Caryedon pallil in, 1880; applied entomology in, 2042; so insects on Citrus in, 2430; Eupator odoratum in, 3794; Helopeltis in, 39 swollen-shoot disease of cacao in, 30 swollen-shoot disease of cacao in, Diclidophlebia spp. on Triplochiton scless xylon in, 3980, 3981

Nightshade, Climbing (see Solanum dulcame nigra, Eupteryx; Helopeltis orophila; Salpinia gaster

nigrae, Pissodes nigriceps, Cardiochiles; Crematogaster nigricornis, Taeniothrips; Trioza; Valanga nigrifrons, Graminella

nigripes, Helopeltis bergrothi; Pediobius; Plei 🕒

tropis; Sympiesis (see S. conica) nigrirostris, Hypera

nigritarius, Cratichneumon

nigritarse, Apion

nigrocoxalis, Leptomastix

nigromaculata, Cardiochiles

nigromaculatus, Pediopsis

nigronervosa, Pentalonia

nigropictus, Nephotettix nigrorepletus, Hieroglyphus

Nigrospora oryzae, association of Siterorieniformis with, in lint rot of cotton by

:30: Siteroptes reniformis associated with ansmission of, to cotton in California, 2890 sospora sphaerica, as food for storedioduct insects, 2359; correlation between. d arthropods in bulk grain ecosystems,

wskajae, Aphelinus

ctor of grassy stunt disease of rice in ilippines, insecticides against, 492; varietal sistance in rice to, 772; effect of environental factors on oviposition in, 1042; effect i climatic conditions on occurrence of, on ie in Japan, 1332; inefficiency of diazinon ainst, on rice in Philippines, 1568; toxicity ed duration of effectiveness of insecticides ainst, 2199; tests of insecticides for control t, on rice in Japan, 2504; effectiveness of ethylcarbamates against, in Japan, 2635; occinella arcuata predacious on, in India, ;72; on rice in Fiji, 3035; diazinon granules rainst, on rice in Japan, 3057; parasitised by nagrus on rice in Japan, 3348

waspis isis, redescription of, 2719 waspis retamae, redescription of, 2719

necoccus vastator, on fruit trees in India,

11 gin, in diet for Spodoptera littoralis, 3938 iol (see N-Methyl-N-(1-naphthyl) monocoracetamide)

As, Patasson ia, Amblypelta ralis, Diaphania us, Scolytus

ate, content of, in sweet clover in relation : resistance to Sitona cylindricollis, 116

itrocresol, as metabolite of bromophos, 464 rogen (as plant nutrient), effect of, on undance of cotton insects, 160; (as plant strient), effect of, on population dynamics Panonychus ulmi, 275; effect of, on fecuny of Saccharosydne saccharivora on sugarne, 348; effect of, on egg hatch of Trivlium spp., 948; (as plant nutrient), strengthing trees against attack by Exoteleia idecella, 1138; effect of, as plant nutrient on pulation density of scale insects, 1142; uid, chamber for insect supercooling udies, 1267; (as plant nutrient), effect of, resistance of strawberry to Tetranychus arius, 1723; mortality of Sitophilus spp. atmospheres of, 1742; effect of anaesthesia duced by, on Ceratitis capitata, 1751; as aesthetic for Anthonomus grandis, 2440; flisation of, by Anobium punctatum in Pinus Ilvestris, 2644; (as plant nutrient), effect of, I attack by cotton bollworms, 3172; effect , as plant nutrient on damage to sorghum, Chilo partellus, 3243; (as plant nutrient) ect of, on Cydia strobilella, 3414; as soil tiliser protecting forest trees against insect sts, 3438; effect of seasonal variations in ntent of, in wood on Anobium punctatum, 35; effect of, as plant nutrient on rape seed, 81; effect of, in potato on reproduction in yzus persicae, 3990; in leaves and galls of ape-vine varieties differing in resistance to ıylloxera vitifoliae, 4158

Nitrogenous Fertilizers, effect of, on susceptibility of cotton varieties, to Empoasca, 2297; p-Nitrophenol, effect of, on biotic potential of Coccus hesperidum on potted Citrus seedlings, 2414

o-Nitrophenyl Acetate, esterase activity in Chilo partellus demonstrated with, 3776

Niue Island, list of insects collected on, 894

nivella, Scirpophaga njalensis, Planococcoides

noaeae, Chionaspis noctilio, Sirex

Noctua fimbriata, Smithiavirus agrotidis sp.n. transmitted to, 3590

Noctua pronuba, ultrastructure of flight muscles of, 1171; Smithiavirus agrotidis sp.n. in, 3590 Noctuelia floralis, in light-traps in lucerne field in Iran, 3944 noctuella, Nomophila

Noctuidae, in Soviet Union, 426; sex pheromones of, 1183; light trap for collection of, 2619; on maize in Yugoslavia, 3152; in Yugoslavia, 3158

Nogos (see Dichlorvos)

Nogos 50EC, containing dichlorvos, 2068 Nomadacris septemfasciata, effect of humidity on development of eggs of, 111; aerial control of hoppers of, in outbreak area in Tan-

zania, 352; not aggregating in darkness, 3759 Nomia melanderi, Mesopolobus bruchophagi propagated on, 374

Nomophila noctuella, insecticides against, on lucerne in Bulgaria, 3450; caught in lighttraps in lucerne field in Iran, 3944

nonagrioides, Sesamia nordmannianae, Adelges

North Carolina, predacious mites on apple in, 599; emergence of Aegeria exitiosa in, 680; activity of males of Manduca sexta sterilized with tepa in, 691; Ips grandicollis attacking Pinus taeda in, 912; light traps not controlling Lepidopterous pests of maize in, 1759; seasonal mortality of Trichoplusia ni in, 1934; Adelges piceae on Abies fraseri in, 1946; control of Melanotus communis larvae on maize in, 2370; control of Heliothis virescens on tobacco in, 2392; proceedings of conference on pest management in, 2553; organophosphorus-resistant strains of Amblyseius fallacis in, 2752; Jalysus spinosus preying on eggs of Manduca sexta in, 3263; Winthemia manducae parasitising Manduca sexta in, 3670, 3688; insecticide residues in groundnuts and tobacco in, 3732

North Dakota, food selection in grasshoppers in, 749; Metzneria lappella and its Hymenopterous parasites in, 939; Enoclerus sphegeus predacious on Dendroctonus ponderosae in

2818

North West Territory, Ibalia gigantea in, 2996 Norway, virus disease of Neodiprion sertifer in 456; Rhopalosiphum padi on cereals in, 1163; insecticide residues in carrots in, 1164; aphid fauna in, 1627; Myelophilus piniperda in pine logs in, 1629; Cydia strobilella in, 1632; species of tribe Olethreutini in, 1635; Cydia strobilella on Picea abies in, 3414; damage to raspberry by Pegomya rubivora in, 3540

Nosema, Tephritid flies in laboratory attacked by, 207; infecting Hypera postica in New Jersey, 548; infecting Euproctis flava, 1337; Anathix puta affected by, in Quebec, 1652

Nosema disstria, infecting Malacosoma disstria, 2001

Nosema polyvora, synonym of Nosema mesnili,

Nosema whitei, effects of malnutrition on Tribolium castaneum parasitised by, 3778 notatus, Pissodes

Notoxus calcaratus, predacious on Pectinophora gossypiella, 2772

notus, Dichopelmus

Nova Scotia, Chlamisus cribripennis on blueberry in, 214; Macrosiphum pisum on peas in, 636; Panonychus ulmi in orchards in, 1264; mites associated with apple in, 1676; releases of Altica carduorum against Cirsium arvense in, 1683; Neodiprion virginianus on pine in, 1985; Psylla pyricola on pear in, 1994; Panonychus ulmi and predators on apple in, 1995; Aphis pomi on apple in, 1999; diurnal and seasonal hatching of eggs of Operophtera brumata in, 2469; persistence of residues of insecticides and their metabolites in soils in, 2758; heritability of diapause intensity in Hyphantria cunea in, 2814; Amblyseius duncansoni and mites on apple in, 2824; catches of Operophtera bruceata in light traps in, 2979; Rhagoletis pomonella on apple in, 3226; Phyllonorycter spp. in, 3642

noxius, Cheiloneurus NRDC-104 (see 5-Benzyl-3-furylmethyl dl-cistrans-Chrysanthemate)

NRDC 107 (see 5-Benzyl-3-furylmethyl d-trans-Chrysanthemate)

NS-200 (see Heptachlor)

NS-202 (see Heptachlor)

nu, Rachiplusia nubiferana, Hedya

nubilalis, Ostrinia

nubilipennis, Ephialtes terebrans

Nuclear Polyhedral Bodies, extraction of nucleic acid from, in Spodoptera frugiperda, 2223

Nucleic Acid, extracted from nuclear polyhedral bodies in Spodoptera frugiperda, 2223 Nudaurelia capensis β virus, use of haemocyanin to determine molecular weight of, by

direct particle counting, 2878 Nudaurelia cytherea capensis, virus of, in South

Africa, 2878

nudiseta, Atherigona nuesslini, Dreyfusia (see Adelges nordmannianae)

numerus, Eugamasus

Numicia viridis, bionomics and control of, on sugarcane in Swaziland, 3947, 3948

nundinella, Frumenta

Nuthatch (see Sitta europea)

nuttalli, Lytta

Nuvacron (see Monocrotophos)

Nuvan (see Dichlorvos)

nuxvorella, Acrobasis

nyasicus, Paraceraptrocerus

nyemitawus, Tetrastichus

Nygmia phaeorrhoea, on oil-bearing rose in Soviet Union, 3566

nyika, Coccus

nymphaeae, Rhopalosiphum

Nysius clevelandensis, on Helianthus annuus Oueensland, 3316

Nysius raphanus, migration of, from Sisymbrie irio to grape vines in California, 604

Nysius vinitor, on safflower in Queenslar.
3021; on Helianthus annuus in Queenslar. 3316; on rape in Western Australia, 3907

Nythobia fenestralis parasitising Plutella xxx stella in India, 2201

Nythobia insularis, parasitising insect pests s

cabbage in California, 573 Nythobia stellenboschensis, parasitising Phin rimaea operculella in Rhodesia, 1057; rearr of, for the control of Phthorimaea opercular on tobacco in Madagascar, 1393

0

Oak, Malacosoma neustria on, in Soviet Unio 710; Thaumetopoea processionea on, U.S.S.R., 712; Phyllonorycter hamadryade and P. cincinnatiella on, in Connecticut, 919 leaves of, as food for Lymantria dispar, 14-Malacosoma neustria on, in U.S.S.R., 18d Operophtera brumata on, 2236; development of Malacosoma neustria on, in Holland, 230 Phryganidia californica on, in Californ 2397; Lymantria dispar on, in Yugoslava 3143; preference in Carcelia obesa for, Holland, 3408; Phenacoccus aceris on, Bulgaria, 3455; insect pests of, in Bulga 3460; Altica quercetorum on, in Soviet Unic 3563; aphids on, in Soviet Union, 3569

Oak (see also Quercus)

Oak, Bur (see Quercus macrocarpa) Oak, Evergreen (see Quercus ilex)

Oak, Gambel (see Quercus gambelii)

Oak, Garry (see Quercus garryana)
Oak, Northern Red (see Quercus rubra)
Oak, Pin (see Quercus palustris)

Oak, Sand Shinnery (see Quercus havardii)

Oak, White (see Quercus alba)

Oats, Carabids reducing oviposition by O nella frit on, in Britain, 24; unsucces attempt to rear Euchromius ocelleus on, 6 pests and diseases of, 1141; Rhopalosiph padi on, in Norway, 1163; distribution aphids on, in Britain, 1648; introduced pe sites of Oulema melanopus on, in Michigi 1755; Oulema melanopus and aphids on a Michigan, 1921; and yeast, for rear Oryzaephilus surinamensis, 2169; multip cation of stored-product insects on variety of, 2386; cyclical transmission of bar yellow-dwarf virus from, by Macrosipho avenae, 2479; Macrosteles fascifrons tre mitting aster yellows virus to, in Manito 2482; in diet for Alphitobius diaperinus, 28. vector specificity in transmission of isolate barley yellow dwarf virus to, 2896; Oule melanopus on, in Ontario, 2986; reproducto in Macrosiphum festucae on, 3532; viruses transmitted by Macrosteles laevis and Ps motettix striatus, 3541; barley yellow dv virus of, in Macrosiphum avenae, 3000 insecticide residues in, in Ontario, 3742;

. llow mottle virus transmitted mechanically r, in Kenya, 3952 (see also Avena sativa) thuri, Vanapa

17, Carcelia

is, Dendroctonus; Odontotermes; Phaedon \chleariae

,ua, Allograpta; Diacrisia; Tettigometra nus, Listroderes (see L. costirostris)

vatus, Brevipalpus vra, Habrolepis; Melanaspis

Avirator, Orgilus virellus, Triaspis wuripes, Formica

uriventris, Formica

vurus, Anaphothrips; Habrolepis; Pissodes; eudococcus; Rhabdoscelus; Sciopithes leta, Chloridea (see Heliothis armigera)

letus, Hyalesthes ctus, Acanthoscelides .sus, Rhynocoris

.tus, Stirellus

unbratalis, Ostrinia

dentalis, Archips; Choristoneura; Franklinia; Metaseiulus; Typhlodromus

vdentis, Winthemia Mua, Habrolepis valuus, Blissus

witalis, Pheropsophus; Sericothrips

wnicus, Teleogryllus "ana, Spilonota

s'ata, Anatis; Pseudocreobotra

"atella, Scrobipalpa veus, Euchromius rogaster, Euxoa

opus, Arge thephilum fractinicorne, incidence of, in soil

: lucerne fields in Poland, 3585 teria prolai, Quercus robur as food-plant of,

sia, Anastrepha esema, Nacoleia

ipunctata, Craspedoxantha

ntoma scabripennis, establishment of, against :antana camara in Queensland, 3023

octylthio)ethanol, effectiveness of, as deterent against Agriotes spp., 808

ua, sp. nr. xanthocera parasitising Saperda iornata in Michigan, 1194

coileus virginianus, DDT residues in, 2974 naspis saccharicaulis, on inzania and Uganda, 2537 sugar-cane in

nata, on St. Helena, 3964

predators of, Intotermes latericius, Ambia, 2542; daily and seasonal patterns of Instruction activity by, in Zambia, 3170 Intotermes obesus, infected by Serratia

varcescens, 3923

Intotermes redemanni, vitamin A in vision of, tinene in, 3602

Intothrips, on lucerne in Czechoslovakia, 738 sur, effect of, on orientation of Zootermopsis ingusticollis, 2299

ophylla longinoda, colony-founding in, 518; fect of temperature and humidity on activity r, preying on Mirids and mealybugs on ticao in Ghana, 1080

ophylla smaragdina, good yield in coconut alms harbouring, in Pacific Islands, 3308

Oedaleus senegalensis, outbreak and control of in India, 72

Oeobia (see Anania)

Ohio, aphids on maize in, 133; Hypera postica on lucerne in, 194; Orthosia hibisci in, 629; determining potential populations of Diabrotica longicornis and residual effectiveness of insecticides in, 1233; Schizaphis graminum on maize in, 2364; Abagrotis alternata in, 2368 Diabrotica longicornis on maize in, 2377; integrated control programme for control of pests of Pinus sylvestris in, 2418; Berytinus minor in, 2476; glycerol content of insects exposed to low temperatures in, 2661; new leafhopper-transmissible maize stunt agent in, 2893

Oidaematophorus monodactylus, attacking Calystegia sepium in Ontario, 505

Oiketicus platensis, Euphorocera haywardi reared from, in Argentina, 2032

Oil, ethion combined with, 58; in sprays against Aonidiella aurantii, 350; and insecticides 711; as solvents or carriers for insecticides, 793, 794; ineffective against Archips argyrospilus and Spilonota ocellana, 1672; toxicity of, to cotton insects, persistence of, on cotton, 1699; in aerosols against Anastrepha ludens, 1700; uses of, as pesticides, 1855; effect of, in sprays on Citrus, 3073; essential, possible repellent effect of, for Dacus oleae, 3465; effectiveness of, in trap logs and sprays against Siricids, and yBHC, 3476; and methylparathion, against Adelges tardus, 3517 Oil, Citronella (see Citronella Oil)

Oil, Diesel (see Diesel Oil) Oil Emulsion, in sprays against Aonidiella aurantii, 258; against Dendrolimus superans, 430; residues of DDT in, in soils, 444; against Eotetranychus carpini borealis, 597; effect of, in sprays on Cydia pomonella and other pest and beneficial species on pear, and azinphosmethyl, 603; effect of, in sprays on Cydia pomonella and other insects and mites of apple, and diazinon, 620; chlorinated pinene in, applied in aerosols against Leptinotarsa decemlineata, 705; in sprays against Tydeus vitis, 713; against Quadraspidiotus perniciosus, 714; in sprays against Lepidosaphes ulmi, and ethion, 901; against Aonidiella aurantii, and insecticides, 1089; not affecting survival of eggs of Ceresa bubalus, 1657; reducing transmission of pea mosaic virus by Macrosiphum pisum, 1827; in sprays against Oligonychus ilicis, and ethion, 2879; in sprays against Tetranychus pacificus, 3203; in sprays against Tetranychus telarius, 3205; in sprays against Saissetia oleae, 3489; effect of, on overwintering eggs of Campylomma verbasci, 3621; in sprays against Ceroplastes floridensis, 4001; in sprays against Aonidiella aurantii, and ethion, 4089

Oil, Groundnut, Callosobruchus analis not ovipositing on filter papers impregnated with, 2491

Oil, Linseed (see Linseed Oil)

Oil, Maize, Callosobruchus analis not ovipositing on filter papers impregnated with, 2491

Oil, Mint (see Mint Oil)

Oil, Mustard (see Mustard Oil)

Oil Paints, use of, in marking insects, 347

Oil Palm (see Elaeis guineënsis)

Oil, Petroleum, juice quality affected by postbloom and summer applications of, on orange, 2793

Oil, Rose-perfume (see Rose-perfume Oil)
Oilseeds, Cruciferous (see individual names)
Okanagana rimosa, bacterial septicaemia of, in

Ontario, 3646

okanaganella, Dioryctria
Oklahoma, Phidippus audax as predator of Schizaphis graminum on barley in, 689; Schizaphis graminum and other insects on sorghum in, 1743; taxonomic study of aphids of, 2343; sorghum varieties resistant to biotypes of Schizaphis graminum in, 2407; Schizaphis graminum on wheat and barley in, 2446; Aphelinus asychis as parasite of aphids in, 2913, 2925; Schizaphis graminum on cereals in, 3236

Okra (see Hibiscus esculentus)

oleae, Aceria; Dacus; Saissetia; Tegonotus Oleander, Saissetia oleae on, in Italy, 3489; Pseudococcus obscurus reared on, 4036

olearius, Brevipalpus

Oleic Acid, in larvae of *Heliothis zea*, 934; oviposition response of *Eurytoma roddi* to, 1937; phagostimulatory effect of, on *Ctenicera destructor*, 3302; in larvae of *Chilo suppressalis*, 3916

oleiperda, Hylesinus oleivora, Phyllocoptruta

Oleoparathion, persistence of, in sprays against Ceratitis capitata, 2066; against Myzus persicae, 2610; against Unaspis yanonensis, 2611 Oleosicas (see O-Ethyl O-Methyl S-Ethylcarba-

moylmethyl Phosphorodithioate)

oleracea, Diataraxia

Olesicampe, effectiveness of, against Pristiphora

erichsonii in Canada, 1133

Olesicampe nematorum, Olesicampe sp. close to, effective against Pristiphora erichsonii in Canada, 1133

Olethreutini, in Norway, 1635

Oliarus, on maize in Yugoslavia, 3469

Oligonychus, on sorghum in Mozambique, 3392 Oligonychus araneum sp.n., attacking grasses in Queensland and New South Wales, 520

Oligonychus coffeae, insecticides against, on tea in India, 58; on pea in India, 1049; insecticides against, on tea in India, 3378; on tea and mango in Mozambique, 3392

Oligonychus digitatus, attacking grasses in Queensland, New South Wales and Victoria,

520

Oligonychus ilicis, infestation and control of, on ornamental shrubs in Florida, 2879

Oligonychus indicus, resistance in sugarcane to, 770

Oligonychus mangiferus, as prey of Amblyseius gossipi, 2296

Oligonychus punicae, Phytoseiid predators of, in California, 2462; predation by Amblyseius limonicus on, on avocado in California, 2931 Oligonychus vitis, on vine in Egypt, 2698

Oligosita, in rice-fields in Japan, 1909

Oligosita giraulti, parasitising Antonina graminis on grasses in Brazil, 1282; parasitising Mahanarva posticata in Brazil, 1283 Oligosita sanguinea, parasitising Mahanara posticata, in Brazil, 1283

Oligota yasumatsui, preying on Metatetranych: citri in Japan, 1347

olivacea, Autoplusia; Eublemma

Olive, Prolasioptera berlesiana on, in Yuga slavia, 437; Dacus oleae on, in Mediterranea Basin, 796; Dacus oleae on, in Italy, reducir, insecticide residues in, 1118; Opius concol parasitising Dacus oleae on, in Italy, 1121 pests and diseases of, 1141; Hylesinus oli perda on, 1509; population study of Teg notus hassani on, Oxypleurites maxwelli on, Egypt, 2693; pests and diseases of, 285 fenthion residues in, in Greece, 3133; Data oleae on, in Greece, 3134; Prays oleae on, in Greece, 3134; Prays oleae Yugoslavia, 3146; residues of tetrachla vinphos on, 3186; Dacus oleae on, in Green 3410; Dacus oleae and Prays oleae on, Jordan, 3424; effects of fumigants and i secticides on development of, in Greez 3463; Saissetia oleae on, in Italy, 3489; Daca oleae on, in Italy, 3490; overwintering; Dacus oleae on, in Spain, 3503; mites on, in Spain, 3503; Greece, 3979; residues of insecticides in, Greece, 4009; Oxypleurites maxwelli c Aceria oleae on, in Greece, 4012; Opi concolor released against Dacus oleae on, Spain, 4023; Dacus oleae on, in Greece, 404 Olive Oil, in diet for Corcyra cephalonica, 85

solution of, in acetone, applied to larvae of Drosophila melanogaster, 2177; fenthion reduces in, in Greece, 3133; omission of, from diet for Dacus oleae, 3501; residues of its contraction of the diet for Dacus oleae, 3501; residues oleae,

secticides in, 4009

ollula, Lymnaea omani, Eupteryx

ombrodelta, Cryptophlebia

Omethoate, in sprays against Aonidie aurantii, 4089

Omite (see 2-(p-tert.-Butylphenoxy)cyclohe: Prop-2-ynyl Sulphite)

Ommatissus binotatus, malathion against, date palms in Iraq and Iran, 796

Ommatissus binotatus lybicus, aerial spraagainst, on date in Iraq, 2068

Omphale chryseis, parasitising Contain medicaginis in France, 3511

Oncopeltus fasciatus, effect of juvenile hormon on eggs of, 164; impulse patterns in flight motor neurones of, 421; mating activity a mortality in normal and chemosterilist males of, 675; deferred action of juvers hormone in, 883; chemosterilisation and inproduction in, 1964; juvenile activity mixed ethers against, 2759; effect of synthesis on toxicity of insecticides to strain 2803; kojic acid as insecticidal mycotoxim acultures of, 3270; rearing of, on chemical defined diets, 3985

Oncopera, spp. of, attacking pasture in Victor 3034

Oncopera alboguttata, mating and oviposit of, in New South Wales, 1010

Oncopera brachyphylla, flight of, in Queenslar 1313; larval taxonomy of, 3890 Oncopera fasciculata, behaviour patterns

1010

opera intricata, behaviour patterns of, 1010; secticides ineffective against, in New ealand, 1294; insecticides against, on pasture Tasmania, 1298; insecticides against, on asture and field crops in Tasmania, 1301

copera mitocera, flight of, in Queensland,

813; larval taxonomy of, 3890

sopera rufobrunnea, mating and oviposition f, in New South Wales, 1010; insecticides gainst on pasture in Tasmania, 1298; DDTsistance in, in Tasmania, 3905

copera tindalei, mating and oviposition of, in

wew South Wales, 1010

viorhynchus tshawytscha, insecticide residues

n ova of, 3728

nothrips tepperi, Brithothrips fuscus synony-

nous with, 3333

on, Agrotis sp. on, in India, 79; Archips ecidentalis on, in East Africa, 357; thrips in, in Argentina, 701; Hylemya antiqua on, i Holland, 1143; Thrips tabaci on, in Ghana, 1408; Urocystis colchici and Hylemya antiqua in, in Michigan, 1920; Hylemya antiqua on, (1 Quebec, 1979; Eumerus amoenus on, in gypt, 2050; wholesomeness of irradiated,

viidis, Aceria

mis repens, Aceria ononidis causing viruske symptoms on, 442

onis spinosa, Aceria ononidis causing virus-

ke symptoms on, 442

vario, insects from Calystegia spp. and l'onvolvulus spp. in, 505; Aptesis basizona as arasite of Neodiprion sertifer in, 529; marking cocoons of Neodiprion sertifer in soil in, 30; Pristiphora acidovalva in, 533; leaching if virus of Trichoplusia ni from soil in, 543; nergence of Aegeria exitiosa in, 680; Cydia volesta in, 905; effect of aerial spraying of assecticides on forest-floor arthropods in, 257; Glischrochilus quadrisignatus on apple h, 1270; insecticide residues in fruit, foliage and soil in vineyard in, 1272; releases of Altica Parduorum against Cirsium arvense in, 1683; irus disease of Panonychus ulmi in, 1684; Isvlla pyricola on Plantago major in, 1688; 'ydia molesta on peach in, 1984; Neodiprion Frginianus on pine in, 1985; sex ratio and rairing in Panonychus ulmi in, 1997; Cidaria uniperata on Juniperus spp. in, 2008; effects If wind on Panonychus ulmi in, 2458; bionohics of Aphrodes bicinctus in, 2468; populaon dynamics of Euxoa messoria in, 2471; erytinus minor in, 2476; transmission of gropyron mosaic virus by Abacarus hystrix , 2480; Enargia decolor on Populus tremuides in, 2744; insects related to fruit, vegetoles and ornamentals in, 2980; forest insects f, 2981; insects and other arthropods in ouseholds and on livestock in, 2982; ymantria dispar as threat to horticulture and prestry in, 2983; Zonosemata electa on olanum carolinense in, 2984; spread of ulema melanopus in, 2986; Pieris virginiensis 1, 2987; Tetranychus mcdanieli on raspberry 2988; dispersal of Pleolophus basizonus in, 990; Ibalia gigantea in, 2996; blackbirds reying on insects in, 2997; Hylemya brassicae n cabbage in, 3281; Nepticula macrocarpae

on Quercus macrocarpa in, 3284-3285; effect of sprays on Carabids and Lycosid spiders in, 3288; Hymenopterous parasites of Mythimna unipuncta in, 3290; Neodryocoetes hubbardi infesting seeds in imported necklaces in, 3294; Macrocentrus ancylivorus parasitising Cydia molesta in, 3622; Hylemya brassicae on cabbage in, 3627; viruses infecting Lambdina fiscellaria in, 3631; Phyllonorycter spp. on apple in, 3642; bacterial septicaemia in Okanagana rimosa in, 3646; absorption of insecticides from soils by fodder crops in, 3742

ontario, Apechthis

oo, Pseudoplusia

Ooencyrtus kuvanae, as parasite of Lymantria dispar, 1518

Ooencyrtus pinicola, effectiveness of, in Chita region of Soviet Union, 1477

oophagus, Psyllechthrus opacipennis, Circulifer

opacus, Hylastes

Opatroides frater, effect of different insecticides used in tests against, damaging tobacco seedlings in Andhra Pradesh, 1368

operculella, Phthorimaea Operophtera bruceata, relations of light-trap catches of, to infestations in Nova Scotia,

2979

Operophtera brumata, biological control of, in Canada, 499; effectiveness of Monochaeta albicans in combination with Agrypon flaveolatum against, in Nova Scotia, 1133; population model for interaction between Cyzenis albicans and, 1152; on fruit trees in France, 1161; population dynamics of, in Czechoslovakia, 1489; parasitised by Monochaeta albicans in Britain, 2161; behaviour and activity of males of, in England, 2236; diurnal and seasonal pattern of hatching of eggs of, in Nova Scotia, 2469; parasitised by Lypha dubia, 2645; timing of attack by Lypha dubia on, in Britain, 4078; synchronisation between populations of Lypha dubia and, in Britain, 4079

Ophiomyia (see Melanagromyza)

Ophonus (see Harpalus)

Opius, Neotropical species of, 1111; a new record of, parasitising Phytomyza atricornis, a serious pest of pea in India, 1369; Neotropical spp. of pallipes group of, 2307; parasitising Pegomya betae in Germany, 3440 Opius aridis, seasonal abundance of, as parasite

of Liriomyza spp. on lucerne in California,

647

Opius concolor, use of, against Dacus oleae on olive in Italy, 1120, 3490; use of, against Dacus oleae in Italy and France, 3550; introduced against Tephritids in Réunion, 3946; establishment of, against Dacus oleae in Spain, 4023

Opius suturalis, seasonal abundance of, as parasite of Liriomyza spp. on lucerne in Cali-

fornia, 647

Oporinia autumnata, incidence of Ichneumonids after outbreak of, on birch in Finland, 4109 Optical Scanner, insect data for, 220

Opuntia, Gerstaeckeria spp. feeding on, 3201; Diaspis echinocacti on, in Brazil, 3816

Orache (see Chenopodium album)

Oraesia (see Calpe) orana, Adoxophyes oranae, Agathis

Orange, residues of bromide fumigants in, 132; Aonidiella aurantii on, in California, 258; juice of, in diet for Anastrepha spp., Phyllocoptruta oleivora and Aculops pelekassi on, 591; Panonychus citri on, in California, toxic effects of systemic insecticides on, 637; Panonychus citri on, in California, 649; Diaphorina citri and greening disease of, 871; responses of populations of phytophagous and predacious mites on, to cessation of spraying in Egypt, 910; Ectomyelois ceratoniae on, in Western Australia, 1318; mortality of Anastrepha ludens in buried fruit of, in Mexico, 1741; injury to, by Brevipalpus phoenicis in Florida, 1775; juice quality of, as affected by applications of oil to, in Texas, 2793; effect of, on Tetranychus telarius in Japan, 3047; Phyllocoptruta oleivora on, in Victoria, 3327; effects of fumigants and insecticides on development of, in Greece, stubborn disease of, in Pakistan, 3979; Aceria sheldoni and Aculops pelekassi on, 4012; Ectomyelois ceratoniae on, in Algeria, 4042; sour, Ceratitis capitata over-wintering in fruits of, in Italy, 4055

Orange (see also Citrus nobilis; Citrus sinensis)

orarius, Pityophthorus oratoria, Leptocorisa orbicularis, Uropoda orbitalis, Pristomerus orbonalis, Leucinodes

Orchard Grass (see Dactylis glomerata)

Orchesella, in cultivated fields and grain debris in Canada, 2765

Orchex 796 (see Oil Emulsions)

Orchid, Vinsonia stellifera on, in Florida, 3201; Ceratozetes sp. on, in Germany, 3426; pests of, in Brazil, 3826

Orchid (see also Cymbidium)

Orchidaceae, Tenuipalpus pacificus on, in Florida, 1232

Oregon, Tetranychus telarius on pear in, 570; Itoplectis quadricingulatus released against Rhyacionia buoliana on pine in, 584; Rhyacionia buoliana on pine in, 590; Eotetranychus carpini borealis and other pests of pear in, 597; Pleocoma spp. in, 631; Euchromius ocelleus in, 664; Rhagoletis cingulata on cherry in, 674; Tetranychus telarius on Mentha piperita in, 686; Scutigerella immaculata on broccoli in, 694; Dioryctria cambiicola in, 907; flight activity of Gnathotrichus on Pseudotsuga menziesii in, 1251; temperature effects on Macrosiphum pisum in, 2400; DDT against Choristoneura occidentalis in, 2428; integrated control of spider mites on pear in, 2786; Ips paraconfusus in, 2993 oregonensis, Monochamus; Pleocoma

Organic Matter, influence of in soil on insecticidal control of Melanotus communis, 2370 Organophosphate Insecticides, factors affecting control of *Diabrotica virgifera* with, 2740

Organothrips bianchii, feeding on Cryptocoryne sp. in aquarium in Germany, feeding on Colocasia antiquorum in Pacific Islands, 3429 Orgilus laevigator, parasitising Dendrolimus pix on pine in Hungary, 2138

Orgilus obscurator, Cremastus interruptor pri ferring Rhyacionia buoliana already parasitism by, in Canada, 1133; parasitising Rhyacion buoliana in Yugoslavia, 3136; parasitisis Rhyacionia buoliana on pine in Germani 3415; discrimination by Hyssopus thymo against parasitising Rhyacionia buoliana, 367 Orgyia antiqua, injurious to fruit trees in Franci

1161; damaging heather in Scotland, 2650 Orgyia mixta, parasitism of, by Charops are Brachymeria on Pinus radiata in Kenya, 339

orichalcea, Plusia

orientalis, Atherigona; Blatta; Eutetranychil Ostrinia: Protohystricia; Schizomyia; Vespai Orius, preying on Phthorimaea operculella Rhodesia, 1057; species of, preying

Steneotarsonemus madecassus in Madagasco 3389; attacking cotton pests in Afghanistar 4137

Orius insidiosus, preying on eggs of Lepidopte

on cotton in Uganda, 1205; sensitivity of, [insecticides, 2781 Orius laticollis, attacking Corythucha ciliata

Italy, **3166** Orius majusculus, as predator of apple pests:

Poland, 724 Orius minutus, as predator of thrips, 1438. Orius minutus minutus, as predator of app

pests in Poland, 724 Orius niger, as predator of thrips, 1438

Orius tristicolor, insecticides against Cyc pomonella detrimental to, on pear in Ca fornia, 603; predacious on Pectinophel gossypiella in California, 2772; as predata of Tetranychus mcdanieli in Ontario, 2988! orizicola, Sogatodes

Ormyrus, parasitising Schizomyia orientalis India, 2091

ornatipes, Eyprepocnemis plorans ornatum, Trogoderma ornatus, Eclytus

Ornithine, effect of, in diet for Anthonomy grandis, 3699

ornithogalli, Prodenia orophila, Helopeltis

Orosagrotis, in North America, 230

Orosius argentatus, control of, transmitti tobacco yellow dwarf in Australia, 15: transmitting bean wilt disease in Victor 3032

Orthezia praelonga, fungal diseases in, in Bra 3836

Ortho (see Propoxur)

Ortho 9938 2E (see m-(1-Ethylpropyl)phe

Methylcarbamate)

Ortho Bux (mixture of m-(1-ethylpropy) phenyl methylcarbamate and m-(1-meth butyl)phenyl methylcarbamate, in spm against Agrotis orthogonia, 1719

Orthocid 50 (see Captan) Orthodibrom (see Naled)

orthogonia, Agrotis

Orthoptera, incidence and control of, on luce in India, 88; specificity of Gregarines pa sitic in, 337; sound-synchronised high-spile photography for studying stridulation 399; Gregarines from, 1093; in Territory N

upua and New Guinea, 1899; sound comunication signals and hearing system in, 27; review of, from central and eastern scaucasia, 2565; species of, attacking Vigna guiculata in Uganda, 2679; on maize, 3152; ppulation responses of, following exposure γ-radiation, 3695; on St. Helena, 3964 Nosia hibisci, bionomics and parasites of, in aio, 629

cotomicus caelatus (see Ips)

.vtes, damage to palms by, 2041; damage by melephila ghesquierei to oil palm similar to at of, in Ivory Coast, 3962

rtes elegans, larval rearing of, on living

getable food, 1801; bionomics and natural temies of, on date palm in Iran, 3929 vites monoceros, larval development of,

ared on mixture of decaying wood and cow ing, 1086; larval rearing of, on living

getable food, 1801

ites rhinoceros, spread of, on coconut in ji, 237, 238, 239; Rhabdionvirus oryctes troduced against, in Fiji, 238; natural nemies of, on coconut in India, 504; intronction of Rhabdionvirus oryctes against, on econut in Western Samoa, 884; larval evelopment of, reared on mixture of decayg wood and cow dung, 1086; larval rearing r, on living vegetable food, 1801; on coconut Fiji, 3035

tes, Rhabdionvirus

za barthii, rice yellow mottle virus transtitted mechanically to, in Kenya, 3952 eza eichingeri, rice yellow mottle virus trans-titted mechanically to, in Kenya, 3952 vza punctata, rice yellow mottle virus transfitted mechanically to, in Kenya, 3952 Latheticus; Atherigona; Chlorops;

achydiplosis; Sitophilus

ae, Ripersia (see Heterococcus rehi); zaephilus mercator, malathion protecting fied raisins against, 615; malathion protectg stored prunes against, in California, 660; migants against, in stored cacao in Nigeria, 170, 1071; fumigation of bagged groundnuts gainst, in railway waggons in Nigeria, 1074; migation of stored maize against, in igeria, 1075; plastic strips impregnated ith dichloryos against, in grain storehouse Nigeria, 1077; suitability of polythene bags r protection of stored products against, in igeria, 1079; distribution and occurrence f, in Canada, 2827

zaephilus surinamensis, malathion protecting ied raisins against, 615; malathion protectg stored prunes against, in California, 660; ontrol of, in stored grain by cooling, 810; fectiveness of 5-benzyl-3-furylmethyl dans-ethanochrysanthemate against, 820; as est of seeds of ornamental plants in U.S.S.R., 197; Xylocoris flavipes preying upon, in eorgia, 1223; dispersion of, in temperature adient, 2082; rearing of, in temperatureoisture gradient, 2169; controlled atmopheres to eliminate infestations of, in stored ain and groundnuts, 2330; multiplication , on varieties of wheat, barley and oats in boratory, 2386; in sacks used for flour in ritain, 2657; in stored grain and processed

cereals in Canada, 2827; humidity response of larvae of, 2915; infestation and control of, in header-harvesters in Victoria, 3031; susceptibility of, to methyl bromide, 3301

oryzophilus, Lissorhoptrus

Oscinella frit, disturbance by Carabids reducing oviposition by, in Britain, 24; seed treatments protecting wheat against, in France, 304; and resistance to, in sweet maize, 1452; on cereal crops in Turkey, 2084; as pest of pasture grasses in eastern Germany, 2596; on maize in Yugoslavia, 3152

Osiraspis balteata, redescription of, 2719

Osphranteria coerulescens, bionomics of, on Rosaceae in Iran, 1928; parasites and control of, on fruit trees in Iran, 2782

osseatella, Euzophera

Ostico, applied to mango against Drosicha stebbingi, 3384

ostreaeformis, Aspidiotus; Quadraspidiotus Ostrinia damoalis, as synonym of O. furnacalis,

Ostrinia furnacalis, as pest of maize in Asia and Australia, Ostrinia damoalis and O. salentialis as synonyms of, 526

Ostrinia kurentzovi sp.n., in U.S.S.R., 526 Ostrinia narynensis sp.n., in U.S.S.R., 526

Ostrinia nubilalis, mating of, inhibited by cis-11-tetradecenyl acetate, 174; rearing and rating methods for assessing resistance of maize to, 266; geographical distribution of, on maize 526; effect of egg source on larvae of, 572 breeding of maize varieties for resistance to, in France, 779; resistance in inbred lines of maize to, in France and Yugoslavia, 780; morphometric variability related to ecological conditions of biotypes of, in North Central United States, 949; resistance of muscles of, to damaging stimuli, 1098; Beauveria bassiana with DDT against, 1432; use of Beauveria bassiana against, in Soviet Union, 1453; insecticides against, in Yugoslavia, 1515; on cereal crops in Turkey, 2084; effect of stilbestrol treatment on reproduction of, 2140; not controlled by nuclear-polyhedrosis virus on maize, 2396; Trichlorphon against, on Cynara scolymus in Egypt, 2699; factors influencing mating of, 2743; International Project on Ecology of, 2951; Bacillus thuringiensis against, in Yugoslavia, 3142; effects of, on yield of hybrid maize in Yugoslavia, 3151; on maize in Yugoslavia, 3152; damage by, to maize in U.S.A., 3209; formation of ice crystals in larvae of, 3343; distribution of eggs of, on corn in China, 3351; response of, radiation, 3690; ecological effects on hybrids of biotypes of, in U.S.A., 3789

Ostrinia nubilalis mauretanica, distribution of, 526

Ostrinia nubilalis persica, distribution of, 526 Ostrinia obumbratalis, as pest of maize in North America, 526

Ostrinia orientalis sp.n., in U.S.S.R., Kurile Is., and Japan, 526

Ostrinia putzufangensis sp.n., in China, 526 Ostrinia salentialis, as synonym of O. furnacalis,

Ostrinia scapulalis, identification of, 526

Ostrinia varialis, ecology and control of, in Japan, 3051

Ostrinia zaguliaevi sp.n., in U.S.S.R., Japan, and China, as pest of leguminous crops in Far East, 526

Ostrinia zealis, identification of, 526 Ostroma ferruginea, in Spain, 4031

Ostroma grossa, in Spain, 4031

Othnonius batesi, morphology and development of virus of, in New South Wales, 2213; damage to pastures by, in Queensland, 3310 Othreis materna, feeding mechanism of, 244

Otiorhynchinae, species of, new to Italy, 3480 Otiorhynchus, integrated control of, and Sciopithes obscurus, 679

Otiorhynchus ovatus, insecticides against, on

strawberry, 668

Otiorhynchus sulcatus, insecticides against, on strawberry, 668; insecticides as soil drenches against, on container-grown *Picea pungens* in Washington, 678

otis, Zizera ou, Rachiplusia

Oulema, Anaphes lemae sp.n. reared from, in

Poland, 3970

Oulema melanopus, releases of Anaphes flavipes against, in cereal fields in Indiana, 385; varietal resistance in wheat to, 778; establishment of introduced parasites of, in Michigan and Indiana, 1755; insecticide sprays against, on oats in Michigan, 1921; parasitism of eggs of Anaphes flavipes by, 2956; spread of, in Ontario, 2986; establishment of Anaphes flavipes against, 3233; Anaphes sp. parasitising eggs of, Anaphes flavipes parasitising eggs of, 3350; Anaphes lemae sp.n. reared from, in Yugoslavia, 3970

ovatus, Otiorhynchus Ovicide (see Creosote)

Oviposition, effect of different prey species on, in *Amblyseius gossipi*, 2296; holding cage for studies on, in insects, 2805

studies on, in insects, **2805** 10-Oxa-3,6-*exo*-4,5,13,13-hexachlorohexacyclo-[6,3,1,1^{3,6},1^{9,11},0^{2,7},0^{5,12}]tridecane, metabolism of, in rat, **33**

Oxalis violacea, larvae of Heliothis zea fed, 2189

cis-9-Oxo-2-decenoic acid, synthesis and evaluation of, as honey bee pheromone and masking agent, 965

oxyacanthae, Rhopalosiphum

Oxycanus, spp. of, attacking pasture in Victoria, 3034

Oxycanus fuscomaculatus, insecticides against, in pastures in Tasmania, 1297

Oxycarenus hyalinipennis, attacking seeds of Hibiscus spp. and cotton in Ghana, 346

Oxycarenus luctuosus, on cotton in New South Wales, 3030
Oxycetonia jucunda, daily fluctuations in flower-

visiting activity of, on Citrus in Japan, 3914 Oxydemeton-methyl, in soil drenches and trunk injections against Pyrrhalta luteola, 191; against Cydia funebrana, 276; compatibility of fungicides with, against pests of plum, 280; resistance to, in Myzus persicae, 299; emulsion concentrate of, against Tenuipalpus pacificus, 1232; in sprays against aphids, 1921; toxicity

of, to livestock, 2106; emulsion sprays against pests of *Pinus sylvestris* in Ohio, 241-against *Pemphigus populitransversus*, 242-against *Myzus persicae*, 2804; against aphic 2899; resistance to, in *Tetranychus telari*, 374-against *Phenacaspis pinifoliae*, 3783; again cotton pests, 4137

Oxydisulfoton, resistance to, in Myzus persical

Oxygen, uptake of, by Tenebroides mauritanica 39; consumption of, by Heliothis zea, 37, consumption of, in Drosophila melanogasts 414; uptake of, in healthy and diseased larve of Popillia japonica, 542; mortality of 5% philus spp. in atmospheres of CO₂ and, 172, consumption of, by Melanoplus sanguing, 1971; consumption of, in relation to 655 excretion in Cryptocercus punctulatus, 369 consumption of, in overwintered adults Perilloides bioculatus, 4113

Oxylobus punctatosulcatus, released again Oryctes rhinoceros in South Pacific area, 5 Oxyopes salticus, preying on Heliothis zea

cotton in Arkansas, 563; on lucerne in V ginia, 2402 Oxypleurites asterogalli, as sp.n. from Georgia

2736
Oxypleurites camphori, as sp.n. from George

2736
Oxypleurites maxwelli, on olive in Egypt, 26%

on olive in Greece, 3979, 4012 Oxyrhachis tarandus, on Cajanus cajan in Wo Bengal, 2674

Oxythioquinox (see Quinomethionate) Oysters, insecticide residues in, 3728

P

Pachycrepoideus vindemiae, parasitising Tere fuscicornis in Greece, 3135; rearing of, release against Ceratitis rosa and Dacus sin Réunion, 3946

Pachydiplosis oryzae, effect of potash on inchence of, on rice in India, 3381; on rice in Wells

Africa, 3956

Pachygnatha tristriata, on lucerne in Virgina 2402

Pachygonatopus, parasitising Sogatella furcinin India, 2523

Pachylobius picivorus, biology of, on page seedlings in Georgia, 2817

Pachymerus (see Callosobruchus)

Pachyneuron, as parasite of pupae of Leucon puncticornis aphidivora, 2696; Scutelli cyanea parasitised by, in Italy, 3482; Ephecoreported as new host record for, in California 3686

Pachyneuron concolor, as parasite of Electric canium prunastri, 1513; parasitising Denolimus pini on pine in Hungary, 2138

Pachyneuron siculum, reared from Chilocobipustulatus in Israel, 459

Pachypasa capensis, control of, with violatease, 1403; isolation and biophysical characterisation of virus from, in South Africa 1059

ic Islands, predators released against tyctes rhinoceros in, 504; Rhynchophorinae 1 1000; Fulgoroidea from, 1566; insects of onomic importance in, 1895; list of pests id diseases of plants in, 1896; Cosmopolites cinosus on banana in, 1898; premature st-fall of coconut in, 3308; Lepidoptera in, 36; Organothrips bianchii in, 3429

ic Ocean, air-borne Lygaeidae trapped

er, 1002

vicus, Tenuipalpus; Tetranychus

Jardi, Cydia

vilus malinellus, Yponomeuta

w Eriophyes; Rhopalosiphum

Jantan, as virus disease of rice in Malaysia,

vilomyces farinosus, pathogenicity of, for ptinotarsa decemlineata, 734; infecting valacosoma americanum and M. disstria,

01; affecting Adelges piceae, 2472

astan, Nephotettix impicticeps transmitting us disease of rice in East, 492; Anania bascalis as enemy of Xanthium strumarium West, 502; insects attacking Myriophyllum in, 508; Pygaera anastomosis and cosma hapalosarca in West, 510; insect sts and diseases of poplars in West, 511; mites in, 512; Sepedon sauteri in, 1345; introl of Sinoxylon spp. on newly felled es in West, 1376; control of Plecoptera Aexa, a pest of Dalbergia sissoo in West, 77; Abdullahius shameemae gen. et sp.n. on ar tree in West, 1378; dung-rollers of, cluding the economic importance and iscriptions of new species of *Anomala* in, 79; Invreia ghanii sp.n. parasitising Chilo rtellus in, 1570; Anomis sabulifera on orchorus spp. in East, 2071; Nephotettix escens transmitting virus diseases of rice . East, 2197; Bdella muscorum and Neomolis sp. introduced into Quebec from, 2472; sts of Solanum melongena in East, 3252 molecanium bituberculatum (see Eulecanium)

W, Hylobius

pavida, parasitising Dendrolimus pini on the in Hungary, 2138; parasitism of Hyphania cunea by, in Yugoslavia, 3145

curus, Papilio

atus, Hylastes; Tanymecus

a lefulva, Formica dicornis, Chirothrips dipes, Parahormius

whates, Papilio clytia

tus, Archiboreoiulus; Caryedon; Spathius;

'rsonemus

iclistus

stera, attacked by Tenocera clara in U.S.A., bes, Eulophus; Leiophron; Megoura; Opius;

n, Areca (see Areca catechu)

1, Oil (see Elaeis guineënsis)

arum, Rhynchophorus

litate, metabolism of, by males of Schisto-

rca gregaria, 582

nitic Acid, in diet for Galleria mellonella, 9; in larvae of Heliothis zea, 934; phagomulatory effect of, on Ctenicera destructor, 02; in larvae of Chilo suppressalis, 3916

Palmitoleic Acid, in Lepidopterous larvae, 31: in larvae of Heliothis zea, 934; in larvae of Chilo suppressalis, 3916

Palpita unionalis, on jasmine in India, 84

paludosa, Megaselia; Tipula

Pamakani fly (see Procecidochares utilis)

Pammene rhediella, wrongful identification of Cydia lobarzewskii as, on plum in Yugoslavia, 439

Pamphilius phyllisae, outbreak of, on Quercus rubra in Pennsylvania, 1263

Panagrellus, development and reproduction of Amblyseius largoensis on, 3225

Panama, bean virus in, 3795

Pandemis cerasana, bionomics and immature stages of, in British Columbia, 3637

Pandemis dumetana, control of, on strawberry in Switzerland, 1130; effect of natural enemies on, on strawberry in Italy, 3481

Pandemis heparana, on peach in Hungary, 292 Pandemis ribeana, on peach in Hungary, 292; as synonym of P. cerasana, 3637

pandurus, Lygaeus

paniceum, Stegobium

Panicum maximum, preventing removal of seeds of, by ants in Oueensland, 1316; Anaphothrips flavicinctus on, in India, 3083

Panicum miliare, Aprostocetus sp. reared from Atherigona nudiseta on, in India, 1577

panitae, Lorryia

Panka africana, abundance and host plants of, in Central African Republic, 1814

Panka lunguncus sp.n., abundance and host plants of, in Central African Republic, 1814 Panka minimuncus sp.n., abundance and host plants of, in Central African Republic, 1814 Panogen, controlling mites on seeds of flax,

hemp and beet, 1540

Panonychus citri, comparison of P. elongatus with, 514; systemic insecticides against, on orange in California, 637; aldicarb for control of, on orange in California, 649; recorded from New South Wales, 1003; Oligota yasumatsui preying on, in Japan, 1347; value of Amblyseius hibisci for control of, in California, 1777; effects of γ-radiation and tepa on, on lemon, 2378; respiratory mechanism of eggs of, 2852; effect of, on growth and yield of Citrus in Japan, 3069; disease of, in New South Wales, 3898

Panonychus elongatus, on Citrus in Burma and Queensland, description and comparison

with P. citri of, 514

Panonychus ulmi, insecticide control of winter eggs of, in apples in Egypt, 95; effect of chemical fertilizers on population dynamics of, on plum in Rumania, 275; chemical control of, on plum in Rumania, 280; effect of fungicides on, on vines in Hungary, 296; infestation and control of, on vines in Hungary, 297; quinomethionate controlling, on pear in British Columbia, 536; effect of insecticides against Cydia pomonella on populations of, on pear in California, 603; effect of insecticides against Cydia pomonella on populations of, on apple in British Columbia, 620: predation by Amblyseius fallacis on, as measured by insecticidal check method in New Jersey, 645; toxicity of insecticides to

Stethorus punctum as predator of, 670; not transmitting sharka virus disease, 774; monitoring for resistance of, to acaricides in Britain, 791; effect of, on apple yields in Britain, 811; effect of formetanate on, on apple in Britain, 815; Galecron against, on apple in Britain, 817; predation on adult females of, by adult males of Tetranychus telarius, 1011; limits of stages of, in orchard populations of, in Nova Scotia, 1264; oil emulsions against, on apple in Quebec, 1657; occurrence and transmission of virus disease of, in Ontario, 1684; threshold temperatures for development of, 1982; controlled alteration of populations of, on apple in Nova Scotia, 1995; sex ratio and pairing in, in Ontario, 1997; sprays against, on apple in Germany, 2142; effect of fungicides on, on vines in Germany, 2143; damaging leaves of apple and plum in south-eastern England, 2238; populations of, developing on apple untreated with pesticides, 2365; effects of wind on, on peach in Ontario, 2458; organophosphorus resistance in, susceptible to Omite and Plictran, 2752; control of, on pear in Oregon, 2786; effects of water and high humidity on, 2816; respiratory mechanism of eggs of, 2852; insecticides against, on apple in Poland, 3111; on fruit trees in Greece, 3132; Diaphnidia capitata as predator of, 3289; sprays against, on apple in Bulgaria, 3443; DDT against, Stethorus punctillum as predator of, on apple in Bulgaria, 3458; in Greece, 3464; Campylomma verbasci preying on, on pear in British Columbia, insecticides for use in integrated control of, 3621; tricyclohexyltin hydroxide against, on apple in British Columbia, 3638; on apple in New Zealand, 3859; integrated control of, on apple in Australia, 3904; Psallus ambiguus preying on, in Poland, 4116

panshini, Steneotarsonemus Pantakan (see DDT)

Pantomorus cervinus, on cultivated plants in Victoria, 3323

Panurgica compressicollis, as parasite of Distantiella theobroma, 1080

Paoliella, sp. of, in traps in Venezuela, 2830 PAP (see Phenthoate)

Papaya (see Carica papaya)

papayae, Empoasca

Paper, effect of extracts of plants applied to, on probing behaviour of Capitophorus fragaefolii, 373

Paper-mulberry (see Morus alba)

Paper Wrappers, applied to trunks and branches against Cerambyx dux, 3043

Papilio clytia palephates, on Litsea sp. in Philippines, 498

Papilio demoleus, infected by Serratia marcescens, 3923

Papilio demoleus demoleus, biology of, on Citrus in Iran, 1180

Papilio palinurus daedalus, on Micromelum minutum in Philippines, 498

papivora, Dasineura

Papua and New Guinea, Territory of, Epipagis monostictalis mining leaves of Hoya sp. in. 240; mosaic disease of Hibiscus manihot in, 840; Scolytoidea in, 1016, 1017; Scolytidi and Platypodidae of economic important from, 1897; forest tree and timber inse pests in, 1899; Heliothis spp. in, 2639; datel pillars defoliating cacao flush in, 2640

parabile, Trogoderma (see T. variabile)

Parabillaea (see Paratheresia)

Paraceraptrocerus nyasicus, attacking Gascarol destructor in South Africa, 1307

paraconfusus, Ips paraensis, Azteca

Paraffin, diet coating of, for Cydia pomonelle 3221

Paraffinic Oil, toxicity of, to cotton insects, 161 Parafilm Membrane, used in device for colled ing planthopper and leafhopper eggs, 10461 Parageniaspis indicus sp.n., parasitising Laccio

lacca in India, 1575

Paraguay, Schistocerca americana in mam script of 18th century relating to, 99 Antonina graminis in, 2034; Eriophyid min in, 3669, 3824; Tydeid mites in, 3825

Parahormius pallidipes, parasitising Keifel lycopersicella on tomato in California, 6232 Paraivongius semipiceus, on cacao in Ghard 2291

Paraivongius viridiaeneus, on cacao in Gham 2291

Paralithodes californiensis, insecticide residu in, 3728

parallelipipedus, Dorcus

parallelus, Chorthippus

Paralobesia viteana, insecticides against, vine, in Ontario, 1272

Paralysis, possibility of virus causing, in t mites, 2317

Paramyelois transitella (see Amyelois) Paraná Pine (see Araucaria angustifolia) Parandaspis castelbrancoi gen. et sp.n.,

coffee on São Tomé, 2044 Paraoxon, resistance to, in Tetranychus telarin 2077, 3404; determination of residues of.

crops, 4100 Paraplonobia, attacking groundnut in Quee:

land, 3312 Pararcyptera labiata, on cereal crops in Turk: 2084

Parasa (see Latoia)

Parasites, list of, liberated in Canada, 2456 Paraswammerdamia caesiella, parasitism of, Canada, 743

Paratheresia rhynchophorae, as parasite Rhynchophorus palmarum in Trinidad, 50.7 Parathion, in sprays and dusts against Raoio

indica, 65; in sprays against Rhopalosiphol erysimi, 68; against Leucinodes orbonalis, treatment of storage receptacles with, against Diaphorina citri, 77; against Ferri virgata, 86; Tyrophagus casei not sensitive 101; toxicity of, to honey bees, 105, 1 metabolism of, by *Rhizobium japonicum a R. meliloti*, 145; effectiveness of, as ovice for Epilachna varivestis, 164; against cot insects, 189; against Heliothis zea, 197; sprays against Aonidiella aurantii, 2 against Cydia delineana, 273; against Cy funebrana, 276; compatibility of fungicial with, against pests of plum, 280; against Leucoptera scitella, 286; against

volesta, 293; resistance to, in Myzus persicae, 9; soil treatment with, against Psila rosae, 2; in sprays against Aonidiella aurantii, juriousness of, to beneficial insects, 350; t preventing outbreaks of Archips occidenis and Tortrix dinota, 357; against Scuti-rella immaculata, 451; resistance to, in vyzus persicae, 452; resistance to, in precious mites, 599; persistence of deposits of, ainst Keiferia lycopersicella, 608; phytoixicity of sprays of, to sorghum, 618; toxiy of, to strains of Metaseiulus occidentalis, 2; in sprays against Schizaphis graminum, 4; not effective against Diabrotica spp., 4; soil treatment with, against Lachno-erna consanguinea, 657; in dusts against cliothis zea, 659; toxicity of, to Otiorhynus ovatus, 668; effectiveness of, against viopithes obscurus, 679; controlling Tarsomids, 742; in granules against Tipula spp., 7; in granules against Hylemya brassicae, 19; in sprays against Apion corchori, 867; in rays against Phthorimaea operculella, 870; fect of, on haemocyte counts in insects, 875; til treatment with, in sprays against Cyclosphala signaticollis, Heterogomphus pauson d Graphognathus leucoloma, 989; effect of tetary protein on toxicity of, in rats, 1095; rainst Edwardsiana spp., 1100; in dusts and rays against Dacus oleae, 1118; in sprays rainst Ceutorhynchus rapae, 1121; in dips rainst Rhizoglyphus echinopus, 1128; in rays against Tarsonemus pallidus, 1139; rect of, on Cirrospilus vittatus, 1146; Ipellent effect of, against ant removal of esture seeds, 1316; against Quadraspidiotus rniciosus, 1399; effect of, on Beauveria essiana, 1436; against Lixus juncii, 1516; not excomposing in diazinon-treated rice irrition water, 1568; aspects of metabolism of, 13; toxicity of, to Lepidopterous pests of otton, 1698; effect of cholinesterase reac-.ators on honey bees poisoned with, 1715; xicity of, to Alopecosa kochi, 1720; soil teatment with, in granules against wireforms, 1732; in sprays against biotype of :chizaphis graminum and other insects, 1743; sistance to, in Amblyseius hibisci, 1777; sprays against Myzus persicae and Macrocohum euphorbiae, 2022; in bait-spray against phum pisum, 2033; persistence of, in sprays gainst Ceratitis capitata, 2066; and molasses, 970; against Cydia tricentra, 2103; against omoptera on rice, 2199; against Plutella vlostella, 2201; against Haplodiplosis marinata, 2298; against Melanotus communis, 370; against Schizaphis graminum, 2403; rzainst Clivina impressifrons, 2416; against viabrotica undecimpunctata howardi, 2426; in sts against rice leafhoppers, 2504; against Tylabris pustulata, 2520; residues of, in fruit nd vegetables in Sweden, 2547; against tyzus persicae, 2610; against Unaspis monensis, 2611; strains of Amblyseius falcis resistant to, 2752; against Costalimaita rruginea, 2832; adsorption of, on soil rganic-matter surfaces, 2952; mechanism of netabolism of, by rabbit liver oxidase, 2953;

in sprays against Spodoptera frugiperda, 3006; against rice pests, 3042; with trichlorphon and carbaryl, against Capnodis tenebrionis, 3096; toxicity of, to eggs of Tetranychus telarius, 3108; against Heliothis armigera, 3130; in granules against Sitona sp., 3131; against Phytodecta fornicata, 3139; against Vinsonia stellifera, 3201; against Spodoptera eridania, 3242; against Schizaphis graminum, 3236; resistance to, in Tetranychus telarius, 3404; in aerial sprays against aphids, 3446; extraction of, from fish, 3461; harmful to Scutellista cyanea, 3482; against Saissetia oleae, 3489; long term persistence of, in soil, 3604; resistance to, in Myzus persicae, 3613; in sprays against Phthorimaea operculella, 3796; in sprays against Enneothrips flavens and Stegasta basqueella, 3809; against Myzus persicae and Epicauta atomaria, 3847; in sprays against Asphondylia sesami, 3920; against Scaphoideus littoralis, 4047; deteragainst Scaphoideus littoralis, 4047; mination of residues of, in crops, 4100; in sprays against Phyllonorycter pyrifoliella, 4139

Paratrechina longicornis, predacious on Diatraea saccharalis, on sugar-cane in Cuba, 2725

pardalina, Locustana

pardalis, Curculio

Parerupa africana, Chilo zacconi misidentified as, in West Africa, 3956

pariana, Eutromula

Paris Green, in baits against Chrotogonus trachypterus, 71

parksi, Chrysocharis

Parlatoria, aerial sprays against, on date in Iraq, 2068

Parlatoria blanchardii, rearing of Coccinellidae for control of, in Soviet Union, 3555; Gregarine parasitising Coccinellid predators of, in Mauritania, 4043

Parlatoria oleae, bionomics, natural enemies and food plants of, in U.S.S.R., 1099

Parlatoria pergandii, distribution of, on Citrus in Western Nigeria, 2430; interactions of two parasites of, 2497

Parlatoria pittospori, record of, on apples in Victoria, 517

Parlatoria proteus, distribution of, on Citrus in Western Nigeria, 2430

Parlatoria ziziphus, distribution of, on Citrus in Western Nigeria, 2430

parlatorioides, Pseudoparlatoria

Paroudablis graminis, sp.n. on Setaria and Triticum in Ukraine, 2559

parroti, Sergentomyia minuta

Parsley, Cavariella aegopodii on, in Argentina, 1288; uptake of DDT from soil by, 3434; Trioza nigricornis on, in Bulgaria, 3459 partellus, Chilo

Parthenocissus quinquefolia, attractiveness o lures associated with, to Popillia japonica,

Parthenolecanium corni, effect of fertilizers on population density of, on Robinia, 1142; parasites of, in Serbia, 1513; pheno-immunity in food-plants of, 2813; on berry-fruit bushes in Soviet Union, 3571 Parthenolecanium corni apuliae subsp.n., bionomics and control of, on vine in Italy, 3482
 Parthenolecanium rufulum, effect of fertilizers on population density of, on Quercus rubra, 1142

parvus, Nephotettix

Paspalum, in pastures infested by Plectris aliena in New South Wales, 515

Paspalum dilatatum, Costelytra zealandica on, in New Zealand, 1891

Paspalum notatum, Derobrachus brevicollis on, in Georgia, 926

Passalus interruptus, attacking forest trees in Brazil, 3849

Passiflora quadrangularis, Disonycha glabrata

damaging, 2831

Pastures, insecticides against Aphodius pseudotasmaniae in, in Tasmania, 1294, 1295, 1296; insecticides against Oxycanus fuscomaculatus in, in Tasmania, 1297; insecticides against Oncopera in, in Tasmania, 1298, 1301; Adoryphorus couloni damaging, in Tasmania, 1302; pests of, in South Africa, 2543

Patanga succincta, rearing and development of,

417

Patasson conotracheli, as introduced parasite of

Hypera postica in Quebec, 1663

Patasson declinata, reared from eggs of Ceutorhynchus assimilis in Poland and Holland, 3970

Patasson luna (see P. conotracheli)

Patasson nitens, introduced from Mauritius into Madagascar against Gonipterus scutellatus, 1392

Patasson valkenburgica, Anaphes lemae sp.n. misidentified as, 3970

patellana, Halticoptera

Pathogens, identification of, 2255; interactions between, 2273; safety of insect pathogens for man and vertebrates, 2275; production of, in artificial media, 2276; (of arthropods), propagation of, in living systems, 2277; strain improvement and preservation of virulence of, 2282

patruelis, Hilda

paucispinosa, Frankliniella

Pauesia californica, parasitising Schizolachnus piniradiatae in Quebec, 903

paulensis, Monoctonus pauson, Heterogomphus

pavida, Pales

Pavonia hastata, Tectocoris diophthalmus on, in Queensland, 3888

PCB (see Polychlorobiphenyls) PCP (see Pentachlorophenol)

PDB (see p-Dichlorobenzene)

Pea, method for determining extent of infestation by Bruchus pisorum in, 123; subcellular components of, converting aldrin to dieldrin, 331; probing behaviour of Capitophorus fragaefolii on, 373; Macrosiphum pisum on, in Nova Scotia, 636; thrips on, in Argentina, 701; in diet for Agrotis spp., 719; effect of crop rotation on population density of pests of, in Germany, 745; no resistance in, to Sitona lineatus in Finland, 781; resistance in, to Acyrthosiphon pisum in Finland, 782; Aphis craccivora as vector of mosaic virus of,

in India, 865; diseases of, 1141; infected wip peanut mottle virus in Queensland, 1313 Opius and Neochrysocharis parasitising Physics myza atricornis on, in India, 1369; mosa virus of, transmitted by Myzus persicae, 1646 oil emulsions reducing transmission of mosa! virus of, transmitted by Macrosiphum pisus in France, 1827; factors affecting transmission of enation mosaic virus of, by Macrosiphil pisum, 1945; chemicals in fruits of, inhibiting oviposition by Earias vittella in India, 2070 damage to, by Caliothrips indicus in India 2102; aphids transmitting virus diseases : to sweet pea, 2897; groundnut mottle vin in, 2484; vitamins C and E content Mamestra brassicae from, 2560; mineral inhibiting transmission of plant-pathogeneviruses by aphids to, 2606; use of aphids s separate two strains of enation mosaic vir of, 2895; transmission of virus of, by Macre siphum pisum quantified on sweet pea i diagnostic local lesions, 2897; insect fault of, in Soviet Union, 3092; aphid transmissis of enation mosaic virus of, 3167; epoxidation of aldrin by root preparations from, 318; Contarinia pisi on, in Switzerland, 349 comparison of, with broad bean and artificial diet for Macrosiphum pisum, 3703; leaf-rvirus of, transmitted by aphids, 4041; variet susceptibility in, to Cydia nigricana in Polari 4120

Pea, Pigeon (see Cajanus cajan)

Pea (Stored), heat treatment of, against insort

pests in India, 1356

Peach, Anarsia lineatella on, in Rumania, 277 pests of, in Bulgaria, 289; separation of mc pests of, in Hungary, 292; Cydia molesta in Hungary, 293; Anuraphis persicae on, Yugoslavia, 440; restriction of mosaic vi of, by control of Eriophyes insidiosus California, 627; Aegeria exitiosa on, in No America, 680; sharka virus disease of, Europe, 774; Anuraphis helichrysi on, India, 872; Cydia molesta on, in Ontara 905; preference for, in Myzus persicae, 94 Cydia molesta on, in Argentina, 990, 94 damaged by Grammadera clara in Argentia 996; transmission of sharka virus Myzus persicae on, 1140; pests diseases of, 1141; baits attracting Cymolesta and Aegeria spp. on, in George 1761; methods of sampling populations Cydia molesta on, in Ontario, 1984; Liogen tibialis attacking, in Brazil, 2356; Anam lineatella on, in Washington State, 24 Panonychus ulmi on, in Ontario, Anuraphis helichrysi on, in India, 2516; tell on control of Myzus persicae on, in Fran 2610; effects of water and high humidity Panonychus ulmi on, in laboratory, 2811 insects on, in Venezuela, 3003; Capne tenebrionis on, in Soviet Union, 300 Gastropacha quercifolia on, 3208; Acua cornutus on, in Victoria, 3327; infestations Myzus persicae and Hyalopterus pruni on France, 3347; Cydia molesta on, 3622; Metco pruinosa on, in Florida, 3723; fungal infect in Myzus persicae on, in France, 39 Ceratitis capitata on, in Canary Islands, 40

please of sterile adults of Ceratitis capitata in, in Italy, 4055; Cydia molesta on, 4150 ch Leaf Curl Aphid (see Anuraphis heliarysi)

mut (see Groundnut)

7, Scolytus nitidus on, in Kashmir, 66; sylla pyricola on, 117; Cydia molesta on, Hungary, 293; Epitrimerus pyri and canonychus ulmi on, in British Columbia, 36; Tetranychus telarius on, in Oregon, 570; otetranychus carpini borealis and other pests if, in Oregon, 597; Cydia pomonella and ther pest and beneficial species on, in Caliprnia, 603; Myzus persicae preferring peach b, 942; pests and dieases of, 1141; Eriophyes vri on, in Western Australia, 1319; Abdulvhius shameemae gen. et sp.n. on tree of, in 1/. Pakistan, 1378; varietal susceptibility of, attack by Aphanostigma piri in Israel, 1387; eucoptera scitella as leaf-miner of, 1517; sylla pyricola on, in Nova Scotia, 1994; eresa bubalus on, in Turkey, 2087; recommendation against use of DDD as postclossom spray on, 2641; integrated control of pider mites on, 2786; Cerambyx dux on, In Malta, 3043; Eriophyid mites on, in Soviet Inion, 3095; Eriophyes pyri on, in Poland, 109; Panonychus ulmi on, in Greece, 3132; Typhantria cunea on, in Yugoslavia, 3145; Isidues of tetrachlorvinphos on, riophyes pyri on, in Victoria, 3327; Campyvmma verbasci on, 3621; Euzophera bigella and Cydia pomonella on, in Iran, 3936; pests if, in Mozambique, 3951; Eriophyes pyri on, 4 Greece, 4012

At, Oryctes spp. reared on, 1801

man (see Carya)

kelachertus diprioni gen. et sp.n., reared rom eggs of Gilpinia frutetorum in Quebec, :478

psensis, Phryxe

wtinophora gossypiella, insecticides against, in cotton in Sudan, 97; value of stalk shreders in control of, on cotton in Arizona, 162; Arcadian sensitivity and dosage-rate response >> X-rays in, 178; insecticides against, on cotton in Texas, 189; suppression of, by eleases of sterilised adults on cotton in rexas, 216; toxicity of insecticides to, on cotton in Texas, 630; toxicity of insecticides i) irradiated and normal adults of, 673; orays against, on cotton in India, 873; hynocoris albopunctatus preying upon, in Uganda, 1182; natural enemies of, on cotton, 1 Uganda, 1205; on cotton in Afghanistan, 443; effect of gossypol on larval developtient of, 1707; effect of Bacillus thuringiensis n, 1713; circadian susceptibility of, to zinphos-methyl, 1746; method of shipping arge numbers of adults of, 1782; parasites of, n California, 1953; infestation and control f, on cotton in Egypt, 2046; sex pheromones If, unattractive to Sitotroga cerealella, 2188; officacy of hexalure in light traps for, in vrizona and Texas, 2439; release of sterilised, n Texas, 2445; studies of diapause of, in gypt, 2700; varietal susceptibility of Hibiscus sculentus to attack by, in Egypt, 2711; larval liets containing dyes for tagging, 2760;

evaluation of predators of, in California, 2772; seasonal influence and effect of trap location on catches of, in California, 2916; female sex pheromone gland of, 2946; attack by, in relation to manuring of cotton in Egypt, 3172; tetradecyl acetate reducing attractiveness of sex lure to males of, 3212; effect of infra-red irradiation on overwintering larvae of, 3354; incidence of, on cotton in India, 3362; treatment of eggs of, with formaldehyde to prevent infection with cytoplasmic polyhedrosis virus, 3656; effect of temperature on population growth of, in Arizona, 3678

Pectinophora scutigera, effects of burial on winter populations of, on cotton in Queens-

land, 1315

Pediasia teterrella, artificial diet for, 633; effect of temperature on hatching of, 2917

Pediasia trisecta, effect of temperature on hatching of, 2917

Pediculoides (see Pyemotes)

Pedinotus columbianus, parasitising bark-beetles

in Costa Rica, 3720

Pediobius, parasitising Eulophid parasites of Coelaenomenodera elaeidis in Ivory Coast, parasitising Coelaenomenodera elaeidis in Ivory Coast, 2040

Pediobius amaurocoelus, separation of P. vigintiquinque from, 349

Pediobius coffeicola, associated with Coelaenomenodera elaeidis on oil palm in Africa, 349 Pediobius facialis, parasitising Ancylis comptana in Italy, 3481

Pediobius furvus, released in Mauritius against Chilo sacchariphagus, 2536; rearing and release of, against sugar-cane borers in Réunion, 3945

Pediobius nigripes, separation of P. vigintiquinque from, 349

Pediobius setigerus, associated with Coelaenomenodera elaeidis on oil palm in Africa, 349 vigintiquinque, associated with Pediobius Coelaenomenodera elaeidis on oil palm in

Africa, 349

Pediopsis nigromaculatus, synonymised with Nephotettix apicalis, 1887

Pedthida glyphopa, bionomics of, on Eucalyptus

in Western Australia, 1014 Pegomya betae, differential characters of pupae

of, 2850; bionomics, rearing and sterilisation of, in Germany, 3440

Pegomya rubivora, damage to raspberry by, in Norway, 3540

Pegomya hyoscyami betae (see P. betae)

PEI 75 (see Dimethoate)

pelekassi, Aculops

Pellicularia koleroga, Thysanoptera feeding on, on cacao in Brazil, 3854

pellionella, Tinea pellucida, Javesella

Pelobates fuscus, as predator of Leptinotarsa decemlineata in Poland, 735

Pemphigus, parasitised by Aphelinus nikolskajae in India, 507; parasitised by Monoctonia pistaciaecola, 1124

Pemphigus betae (see P. populivenae)

Pemphigus filaginis, chemical analysis of galls of, on poplar in Soviet Union, 4156

Pemphigus fuscicornis, geographical distribution and bionomics of, on beet and Chenopodium in U.S.S.R., 707; on Chenopodium album and beet in Bulgaria, 3127; biology and distribution of, in Soviet Union, 3560

Pemphigus populi, chemical analysis of galls of,

on poplar in Soviet Union, 4156

Pemphigus populitransversus, tests of insecticides for control of, on cabbage in Texas,

Pemphigus populivenae, in North America, 707

Pencotion 8E (see Malathion)

pendula, Silba

peneri, Chorthippus

Penicillium, pathogenicity of, to Dendroctonus frontalis, isolation of, from Dendroctonus frontalis, 682

Penicillium camemberti, response of Acarus siro

to, 2909

Penicillium chrysogenum, Carpoglyphus lactis

developing on, 3115

Penicillium decumbens, associated with prothoracic mycangia of Dendroctonus adjunctus,

Penicillium divaricata, Carpoglyphus lactis

developing on, 3115

Penicillium spinulosum, associated with prothoracic mycangia of Dendroctonus adjunctus, 2919

Penicillium stolaniferum, stored product mites developing on, 3115

peninsularis, Cryptoweisea

Pennisetum clandestinum, in pastures infested by Plectris aliena in New South Wales, 515

Pennisetum typhoides (typhoideum), Oedaleus senegalensis on, in India, 72; varietal resistance in, to Spodoptera frugiperda in Georgia, 666; effect of, on development, as food plant for Diacrisia obliqua, 1359; rice yellow mottle virus transmitted mechanically to, in Kenya, 3952

Pennsalt TD-5032 (see Hexamethylditin)

Pennsylvania, aphids on Pinus sylvestris in, 183; Hylobius pales and Pissodes approximatus in, 372; outbreak of Pamphilius phyllisae on Quercus rubra in, 1263; Microctonus spp. parasitising Hypera postica in, 1950; nondiapausing larvae of Microctonus aethiops collected in, 2451; pest management in apple orchards in, 2950; Diaphnidia capitata on apple in, 3289; Trichoplusia ni in, 3679

pennsylvanicus, Microtus; Pterostichus

Pentachlorophenol, analysis of, in soil, water and fish, 3014; not preventing emergence of Anobium punctatum from wood, 3530

Pentachlorophenyl Tetramethylphosphorodiamidate, ineffective in dips against Phyllo-coptruta oleivora, in dips against Aculops pelekassi, 591

pentagona, Pseudaulacaspis

3,5,7,3',4'-Pentahydroxyflavone, effect of, in

diet for Heliothis spp., 626

Pentalonia nigronervosa, on banana, 2620; in traps in Venezuela, 2830; population fluctua-tion of, on banana in India, as vector of bunchy-top virus of banana, 3377

Pentatomidae, influence of parasites in control-

ling, in wheat, 1464

Pentatrichopus (see Capitophorus)

Penthaleus major, distribution of, in relation to climate in Australia, 3902

pentictonella, Dioryctria

Pentoses, in diet for Myzus persicae, 3764

penzigi, Tetraponera

Peonies, Frankliniella spp. on, in U.S.A., 585 Pepein G-5, against Ostrinia nubilalis, 1515

Pepper (see Capsicum and Piper) Peppermint (see Mentha piperita)

Peptone, attractiveness of, to Agriotes spp., 80 perahuae, Dryophthorus

perdistinctus, Ecphoropsis (Campoletis)

Perezia legeri, synonym of Nosema mesnim 4112 Perezia mesnili, synonym of Nosema mesnikil

4112

Perfekthion (see Dimethoate) pergandiella, Encarsia

pergandii, Parlatoria

Pericallia ricini, fentin hydroxide as antifeedara for, on Ricinus communis, in India, 2673

Peridermium, Dioryctria tumicolella sp.n. i blister-rust swellings caused by, on Pines ponderosa in North America, 907

Peridroma saucia, parasitism of, by Microplit feltiae, 363; nuclear polyhedrosis virus o laboratory rearing of, 650; eggs of, as prefor Trichogramma spp., 2379; rearing am effects of inbreeding on, 4037

Perilampus similis, parasitising Metzneria lage pella in North Dakota, 939

Perilampus tristis, parasitising Rhyacionia bus

liana on pine in Germany, 3415 Perilloides bioculatus, temperature requirement of, 717; released against Leptinotarsa decenlineata on potato in Italy, 1119; season behaviour of, in Soviet Union, 3088; wat content and oxygen consumption in over wintered adults of, 4113

Perillus (see Perilloides)

Periplaneta americana, predation by, on Calliphora vomitoria in Britain, 22; toxicity isomers of nicotine to, 55; effects of piericid A and B on electron transport system muscle mitochondria from, 1022; distribution of BHC and nicotine in, 1612; structure and fibre connections of calvees in brain of, 234population responses of, to γ-radiation, 36% Periwinkle (see Vinca rosea)

Perkinsiella saccharicida, anaesthesia of, wive Freon-12, 1760; on sugar-cane in Colombit

perla, Chrysopa perniciosi, Prospaltella perniciosus, Quadraspidiotus pernyi, Antheraea

Peromyscus maniculatus, long-term effect endrin on, in Canada, 3292

perpusilla, Pyrilla

Persea indica, residues of bromide fumigants i 132; as food for Amblyseius limonicus, 138 phenological studies of Chilocorus bipustular on, in Israel, 1389; Phytoseiidae on, in Cafornia, 2767; Amblyseius limonicus preyi on Oligonychus punicae on, in Californi 2931; insect pests of, in Brazil, 3837
Persectania, attacking pasture in Victoria, 30

Persectania arotis, adult activity of, in New

Zealand, 3864

resectania aversa, adult activity of, in New Zealand, 3864

rsectania ewingii, damaging cereal crops and pastures in Victoria, 3325

rsica, Ostrinia nubilalis

rsicae, Anuraphis; Brachycaudus; Myzus "sicaeniger, Anuraphis (see A. persicae)

sicella, Ypsolopha vsimilis, Phytoseiulus

rsimmon (see Diospyros kaki)

:suasoria, Rhyssa

: thane (see Ethyl-DDD)

vthida glyphopa sp.n., on Eucalyptus marginata

In Western Australia, 1008

vthida phoenicopa, in New South Wales. 1008 'st Management, conference on, 2553

sticides, safety aspects of, in countryside, 3-19; toxicity of, to honeybees, 9; training and education of user of, 10; economic, social and legal implications of use of, 11; conservation and contract spraying with, 12; effects of, on countryside, 13; in British rorestry, 14; and wild life, 15, 16; and honey-bees, 17; value of, for conservation and ecoogy, 18; residues of, in food and environment, 1320; risks of, to fish, 804; toxicological and iresidue requirements concerning use of, 823i825; biological approach to developments rrelating to, 1149; safe use of, 1157; risks involved in using chlorinated, 1497; absorption of, in relation to leaf structure, 1520; recommended common names for, 1521; alkylation reaction of, 1616; regulations and residue problems of, 1805; interaction of, with aquatic microorganisms and plankton, (1806; residue tolerances of, 1807; residues of, tin foods and feeds, 1805-1809; safety interevals for, 1815; procedures and treatments for cases of poisoning with, handbook on composition, use, dose rates and toxicity of, 1846; tacute toxicity data for, 1853; interactions between wildlife and, 1865; review of position relating to, and ecology, 1958; tolerances in freshwater invertebrates to, 1962; role of, in pollution management, 2551; bibliography on, in environment, 2552; corrections to schemical relationships and nomenclature of, 2684; reviews of, and other chemicals in foods and feeds, 2853-2857; FAO programmes of research on, recommended tolerances of residues of, in food, legislation concerning registration for sale and marketing of, 2858; reduction in hazards of, to wildlife, 3046; residual action of, used in plant protection, 3129; historical notes on development of, 3356; expenditure for, on farms, 4101 esticides (see also Insecticides)

tasites japonicus, insect pests of, in Japan,

rtrobia, in Poland, 3112

etrobia harti, in Greece, 3462

etroleum-ether, extracts of plants in, 373 etroleum Oil, use of, in grain protection, 93; emulsion of, unsatisfactory for control of

Unaspis yanonensis, 2611

trovae, Chelonus

exicopia malvella, hosts of and avoidance of damage to cotton by in Soviet Union, 3094 GSO-2 (see Oil Emulsions)

Phacelia tanacetifolia, toxicity to bees of sprays applied to, in Rumania, 279

Phaedon cochleariae, penetration of insecticides into, 1531

Phaedon cochleariae obesus, in Bulgaria, 283

Phaedon laevigatus, in Bulgaria, 283

Phaenobremia aphidovora, seasonal abundance of, in Egypt, 2694; biology distribution and, aphid prey species of, 2695

Phaenops knoteki, on fir in Greece, 3466

Phaeogenes arcticus, parasitising Cydia pseudotsugae sp.n. in British Columbia, 531; parasitising Acleris gloverana in Alaska, 3286

Phaeogenes invisor, mate-finding by males of, in

Britain, 831

Phaeogenes mellinus, parasitising Croesia semipurpurana in Quebec, 904

phaeorrhoea, Nygmia

Phalacrotophora epeirae, Phalacrotophora sp. near, attacking Diabrotica balteata, 663

Phalacrotophora nedae, Phalacrotophora near, attacking Diabrotica balteata, 663

Phalaris, not attacked by Adoryphorus couloni, in Tasmania, 1302; inefficient as food-plant for Hylemya coarctata in Britain, 1642

Phalaris arundinacea, larvae of Hylemya coarctata causing yellow heart condition of, 2596 Phalaris canariensis, Simyra henrici on, in Illinois, 2385

Phanerotoma flavitestacea, rearing and release of, against Ectomyelois ceratoniae in Israel, 252; bionomics of, parasitising Ectomyelois ceratoniae in France and Algeria, 4042

pharaonis, Monomorium

Pharoscymnus anchorago, parasitised by Gregarina katherina in Mauritania, 4043

phaseoli, Melanagromyza phaseoli, Geoica (see Smynthurodes betae)

Phaseolus, effect of red leaf virus of clover on, 1304; infestation of, in field by stored product insects in Uganda, 1819; mineral oil inhibit-ing transmission of plant-pathogenic viruses by aphids to, 2606; effect of, on Tetranychus telarius in Japan, 3047

Phaseolus angularis, in media for Agrotis spp., 1326

Phaseolus atropurpureus, preventing removal of seeds of, by ants in Queensland, 1316

Phaseolus aureus, heat treatment of stored, against insect pests in India, 1356; factors influencing the tolerances of, to fumigants. 1357; in diet for Spodoptera exigua, 3100

Phaseolus calcaratus, attacked by Plodia inter-

punctella, 495

Phaseolus mungo, effect of, on development, as food plant for Diacrisia obliqua, 1359

Phaseolus vulgaris, Tetranychus yusti reared on, 2395; groundnut mottle virus in, 2484; repellent effect of seeds of, as oviposition sites for Callosobruchus analis, 2490; Callosobruchus analis not ovipositing on ground beans of, 2491; (see also Beans)

Phasmatidae, as predators of Odontotermes latericius in Zambia, 2542

Phaulacridium vittatum, in Queensland, 3318 PHC (see Propoxur)

Pheasants, insecticide residues in, 3749 Pheidole, methods for preventing removal of pasture seeds by, in Queensland, 1316

Pheidole anthracina, attacking tobacco in

Queensland, 3311

Pheidole megacephala, in relation to Aonidiella aurantii on Citrus in South Africa, 350; radioactive Mirids associated with, on cacao in Ghana, 1080; sympatric associations with Iridomyrmex humilis and Anoplolepis longipes, in Hawaii, 1193; as predator of Odontotermes latericius in Zambia, 2542; control measures against, causing premature nut-fall of coconut in Pacific Islands, 3308; associated with Planococcus citri on coffee in Kenya, 3394

Phenacaspis cockerelli, on ornamentals

Georgia, 1215

Phenacaspis pinifoliae, bionomics and natural enemies of, on pine in Quebec, 900; population dynamics and chemical control of, on pine in New York, 3783

Phenacoccus aceris, predators and parasites of, in France, 2149; on hawthorn, elm and oak in Bulgaria, 3455

phenax, Melanaspis

Phenethyl Butyrate, attractiveness of, to *Popillia* japonica, 176; and eugenol attractiveness of, to bees, 600; and eugenol in traps for Popillia japonica, 607, 1692, 2399; as bait for Popillia japonica, 2775

Phenethyl Propionate, and eugenol, in lures for

Popillia japonica, 1692

Phenkapton, Tetranychid mites resistant to, compatibility of fungicides with, against pests of plum, 280; against Cydia molesta, 293; resistance to, in Tetranychus kanzawai, 1333; against Neotetranychus rubicola, 1514; against Tetranychids 2577; effect of foodplant on susceptibility to, in Tetranychus telarius, 3047; toxicity of, to eggs of Tetranychus telarius, 3108

Phenol, attractiveness of, to Costelytra zealandica, 3876

Phenol-formaldehyde Adhesive, containing insecticides for protection of plywood panels, 3862

Phenolic Resins, as chemical attractants for males of Costelytra zealandica, 963

Phenothiazine (as fumigant), not harmful to honey bees, 3575; against Varroa jacobsoni, 3575, 3576; against Braula coeca, 3576

Phenthoate, in tests against rice leafhoppers, 2504; effective against Plutella xylostella, 2509; against Osphranteria coerulescens, 2782; against Sparganothis pilleriana, 4140

Phenudin 20 (see Phenkapton)

Phenylalanine, lack of, in diet affecting reproduction in Pseudosarcophaga affinis, 1748; in haemolymph of Ephestia kuehniella, 2178

Phenyl 5,6-Dichloro-2-trifluoromethyl-benzimidazole-1-carboxylate, in dips against Phyllocoptruta oleivora, 591

Phenylglyoxylonitrile Oxime O,O-Diethyl Phosphorothioate (see Phoxim)

1-Phenyl-3-methyl-5-pyrazolyl Dimethylcarbamate (see Pyrolan)

O-Phenyl O-p-Nitrophenyl Methylphosphonothioate, in sprays against Heliothis virescens,

4-Phenylphenyl Allyl Ether, effective against eggs of Tetranychus telarius, 2499

Pheromones, sex, of Noctuidae, 1183; sex gland of Estigmene acraea, 1196; method. ology for isolation and identification of 1604; use of, for insect control, 2556; production of, inducing maturation in Schistocerca gregaria, 2660; evidence of sex,/ir Tetranychus telarius, 2753, 2754; use of sexa in traps for Trichoplusia ni, 2756; sex, response of Dendroctonus brevicomis to, 2766: Pheropsophus hilaris sobrinus, released against Oryctes rhinoceros in South Pacific area and

lissoderus, released agains Pheropsophus Oryctes rhinoceros in Mauritius, 504

Pheropsophus occipitalis, released againsus Oryctes rhinoceros in Mauritius, 504

against Pheropsophus stenoderus, released Oryctes rhinoceros in Mauritius, 504

phidilealis, Hellula

Mauritius, 504

Phidippus audax, biological control of Schizaphia graminum by, on barley in Oklahoma, 6839 Philaenus spumarius, effect of, in delaying regrowth of lucerne, 625; isolated populations of, on islands in Finland, 2862; on maize in

Yugoslavia, 3469 Philinae, from Laos, 1351

Philippines, pests and diseases of rice in, 492: Atherigona oryzae in, 494; list of insect pests of vegetables in, 496; Prasinoxena sp. om Lansium domesticum in, 497; Papilionids in, 498; Sepedon sauteri in, 1345; rice pests in. 1567, 1568; tungro virus on rice in, 2197; faunistic study of aphids of, 2230; Tropilaelaps clareae in colonies of Apis dorsata and A. mellifera in, 3038; resistance of rice varieties to Chilo suppressalis in, 3041; con a trol of rice pests in, 3042; absorption and translocation of diazinon by rice in, 3210

Philomycus, attacked by Tetanocera clara in U.S.A. 392

aeneus, incidence of, in soil ir Philonthus lucerne fields in Poland, 3585 Philonthus splendens, incidence of, in soil in

lucerne fields in Poland, 3585

Philosamia (see Samia)

Phlebotomus langeroni, Brevipalpus phoenicis on 1 in Tunisia, 1083

Phleum pratense, Simyra henrici on, in Illinoisi 2385; effect of leafhoppers on, in France 2849; reproduction in Macrosiphum festucaed on, 3532

Phlyctinus callosus, on cultivated plants in Victoria, 3323

Phobocampe, parasitising Lambdina punctata in [Utah, 3685

phoenicis, Brevipalpus

phoenicopa, Perthida

Phoenix, Caryobruchus gleditsiae in seeds of, iril Florida, 1232

Phomopsis, development of Ectomyelois cerail toniae associated with, 257

Phonoctonus caesar, Callibaphus longirostriz preyed on by, on cacao in Ghana, 1080

Phoracantha, use of dicrotophos against species of, in New South Wales, 3892

Phoracantha semipunctata, on Eucalyptus ir Tunisia, 1081; on Eucalyptus rostrata in Sardinia, world distribution of, 3477

orate, polarography of, 4; soil treatment with, in granules against Rhyacionia frustrana, 157; soil treatment with, in granules against Epilachna varivestis, 161; in granules against Frankliniella spp., 168; in granules against Hypera postica, 222; soil treatment with, in granules against pests of beans, 610; soil reatment with, against Panonychus citri, 637; soil treatment with, in granules against Hypera postica, 640; soil treatment with, in granules against Diabrotica spp., 644; soil treatment with, against Lachnosterna consanguinea, 657; in liquid formulations fed to Tetranychus telarius, 662; in aerial sprays against Tetranychus telarius, 686; in granules against Hylemya brassicae, 799; soil treatment with, against Psila rosae, 802, 803; in sprays against Anuraphis helichrysi, 872; soil treatment with, in granules against Cyclocephala signaticollis, Heterogomphus pauson and Graphognathus leucoloma, 989; apparent adverse reaction to, in person undergoing artificial renal dialysis, 1096; effect of, on . Anthocoris spp., 1523; residues of, on hybrid of Cynodon dactylon and maize, 1718; seed treatments with, against Thrips tabaci, 2048; toxicity of, to livestock, 2106; against Melanotus communis, 2370; against Schizaphis graminum, 2403; against Clivina impressifrons, 2416; against Diabrotica undecimpunctata howardi, 2426; against Hylemya brassicae, 2459; against Tetranychus cinnabarinus, Trialeurodes vaporariorum and Myzus persicae, 3705; loss of residues of, from granular formulations applied to soil, 2747; persistent toxicity of, to Rhopalosiphum erysimi, 2791; against Myzus persicae, 2804; effect of, on embryonic development of Empoasca fabae, 2904; effect of, in seed treatments on cotton, 3173; against Aphrophora saratogensis, 3241; soil treatment with, in granules against beet weevils, 3456; persistence of, in soils and carrots, 4097 norate Sulphone, residues of, on hybrid of Cynodon dactylon and maize, 1718 norate Sulphoxide, residues of, on hybrid of

Cynodon dactylon and maize, 1718

noratoxon Sulphone, residues of, on hybrid of Cynodon dactylon and maize, 1718

noratoxon Sulphoxide, residues of, on hybrid of Cynodon dactylon and maize, 1718

norbia floralis (see Hylemya) normium tenax (see Flax)

iorodon (see Myzus)

nosalone, resistance to, in Myzus persicae, 299; and diazinon, 620; in sprays against Tetranychus mexicanus, 988; in sprays against Cydia funebrana, 1104; in sprays against Cydia pomonella, 1314; against Colias leshia, 2031; not controlling Archips argyrospilus, 2467; against Hypera postica, 2780; in sprays against Mirids, 3959; residues of, in olives and olive oil, 4009

hosdrin-24 (see Mevinphos)

hosmet, in sprays against *Prasinoxena* sp., 497; effect of, in sprays on *Cydia pomonella* and other pest and beneficial species on pear, 603; toxicity of, to *Stethorus punctum*, 670; against

Rhagoletis pomonella, 902; against Aphodius pseudotasmaniae in pastures in Tasmania, 1294; toxicity of, to Leptinotarsa decemlineata, 1781; against Ceroplastes japonicus, 2503; resistance in Amblyseius fallacis to, 2752; against Hypera postica, 2780; in sprays against eggplant pests, 3252; in bait sprays against Dacus oleae, 3410; effect of, on Campylomma verbasci, 3621; residues of, in olives and olive oil, 4009

Phosphamidon, in sprays against Rhopalo-siphum erysimi, 68; against cotton pests, 94; toxicity of, to honey bees, 102, 105, 106; against Cydia delineana, 273; compatibility with, against pests of of fungicides plum, 280; Stigmella plum, 280; against Stigmella malella, 285; against Leucoptera scitella, 286; against Cydia molesta, 293; in sprays against Keiferia lycopersicella, 608; in sprays against Anuraphis devecta and A. plantaginea, 739; in sprays against Anuraphis helichrysi, 872; in sprays against Tetranychus mexicanus, 988; in sprays against Phthorimaea operculella, 1057; in sprays against Choristoneura fumiferana, in Ontario, 1257; use of, for control of Plecoptera reflexa in W. Pakistan, 1377; against Thrips tabaci, 1408; against Neotetranychus rubicola, 1514; against Lixus juncii, 1516; uptake of, applied to stems of cotton plant, 1735; against Eurytoma amygdali, 1744; effect of in seed dressings and dips on germination of rice seeds and on mortality of Nephotettix impicticeps, 1750; in sprays against sorghum pests, 1820; in sprays against aphids, 1921; in sprays against Pectinophora gossypiella, 2046; toxicity of, to honey bees, 2063; effect of, on sorghum yields, 2098; against Cydia tricentra, 2103; against Agistemus exsertus, 2366; against Hypsipyla grandella, 2488; against Mylabris pustulata, 2520; against rice pests, 3042; in sprays against Cnaphalocrocis medinalis, 3085; in sprays against Choristoneura fumiferana, effect of, on Carabids and Lycosid spiders, 3288; in bait-sprays against Ceratitis capitata, 3598; against Enneothrips flavens and Stegasta basqueella, 3809; and other insecticides, effect of, on Amrasca devastans and on cotton, 3926; against Zeuzera pyrina, 3930; in sprays against Bulaea lichatschovii, 3939; in sprays against Aphis gossypii, 3940; effects of sublethal doses, on Spodoptera littoralis, 3941; in sprays against aphids, Empoasca sp. and Tetranychus telarius, 3942; in sprays against Mirids, 3960; differences acetylcholinesterase-sensitivity to, in strains of Ceratitis capitata, 4008; in sprays against Eurytoma amygdali, residues of, in almond, 4098; and fungicides, seed treatment with, 4145

Phosphine, against Tyrophagus putrescentiae and Caloglyphus berlesei, 466; toxicity of, to Sancassania krameri and Tyrophagus putrescentiae, 472; released from Phostoxin tablets, tolerance of seeds of cereals to, 1357; fumigation of maize with, 1410; sorption of, by wheat and maize of different moisture contents and load factors, 2390; rapid method for measuring concentrations of, 2617

6-Phosphogluconate, activity of, in Tribolium castaneum, 1552

Phospholipids, stimulating feeding in insects,

Phosphoric-acid Esters, chemical and biochemical aspects of toxicity of, 842; cases of

poisoning by, 1912 Phosphorus (as plant nutrient), effect of, on population dynamics of Panonychus ulmi, 275; effect of, on growth response of chrysanthemums to insecticide root drenches, 601; effect of BHC on uptake of, in sorghum, 877; effect of, on population density of scale insects, 1142; pesticide effect on absorption of, from fertiliser-pesticide mixtures in soil, **2688**; effect of, on damage to sorghum by *Chilo partellus*, **3243**

Phosphorus, Radioactive, insects labelled with, fed to ants, 448; method for labelling adults of Ceratitis capitata with, 998; Mirids labelled with, for studies on predators, 1080; plants labelled with, in studies on dispersal of Dasineura brassicae, 1631; Dasineura brassicae labelled with, 1636; eggs of Altica carduorum labelled with, 1683; phosphamidon labelled with, 1735; insecticide labelled with, 3008; labelling Eyprepocnemis plorans with, 3405; eggs of Altica carduorum labelled with, vamidothion labelled with, 3915; labelling with, for estimating populations of ants, 4083

Phostoxin Tablets (see Hydrogen Phosphide) Phosvel (see O-Methyl O-4-Bromo-2,5-dichlorophenyl Phenylphosphonothioate)

Photography, use of, for assessing damage by Epitrix cucumeris, 687

Photomicrography, device for, 1448 Photoperiod, not affecting resistance of lucerne to Therioaphis trifolii, 155; effect of, on diapause in Heliothis spp., 368; effect of, on diapause in Apatele rumicis, 432; effect of, on diapause in Aptesis basizona, 529; causing abnormal leg development in Diprion similis, 535; effect of, on fecundity of Leptinotarsa decemlineata, 731; effect of, on development of Locusta migratoria, 761; effect of, on size of Macrosiphum pisum, 852; effect of, on dipause in Metaseiulus occidentalis, 943; relation of, to adult diapause in Chrysopa carnea, 1244; effect of, on predation on Tetranychids of Amblyseius fallacis, 1729; effect of, on diapause induction in Chilo suppressalis, 1902; and diapause in Chrysopa carnea, 1986; effect of, on sexual behaviour of Ephestia kuehniella, 1990; effect of, on reproduction in Aphis pomi, 1999; as factor in pest forecasts, 2110; inducing flying form of Callosobruchus maculatus, 2502; effect of, on induction of diapause of Aelia acuminata, 2728; effect of, on diapause in Contarinia pisi, 3491; effect of, on Thaumetopoea pityocampa, 3492; effect of, on Contarinia medicaginis, 3511: effect of, on Bupalus piniarius, 3523; effect of, on sex pheromone release by Trichoplusia ni, 3701; role of, in induction of pupal diapause in *Heliothis zea*, 3761; effect of, on diapause in Chrysopa carnea, 3769; effect of, on diapause in Chilo suppressalis, 3909; effect of, on diapause in Lobesia botrana, 4044

Photoperiodic Response, variation in, of Myzugu persicae in England, 2663

Phoxim, susceptibility to, in Trogoderma spp. 1717; in sprays against Agrotis orthogonia. 1719; toxicity of, to Tapinoma sessile, 1758; soil treatment with, not effective against Conotrachelus hicoriae, 1784; effectiveness against Costelytra zealandica, 1893; against Epitrix hirtipennis, 2192; against Euxoa's messoria, 2785; analogues of, toxicity of, tollar Musca domestica, Blattella germanica and mice, 2871

Phragmites communis, attraction of Hyalopterus pruni to, 750
Phrasterothrips conducans attacking Psidium in

Brazil, 3814 Phratora vitellinae, thermal preference of, 111313 Phryganidia californica, contact toxicity of insecticides against, 2397; control of, with Bacillus thuringiensis on oak in California,

2789 Phryxe caudata, parasitising Thaumetopoed pityocampa in France, 3494

Phryxe iryxe pecosensis, parasitising lunula in Canada, 743 Calophasia

Phthalthrin (see Tetramethrin)

Phthorimaea operculella, Styropor disks fon assaying phagostimulatory effect on, of plants extracts, 339; insecticides against, on potator in India, 870; use of heat for recovery of, from potato foliage, 1012; infestation, parasites: predators and control of, on tobacco and potato in Rhodesia, 1057; Copidosoma spp parasitic on, 1323; on potato in Israel, 1384. biological control of, on tobacco in Madagascar, 1392; rearing of Nythobia steller boschensis for the control of, in Madagascan 1393; damage to potato by Scrobipalpule absoluta attributed to, in Colombia, 1798 insecticides against, on tomato in Egypt: 2059; chemosterilisation of males of, by metepa, 2755; attacking tobacco in Queens land, 3311; new records of parasites of, in India, 3359; host plants and control measure: for, in Venezuela, 3796

Phygadeuon, parasitising Pegomya betae in Germany, 3440

phyllisae, Pamphilius

Phyllobaenus, as predator of Rhyacionia frust trana on Pinus taeda in Mississippi, 562

Phyllobaenus singularis, biology of, as predator of Rhyacionia frustrana on pine, in Arkansası 1216

Phyllobius granicollisi sp.n., in Israel, 3480 Phyllobius sinuatus, as pest of seeds of fodder plants in U.S.S.R., 1097

phyllochroma, Chrysopa

Phyllocladus alpinus, insect moulting-hormone activity of, 3863

Phyllocladus trichomanoides, insect moulting hormone activity of, 3863

Phyllocnistis citrella, distribution map of, 314 associated with Citrus decline in India, 2105 bionomics of, in Japan, 3068

Phyllocnistis suffusella, inheritance of resistance of poplars to, in Greece, 3430

Phyllocoptes, Tegonotus hassani recorded as, it Egypt, 2693

vocoptes gracilis, causing virus-like symp-

ns on raspberry, 442

Gocoptes vitis, bionomics of, on grape vine Rumania, 274; suggestion disputed that rlepitrimerus vitis is winter female of, 970 docoptruta oleivora, acaricides against, on trus in Israel, 261; distribution map of, 4; pesticides screened against, on orange edlings, 591; as food for Amblyseius limonis, 1383; plastic-lined containers reducing kicity of insecticides to, 1696; control of, Citrus in Egypt, 2065; development and production of Amblyseius largoensis on neydew of, 3225; on Citrus in Victoria, 27; Amblyseius spp. feeding on, 3349; on trus in Paraguay, 3669, 3824

"odecta (see Phratora)

wonorycter, key to species of, in Britain and

)ance, 20-21

Jonorycter blancardella, on apple in Turkey, 86; bionomics, natural enemies, and popuion dynamics of, on apple in Quebec, 3642 vonorycter cincinnatiella, on oak in Concticut, 924

d'onorycter crataegella, P. malimalifoliella ade subspecies of, P. sorbi and P. mespilella reviously recorded as, in Oregon and Calirnia, previous records of, based on mis-entifications in Quebec, 3642

vlonorycter hamadryadella, on oak in Con-

ecticut, 924

vlonorycter malimalifoliella, made subspecies P. crataegella, previous records of, based i misidentifications in Quebec, 3642

olonorycter mespilella, previously recorded P. crataegella in California, 3642 vlonorycter millierella, on Platanus spp. and

eltis australis in Israel, 1795 slonorycter platani, on Platanus spp. and

eltis australis in Israel, 1795 clonorycter pyrifoliella, bionomics, natural emies and control of, on apple in Soviet mion, 4139

sionorycter scudderella, previous records of, sed on misidentifications in Quebec, 3642 clonorycter sorbi, previously recorded as P. ataegella in Oregon, 3642

*lophaga (see Lachnosterna)

"lotetranychus aegyptiacus (see P. aegyptium) "lotetranychus aegyptium, bionomics of, on te palm in Egypt, 3411

lotreta, effect of, on radish yields in Britain, lotreta cruciferae, food-plant range of, in

ew York State, 388; on Barbarea vulgaris

New York, 1211 lotreta striolata, food-plant range of, in ew York State, 388; on Barbarea vulgaris New York, 1211; control of, on brassica

ops in Hong Kong, 2509

lotreta vittula, on maize in Yugoslavia, 3152 loxera vitifoliae, phenols in resistance of ants to, 767; on grape vines in Greece, 3463; lil fumigation against, on grape vine in viet Union, 4153; comparative injuriousess of, in relation to grape vine varieties in viet Union, 4154; factors limiting developent of, on grape vine in Soviet Union, 4155; temical composition of leaf galls caused by aphids, in relation to galls of, on vine leaves, 4156; amino-acid composition in galls caused by, on grape vine, 4159

Phymatodes glabratus, distribution, bionomics and host-plants of, in Italy, 4018

Phyrdenus muriceus, on tomato in Argentina,

Physalis, feeding preference for, in Lema trilineata daturaphila, 964

Physalis floridana, effect of virus on Myzus persicae on, 1147; transmission of potato leaf-roll virus by Myzus persicae on, in France, 1824

physapus, Thrips

Physcus, recorded from Aulacaspis tegalensis in Uganda, 345; as parasite of Aulacaspis in East Africa, 2536, 2537

Physcus subflavus, parasitising Aulacaspis tegalensis in Tanzania and Kenya, 345

Physcus varicornis, parasitising pinifoliae on pine in Quebec, 900 Phenacaspis

Phytobius, attacking Myriophyllum spp. in Pakistan, 508

Phytocoptes (see Abacarus)

Phytocoris, preying on Psallus ambiguus, 4116 Phytocoris dimidiatus, as predator of apple pests in Poland, 724

Phytodecta fornicata, insecticides against, on

lucerne in Yugoslavia, 3139 Phytodecta linnaeanus, parasitised by Meigenia mutabilis on willow in Bulgaria, 1838

Phytometra (see Pseudoplusia)

Phytomyza atricornis, a new record of Opius and Neochrysocharis parasitising, on pea in India, 1369

Phytomyza ilicicola, on holly in Connecticut,

Phytomyza ilicis, on holly in Connecticut, 924 Phytomyza minuscula, on columbine and aster

in Connecticut, 924 Phytomyza syngenesiae, susceptibility of, to BHC and diazinon in Britain, 789

Phytonomus, as synonym of Hypera, 113 Phytonomus variabilis (see Hypera postica)

Phytophthora palmivora, predatory action of Amphix discoidea on, in cacao pods, 2290 Phytoptus avellanae, on hazel in Greece, 4012

Phytoseiidae, toxicity of acaricides to, on Citrus in Israel, 261; in Formosa, 1517; effect of integrated control programmes against apple pests on, in British Columbia, 1672; effect of pesticides on, in apple orchards in Poland, 2577; survey of, on crops in California, 2767; as biological control agents, 3553

Phytoseiulus macropilis, overwintering of, in

Poland, 3103

persimilis, integration of, with Phytoseiulus native predators for control of Tetranychus telarius on rhubarb in California, 149; pirimicarb not harmful to, 818; control of Tetranychus telarius by, on clover in Japan, 1350; in tests against Tetranychus telarius in Soviet Union, 1445; use of, in control of Tetranychus telarius in Britain, 1640, 1650; mass-rearing of, 1641; comparative studies of predation by, and Metaseiulus occidentalis on Tetranychus telarius, 2626; harmful effect of inbreeding on closed populations of, 3282; soil treatments against Aphis gossypii harmful

to, in Britain, 3531; biological control of Tetranychids with, in Soviet Union, 4144

Phytoseius macropilis, effects of pesticides on, in apple orchards in Poland, 2577

Phytoseius plumifer, bionomics and nutrition of, 38

Phytosterols, superior to cholesterol, in diet for Drosophila melanogaster, 1241

Pibutox 60, tests of, against storehouse pests, 1503

Picea abies, Ibalia drewseni parasitising pests of, 850; pests attacking cones of, in Rumania, 2207; Sciaridae reared on cones of, in Soviet Union, 2568; Deladenus siricidicola sp.n. from Sirex juvencus on, in Hungary, 2866; effect of soil fertilizers applied to, in Cydia strobilella in Norway, 3414; Nalepella haarlovi piceaeabietis damaging needles of, in Finland, 4107

Picea engelmanni, Marchalina caucasica sp.n. on, in U.S.S.R., 1107; wood- and barkfeeding Coleoptera reared from in British Columbia, 1668; Dendroctonus obesus on, in New Mexico, 3247; woodpecker predation

on bark-beetles in logs of, 3617

Picea excelsa, Siricids on, in Yugoslavia, 3476 Picea glauca, wood- and bark-feeding Coleoptera reared from in British Columbia, 1668; Ibalia gigantea reared from wood wasps in, in Alberta, 2996

Pleolophus indistinctus Picea mariana, found in stands of, in Quebec, 1926

Picea orientalis, Ibalia drewseni parasitising pests of, 850; Marchalina caucasica sp.n. on, in U.S.S.R., 1107; effect of absence of, on alates of Adelges nordmannianae, 2848 Dendroctonus micans on, in Soviet Union, 3417

Picea pungens, Otiorhynchus sulcatus on, grown

in cans in Washington, 678

Picea sitchensis, juvenile hormone activity in wood and bark extracts of, in Canada, 1262 Pissodes strobi on, in Washington State, 3696 piceae, Adelges; Cinara; Cryphalus; Pissodes

piceae, Megastigmus (see M. atedius)

piceaeabietis, Nalepella haarlovi

piceaella, Coleotechnites

piceus, Attagenus (see A. megatoma)

picipes, Stethorus

picivorus, Pachylobius

Picoides tridactylus, preying on bark-beetles,

Picromerus bidens, preying on Cydia funebrana in U.S.S.R., 1104; preying on Pyrrharctia isabella and Diprion similis in New Hampshire, 3668

picta, Aphis sambuci; Marietta; Melanophila pictella, Liriomyza

pictor, Abgrallaspis

Picturaphis brasiliensis, in traps in Venezuela. 2830

Piericidin A, effects of compounds related to, on insects and mites, 1023

Piericidin A and B, effects of, on mitochondrial electron transport in muscle from *Periplaneta* americana, 1022

Pieris, observations on branched rods of granulosis virus infections of, 2214

Pieris brassicae, food requirements of, 737, feeding behaviour of, in relation to recept: response to chemical stimuli in plants, 75% effects of chemical substances on feeding response of larvae of, 755; artificial di-without crude plant material for, 767 haemocytopenia in, caused by insecticide 875; Bacillus thuringiensis galleriae againi 1125; ultrastructure of flight muscles 1171; and Apanteles glomeratus, 1463; is migration of, into Finland, 2251; on cabban and cauliflower in India, 3087; effect formaldehyde on granulosis virus of, 3272 development of, in relation to vegetation and climate in Poland, 3586; insecticides againi on cabbage and cauliflower in Spain, 402 infection of parasites of, with Noseres mesnili in Czechoslovakia, 4112; parasitist of, by Trichogramma evanescens on cabban in Poland, 4130

Pieris napi, P. virginiensis distinct from, 29. Pieris protodice, inherited and/or condition changes in host plant preference in, 767 factors in host-race formation in, 3788

Pieris rapae, mutilation of larvae of, Apanteles rubecula, 138; on cabbage in Ca fornia, parasites of, 573; inherited and conditioned changes in host plant preferen in, 766; parasites introduced against, season mortality and survival of, in Missouri, 94 parasitised by Trichogramma evanescens, Missouri, 1195; appearance of label in haem lymph of larvae fed 3H-glycine, 1212; X-ra used to determine pupal parasitism of, 121 competition between Hymenopterous pa sites of, 1458; use of, in rearing of Apanue rubecula, 1772; eggs of, as prey for Trici gramma spp., 2379; control of, on brasscrops in Hong Kong, 2509; suppression by releases of both pest and parasites Missouri, 3240; attacking Brassica crops Victoria, 3324; infectivity of virus of Hyphal tria cunea for, 3468; on rape in Westa Australia, 3907; parasitism of, by Trici gramma evanescens on cabbage in Polan 4130

Pieris rapae crucivora, ingestion of sugar by, 4, spatial pattern of parasitism of Apante glomeratus to larvae of, on cabbage in Japa 1041; parasitised by Apanteles glomeratus, Japan, 1901; method for estimating numb of, entering each stage, 2494

Pieris virginiensis, as distinct from P. napi, Ontario, 2987

Piesma quadratum, transmission of beet crim virus by, in Poland, methyl-parathion again 723

Piezostethus (see Xylocoris)

Pigeons, DDT movement during lipid utili tion in, 3605; DDE reducing medullary be formation in, 3609

Pigs, poisoning of, with aldrin in Uzbekist 2558

pilifrons, Ips

pilleriana, Sparganothis

pilosus, Anthocoris

Pimelephila ghesquierei, injuriousness and ch trol of, on Elaeis guineënsis in Ivory Co 3962

la contemplator, competing with other | rasites of Operophtera brumata in Europe,

"Ila instigator, infection of, with Nosema snili in Czechoslovakia, 4112

"la roborator, parasitising larvae of Euzoera osseatella, 2714

la sanguinipes erythropus, parasitising mbdina punctata in Utah, 3685

r la sodalis sodalis, incidence of, after outeak of Oporinia autumnata in Finland, 4109

n linae, parasitising Pectinophora gossypiella California, 1953

wlopterus, parasitising Eucosma rescisriana on pine in Idaho, 909

Scolytus nitidis on, in Kashmir, 66; antholyda spp. on, in Yugoslavia, 435; Ival migration of Rhyacionia spp. on, in orgia, 552; radiographic detection of vacionia and its enemies in, 556; survey pping of Rhyacionia buoliana on, in egon and Washington State, 590; timber coated with cement as deterrent to termite estation, 661; trail-following substances in od from, for Reticulitermes lucifugus ntonensis, 757; Monochamus alternatus on, Japan, 1021; Marchalina hellenica on, in .: eece and Turkey, 1107; Exoteleia dodecella t, in Poland, 1138; Phyllobaenus singularis bying upon Rhyacionia frustrana on, in kansas, 1216; Dendrolimus spectabilis and irasites on, in Japan, 1327, 1328; Rhyania simulata on, in Japan, 1336; bark extles infesting logs of, in Finland, 1625; ects as vectors of root-rot fungus in, in nland, 1628; Myelophilus piniperda in logs in Europe, 1629; Choristoneura pinus us on, in Manitoba, 1665; Dendrolimus nerans on, in U.S.S.R., 1843; resistance in, needle-feeding pests in Soviet Union, 2137; itbreaks of Pissodes notatus on, in Maceinia, 2305; Bupalus piniarius avoiding lus formation in needles of, 2306; Hylobius les on, in Georgia, 2465; Epuraea fungicola n. causing cankers on, in Japan, 2508; cycle of *Dendrolimus spectabilis* on, in pan, 2636; biology of Pachylobius picivorus seedlings of, in Georgia, 2817; Reticulimes lucifugus on, after forest fire in Cora, 2846; Ips paraconfusus on, in California d Oregon, 2993; parasitism of Rhyacionia oliana on, in Yugoslavia, 3136; Neodiprion tifer on, in Yugoslavia, 3144; Pineus spp. , in Kenya, 3395; preference in Carcelia esa for, in Holland, 3408; Anatis ocellata predator of Schizolachnus pineti on, in ermany, 3412; Ceramica pisi on, in Gerany, 3426; orientation of Myelophilus pinirda to, in Finland, 3427; Neodiprion sertifer , 3470; critical density of Thaumetopoea yocampa on, 3493; Arhopalus on, in ain, 3499; Chalcidoids on, in Poland, 84; attack sequence of Ips grandillis on logs of, in Georgia, 3718; Ips calliaphus on, 3979; microbiological control of aumetopoea pityocampa on, in France, 30; Temnochila coerulea preying on beetles

ring in felled wood of, in Spain, 4031

Pine Phloem, attraction of Myelophilus piniperda to odour of fraction from, 2250

Pine, Austrian (see Pinus nigra) Pine, Black (see Pinus nigra) Pine, Cedar (see Pinus cembra)

Pine, Hoop (see Araucaria cunninghamii) Pine, Jack (see Pinus banksiana)

Pine, Japanese Black (see Pinus thunbergi)

Pine, Jeffrey (see Pinus jeffreyi)

Pine, Lodgepole (see Pinus contorta latifolia)

Pine, Loblolly (see Pinus taeda)

Pine, Longleaf (see Pinus palustris) Pine, Mugho (see Pinus mugo)

Pine, Ponderosa (see Pinus ponderosa)

Pine, Red (see *Pinus resinosa*)
Pine Root Weevil (see *Hylobius rhizophagus*)

Pine, Scots (see Pinus sylvestris) Pine, Short-leaf (see Pinus echinata)

Pine, Slash (see Pinus elliottii) Pine, Spruce (see Pinus glabra)

Pine, White (see Pinus monticola and P. strobus)

pinea, Insulaspis

Pineapple, Dacus dorsalis not infesting varieties of, in Hawaii, 1714; pesticide and growth regulator residues in, 2856; damaged by Rhopaea magnicornis, 3321; insect pests of, in Brazil, 3837

Pineapples, Smooth Cayenne (see Ananas comosus)

Pinene, Chlorinated, in diesel oil applied in aerosols against Leptinotarsa decemlineata, 705; effect of, on Beauveria bassiana, 1436; with Beauveria against Leptinotarsa decemlineata, 1437

α-Pinene, attractiveness of, in oleoresin from pine to Dendroctonus frontalis, 882; with trans-verbenol, attractive to Dendroctonus ponderosae, 2774

(+)-α-Pinene, attractancy of, to Anthonomus grandis, 1710

pineti, Schizolachnus

Pinetox (see Polychlorpinene)

Pineus, attacking spruce and other conifers in Britain, 2240; insecticides against, on pine in Kenya, 3395

pini, Eurytoma; Ips; Pissodes

piniarius, Bupalus pinicola, Ooencyrtus

pinifoliae, Phenacaspis

piniperda, Myelophilus

piniradiatae, Schizolachnus

Pinnaspis zillae (see Eremaspis)

pinus, Choristoneura

Pinus, attacked by Arhopalus ferus in New Zealand, 236

Pinus arizonica, Dendroctonus rhizophagus on, in Mexico, 1987

Pinus ayacahuite, Dendroctonus rhizophagus on,

in Mexico, 1987

Pinus banksiana, Dioryctria banksiella sp.n. on, in North America, 907; population and reproductive capacity of Neodiprion swainei on, in Quebec, 1265; Choristoneura pinus pinus on, in Manitoba, 1665; Eucosma gloriola on, in Manitoba, 1667; Pleolophus indistinctus in stands of, in Quebec, 1926; Neodiprion virginianus on, in Canada, 1985; Neodiprion pratti banksianae on, in Quebec, 2004; Pissodes terminalis on, in Canada, 2005;

Hylobius rhizophagus on, 2812; Conophthorus attacking shoots of, 2822, 2823; Conophthorus banksianae sp.n. on, 2823; presence of Pleolophus basizonus on, in Quebec, 2990; Choristoneura pinus on, in Minnesota, 3684

Pinus brutia, Ibalia drewseni parasitising pests of, 850

Pinus cembra, bark-beetles collected from, in Soviet Union, 3570

Pinus cembroides, Ips hoppingi from, in Arizona, Texas and Mexico, 2993

Pinus contorta, Dioryctria cambiicola recorded from, in North America, 907; Dioryctria contortella sp.n. on, in North America, Dioryctria pentictonella vancouverella subsp.n. on, in British Columbia, 908; effect of lack of moisture on Rhyacionia buoliana on, in Denmark, 1633; Corticeus substriatus associated with Dendroctonus ponderosae on, in U.S.A. and Canada, 2938

nus contorta contorta, Ips plastographus maritimus on, in California, 3623

Pinus contorta latifolia, juvenile hormone activity in wood and bark extracts of, in Canada, 1262; Monochamus spp. in logs of, in Alberta, 1737; Neodiprion virginianus on, in Canada, 1985; Pissodes terminalis on, in Canada, 2005; Dendroctonus ponderosae on, 2829; Choristoneura lambertiana on, in Idaho and Montana, 3280; Ips plastographus plastographus on, in North America, 3623

Pinus contorta murrayana, Ips plastographus plastographus on, in North America, 3623

Pinus cooperi, Dendroctonus rhizophagus on, in Mexico, 1987

Pinus densiflora, Medetera sp. feeding on dead Coleopterous larvae in, 52

Pinus durangensis, Dendroctonus rhizophagus sp.n. on, in Mexico, 1987

Pinus echinata, Eurytoma extremitatis sp.n. on, in Virginia, 115; parasites of Rhyacionia frustrana on, in Virginia, 140; gallery construction by Dendroctonus frontalis on, 559; attractiveness of a-pinene in oleoresin from, to Dendroctonus frontalis, 882; dispersion of seed and cone insects in crown of, in Georgia, 1228; attacked by Dioryctria spp. in Georgia, 1687; attacked by Neodiprion taedae linearis in south-central United States, 2352; Dioryctria amatella on, in Georgia, 2460

Pinus elliottii, attractiveness of a-pinene in oleoresin from, to Dendroctonus frontalis, 882; Dioryctria amatella and other insects overwintering in fusiform cankers on, in Georgia, 1687; Dioryctria amatella on, 2367; Dioryctria amatella on, in Georgia, 2460; oviposition pattern of Neodiprion merkeli in needles of, 2934; Rhyacionia sonia on, in South Carolina, 3664

Pinus elliottii elliottii, feeding responses of subterranean termites to, in Mississippi, 389; homogenised foliage of, in diets for Ips calligraphus, 1705; Gnophothrips fuscus and Cronartium strobilinum in seed orchard of, 2792; in rearing medium for Ips calligraphus,

Pinus engelmanni, Dendroctonus rhizophagus on, in Mexico, **1987**

Pinus glabra, larvae of Neodiprion warreni con lected from, in Florida, 2750

Pinus jeffreyi, Itoplectis quadricingulatus release against Rhyacionia buoliana on, in Oregogi

Pinus leiophylla, Dendroctonus rhizophagus or in Mexico, 1987

Pinus monticola, Dioryctria monticolella sp. 11 on, in British Columbia, 907; parasitism Eucosma rescissoriana on, in Idaho, 909, 363

Pinus mugo, Itoplectis quadricingulatus release against Rhyacionia buoliana on, in Orego: 584; Phenacaspis pinifoliae on, in Quebe 900; Dioryctria pentictonella vancouverehol subsp.n. on, in British Columbia, 908; Phene caspis pinifoliae on, in New York, 3783

Pinus muricata, Ips plastographus maritimo subsp.n. on, in California, 3623

Pinus nigra, Acantholyda servica, sp.n. on, Yugoslavia, 435; Itoplectis quadricingulati released against Rhyacionia buoliana on, Oregon, 584; Phenacaspis pinifoliae on, i Quebec, 900; Dioryctria pentictonella va couverella subsp.n. on, in British Columb 908; causes of collapse of outbreak Dendrolimus pini on, in Hungary, 2131 attacked by Pissodes notatus in Macedoni 2305; Siricids on, in Yugoslavia, 3476

Pinus occidentalis, Rhyacionia frustrana ara Dirphia plana on, in Dominican Republi 3979

Pinus palustris, attractiveness of \(\alpha \)-pinene oleoresin from, to Dendroctonus frontale 882; Dioryctria amatella and other insection overwintering in fusiform cankers on, Georgia, 1687; Dioryctria amatella on, Georgia, 2460

Pinus peuce, Pissodes notatus on, in Macedon 2305

Pinus pinea, pests of, in Spain, 4027

Pinus ponderosa, Dendroctonus brevicornis Chi in California, 139; Dendroctonus brevicora and D. ponderosae on, in California, 151 Hemerocampa pseudotsugata not preferrir in California, 170; cone attack behaviour Conophthorus ponderosae on, in New Mexico (2007), Dioryctria spp. on, in North America Dioryctria cambiicola recorded from, North America, 907; Dioryctria spp. on, 1 North America, Dioryctria okanaganer sp.n. on, in North America, 908; Medeter aldrichii on, in South Dakota, 2463; Dendal ctonus ponderosae on, in North Dakota, 2818 Ips hoppingi from, in Arizona, Texas a. Mexico, 2993; Ips integer on, in Non-America, 3623

Pinus radiata, Rhyssa persuasoria parasitisis Sirex noctilio in blocks of, in Tasmania, 515 16 potential threat of Anobium punctatum to, New South Wales, 519; Ibalia drews introduced against Sirex noctilio on, Tasmania, 850; Dioryctria pentictonella volla couverella subsp.n. on, in British Columb 908; treatments of, affecting attraction Sirex noctilio in Tasmania, 1886; Charops parasitising Orgyia mixta on, in Kenya, 33 Ips plastographus maritimus on, in Californ 3623

vis resinosa, Phenacaspis pinifoliae on, in puebec, 900; Schizolachnus piniradiatae on, in Quebec, 903; Ips pini selecting logs of, in reference to logs of P. strobus, 940; insects ffecting cone crops of, in seed-production reas in U.S.A., 1786; oviposition by Schizovchnus piniradiatae on, in Quebec, 1981; reodiprion virginianus on, in Canada, 1985; amaged by Hylobius radicis in Michigan, 353; Conophthorus spp. attacking shoots of, 1 Michigan, 2822, 2823; Aphrophora saratornsis on, in Michigan, 3241; Phenacaspis inifoliae on, in New York, 3783

us sibirica, pests of, in Transbaikalia, 1482, 1483; effect of pest attack on, 1484

tius strobus, life-table approach to analysis of asect impact on, in U.S.A., 403; Ips pini electing logs of P. resinosa in preference to logs of, 940; parasites of Ips pini on, in irginia, 1988; baits for Dendroctonus ponerosae on, in Idaho, 2774; Pissodes strobi on,

a New York State, 3262

is sylvestris, aphids on, in Pennsylvania, Esidues of aldicarb in, 183; Hylobius pales ind Pissodes approximatus on, in Pennsylania, 372; Itoplectis quadricingulatus re-ased against Rhyacionia buoliana on, in Jregon, 584; Rhyacionia buoliana attracted traps on, 590; Ibalia drewseni parasitising ests of, 850; Phenacaspis pinifoliae on, in buebec, 900; Ips cembrae on, in Scotland, 1680; Neodiprion virginianus on, in Canada, 985; causes of collapse of outbreak of pendrolimus pini on, in Hungary, 2138; issodes notatus on, in Macedonia, 2305; ategrated control programme for control of ests of, in Ohio, 2418; wood breakdown and itrogen utilisation by Anobium punctatum in, 1644; feeding behaviour and development of 'rotolachnus agilis on, 2737; Conophthorus op. attacking shoots of, in Michigan, 2822, 1823; parasites of Rhyacionia buoliana on, in fiermany, 3415; insects in relation to desicration in, in Yugoslavia, 3467; Neodiprion ertifer on, 3470; Siricids on, in Yugoslavia, 476; Bupalus piniarius on, in Holland, 3523; radicants preventing emergence of Anobium sunctatum from blocks of, in Britain, 3530; rungi in sapwood of, affecting suitability for evelopment of Anobium punctatum, 3534; effect of variations in nitrogen content apwood of, on Anobium punctatum, 3535; Phenacaspis pinifoliae on, in New York, 3783 Lus taeda, Eurytoma extremitatis sp.n. on, in rirginia, 115; parasites of Rhyacionia frus-rana on, in Virginia, 140; Rhyacionia frus-rana on, in Louisiana, 167; Pseudoparasitus hatcheri associated with Dendroctonus fronalis in, 232; feeding responses of subteranean termites to, in Mississippi, 389; Rhyacionia frustrana and its natural enemies in, in Mississippi, 562; attractiveness of :-pinene in oleoresin from, to Dendroctonus irontalis, 882; Ips grandicollis on, in North Carolina, 912; Dioryctria amatella and other nsects overwintering in fusiform cankers on, n Georgia, 1687; Insulaspis pinea on, in Hong Kong, 1882; parasites of Ips spp. on, in Virginia, 1988; attacked by Neodiprion taedae

linearis in south-central United States, 2352; Dioryctria amatella on, 2367; Dioryctria amatella on, in Georgia, 2460; Ips spp. in plantations of, 2826; insect associates of Dendroctonus frontalis and Ips spp. on, in Texas, 2911; Rhyacionia sonia on, in South Carolina, 3664; Cheyletids associated with Dendroctonus frontalis on, in Louisiana, 3674; Rhyacionia frustrana on, in Virginia, 3722

Pinus thunbergi, Rhyacionia frustrana on, in New York State, 157

Pinzulenza kukisch, defoliating cacao flush in Papua and New Guinea, 2640

Piper, pests of, 2865; damage to, by Gynaikothrips karnyi in India, 3376

Piper nigrum, pests and diseases of, 1141; Panka lunguncus sp.n. on, in Central African

Republic, 1814

Piperonyl Butoxide, use of, in grain protection, 93; as synergist: with *d-trans*-chrysanthemate of *dl*-allethrolone, pyrethrins, and allethrin, 303; as synergist with pyrethrins, 434, 468, 470; with pyrethrins against *Rhynchophorus ferrugineus*, 863; effect of, on stability of crude and refined pyrethrum, 1583; as synergist with pyrethrins, 1583, 1584, 1721; solution of, in acetone, applied to larvae of *Drosophila melanogaster*, 2177; with carbaryl, in tests with *Oncopeltus fasciatus*, 2803; as synergist with insecticides, 3181; with pyrethrins, Ethyl-DDD, Strobane and Methoxy-DDT, against *Tineola bisselliella*, 3538; as synergist for naled and pyrethrins, 3711; as synergist with pyrethrins, 3976

Pipiadenia gummifera, Passalus interruptus on, in Brazil, 3849

piri, Aphanostigma

Piricularia oryzae, mites in cultures of, 742

Pirimicarb, use of, in integrated control programmes as specific aphicide, 818; against Myzus persicae, 2610; toxicity of soil treatments with, to mites and Aphis gossypii, 3531; resistance to, in Myzus persicae, 3613

Pirimiphos-methyl, toxicity of, to Leptinotarsa

decemlineata, 1781

Piscidia piscipula, Euphalerus nidifex on, in Florida, 227

pisi, Ceramica; Contarinia

pisorum, Bruchus

Pissodes, in cankers caused by Cronartium fusiforme on pine in Georgia, 1687; nematode associates of, in U.S.A., 2924; larva of, on Pinus sylvestris in Yugoslavia, 3467

Pissodes affinis, in Indiana, 931; P. curriei syn-

onymous with, 2012

Pissodes alascensis, as synonym of P. rotundatus, 2012

Pissodes approximatus, bionomics of, in Pennsylvania, 372

Pissodes curriei, as synonym of P. affinis, 2012 Pissodes engelmanni, as synonym of P. strobi,

Pissodes nigrae, as synonym of P. rotundatus, 2012

Pissodes notatus, parasites of, on pines in Macedonia, 2305

Pissodes obscurus, Medetera sp. attacking dead larvae of, 52

Pissodes piceae, on fir in Greece, 3466

Pissodes pini, as vector of root-rot fungus in Finland, 1628

Pissodes rotundatus, P. nigrae and P. alascensis synonymous with, 2012

Pissodes schwarzi, P. yosemite synonymous with, 2012

Pissodes sitchensis, as synonym of P. strobi, 2012 Pissodes strobi, life-table approach to analysis of impact of, on Pinus strobus in U.S.A., 403; in Indiana, 931; determination of larval instars of, by head-capsule measurements, 1932; P. sitchensis and P. engelmanni synonymous with, 2012; aldicarb against, on Pinus strobus in New York State, 3262; effect of physical and host factors on behaviour of, on Picea sitchensis in Washington State, 3696

Pissodes terminalis, distribution and parasites of, attacking Pinus contorta and P. banksiana

in Canada, 2005

Pissodes validirostris, on Pinus pinea in Spain,

Pissodes vosemite, as synonym of P. schwarzi,

pissodis, Coeloides; Eurytoma

Pistacia, Pemphigus and Forda on, 1124; insect pests of, in Syria, 2706

pistaciaecola, Monoctonia

pisum, Macrosiphum (Acyrthosiphon)

Pisum sativum (see Pea) pittospori, Parlatoria

Pittosporum tobira, as transitory food-plant for

Psylla pyricola, 117 Pityogenes (see Ips) pityographus, Pityophthorus Pityokteines (see Ips) pityophthori, Theocolaxia

Pityophthorus orarius, mining in Pseudotsuga menziesii in British Columbia, 1268

Pityophthorus pityographus, infestation and control of, on spruce slash in U.S.S.R., 711 plagiata, Dasychira; Tiracola

plagiator, Ephedrus

Plagiohammus spinipennis, introduced against Lantana camara in Queensland, 3023

Plagiomerus cyaneus, parasitising Diaspis echinocacti in Brazil, 3816

plana, Dirphia

planchoniana, Entomophthora

Plane, Corythucha ciliata on, in Italy, 3166; (see also Platanus)

planicollis, Lyctus

Plankton, interaction of pesticides with, 1806 Planococcoides njalensis, use of, for assessing tolerance and resistance of cacao to swollenshoot virus, 1150; biological control of, on cacao in Ghana, 1080; as vector of swollenshoot virus of cacao in Kenya, 3977

Planococcus citri, unable to transmit mosaic virus of Hibiscus manihot, 840; distribution of, on Citrus in Western Nigeria, 2430; studies of nucleolus and heterochromatic chromosomes in, 2733; development and reproduction of *Amblyseius largoensis* on honeydew of, 3225; on coffee in Kenya, 3394; as vector of swollen-shoot virus of cacao in Nigeria, 3977; bionomics of, in France, 4036

Planococcus kenyae, as vector of swollen-shoot

virus of cacao in Nigeria, 3977

Planococcus kraunhiae, Allotropa sp. as parasiti of, in Japan, 3072

Plant Diseases, preliminary list of, of Yemens Arab Republic, 2533

Plant Hormones, chemistry of, 320

Plant Protection, bibliography of, 321, 843-1556, 1916, 2613, 3162, 3597; law on, in West Germany, 740; breeding for resistance to Germany, 740; breeding for resistance to insects and diseases in development of, 7757 783; gas chromatography of materials for ustin, 844; book on, in India, 1374; use of secondary plant substances in, against pests 1557; International Convention of, 1796; it Germany, 1828; forecasting and warning against insect pests in, 2112; residual actions of pesticides used in, 3129; principle of intell grated control in, 3418, 3419; use of dichlor vos in, 3593

plantaginea, Anuraphis

Plantago, Anuraphis plantaginea on, in Bull garia, 739; Costelytra zealandica on, in New Zealand, 1891

Plantago asiatica, Aphis gossypii overwinterin on, in Japan, 3913

Plantago lanceolata, as source of yellows virur for aphids in Belgium, 3522; Scaphoidew littoralis unable to transmit phyllody diseasa

in, and golden flavescence of, to vines, 4046 Plantago major, as temporary host of Psyllin pyricola in Ontario, 1688; Aphrodes bicinctur on, in Ontario, 2468; effect of treatment with tetracycline antibiotics on aster yellows im 2901

Plantain, vectors of mosaic virus on, in Puertr Rico, 2894; (see also *Plantago*)

Planthopper, device for collecting eggs of, 104 Plantibac, preparation of spores of Bacillus thuringiensis, 3142

Plantibac 701, commercial preparation a Bacillus thuringiensis, 547

Plants, insect antifeedants in, 1598; organo chlorine residues in marine and freshwater, it Britain, **2641**

Plastic, use of, for covering groundnuts, 107. impregnated with insecticides, 1077; termit h resistance of, 3335

Plastic Resin, dichlorvos formulated with, 104

plastographus, Ips platani, Phyllonorycter

platanoides, Drepanosiphum

Platanus, Phyllonorycter platani and P. milliere ella on, in Israel, 1795

platensis, Aphidius; Oiketicus

Plathypena scabra, photometric device for measuring foliage loss caused by, on some bean, 383; pest status of, on lima beans in Delaware, 1749; insect parasites lucerne and soy bean in Missouri, 1752

platura, Hylemya

Platycleis intermedia, on cereal crops in Turkey 2084

platyderus, Amblycoleus

Platyedra (see Pectinophora)

Platygaster cottei, parasitising Lasioptera rubi on raspberry in Yugoslavia, 441

Platygaster hiemalis, as parasite of Mayetiol destructor, 1486; nectar-bearing plants attractive to, 1487

sitymeris laevicollis, preying on Orycles elegans n Iran, 3929

etynota stultana, effect of juvenile hormones in eggs of, 164

typarea poeciloptera, differential characters of pupae of, 2850

itypodidae, attacked by Sosylus spp. in Nigeria, 243; new species, synonymy and ecords of, 1174; in Territory of Papua and New Guinea, 1897; attracted to ultraviolet ight traps, 2748

styprepia guttata, plant species including Senecio jacobaea attacked by, in California,

styptera, Eurytoma

stypus, flight activity and food-plant selection a spp. of in Costa Rica, 2487

...tythrea conradti, attacking Mirids on cacao n Ghana, 1080

beia, Empoasca beiana, Crocidosema beja, Tetanocera

bejus, Helopeltis

coptera reflexa, control of larvae of, attackng leaves of Dalbergia sissoo in W. Pakistan, "377

ectris aliena, as potential turf pest in Florida, 227; bionomics of, infesting grasses in New South Wales, 515; resistance to, in sweet potato in South Carolina, 3238

tocoma crinita, insecticides for control of arvae of, in Oregon, 631

vocoma minor, insecticides for control of arvae of, in Oregon, 631

cocoma oregonensis, insecticides for control of

varvae of, in Oregon, 631 volophus basizonus, development and diabause in, as parasite of Neodiprion sertifer in :Ontario, 529; interrelations between, and other parasites of Neodiprion sertifer in Canada, 1133; relationships of, with coexistng parasitoids of Neodiprion swainei in Quebec, 2735; dispersal and establishment of, parasitising forest sawflies in Canada, 2990

vurostigma, Ceutorhynchus

"onectopoda, in North America, 230

vurotropis, Pediobius spp. transferred from,

curotropis nigripes, parasitising Eulophid parasites of Coelaenomenodera elaeidis in tivory Coast, 2040

ctran (see Tricyclohexyltin Hydroxide) odia, observations on branched rods of granu-

losis virus infections of, 2214

odia interpunctella, low temperature storage of eggs of, 130; effect of degree of milling and rice variety on development of, in milled rice, 223; methyl bromide fumigation of groundnuts against, 405; effects of humidity and parental decapitation on eggs of, 467; incorporation of glucose-U-C¹⁴ into lipids of males and females of, 471; bionomics and host range of, 495; effects of anaesthesia on subsequent mating behaviour of, 551; malathion as protectant for dried raisins against, 615; malathion as protectant for stored prunes against, in California, 660; as pest of seeds of ornamental plants in U.S.S.R., 1097; effect of continuous light on potency of males of, 1208; green and ultraviolet light as attractants for, 1722; tympanic organ structure and behavioural effects of sound in. 2332; susceptibility of larvae of, to Bakthane L-69, 2697; as host for *Trichogramma evane-scens*, 2810; inhibition of male response of, to female sex pheromone, 2881; parasitised by Bracon hebetor, 2970; emergence and larval dispersal behaviour in, 2972; sex pheromone in female of, 3194; resistance in, following exposure to γ-radiation, 3695; Microplitis croceipes not responding to faeces of, 3697; infesting stored maize in Brazil, 3848; attempt to transmit abnormal sex-ratio condition of Ephestia cautella to, 3917; colour inheritance in, 4004

Ploeomyzus redelei, infestation and control of, on poplar in Greece, 741

plorans, Eyprepocnemis Plum, Scolytus nitidus on, in Kashmir, 66; effect of chemical fertilisers on population dynamics of Panonychus ulmi on, 275; Cydia funebrana on, in Rumania, 276; pests of, in Rumania, 280; Cydia lobarzewskii on, in Yugoslavia, 439; effect of insecticides on, 715; Psallus ambiguus as predator of Psylla mali and Bryobia spp. on, in Poland, 726; attraction of Hyalopterus pruni to, 750; sharka virus disease of, in Europe, 774; damaged by Grammadera clara in Argentina, 996; Cydia funebrana and natural enemies on, in U.S.S.R., insecticide residues on fruits of, 1104; pests and diseases of, 1141; insecticides against Chrysobothris mali on, in California, 1234; Panonychus ulmi damaging leaves of, in England, 2238; Eriophyes padidamaging, in England, 2653; varietal susceptibility of, to Pseudaulacaspis pentagona in Japan, 3067; Panonychus ulmi on, in Greece, 3132; pox virus of, in Yugoslavia, 3141; migration of Byturus urbanus from, to raspberry in Yugoslavia, 3147; Gastropacha quercifolia on, 3208; attacked by Parthenolecanium corni apuliae in Italy, 3482; varietal resistance of, to Quadraspidiotus perniciosus, 3572; aphids on, in Poland, 4115; Psallus ambiguus preying on pests of, in Poland, 4116

Plum, Myrobalan (see Prunus cerasifera)

plumbifimbriella, Agriphila

Plumeria acutifolia, Eutetranychus orientalis on, in Mozambique, 3392

plumifer, Phytoseius

Plusia, key to, in Florida, 567

Plusia acuta, outbreaks of, on cotton in Rhodesia, 1058

Plusia argentifera, on cotton in New South Wales, 3030; attacking tobacco in Queens-

land, 3311 Plusia californica, essential fatty acids in, 1965 Plusia chalcites, outbreaks of, on cotton in Rhodesia, 1058; infestation and parasitism of, on beans in Italy, 3484; adult activity of, in New Zealand, 3864; control of, on tomato

in Spain, 4025 Plusia gamma, on Gerbera jamesonii in Rumania, 3442

Plusia orichalcea, on cabbage and cauliflower in India, 3087

Plutella maculipennis (see P. xylostella)

Plutella xylostella, sterilising effects of tepa and dimethylsulphoxide on, 300; on cabbage in California, parasites of, 573; iodofenphos against, on brussels sprouts, 816; bionomics and control, on cauliflower and cabbage in India, 2201; minor migration of, 2241; lifecycle and control of, on brassica crops in Hong Kong, 2509; insecticides against, on cabbage and collards in Georgia, 2886; insecticides against, on cabbage in Venezuela, 3005; on cabbage and cauliflower in India, 3087; attacking Brassica crops in Victoria, 3324; on rape in Western Australia, 3907; caught in light-traps in lucerne field in Iran, 3944

plutellae, Apanteles

pluviale, Malacosoma californicum

Plywood, incorporation of insecticide in glue

used for, 3862

Pnigalio flavipes, P. tischeriae as synonym of, in North America, 359; feeding on larvae of Heterocampa guttivitta in Vermont, 643

Pnigalio maculipes, attacking Phyllonorycter blancardella on apple in Quebec, 3642

parasitism of Dacus Pnigalio mediterraneus, oleae by, in Italy, 3490

Pnigalio metacomet, Eulophus lineaticoxa as synonym of, in North America, 359

Pnigalio tischeriae, as synonym of P. flavipes in North America, 359

Poa, Draeculacephala mollipes overwintering in fields of, in Kentucky, 377

Poa annua, extract of, in diet for Locusta migratoria, 761; Hyperodes sp.nr. anthracinus on, 3232

Poa palustris, Oscinella frit causing total white ear condition of, 2596

Poa pratensis, unsuccessful attempt to rear Euchromius ocelleus on, 664; Simyra henrici on, in Illinois, 2385; Capsus simulans causing silvertop of, in Minnesota, 2424; larvae of Oscinella frit causing yellow heart condition of, 2596

trivialis, inefficient as food-plant for Hylemya coarctata in Britain, 1642

poae, Rhopalomyzus

Podacanthus wilkinsoni, in forests in Australia, 3019

Podagrica sjostedti, flight activity of, on Urema lobata in Nigeria, 1209

Podagrica uniforma, flight activity of on Urema lobata in Nigeria, 1209

podagrica, Cotterellia

podagricus, Helopeltis

Podagrion meridionale, host acceptance and oviposition by, 460

Podisma (see Miramella)

Podisus maculiventris, predation by, on Malacosoma californicum pluviale, 3295

Podisus modestus, preying on complex of Heterocampa guttivitta in Vermont, 643 podocarpi, Neophyllaphis

Podocarpus, Neophyllaphis podocarpi on, in Florida, 3723

Podocarpus dacrydioides, insecticides in glue for panels of, 3862; insect moulting-hormone activity of, 3863

Podocarpus nivalis, insect moulting-hormone activity of, 3863

Podocarpus spicatus, insect moulting-hormoner activity of, 3863

Podosphaera leucotricha, Amblyseius finlandicus feeding on spores of, in Poland, 3102

Podothrips, feeding on Aulacaspis in Ugandal

Poecilips pteridophytae, sp.n. on fern in New Guinea, 1897; associated with Pteridium aquilinum in New Guinea, 1993 poeciloptera, Platyparea

Poinciana regia, Neodryocoetes hubbardi infestal ing seeds of, strung as necklaces, 3294

Poland, Leptinotarsa decemlineata on potato ini 433; vectors of virus diseases of beet in, 723). predator bug fauna on apple in, 724; Arach nida overwintering in bark of apple in 725; Psallus ambiguus on apple in, 7261 Contarinia medicaginis on lucerne in, 7271 Hylemya brassicae on cauliflower in, 728: resistant strains of Meligethes aeneus and Leptinotarsa decemlineata in, 729; Leptinot tarsa decemlineata in, 730, 731; Chrysopa preying on aphids in, 732; frogs and toads at predators of *Leptinotarsa decemlineata* in 735; *Bombus* spp. preferring lucerne policis in, 736; *Leiophron* sp. parasitising *Lygus rugulipennis* on rye in, 737; effect of aphicidely on natural enemies of aphids in, 1112 Hoplocampa crataegi on Crataegus in, 1114scale insects in glasshouses in, 1115; Contarinia medicaginis on lucerne in, 1116; Exoteleia dodecella on pine in, 1138; storea product mites in, 1540; pesticide regulation and residue problems in, 1805; Psylla mali im 1839; Leptinotarsa decemlineata in, 1840. Meromyza coronoseta sp.n. in grassland in 2571; biology of Anthocoris gallarumulmi in 2572; Syrphidae in Chelm area of, 2573. Thrips tabaci as vector of virus of tobacco ini 2574; residues of DDT and DDE in human fat in, 2575; influence of Acridoidea on pri mary production of meadow in, 2576 Tetranychids and predatory mites in apple orchards in, 2577; predacious mites in, 31021 3103; silver top disease of grasses in, 3105 Tarsonemidae on strawberry and other berry-fruit bushes in, 3106; Eriophyes pyri on pear in, 3109; Eriophyid mites on coniferous plants in, 3110; Panonychus ulmi on apple ini 3111; Bryobia and Petrobia spp. in, 3112. Cecidophyopsis ribis on black currant in 3113; mites in stored sugar-beet seed in 3123; Monomorium pharaonis infesting build ings in, 3124; Carabids in field crops im 3125; Chalcidoids on pine in, 3584; soil insect fauna in lucerne fields in, 3585; Pierir brassicae on cabbage in, 3586; Anaphes leman sp.n. and Patasson declinata in, 3970; aphid@ and their natural enemies on fruit trees in 4115; Lepidoptera on apple in, 4117; parar sites of forest pests in, 4118; Cydia nigricana on pea in, 4120; daily rhythms of activity of insects in, 4121; distribution of soil pests in areas intended for forestation in, 4122 Anthocoris pilosus in, 4123; Eurytoma roda on lucerne in, 4124; Cecidophyopsis ribis ot currant in, 4125; Trichogramma evanescen parasitising Pieris spp. in, 4130; Hylesinu crenatus in, 4131; Hyphantria cunea in, 4132 elorest pests in, 4133; aphids on apple in, 1134

listes, preying on Heliothis zea on cotton in Arkansas, 563; spp. of preying on Hyphan-ria cunea, 2498, 2632

ita, Mesograpia

llen, grains of, ingested by Hylemva coarctata a Britain, 344; Amblyseius finlandicus feeding n, 3102; predacious sawflies feeding on,

lination, by Megachile rotundata on lucerne. 198; by Bombus spp., 736; sawflies attacking nsects associated with, 3577

lution Management, role of pesticides in,

2551

yamide Resins, as carriers for pheromone of Anthonomus grandis, 2435

ychlorinated Biphenyls, not detected in fur

leals, 3744

lychlornaphthalene, not preventing emergence of Anobium punctatum from wood,

lychlorobiphenyls, in marine animals, 32; Inethod for determination of pesticide esidues in presence of, 2548

lychlorobutane-4, soil treatment with, against Capnodis tenebrionis, 3096

lychlorpinene, harmless to bees, 279

Vychrysus, Chilo vctena, Formica

lyester Resin, embedding entomological

specimens in, 898 :lyethylene Glycol 1000, with grandlure, in slow-release formulation for Anthonomus

grandis, 2435 lyethylene Glycol-600-distearate, increasing attractiveness of bait for Rhyacionia buoliana,

1590

lyethylene Thiuran Disulphide, zinciactivated, against Phyllocoptruta oleivora, 261; toxicity of, to Trichogramma cacoeciae, 11137

lygoni, Tricaudatus

lygonum sp., Simyra henrici on, in Illinois,

lygonum amphibium, effects on, of infestation by Wachtliella persicariae, 768; Wachtliella persicariae on, 783

lygonum amplexicaule, Tricaudatus polygoni simlaensis on, in India, 82

lygonum pennsylvanicum, as food plant of

Systena frontalis, 2394 lygraphi, Cecidostiba

lygraphus, review of, in U.S.A. and Canada,

plyhydric Alcohol, effect of, on feeding in

Costelytra zealandica, 3871 wlynema striaticorne, parasitising eggs of Ceresa bubalus in treated and untreated apple

orchards in Quebec, 1657 olynema temeraria, on Ficus bengalensis in India, 1579

folynesia, Rhynchophorinae in, 1000

olyphagotarsonemus latus, endrin against, on cotton in Brazil, 3830

lyphemus, Telea

olyphylla fullo, infestation and control of, in Poland, 4133

Polypodiaceae, Tenuipalpus pacificus on, in Florida, 1232;

Polyporus coffeae, associated with Planococcus citri on coffee in Kenya, 3394

Polyram Combie (see Polyethylene Thiuram

Disulphide, zinc-activated) Polyrhachis, methods for preventing removal of

pasture seeds by, in Queensland, 1316 Polysaccharide Gums, in diets for insects, 759

polyspila, Calligrapha

Polystichum adiantiforme, Eupteryx nigra and E. omani on, in Florida, 2879

Polystigma rubrum, chemical control of, on plum in Rumania, 280

Polystyrene, method for assaying phago-

stimulatory effect towards insects of plant extracts applied to, 339; liability of, to damage by termites, 3335; Ectemnius zonatus nesting in plant boxes made from, 3426

Polythene, protection of rainguards made of, from damage by Diaphanogryllacris aequalis; 78; for control of insects in bagged grain, 473; furnigation of maize against insect-pests in sacks lined with, 1076; in bags for transport and storage of dry foodstuffs, 1079; liability of, to damage by termites, 3335

Polyurethane, liability of, to damage by termites, 3335

Polyvinylchloride, use of, for covering groundnuts, 1073

polyvora, Nosema pomaria, Typhlocyba

Pomarsol Forte (see Thiram)

Pomegranate, development of Achaea janata on, 81; damaged by Grammadera clara in Argentina, 996; Ectomyelois ceratoniae on, in Western Australia, 1318; damaged by Tenuipalpus granati in India, 1576; Lymantria ampla fed on leaves of, 2203; Aceria granati on, in Greece, 4012

pometaria, Alsophila

pomonella, Cydia; Rhagoletis

pomonellae, Neoplectops Ponderosa Pine (see Pinus ponderosa)

Conophthorus; ponderosae, Dendroctonus; Dioryctria

Pontederia cordata, migration of Arzama densa from, to Eichhornia crassipes in Florida and Louisiana, 3793

ponticus, Agriotes

Popilius disjunctus, Hypoaspis disjuncta associated with, in Georgia, 3719

Popillia japonica, host plants and performance of lures for, in New Jersey, 176; oxygen uptake of healthy and diseased larvae of, 542; capture of bees in traps baited with lures for, in New Jersey, 600; maintenance of constant composition of lures for, 607; development and survival of, on carrot and other foods, 952; substrata for rearing of, 955; in Quebec, 1653; attractants for, 1692; aerial sprays of carbaryl against, in Illinois, 2376; baited traps for control of, in Massachusetts, 2399; effect of colour and design of traps for, in Massachusetts, 2775

Poplar, insect pests and diseases of, in West Pakistan, 511; Pemphigus fuscicornis on, in U.S.S.R., 707; pests of, in Greece, 741;

Agrilus ater on, in U.S.S.R., 1102; leaf galls caused by Pemphigus spp. on, 4156 Poplar, Balsam (see Populus balsamifera) Poplar, Canadian (see Populus monilifera) Poplar Petiole Gall Aphid (see Pemphigus

populitransversus)

poppiusi, Helopeltis

Population, studies on the growth of, of Trogoderma granarium and Callosobruchus analis, in India, 1354

Population Density, estimation of, of Diatraea saccharalis on sugar-cane in Cuba, 2725

Population Dynamics, of Chlamisus cribri-pennis, 212; of insects, 322, 323; of Macrosiphum pisum and Therioaphis trifolii, 1126; of Leptinotarsa decemlineata in Bohemia, 2301; of Hyphantria cunea in Japan, 2632; of Hylemya brassicae, sampling plan for studies on, 3627; of Myzus persicae, 3937; stochastic models applicable to studies on, of insects, 4076

Population Estimates, sequential sampling for obtaining, with fixed levels of precision, 2627

populi, Pemphigus; Trichiocampus populitransversus, Pemphigus

Populus, Pemphigus and Forda on, 1124

Populus alba, Melanophila picta on, in Greece, 741

Populus balsamifera, effect of, as food-plant on Choristoneura conflictana in Alaska, 3625

Populus deltoides, resistance in, to Phyllocnistis suffusella and Gypsonoma aceriana in Greece, 3430

Populus monilifera, Phloeomyzus redelei on, in

Greece, 741

Populus nigra, effect of, on haemolymph proteins of larvae of Hyphantria cunea reared on, 2634; Cirrospilus vittatus reared from Stigmella subtrimaculella on, in Holland, 3526

Populus nigra pubescens, Phyllocnistis suffusella and Gypsonoma aceriana on, in Greece, 3430 Populus tremuloides, Saperda inornata on, in Michigan, 1194; Anathix puta on, in Quebec, 1652; Saperda concolor on, in Canada, 1666; Enargia decolor on, in Ontario, 2744; rendered attractive to Trypodendron lineatum by anaerobic treatment, 2820; diet of, essential for population increase of Choristoneura conflictana in Alaska, 3625

Poria cocos, effect on Reticulitermes flavipes of wood decayed by, 2908

Poria monticola, effect on Reticulitermes flavipes of wood decayed by, 2908

Poria oleracea, effect on Reticulitermes flavipes

of wood decayed by, 2908 Porotermes adamsoni, damaging timber in

Australia, 2210; possible paralysis virus of, in Australia, 2317 Porphyrinia wagneri, in light-traps in lucerne

fields in Iran, 3944 Porphyroptera guineensis, on cacao in Ghana, 1080

Porthetria dispar (see Lymantria)

portola, Draeculacephala

Portugal, list of Cicadellidae of, 2173; pesticide legislation and residue problems in, 2854; pests and diseases of olive in, 2859; mites of cultivated plants in, 3504; Scolytus spp. attacking fruit trees in, 3505; aphids in, 3506 Portulaça oleracea, in diet for Chilo suppressalis 1348

poseidon, Thyropygus postica, Hypera posticalis, Acantholyda posticata, Mahanarva posticatus, Conotrachelus postvittana, Epiphyas

Potassium, effect of, on population dynamics of Panonychus ulmi, 275; effect of BHC onc uptake of, in sorghum, 877; effect of, on population density of scale insects, 1142 effect of, on incidence of Pachydiplosis oryzaec on rice, 3381

Potassium Chloride, effect of, on fecundity of Saccharosydne saccharivora on sugarcane, 348; use of, in scanning microscopy of Acari,

3706

Potassium Hydroxide, in diet for Cydia pomonella, 144; pentachlorophenol extracted from soil and fish with, 3014; in diet for Itoplectis conquisitor, 3287

Potassium Phosphate, monobasic, in artificial

diets for Myzus persicae, 1243

Potassium Salts, stimulating feeding in insects.

Potato, feeding response of Phthorimaea operculella to extracts of, applied to Styropoxi i disks, 339; Leptinotarsa decemlineata on, in Poland, 433: DDT residues in, in Germany, 444; Frankliniella paucispinosa on, in Argentina, 701; Leptinotarsa decemlineata on, in U.S.S.R., 704, 705; Leptinotarsa decemlineata on, in Poland, 731; Chrysopa spp. preying on aphids on, in Poland, 732; effect of age of on Leptinotarsa decemlineata, 764; mercury residues in, in Britain, 828; Phthorimaecs operculella on, in India, 870; pests of, in Argentina, 989; use of heat for recovery on Phthorimaea operculella from foliage of 1012; Phthorimaea operculella on, in Rhode sia, 1057; Perilloides decemlineata releasec. against Leptinotarsa decemlineata on, ir Italy, 1119; Leptinotarsa decemlineata on, ir Italy, 1122; pests and disease of, 1141; host plant relationship of Leptinotarsa decemlineata to, 1145; Phthorimaea operculella on in Israel, 1384; Phthorimaea operculelle' reared on tubers of, 1393; wireworms on, in Washington State, 1732; Scrobipalpula absorbuta on, in Colombia, 1798; diseases and in Manufacture. pests of, in Mozambique, 1816; transmission of leaf-roll virus of, by Myzus persicae in France, 1824; Muscina stabulans parasitising Leptinotarsa decemlineata on, in Bulgaria. 1838; Leptinotarsa decemlineata on, in Poland, 1840; natural enemies of Leptinotarsa decemlineata on, 1847; sweep-net method in tests of sprays on, 1980; Myzus persicae and Macrosiphum euphorbiae on, in Brazil, 2022? aphids on, in India, 2095; Caliothrips indicu. on, in India, 2102; predicting yield and yield losses of, from estimates of pest populations in Britain, 2114; Myzus persicae on, in Hun gary, 2115; pests of, in Soviet Union, 2135 pests and diseases of, in Soviet Union, 2136 pesticidal residue alterations during processi ing of, 2345; low residues of Dyfonate in, it Wisconsin, 2427; Gryllotalpa africana on, in

sindia, 2526; Aphis frangulae complex on, in orthern Germany, 2595; race of Aphis asturtii avoiding, in northern Germany, recommendation against use of ieldrin sprays against wireworms attacking, 641; Megaselia scalaris on stored tubers of, Euzophera osseatella on, in Egypt, 714; soil fungi on, and Hypogastrura tullergi, 2765; as food-plant of Campylomma Ivida, 3029; residues of tetrachlorvinphos on, 1186; carbon reducing uptake of insecticides by, from soil, 3214; effects of defoliation and leeding by Leptinotarsa decemlineata on, in Czechoslovakia, 3428; Rhopalosiphoninus atysiphon on, in Bulgaria, 3455; Tetranychus elarius and T. turkestani on, in Bulgaria, 457; Trioza nigricornis on, in Bulgaria, 3459; livholesomeness of irradiated, 3595; insecti-:ide residues in, in Ontario, 3742; Phthorinaea operculella on, in Venezuela, 3796; Myzus persicae and Epicauta atomaria on, in Brazil, 3847; Aphis gossypii on, in Japan, 6913; Myzus persicae on, in Iran, 3937; teproduction of Myzus persicae related to nineral nutrition of, 3990; Pseudococcus spp. teared on, 4036; triphenyltin residues in, in Britain, 4091; Leptinotarsa decemlineata on, 4143

tato Starch, in diet for Leptinotarsa decemcineata and Pieris brassicae, 762

catoria, Cosmotriche

tter Tower, use of, in tests of effectiveness of ensecticides, 2520

exvirus, composition of inclusions of, 2315

-511 (see Pirimiphosmethyl) C 3 (see O-Isopropylphenyl Methylcarba-

inate) adhani, Neocypholaelaps

nelonga, Orthezia netiosa, Bryobia

netional, Bryotial aron exsoletum, encapsulation of eggs of Charips victrix by, in California, 1922 and volucre, attacking aphids in Poland, 4115 asinoxena, insecticidal control of, on Lansium domesticum in Philippines, 497

atti, Neodiprion

atylenchus, disulfoton not controlling coarse root disease of tobacco caused by, in Florida

and Georgia, 141

awn, residues of insecticides in ova of, 3728 ays citri, effect of insecticides for use against, on predacious mites on Citrus in Israel, 1091; eggs of, as food for Amblyseius limonicus, 1383; development and reproduction of Amblyseius largoensis on, 3225; attacked by Amblyseius chilenensis, 3349

vays oleae, oviposition and diapause in, on volive in Yugoslavia, 3146; on olive in Jordan, 3424; use of Chelonus eleaphilus against, in

France, 3549

redators, list of, liberated in Canada, 2456

etiosum, Trichogramma

ince Edward Island, fensulfothion in soil and its uptake and toxicity in swedes in, 3216 incipe, insects and arthropods found in, 500 ioninae, from Laos, 1351

ionus laticollis, gross morphology and diges-

tive tract of, 1203

Pristionchus uniformis, pathogenicity of, in larvae of Galleria mellonella, 2222

Pristiphora acidovalva sp.n., on willow in Canada, 532, 533

Pristiphora abietina, soil fertilisers protecting forest trees against, in Germany, 3438

Pristiphora erichsonii, biological control of, in Canada, 499; Olesicampe sp. effective against, in Canada, 1133; screening of insecticides against, 2002; parasites of, in Newfoundland, 2003

Pristomerus, as parasite of Rhyacionia frustrana on Pinus taeda in Mississippi, 562; reared from Cydia funebrana in U.S.S.R., 1104; parasitising Phthorimaea operculella in India, 3359

Pristomerus orbitalis, species of Pristomerus close to, reared from Cydia funebrana in U.S.S.R., 1104

Privet, Pseudocneorhinus bifasciatus on, in Indiana, 413; (see also Ligustrum)

proboscideus, Curculio

Procecidochares utilis, mitotic and polytene chromosomes of, 1169

Procesas venosatus (see Chilo sacchariphagus) processionea, Thaumetopoea

Prochiloneurus, notes on, 3478

Prociphilus xylostei, on Lonicera spp. in Norway, 1165

Proctolaelaps hypudaei, preying on Diabrotica balteata, 663

Proctotrupoids of Soviet Union, 3578

Procystiphora mangiferae, bionomics and incidence of, on mango in India, 2089

Prodenia eridania (see Spodoptera)

Prodenia litura auct. (see Spodoptera littoralis)
Prodenia ornithogalli, external morphology of
antennae of, 1183;

Prodilis, preying on Unaspis citri in Venezuela, 982

prolai, Ocneria

Prolasioptera berlesiana, bionomics of, on olive in Yugoslavia, 437

proletella, Aleyrodes

Proline, absent from haemolymph of *Devorgilla* canescens, 2178

prolixus, Rhodnius

Promecarb, in sprays against Mirids, 3959

promethea, Hyalophora

Pronematus ubiquitus, response of populations of, on orange to cessation of spraying in Egypt, 910

pronuba, Noctua

pronubana, Cacoecimorpha

2-Propanol, as solvent for extraction of dieldrin in soil, 3015, 3016

in soil, 3015, 3016
Propineb (see Zinc Propylenebisdithiocarba-

Propoxur, against Sitona cylindricollis, 208; soil treatment with, in granules against pests of beans, 610; soil treatment with, against Panonychus citri, phytotoxicity of, to orange, 637; in sprays against Hypera postica, 640; soil treatment with, giving intermediate results against Otiorhynchus sulcatus, adjuvants increasing effectiveness of, 678; in sprays against Adelges piceae, 913; in sprays against Tarsonemus pallidus, 1139; effect of, in seed dressings and dips on germination of

rice seeds and on mortality of Nephotettix impicticeps, 1750; toxicity of, to Tapinoma sessile, 1758; in granules against Antonina graminis, 2019; effects of, on embryology of Acheta domesticus, 2327; in tests against rice leaf hoppers, 2504; against planthoppers and leafhoppers in Japan, 2635; microgranules of, against rice pests, 2680; effect of soil applications of, on Bucculatrix thurberiella and Estigmene acraea, 2705; against Hypera postica, 2780; toxicity of to predacious arthropods, 2781; against Hylurdrectonus araucariae, 2784; against Aphrophora saratogensis, 3241; in bait sprays against Dacus oleae, 3410; in sprays against Mirids, 3959

n-Propyl Disulphide, in diet for Hylemya

antiqua, 3633

Propylea quatuordecimpunctata, as predator of thrips, 1438; attacking aphids in Poland, 4115

Propylene Glycol, in diet for Cydia pomonella,

3221

1,2-Propylene Glycol, tested as trail-laying chemical for termites, 2303

1,3-Propylene Glycol, tested as trail-laying chemical for termites, 2303

 1,2-Propylene Glycol 1-Monobutyl Ether, tested as trail-laying chemical for termites, 2303
 O-Propyl O-p-Nitrophenyl Methylphosphono-

thioate, in sprays against *Heliothis virescens*, 1747

Propylure, not attractive to Sitotroga cerealella, 2188

proserpina, Tarophagus

Prosocheyla acanthus sp.n., associated with Dendroctonus frontalis in Louisiana, 3674

Prosopis glandulosa, as overwintering site for Anthonomus grandis in Texas, 1738 Prospaltella aurantii, parasitising Diaspis echino-

cacti in Brazil, 3816
Prospaltella inquirenda, as parasite of Parlatoria

pergandii in Israel, 2497

Prospaltella perniciosi, establishment of, against Quadraspidiotus perniciosus in West Germany, 1136; acclimatisation of, in Yugoslavia, 1512; use of, against Quadraspidiotus perniciosus in France, 3547

Protein, in haemolymph of *Ephestia kuehniella*, 2178

2178

Protein, Egg, electrophoretic patterns of, from insects, 1252

Protein Crystal Toxin, of *Bacillus thuringiensis*, biosynthesis and physical structure of, **2263**; biochemistry and action of, **2264**

Protein Hydrolysate, in bait for Ceratitis capitata and Dacus oleae, 796; in baits against Dacus tryoni, 1306; in baits for Ceratitis capitata, 2028; in baits for Dacus oleae, 3134; against Ceratitis capitata, 3237; for Dacus oleae, 3410; in baits for Ceratitis capitata, 3598; in bait-spray for Ceratitis capitata, 4053 proteus, Parlatoria; Urbanus

Prothoate, toxicity of, to honey bees, 102, 105; compatibility of fungicides with, against pests of plum, 280; resistance to, in *Myzus persicae*,

299

Prothoracic Glands, and moulting in insects, 2662

protodice, Pieris

Protohystricia, Hexamera congeneric with, 3878 Protohystricia orientalis, as name for P. signatul 3870

Protohystricia signata, P. orientalis as name foi 3870

Protolachnus agilis, sprays against, on Pinus sylvestris in Ohio, 2418; feeding behavious and development of, on Pinus sylvestris, 2739; and development of the protocol of th

Protomicroplitis facetosa, parasitising Plathypers scabra on lucerne and soy bean in Missour, parasitised by Mesochorus discitergus, 1752, Protozoa, use of, for microbial control of insects

2259; dispersal of, by Coleoptera, 2905

protuberans, Dendrosoter

Protyndarichus submetallicus sp.n., parasitisim Laccifer lacca in India, 1575

provincialis, Psammotettix proxima, Athalia lugens

pruinina, Ctenicera pruinosa, Metcalfa

pruinosus, Cosmopolites prunastri, Eulecanium

Prunes, Dried, malathion as protectant for against *Plodia* and *Oryzaephilus* spp. during storage in California, 660

pruni, Hyalopterus

pruniavium, Myzus cerasi prunicola, Brachycaudus; Bryobia rubrioculus

prunivora, Cydia prunivorana, Cydia

Prunus, Acúlus fockeui causing virus-like symptoms on, 442; sharka virus disease of, i Europe, 774; Hyalopterus pruni on, in Egyp 2695; Leucopis puncticornis aphidivora attacking Hyalopterus pruni on, 2696; Sphenoptere davatchii on, in Iran, 3515

Prunus cerasifera, transmission of sharka virus

by Myzus persicae on, 1140

Prunus serotina, feeding responses of subteranean termites to, in Mississippi, 389

Prunus spinosa, Cydia funebrana on, in Rumania 276; tobacco planting recommended at fur flowering of, to inhibit activity of Thriptabaci, 2574; Lypha dubia parasitising Operaphtera brumata on, in Britain, 4078

Prunus yedoensis, effect of, on haemolymp proteins of larvae of Hyphantria cunea reare

on, 2634

Psalidium maxillosum, insecticides against, ii Bulgaria, 3128; on oil-bearing rose in Soviet Union, 3566

Psalidopteryx psilocorsiphaga, parasitisini Eucosma rescissoriana on pine in Idaho, 9001 parasitising Eucosma rescissoriana on Pinut monticola in Idaho, 3632

Psallus ambiguus, as predator of apple pests in Poland, 724; bionomics and prey of, on apple in Poland, 726; feeding habits, development and natural enemies of, in Poland, 4116

Psallus seriatus, cotton strains resistant to, i. Texas, 134; use of, for testing aldicarb for soil applications, 2960

Psammotettix, revision of, in North America 3000

Psammotettix agrestis, in Soviet Union, 3098 Psammotettix alienus, on rape infected with disease in Hungary, 2141; transmitting viru of wheat in Rumania, 2607; as synonym (P. striatus, 3098)

asses in France, 2849; in Soviet Union,

omotettix provincialis, on wheat in Rumania, 07; as synonym of *P. striatus*, 3098

sease, 1462; on wheat in Rumania, 3097; as ctor of virus diseases of cereals in Soviet chion, 3098; on maize in Yugoslavia, 3469; real viruses transmitted by, in Sweden, 3541 motettix volgensis sp.n., on wheat in viet Union, 3098

daletia (see Mythimna)

 daonidia duplex, distribution of, on Citrus Western Nigeria, 2430

"daphelinus (see Aphelinus)

darthria hookeri, relation between Taylorigus vosseleri and, in Uganda, 351

datomoscelis (see Psallus)

an in Georgia, 196; on Carica papaya in Senezuela, 983; varietal difference of plum to festations of, in Japan, 3067

indeucoila bochei, haemocytic reactions of rvae of Drosophila euronotus against, 1381; hibiting encapsulation in Drosophila melano-

ister, 2216

"udeucoila mellipes, inhibiting encapsulation Drosophila melanogaster, 2216

dobrassicae, Rhopalosiphum erysimi

ondocellaris, Jassargus ondoceriferus, Ceroplastes

and and a distribution of the second of the

vidococci, Anagyrus

udococcus, preyed on by Chilocorus kuwanae Japan, 1900; on apple and pear in Mozamque, 3951

endococcus adonidum, bionomics of, in erance, 4036

indococcus aff. citriculus, as food for Ambly-

vius limonicus, 1383 vidococcus obscurus, Vryburgia lounsburyi in ssociation with, attacking Clivia in France, 31; asynchronous DNA synthesis in, 1961;

ionomics of, in France, 4036 odocreobotra ocellata, as parasite of Distan-

tella theobroma, 1080 doleucaspis, Kuwanaspis adomagnoliarum, Coccus adomaynei, Helopeltis

Audomonas, isolation of, from Dendroctonus Sontalis, 682; species of, infecting Operothera brumata, 1489; infecting Malacosoma mericanum and M. disstria, 2001; polysaccaride, against Galleria mellonella, 2219

dudomonas aeruginosa, endotoxins from baceria as immunising agents against, in larvae

f Galleria mellonella, 2219

udomonas fluorescens, in Leptinotarsa decemineata, 1425

udomonas savastanoi, absence of, on aboratory-reared Dacus oleae, 3501

udomonas septica, in Leptinotarsa decemineata, 1425

udonapomyza spicata, infesting maize in Egypt, 2049

udoobscura, Drosophila

Pseudoparasitus thatcheri sp.n., associated with Dendroctonus frontalis in Pinus taeda in Louisiana, 232

Pseudoparlatoria parlatorioides, on Cypripedium

in New Zealand, 895

Pseudoparlatoria tillandsiae sp.n., from Tillandsia usneoides in Georgia, 384

Pseudophilus testaceus, on date palms in Iran, 3929

Pseudophonus pubescens (see Harpalus rufipes) Pseudoplusia, key to, in Florida, 567

Pseudoplusia includens, outbreak of, on maize in Florida, 197; bionomics of, in Georgia, 555; toxicological studies on, 1963

Pseudoplusia oo, Noctuid referred to as, damaging vegetables in Venezuela, 3797

Pseudosarcophaga affinis, amino acid analogues as inhibitors of reproduction in, 1748; detrimental effects of antimicrobial agents in diet for, 3291; safe levels of antimicrobials in synthetic diet for, 3763; choice of food by larvae of, related to dietary proportions of nutrients, 3768

pseudotasmaniae, Aphodius

Pseudotheraptus devastans, infestation and control of, on cacao in Ghana, 1080, 2291

Pseudotsuga menziesii, attractants applied to, inducing mass attack by Dendroctonus pseudotsugae, 365; Cydia pseudotsugae sp.n. mining bark of, in British Columbia, 531; effect of crude ether extract of wood of, on Malacosoma californicum pluviale, 914; flight activity of Gnathotrichus on, in Oregon, 1251; Pityophthorus ovarius mining in, in British Columbia, 1268; Trypodendron lineatum on, in British Columbia, 2477; attractants in, to Trypodendron lineatum, 2820; host selection behaviour of Gnathotrichus sulcatus in relation to, 2959

Pseudotsuga menziesii glauca, damage to, by Choristoneura occidentalis in Montana and

Wyoming, 1708

pseudotsugae, Cydia

pseudotsugata, Hemerocampa

pseudovata, Brachymeria

Psidium, Phrasterothrips conducans on, in Brazil, 3814

Psila rosae, insecticides against, on carrots in British Columbia, 180; control of resistant strains of, on carrots in France, 302; monitoring for insecticide resistance in, in Britain, 788; insecticide control of, on carrots in Britain, 802, 803; resistant to aldrin, BHC and dieldrin, 2654, 2655; control of, on vegetables in Holland, 2861; effects of light and population density on longevity and egg production of, 3416

psilocorsiphaga, Psalidopteryx

Psylla mali, Psallus ambiguus preying on, on apple in Poland, 726; malathion against, on apple in Britain, 794; synchronisation of phytophenological phenomena with development of, in Poland, 1839; Psallus ambiguus preying on, in Poland, 4116

Psylla pyricola, overwintering of, on transitory food-plants, 117; longevity, fecundity and fertility of, chemosterilised with tepa, 143; effectiveness of insecticides against Cydia

pomonella for control of, on pear in California, 603; Plantago major as temporary host of, in Ontario, 1688; on pear in Nova Scotia, 1994; insecticides for use in integrated control of. Campylomma verbasci preying on, on pear in British Columbia, 3621

Psyllechthrus oophagus, hosts and distribution

of, in Africa, 2043

Psylliodes napi, first record of in North America on Barbarea vulgaris in Massachusetts and New York, 1211

psylloides, Gibbium

Psyllopsis, on Fraxinus excelsior in Soviet Union, 3562

Psyllopsis fraxini, infestation and control of, on Fraxinus excelsior in Germany, 3406; bionomics of, on ash in France, 3516

Psyllopsis fraxinicola, collected from galls of Psyllopsis fraxinus on ash in France, 3516

pteridis, Empoasca

Pteridium aquilinum, effect of ecdysones of, on locusts, 1168; Poecilips pteridophytae sp.n. on, in New Guinea, 1897, 1993

pteridophytae, Poecilips

Pteromalid, parasitising Aspidomorpha dis-sentanea in Angola, 3954

Pteromalus, parasitising Dendrolimus pini on pine in Hungary, 2138

Pteromalus puparum, parasitising insect pests on cabbage in California, 573

Pteromicra, taxonomy, biology and immature stages of, 1204

Pterostichus adstrictus, numerical factor for separation of P. pennsylvanicus and, 1255

Pterostichus pennsylvanicus, numerical factor for separation of P. adstrictus and, 1255 Pterostichus vulgaris, incidence of, in soil in

lucerne fields in Poland, 3585

Ptinus fur, water vapour sorption by larvae of. 125

Ptinus tectus, insecticidal strips against, in Denmark, 3539; effect of acclimation on survival of, at low temperatures, 3986

Ptycholoma lecheana, causing minor damage to spruce cones, 1485

ptychora, Cydia

pubescens, Pseudophonus (see Harpalus rufipes) pubipennis, Demarchus puerariae, Tetra

Puerto Rico, Sipha flava on sugarcane in, 362; preservative treatments against termites and decay in, 979; Antonina graminis in, 2034; Anastrepha edentata in, 2186; trap collections of Manduca sexta in, 2363; Miridae of, 2722; traps for males of Manduca sexta in, 2809: vectors of banana mosaic virus in, 2894; insects of, 3002

pulchella, Utetheisa

pulcher, Cenopalpus; Icerya pulcherrimus, Achrysocharis pulchripennis, Rhopalicus

pulchripes, Diglyphus

Pulicalvaria (see Coleotechnites)

Puliciphora borinquenensis, not causing obvious harm to Diabrotica balteata, 663; effect of temperature on, attacking Spodoptera frugiperda, 3808

pullata, Liriomyza pullula, Zygina

Pullus (see Scymnus)

Pulse Crops, Callosobruchus analis on, in India. 1354

Pulses (Stored), susceptibility of Bruche beetles of, to pyrethrins and piperon butoxide in Kenya, 470

pulverea, Holcocera

Pulvinaria, revision of, in Africa, 358; (see als Macropulvinaria)

Pulvinaria africana, as synonym of P. grabham

Pulvinaria antigoni, as synonym of P. grabham 358

Pulvinaria aristolochiae, records of, referring Lagosinia spp. in Africa, 358 Pulvinaria grabhami, Pulvinaria spp. consideres

synonyms of, 358

Pulvinaria iceryi, P. lepida as synonym of, Africa, 358 Pulvinaria lepida, as synonym of P. iceryi 🖟

Africa, 358 Pulvinaria subterranea, as synonym of grabhami, 358

pumicana, Cnephasia pumila, Agathis pumilio, Carcinops

pumilionis, Chlorops

Pumpkin, as host plant of Aulacophora lewis 861; Ceroplastes pseudoceriferus reared α 2505; biology of Epilachna chrysomelina α in Sudan, 2692; (see also Curcurbita)

punctata, Hypera; Lambdina punctatosulcatus, Oxylobus punctatum, Anobium

puncticollis, Cylas; Leptotrachelus mexicanus puncticornis, Leucopis

punctiferalis, Dichocrocis

punctifrons, Sympiesis (see S. acalle) punctigera, Heliothis

punctillum, Stethorus punctipes, Aphycus; Geocoris

punctiventris, Bothynoderes punctulata, Hippodamia quinquesignata

punctulatus, Cryptocercus punctum, Stethorus

punctumalbum, Mononychus punicae, Aphis; Oligonychus puparum, Pteromalus

purchasi, Icerya

purpureus, Iridomyrmex (see I. detectus)

purpurissatus, Achrysocharis pusilla, Fenusa; Sesselia pusillus, Lophocateres pustulata, Mylabris

puta, Anathix

putrescentiae, Tyrophagus

putris, Axylia putzufangensis, Ostrinia

Pybuthrin, against storehouse pests, 1503 Pybuthrin 6/60, containing pyrethrins at piperonyl butoxide, 434

Pyemotes, preying on eggs of Lepidoptera Uganda, 1205; tagging of, with aerosol pain

Pyemotes ventricosus, parasitising Nephan serinopa on coconut in India, adverse effective of, on man, 3927

Pygaera anastomosis, population dynamics in West Pakistan, 510

whora, Salpingogaster maea, Heteropeza maeus, Cephus

mephorus, infestation and control of, on

bulds in Germany, 742

rephorus mesembrinae, infestation and concbl of, on apple seedlings infected with sicladium dendriticum in Germany, 742 lidae, survey of, in Lake Tiberias region of

fael, 1391; types of, in Zoological Institute, ningrad, 2825; parasitised by Campoletis s ralidis sp.n. in Canada, 3629

lidis, Campoletis

istri, Lasiophthicus usta (see Ostrinia)

thrin I, effect of synergists on toxicity of, to

icopeltus fasciatus, 2803

thrins, use of, in grain protection, 93; ect of, on insects, 303; effect of ecological ctors on susceptibility to, in Tribolium casneum, 434; treatment of food storage bags th, 468; method for detecting resistance to,

Tribolium castaneum, 469; susceptibility , in Bruchid beetles, 470; knockdown effect on insects, 784; against Rhynchophorus rugineus, 868; ineffective against Ephestia utella, 1050; in sprays against Ascotis denaria reciprocaria, 1067; against pests of ored products, 1503; not effective hainst stored product mites, 1540; effectivess of, against pests of stored grain, 1584; sistance of insect nerve ultra-structure to teration by, 1585; quantitative determinaon of, by gas-liquid chromatography, 1586; exicity of, to insects and mites, 1587; toxicity , to Argyrotaenia citrana, 1703; repellency to Tribolium castaneum, 1721; contact exicity of, to Alsophila pometaria, 1757; ethod for detecting resistance to, ibolium castaneum, 1794; terminal residues i, in foodstuffs, 1808; in sprays against veresa bubalus, 2087; determination of I:II tios of, 2191 against Phryganidia calirnica, 2397; sprays of, controlling Ephestia nutella in stored cacao beans, 2690; effectiveess of, against insects, 3181; against grain ests in barge holds, 3513; against *Tineola* sselliella, 3538; oxidative metabolism of, in ts, 3615; toxicity of, in mist sprays to iptera and honey bees, 3711; colorimetric say for, 3975; synergists with, in powder gainst Acanthoscelides obtectus, 3967; effect , on cultures of insect cells, 3992

throids, problems in mode of action of, 522; strains of Tribolium resistant to, 2170 thrum, in sprays against Mirids, 1080; imposition of insecticidal constituents in fferent clones of, 1178; with synergist, gainst pests of stored maize, 1404; effect of

iperonyl butoxide on stability of, 1583 ethrum Extract, in aerosols against Anarepha ludens, 1700; against Tineola bissel-

ella, 3538

, Epitrimerus; Eriophyes; Quadraspidiotus; tephanitis; Typhlodromus

cola, Psylla foliella, Phyllonorycter

formis, Uroobouvella illa perpusilla, resistance in sugarcane to, 770 pyrina, Zeuzera pyrioides, Stephanitis

Pyrocon-E, containing pyrethrins and piperonyl butoxide, 868

Pyroderces argyrogrammos, on Cynara scolymus in Greece, 3135

Pyroderces hemizopha, infesting sorghum in the Cameroun, 1394

Pyrolan, toxicity of, to Tephritids, 1694; in bait-sprays against Dacus oleae, 3410

Pyrrhalta luteola, systemic drenches and trunk injections against, on Ulmus pumila in Arizona, 191

Pyrrharctia isabella, Picromerus bidens preying on, in New Hampshire, 3668

Pyrrhocoris apterus, effects of juvenile hormone analogue on embryogenesis in, 4114

Pyrus salicifolia, Eriophyid mites on, in Soviet Union, 3095

repellency of, to Hylemya

Pyruvic Acid, brassicae, 41

Pyxinia frenzeli, effect of starvation on Attagenus megatoma infected with, 3269

gadrii, Anomala

Quadraspidiotus lenticularis, identification and

distribution of, in Australia, 518

Quadraspidiotus ostreaeformis, identification and distribution of, in Australia, 518

Quadraspidiotus perniciosus, identification and distribution of, in Australia, 518; distri-bution and development of, on apple in British Columbia, 534; insecticides against, on apple in U.S.S.R., 714, 715; Prospattella perniciosi released against, in West Germany, 1136; bionomics and injuriousness of, in Rhodesia, 1399; on apple in Turkey, 2086; resistance of sour cherry hybrids to, in Hungary, 2139; application timing and insecticides to control, in Japan, 3075; Prospaltella perniciosi against, in France, 3547; insect enemies of, 3548; resistance of plum varieties to, in Soviet Union, 3572; on apple in New South Wales, 3904; Adelencyrtus inglisiae and Habrolepis obscura parasitising, in South Africa, 3968

Quadraspidiotus pyri, identification and distribution of, in Australia, 518; Aspidiotus ostreaeformis var. aegyptiacus as new syno-

nym of, 2719 quadrata, Liriomyza quadratum, Piesma quadratus, Stenocranophilus quadricingulatus, Itoplectis quadridens, Ceutorhynchus; Ips quadridentata, Ascogaster quadrifasciata, Urophora quadrilineata, Macronota quadrimaculatus, Monochamus; Scymnus quadripunctata, Mahanarva quadripustulata, Scolia; Temnoschoita quadrisignatus, Glischrochilus

Quail (see Coturnix) Quail, Japanese (see Coturnix coturnix japonica) quattuordecimstriata, Carcinops (see C. pumilio)

quatuordecimpunctata, Propylea

Quebec, Hymenopterous parasites of Coleo-technites piceaella in, 306; Phenacaspis pinifoliae on pine in, 900; Lepidosaphes ulmi on apple in, 901; Rhagoletis pomonella on apple in, 902; Schizolachnus piniradiatae on Pinus resinosa in Quebec, 903; Croesia semipur-purana on Quercus rubra in, 904; Neodiprion swainei on Pinus banksiana in, 1265; Anathix puta on Populus tremuloides in, 1652; Popillia japonica in, 1653; nocturnal insect catches in, 1654, 1655; Hypera postica on lucerne in, 1656; Ceresa bubalus on apple in, 1657; Hylemya spp. in, 1658; Hypera positica and its parasites in, 1663; Pleolophus indistinctus parasitising Neodiprion swainei in, 1926; Macrosteles fascifrons on lettuce in, 1978; Hylemya antiqua on onion in, 1979; sweep-net method in tests of sprays on potato in, 1980; Schizolachnus piniradiatae on Pinus resinosa in, 1981; Neodiprion virginianus on pine in, 1985; parasites of Coleophora laricella on larch in, 1996; micro-organisms isolated from Malacosoma spp. in, 2001; Neodiprion pratti banksianae on Pinus banksiana in, 2004; fungus diseases affecting Adelges piceae on Abies balsamea in, 2472; Berytinus minor in, 2476; Peckelachertus diprioni reared from eggs of Gilpinia frutetorum in, 2478; relationships between parasitoids utilising Neodiprion swainei in, 2735; Fenusa pusilla on Betula caerulea grandis in, 2821; dispersal of Pleolophus basizonus in, 2990; Ibalia gigantea in, 2996; Lachnosterna spp. in permanent meadow in,

3618; Phyllonorycter spp. on apple in, 3642 Queensland, Panonychus elongatus on Citrus in, 514; Oligonychus spp. on grasses in, 520; Tetranychidae of, 521-522; Altermetoponia flava sp.n. on sugar cane in, 523; Cydia pomonella in, 1006; Lyctus discedens in, 1009; Gascardia destructor on Citrus in, 1307; aeration of stored grain in, 1309; aphid-borne virus disease of groundnuts in, 1311; flight of Altermetoponia rubriceps in, 1312; flight of Oncopera spp. in, 1313; Cydia pomonella on apple in, 1314; Pectinophora scutigera on cotton in, 1315; methods for preventing removal of pasture seeds by ants in, 1316; Aphaenogaster spp. as pasture pests in, Teleogryllus oceanicus in, 1562: Antonina graminis as pest of Rhodes grass in, 3020; insect pests of Carthamus tinctorius in, 3021; pests of legume seed crops in, 3022; insects introduced against Lantana camara in, 3023; bean pests in, 3024; termites on grassland in, 3025; Melanagromyza phaseoli on beans in, 3026; toxicity of aerial sprays of naled to honey bees in, 3040; virus of Anthela varia in, 3266; Merophyas divulsana on lucerne in, 3309; damage to pasture by Othnonius batesi in, 3310; tobacco pests in, 3311; insect pests of groundnuts in, 3312; insect pests of Macadamia in, 3313; Heliothis spp. on flax in, 3314; Homoeosoma vagella on Macadamia spp. in, 3315; insect pests of sunflower in, 3316; pests of beans in, 3317; locusts and grasshoppers in, 3318; lucerne pests in, 3319; Rhopaea magnicornis in, 3321; Tetranychus telarius on apples in, 3888 Tectocoris diophthalmus on cotton in, 3888 Sitophilus oryzae infesting field wheat is 3889; population fluctuations of Tetranych telarius in apple orchards in, 3891

Quercetin (see 3,5,7,3',4'-Pentahydroxyflavom) Quercetin-3-rutinoside, effect of, in diet f

Heliothis spp., 626 quercetorum, Altica

quercicola, Quernaspis quercifolia, Gastropacha

Quercus agrifolia, Phryganidia californica o

Quercus alba, feeding rhythm in Lymann dispar on, in Connecticut, 602; oviposition preference of Alsophila pometaria on, Virginia, 3255

Quercus cerris, Lyctus planicollis on, in Austra 2845

Quercus coccinea, ovipositional preference Alsophila pometaria on, in Virginia, 3255

Quercus gambelii, Lambdina punctata on, , Utah, 3685 Quercus garryana, Pandemis cerasana on, ,

British Columbia, 3637

Ouercus havardii, as overwintering site f

Anthonomus grandis in Texas, 1738
Quercus ilex, Sitta europea preying on insepests of, in Spain, 4028

Quercus ithaburensis, Kermes bytinskii on Israel, 1388

Quercus laurifolia, Quernaspis quercicola on, Georgia, 381

Quercus macrocarpa, insects damaging acon of, in North America, 2932; Nepticula macacarpae on, in Ontario, 3284, 3285

Quercus montana, ovipositional preference Alsophila pometaria on, in Virginia, 3255 Quercus palustris, Melanaspis obscura on,

Maryland, 2906

Quercus robur, as food-plant of Ocneria proba

Quercus rubra, feeding rhythm in Lymanta dispar on, in Connecticut, 602; rearis of Ennomos subsignarius on, 634; Croesemipurpurana on, in Quebec, 96 effect of fertilization of, on populatif density of Parthenolecanium rufulum, 114 outbreak of Pamphilius phyllisae on, in Persylvania, 1263; ovipositional preference; Alsophila pometaria on, in Virginia, 322; effect of, in diet for Ennomos subsignaria, 3677

Quercus velutina, ovipositional preference:
Alsophila pometaria on, in Virginia, 3255
Quernaspis quercicola sp.n., from Querc

laurifolia in Georgia, 381

Quince, as transitory food-plant for Psy, pyricola, 117; Cydia molesta on, in Hunga 293; Leucoptera scitella as leaf-miner 1517; Cydia molesta on, 4150

Quinomethionate, in sprays against Aceu guerreronis, 107; in sprays against Epin merus pyri and Panonychus ulmi, 536; declio of residues of, on forage, 617; toxicity of, strains of Metaseiulus occidentalis, 628 toxicity of, to Trichogramma cacoeciae, 1131 in sprays against Tarsonemus pallidus, 1131

18 sprays against scab, mildew and Panochus ulmi, 2142; against Tetranychids in chards, 2577; effect of, on Campylomma rbasci, 3621; against Panonychus ulmi,

mones, response to, in Tribolium confusum.

(lothionate (see Thioquinox)

a ruefasciata, Villa

c juemaculata, Manduca

a quepunctata, Coccinella n quesignata, Hippodamia

ita cannae, bionomics and control of, on

unna sp. in Argentina, 992

calus versicolor, attacking complex of eterocampa guttivitta in Vermont, 643

R

(see Alkyl Aryl Polyether Glycols) bit, toxicity of insecticides to, 1853; metablism of insecticides by oxidase enzymes in,

viplusia, key to, in Florida, 567

Shiplusia nu, Euphorocera haywardi reared

om, in Argentina, 2032 hiplusia ou, bionomics of, 406

.ans, Euxoa

siliation, Gamma, effect of, on flight activity Spodoptera frugiperda in Georgia, 1219; fects of, on Acarus siro and Tribolium staneum, 2324; effects of, on Panonychus tri, 2378; sterilisation of Pectinophora gossyella by, in Texas, 2445; sterilisation of ipae of Megaselia scalaris by, 2704

liation, Monochromatic Electromagnetic, straction of Circulifer tenellus to, 2336

scana, Griselda cis, Hylobius

hsects, 1225

ioactive Isotopes, effect on Pectinophora ossypiella of y-radiation from, 216; effects y-radiation from, on Dacus oleae, 947; ffect on stored product mites of γ-radiation om, 1540; reduced sexual aggressiveness of ales of Cydia pomonella treated with γ -adiation from, 1731; effects of γ -radiation om, on Hypera postica, 2914; effect of, on cheta domesticus, 2918; effect of y-radiation om, on Choristoneura fumiferana, 3211; fect of γ-radiation from, on Diatraea accharalis, 3229; sterilisation of insect diet y γ-radiation from, 3249; virus in Galleria rellonella exposed to y-radiation from, 3275; holesomeness of food treated with y-radiatn from, 3595; effects of γ-radiation from, n mechanisms of sperm transfer in Trichopısia ni, 3772; effect of γ-radiation from, eproduction in Amyelois transitella, 3780; fects of γ-radiation from, on Spodoptera xigua, 3784; effect of γ-radiation from, on itophilus zeamais, 3840, 3842; effect of yidiation from, on Zabrotes subfasciatus, 841; effect of γ-radiation from, on Ceratitis apitata, 4048, 4052, 4056, 4058, 4064 liography, detection of Rhyacionia and its nemies in pine shoots by, 556; of forest

Radish, not resistant to Rhopalosiphum erysimi pseudobrassicae in Iowa, 614; Hylemya brassicae on, in New York State, 654; Aphidius gifuensis parasitising Myzus persicae on, in Japan, 1330; Costelytra zealandica on, in New Zealand, 1891; uptake of sap from, by Myzus persicae, 1943; effect of flea-beetles on yield of, in Britain, 2078; feeding by Myzus persicae on leaves of, 2939; uptake of DDT from soil by, 3434; Trioza nigricornis on, in Bulgaria, 3459; apteriform development in Myzus persicae reared on, 3770

Radish, Wild (see Raphanus raphanistrum)

radjabii, Spathius

Raffinose, in diet for Laodelphax striatella, 53; failure of, as feeding stimulant for Sitona cylindricollis, 129; in diet for Myzus persicae, 3764

Ragmus importunitas, biology and control of, on Crotalaria anagyroides in India, 2510

Ragwort, Tansy (see Senecio jacobaea)

Rainfall, effect of, on Tychius flavus, 271; effect of, on Scrobipalpa ocellatella, 272; effect of, on population of Sipha flava on sugarcane, 362; effect of, on activity of Anania verbascalis, 502; effect of, on populations of Anthonomus grandis, 616; effect of, on populations of Macrosiphum pisum and Therioaphis trifolii, 1126; effect of, on occurrence of plant-hopper pests, 1332; effect of, on insecticides, 1567; effect of simulated, on residual activity of carbaryl and malathion applied against Melanoplus sanguinipes in Montana, 2412; effect of, on population of Anaphothrips flavicinetus, 3083; effect of, on activity of Odontotermes latericius, 3170; effect of, on insecticides, 3200; in relation to outbreak of Chortoicetes terminifera, 3332; effect of, on populations of Dasineura citri, 3367; in relation to distribution of *Halo*tydeus destructor and Penthaleus major, 3902; effect of, on abundance of Stephanitis typica, 3919; effect of, on persistence of insecticides, 4094; effect of, on winter-egg numbers of aphids, 4134

Raisins, Dried, malathion as protectant for, 615 ramicola, Rhabdophaga

Rana arvalis, as predator of Leptinotarsa decemlineata in Poland, 735

Rana boylei, DDT residues in, 3746

Raoiella indica, sprays and dusts against, on Areca catechu in India, 65; bionomics of, on date palm in Egypt, 3411

rapaae, Dryophthorus rapae, Diaeretiella; Pieris

Rape, DDT residues in, in Germany, 444; Meligethes aeneus on, in Poland, 729; Meligethes spp. and Ceutorhynchus assimilis on, 816; pests and diseases of, 1141; Dasineura brassicae on, in Sweden, 1631; Brevicoryne brassicae on, in New Zealand, 1890; leafhoppers on, infected with new disease in Hungary, 2141; methods of establishing healthy crop of, in Western Australia, 3906; arthropod pests of, in Western Australia, 3907; pests of, in Victoria, 3324; aphids on, in New Zealand, 3881

Rape, Indian (see Brassica campestris dicho-

toma)

Raphanus raphanistrum, not resistant to Rhopalosiphum erysimi pseudobrassicae in Iowa,

raphanus, Nysius

Raphidopalpa (see Aulacophora)

Raspberry, Lasioptera rubi on, in Yugoslavia. 441; Phyllocoptes gracilis causing virus-like symptoms on, 442; Sciopithes obscurus on, in Washington State, 679; pests and diseases of, 1141; Glischrochilus quadrisignatus on, 1270; Neotetranychus rubicola on, in Serbia, 1514; Cicadetta montana damaging, 1519; recom-mendation against use of DDD as post-blossom spray on, 2641; Tetranychus mcdanieli on, in Canada and U.S.A., 2988; Tarsonemids on, in Poland, 3106; Byturus urbanus on, in Yugoslavia, 3147; damage to, by Pegomya rubivora in Norway, 3540

Raspberry, Purple (see Rubus neglectus) Rastrococcus iceryoides, on fruit trees in India,

3082

Rat, metabolism in, of photo-isomerisation product of dieldrin, 33; carbaryl metabolism in liver homogenate of, 218; degradation of formetanate by liver preparations of, 672; toxicity of formetanate to, 815; liver mitochondria in, uncoupled by fenazaflor, 827; effect of dietary protein on pesticide toxicity in, 1095; toxicity of insecticides to, 1853; effect of DDT on nursing young of, 2869; metabolism of trichlorphon in, 3008; metabolism of dieldrin in, 3009; toxicity of insecticides to, 3012; metabolism of methidathion by, 3215; oxidative metabolism of pyrethrins in, 3615; toxicity of fenitrothion to, 3857; toxicity of fensulfothion to, 3882

Rauwolfia vomitoria, Helopeltis rauwolfiae on, in

Congo, 3963 rauwolfiae, Helopeltis ravidus, Eutchurus

RE 5305-3 (see m-sec-Butylphenyl Methylcar-

Recilia dorsalis, transmission of tungro disease of rice by, in Philippines, 492

reciprocaria, Ascotis selenaria recurvalis, Hymenia

Recurvaria leucatella, on peach in Hungary, 292 Recurvaria nanella, on peach in Hungary, 292 Red Clover (see Trifolium pratense)

Red Leaf Virus Disease, Trifolium subterraneum

attacked by, in Victoria, 1304

redelei, Phloeomyzus redemanni, Odontotermes

Reduviidae, preying on Oryctes rhinocerus in India, 504

Redwood (see Sequoia sempervirens) reflexa, Halyomorpha; Plecoptera

regensteinensis, Sitona

regularis, Nephus; Umbaspis

rehi, Heterococcus

Relative Humidity, influence of, on weight loss and survival of Trinervitermes trinervoides and Hodotermes mossambicus, 2543: influence of, on weight loss of workers of Anoplolepis custodiens and Iridomyrmex detectus, 2686; effect of, on developmental periods of Ephestia kuehniella, 2717; effect of, on attraction of males of Tetranychus telarius to female deutonymphs, 2754; effect of, on age composition of population of Lardoglyphuli konoi, 2837

reniformis, Siteroptes renigera, Lacinipolia

Renocera, feeding on Sphaeriid Sweden, 1638 clams i

Repellents, usage and developments with, 489 review of, 1173

Reptiles, attacking Schistocerca gregaria; India, 69

rescissoriana, Eucosma

Reserpine (see Methyl 18β-Hydroxy-11,17) dimethoxy-3β,20α-yohimban-16β-carboxyk ate-3,4,5-trimethoxybenzoate)

Residues, of pesticides and other chemicals ; food and feeds, 2547-2551, 2853-2857

Resilin, in cuticle of Melanotus communis, 219. Resin, effect of, on hatching of eggs of Dendra b ctonus ponderosae, 1998

resinosae, Conophthorus

Resistance, possibilities of arthropod, to micro bial control agents, 2272; to Schizaphi & graminum, factors responsible for, in when we and barley, 2325; in barley and wheat Schizaphis graminum, 2337; of Amphimallal majalis to chlorinated-hydrocarbon cyclo diene insecticides, 2422; population are biological changes in Hypera postica relation to development of, to BHC, 256 of insects to insecticides, biochemical argenetic bases of, 2678; to Diatraea sacchaalis, genetic behaviour of, in sugar-cane, 270

Resistant Plant Varieties, use of, for inses control, 2556

Resmethrin, effectiveness of, against cotto pests, 221; lethal effects of, on insects, 787 tests of, against insects and mites, 1587 Respiratory Mechanism, investigations on,

spider mites, 2852 retamae, Nilotaspis (Coccomytilis) reticulana, Adoxophyes (see A. orana)

reticulatum, Deroceras reticulatus, Lepinotus

Reticulitermes, ability of, to react to scent training 2303; insecticides applied to soil against, Mississippi, 3245; in France, 4032

Reticulitermes flavipes, feeding responses of, sound wood and sawdust in Mississippi, 38 390; Antennopsis gallica on, in Florida, 546 effect of wood decay on feeding and survivi of, 2908

Reticulitermes lucifugus santonensis, food attra tants and pheromone as trail-following sur stances for, in pine wood, 757; on fallen pirion in Corsica, 2846

Reticulitermes virginicus, feeding responses of, sound wood and sawdust in Mississippi, 38 390; Antennopsis gallica on, in Florida, 54 Retinene, in Odontotermes redemanni, 3602 ! Retithrips syriacus, as food for Amblyse limonicus, 1383; development and repuduction of Amblyseius largoensis on, 3222

Amblyseius preying on, 3349

retusus, Gnathotrichus

Réunion, insects for biological control intil duced into, from Madagascar, 1392; Sco toidea of, 1405; rearing of Diatraeopha striatalis in, 2152; Ichneumon unicinctus 2536; biological control of sugar-cane bords

3945; biological control of Tephritids in,

ri, Haplothrips

news: Wegler (R.), Ed., The chemistry of ant-protection and pest-control products, 1. 2, 320; Beroza (M.), Ed., Chemicals ntrolling insect behaviour, 483-489; Bursell .), An introduction to insect physiology, 0; Free (J. B.), Insect pollination of ops, 491; Busvine, (J. R.) A critical view of the techniques for testing insectides (2nd edn), 1173; Barcant, (M.) Butteres of Trinidad and Tobago, 1273; Anantharishnan (T. N.), Indian Thysanoptera, 1373; bddy (D. B.), Plant Protection in India, 74; Singh, (J. P.), Elements of vegetable sts, 1375; De Pury (J. M. S.), Crop pests of ist Africa, 1822; Buhl (C.) and Schütte), The forecasting of important plant pests agriculture, 1834; Radkevich (V. A.) and omenko (T. M.), Malacosoma neustria. ome problems of its biology and its conection with its food-plants, 1841; Gukasyan . B.), Bacteriological methods for control Siberian Lasiocampid, 1843; Matviyevskii D. S.), The control of pests and diseases in bllective and private orchards, 1844; Berim N. G.), Biological principles for use of in-cticides, 1845; Ball (A.), Bondarenko (A.), latkovskii (K.), Mukhin (E.) and Radu i.), Pesticides (a handbook for agronomists nd doctors), 1846; Hartley (G. S.) and West 1. F.), Chemicals for pest control, 1855; inith (R. F.) and Mittler (T. E.), Ed., nnual review of entomology (vol. 16), 1856-367; Chadha (K. L.) and others, Citrus celine in India. Causes and control, 2105; elyaev (I. M.) and others, Pests and diseases f field crops, 2135; Yefremova (T. G.) and imchenko (V. I.), Pests and diseases of regetable and cucurbit crops and of potato, 136; Grimal'skii (V. I.), The resistance of ine plantations to pests that damage the cedles (2nd revd. edn.), 2137; Andrewartha H. G.), Introduction to the study of animal opulations (2nd edn.), 2167; Crowe (T. J.) and Shitaye Gebre Medhin, Crop pest handlook, 2541; Cherrett (J. M.), Ford (J. B.), (lerbert (I.) and Probert (A. J.), The control if injurious animals, 2838; Stadnitskii J. V.), The pests of spruce seed, 2863; Aityaev (I. D.), The Auchenorrhyncha of azakhstan (Homoptera-Cicadinea). Key, 864; Lavabre (E. M.), Injurious insects of opical crops (cacao, coffee, cola, pepper, nd tea), 2865; Chapman (P. J.) and Lienk S. E.), Tortricid fauna of apple in New York Lepidoptera: Tortricidae); including an acount of apples' occurrence in the State, specially as a naturalized plant, 2902; The protection of maize from pests, diseases and veeds, 3152; National Academy of Sciences, rinciples of plant and animal pest control vol. 3), 3207; Zlatanov (S.), Insect pests of rak in Bulgaria, 3460; Imms (A. D.), Insect natural history (3rd revd. edn.), 3528; Haichenya (P. A.), Serikov (O. Ya) and Fasulati (K. K.), Trunk pests of forest (picorial identification), 3589; Ciba-Geigy, Nogos Niwan, 3593; Booth (C.), The genus

Fusarium, 3603

Rhabdionvirus oryctes, introduced Oryctes rhinoceros in Fiji, 238; introduction of, against Oryctes rhinoceros in Western Samoa, 884; control possibilities of, against Oryctes rhinoceros on coconut in Fiji, 3035

Rhabditis, Dacus dorsalis in laboratory attacked by, 207; infesting Oryctes rhinoceros in India.

504

Rhabdophaga ramicola, galls of, on Salix purpurea, 1166

Rhabdoscelus obscurus, distribution map of,

Rhaconotus schoenobivorus, parasitising larvae of Tryporyza incertulas in Sarawak, 3346

Rhadinaphelenchus cocophilus, contamination of Rhynchophorus palmarum with, in Surinam, 1800; Rhynchophorus palmarum as carrier of, 2018

Rhagoletis cerasi, insecticide sprays against, on cherry in Germany, 445; artificial oviposition device for, 592; effects of X-rays on, 1504; artificial oviposition device for, 4067; rearing of, 4068; control of, on cherry in Switzerland, 4074

Rhagoletis cingulata, malathion in aerial sprays against, on cherry in Oregon, 674

Rhagoletis mendax, artificial oviposition device for, 592

Rhagoletis pomonella, artificial oviposition device for, 592; infesting apricot in New York State, 667; insecticides against, on apple in Quebec, 902; bait-sprays against, on apple in Indiana, 1730; effects of chemosterilants on fecundity, fertility and biology of, 2335; populations of, developing on apple untreated with pesticides, 2365; synopsis of information and annotated bibliography on, 2614; dispersal of, in apple orchard in Nova Scotia, labelling natural population of, with 89Sr, 3226

Rhamnose, in cotton degraded by enzymes of Anthonomus grandis, 690; effect of, in diet on Callosobruchus chinensis, 2079; in diet for Myzus persicae, 3764

Rhamnus cathartica, Aphis nasturtii on, 2598 Rhamnus frangula, Aphis frangulae complex on, in northern Germany, 2595

Rhamnus japonica, as primary winter food-plant for Aphis gossypii in Japan, 3913

Rhaphitelus maculatus, as parasite of Hylesinus oleiperda, 1509

rhediella, Pammene rhenanus, Typhlodromus

rhinoceros, Oryctes

Rhinotermitidae, composition and size colonies of, in Arizona and Mexico, 959; reaction of, to trail-laying substances, 2303 Rhizaspidiotus artemisiae, redescription of, 2719

Rhizobium japonicum, metabolism of parathion by, 145

Rhizobium meliloti, metabolism of parathion by,

Rhizoctonia, development of rot lesions caused by, on vegetable crops in Canada, 2459

Rhizoglyphus echinopus, as vector of rot-producing organisms, control of, on Gladiolus in Italy, 1128; development of, on fungi, 3115

Rhizophagus depressus, attacking Myelophilus piniperda, 1492

Rhizophagus ferrugineus, as vector of root-rot fungus in Finland, 1628

Rhizophagus nitidulus, as natural enemy of Myelophilus piniperda, 1492

rhizophagus, Dendroctonus; Hylobius

Rhodamine B, as dye for marking Heliothis zea,

Rhodesia, identification of Agrotis spp. in, 355; pests of Citrus in, 1052; pests of cotton in, 1054, 1055; insect control in gardens in, 1056. Phthorimaea operculella on potato tobacco in, 1057; Plusia acuta and P. chalcites on cotton in, 1058; Psyllechthrus oophagus in, 2043; Habrolepis aspidioti parasitising Chrysomphalus spp. in, 3968

rhodesiensis, Lagosinia

Rhodnius prolixus, diuretic hormone release in, treated with insecticides, 2872

rhododendri, Stephanitis

Rhopaea magnicornis, bionomics and distribution of, in Queensland and New South Wales, 3321

Rhopalicus guttatus, parasitising Myelophilus piniperda in Finland, 1625

Rhopalicus pulchripennis, parasitising Ips spp. on pine in Virginia, 1988

Rhopalicus tutela, parasitising Ips spp. on pine

in Virginia, 1988 Rhopalomyia californica, competition among

Hymenopterous parasites of, 1941 Rhopalomyzus lonicerae, on Lonicera tatarica in Norway, 1165

Rhopalomyzus poae on Lonicera alpigena, in Norway, 1165

Rhopalosiphoninus latysiphon, on potato in Bulgaria, 3455

Rhopalosiphum, spp. of, in traps in Venezuela, 2830

Rhopalosiphum erysimi, controlled by Coccinella septempunctata, systemic insecticides against, on mustard in India, 68; Diaeretiella rapae reared from, in India, 509; insecticides against, on *Brassica juncea* in India, 2682; persistent toxicity of formothion and phorate to, 2791; on cabbage and cauliflower in India, 3087; carbohydrates and nitrogenous compounds in honeydew of, 3753; malathion against, on rape in India, 3921

Rhopalosiphum erysimi pseudobrassicae, injury to oil-bearing crucifers by, in Iowa, 614;

ecological studies on, in Japan, 1339
Rhopalosiphum fitchii, light and temperature thresholds for take-off by, 4082

Rhopalosiphum insertum, malathion against, on apple in Britain, 794; Psallus ambiguus preying on, in Poland, 4116; on apple in Poland,

Rhopalosiphum maidis, on banana in Honduras, 231; as vector of barley yellow dwarf virus on wheat in New South Wales, 524; factors affecting abundance of, on maize in Indiana. 929; insecticides against, on sorghum in U.S.A., 1743; transmission by, of nonpathogenic virus in France, 1825; insecticides against, on sorghum in India, 2098; Cycloneda sanguinea limbifer preying on, on Citrus in Cuba, 2727; unable to transmit banana

mosaic virus, 2894; transmission of barler s yellow dwarf virus by, 2896; Aphelini asychis as parasite of, in Oklahoma, 2919 2925; parasitism of, by Aphelinus asychis 2969; sugar-cane mosaic transmitted by, i, Madagascar, 3390; light and temperatur thresholds for take-off by, 4082

Rhopalosiphum nymphaeae, on plum in Polane 4115

Rhopalosiphum oxvacanthae, on apple i Poland, 4115

Rhopalosiphum padi, control of, spreading bap ley yellow dwarf virus in wheat in New Zeal land, 480; as vector of barley yellow dway virus on wheat in New South Wales, 524; a h cereals in Norway, 1163; not transmitting barley yellow dwarf virus in Colombia, 1276; peanut mottle virus transmitted by, in Queene land, 1311; distribution of, on cereals i #. Britain, 1648; transmission by, of north pathogenic virus in France, 1825; transmin ting barley yellow-dwarf virus to wheat am oats, 2482; transmission of barley yellow dwarf virus by, 2896; Aphelinus asychis parasite of, in Oklahoma, 2913, 2923 development of Anatis ocellata on, 3412; pars sitism of, by Monoctonus paulensis in Cal fornia, 3777

Rhopalosiphum rufiabdominalis, as vector barley yellow-dwarf virus on wheat in New South Wales, 524; ecology and control of, c rice in Japan, 3061; in-furrow treatments for

control of, in Japan, 3062

Rhopalosiphum rufomaculatum, transmittin chrysanthemum mosaic virus and asperm virus, 2603

Rhubarb, Tetranychus telarius on, in California 149; Phytoseiidae on, in California, 2767 Rhus lancea, leaf powder prepared from, in dia for Anua tirhaca, 1060

Rhyacionia, radiographic detection of, and i enemies within pine shoots, 556; Hyssop thymus as parasite of, on pine, 939

Rhyacionia buoliana, biological control of, Canada, 499; release of Itoplectis quadricio gulatus against, on pine in Oregon, 585 female sex attractant for survey trapping c on pine in Oregon and Washington State 590; Orgilus obscurator and Cremastus inter ruptor introduced against, in Canada, 113. lack of moisture and mortality of larvae car on pine in Denmark, 1633; laboratory ma ing of, 1991; bionomics and parasitism of, all pine in Yugoslavia, 3136; interspecific relations in parasites of, on pine in German 3415; soil fertilisers protecting forest tree against, in Germany, 3438; discrimination h Hyssopus thymus against Orgilus obscurata parasitising, 3628; on Pinus pinea in Spain 4027

Rhyacionia duplana, R. simulata treated subspecies of, 1336

Rhyacionia frustrana, Eurytoma extremitati from, on pine in Virginia, 115; parasites on pine in Virginia, 140; systemic insecticid against, on Pinus thunbergi in New You State, 157; predation by Solenopsis saevi sima richteri little affecting populations of, Pinus taeda in Louisiana, 167; timing

rays against, on pine in Georgia, 552; fect of natural enemies on emergence patrn of, on Pinus taeda in Mississippi, 562; chyllobaenus singularis preying upon, on pine Arkansas, 1216; characters for determining of, 2887; study of populations of, on nus taeda in Virginia, 3722; damaging inus occidentalis in Dominican Republic,

sacionia rigidana, timing of sprays against, in pine in Georgia, 552; characters for deter-

ining sex of, 2887

vacionia simulata, oviposition sites of, on

ne in Japan, 1336

sacionia sonia, new locality, food-plant and abit record for, in South Carolina, 3664 sacionia subtropica, characters for determinig sex of, 2887

Nacionia zozana, laboratory mating of, 1991

ricioniae, Bracon: Haltichella

sinchaenus fagi, hibernation of, in Denmark,

sinchelytrum repens, Antonina graminis on,

Paraguay, 2034

Unchites cribripennis, eggs of Prolasioptera orlesiana laid in punctures made by, on olive Yugoslavia, 437

wirchophorae, Paratheresia

inchophorinae, in Polynesia, 1000

Inchophorus, as pest of oil and coconut alms, 1799

inchophorus ferrugineus, insecticides against, in coconut in India, 868

sinchophorus palmarum, Paratheresia rhynnophorae as parasite of, in Trinidad, 503; on :arica papaya in Venezuela, 983; contamiation of, with Rhadinaphelenchus cocophilus Surinam, 1800; as carrier of Rhadina-'ielenchus cocophilus on coconut in Vene-

nela, 2018

*nocoris albopunctatus, biology and behavbur of, in cotton plantations in Uganda, 1182 nocoris carmelita, as parasite of Distantiella heobroma, 1080

nocoris obtusus, as parasite of Distantiella veobroma, 1080

parobia (see Leucophaea)

s parochromus sordidus, attack by, reducing fuality of groundnuts in Africa, 108

ssa persuasoria, X-ray method for following arasitism of Sirex noctilio by, in wood in asmania, 513; host finding by, parasitising irex spp., 830; Deladenus wilsoni sp.n. ollected from, on Abies alba in Czechoovakia, 2866

rtidoponera, methods for preventing rehoval of pasture seeds by, in Queensland,

316

vzopertha dominica, evaluation of grain proectants against, in Egypt, 93; effect of degree f milling and rice variety on development of, n milled rice, 223; fumigants against, in cheat column in India, 876; green and ultraiolet light as attractants for, 1722; insectitides against, in stored rice, 1727; dispersion f, in temperature gradient, 2082; fungiested as food for, 2359; infestation and ontrol of, in header-harvesters in Victoria,

3031; resistance to, in maize, 3191; Amphibolus venator as predator of, in India, 3386 ribeana, Pandemis

ribesii, Syrphus

ribis, Anthocoptes; Capitophorus; Cecidophyopsis

Ribonucleic Acid, electron microscopy of, in cytoplasmic polyhedrosis virus of Bombyx mori, 977; in Tribolium castaneum, 1552, in diet for Itoplectis conquisitor, 3287

Ribose, feeding response of Sitona cylindricollis to, 129; in diet for Myzus persicae, 3764

Riccardoella limacum, life-cycle of, in Britain, 2545; food of, and relationship with pulmon-

ate molluscs, 2546

Rice, Leptocorisa acuta on, in India, 83; Sesamia inferens and Chilo suppressalis on, in Laos, 235; pests of, in Fiji, 237; effect of Leptocorisa oratoria on grain yields of, in Malaysia, 463; virus disease of, transmitted by Nephotettix impicticeps in East Pakistan, vectors and virus diseases of, in Philippines, varietal resistance in, to pests in Philippines, 492; Atherigona oryzae on, 494; attacked by Plodia interpunctella, 495; resistance in varieties of, to insects and pathogens, 772; Sogatella furcifera on, in India, 864; selecting varieties of, resistant to hoja blanca disease transmitted by Sogatodes orizicola, 984; oviposition in Nilaparvata lugens on, 1042; infestation of, with Chilo suppressalis, Laodelphax striatella and stripe disease in Japan, 1043; harmful effects of dwarf virus of, on Nephotettix cincticeps, 1044; pests and diseases of, 1141; Chilo suppressalis on, in Japan, 1331; planthopper pests on, in Japan, 1332; key to stem borers of, in Asia, 1346; Sesamia calamistis, Sciomesa biluma and Maliarpha separatella on, in Madagascar, 1392; insect pests of, in Taiwan, 1396; pests of, in Philippines, 1567, 1568; stem borers of, in Malaysia, 1574; Nephotettix impicticeps on, in India, 1750; Anagrus sp. parasitising Laodelphax striatella on in Japan, 1908, 1909; insects attacking young plants of, in Brazil, 2021; squirrels preying on *Hieroglyphus* spp. on, in India, plants 2096; Nephotettix spp. possibly transmitting virus of, in India, 2204; Laodelphax striatella and Nephotettix cincticeps on, in Japan, 2500; tests of insecticides against planthoppers on, in Japan, 2504; Sogatella furcifera on, in India, 2523; Gryllotalpa africana on, in India, 2526; natural enemies of Sogatella furcifera on, in India, 2528; adsorption, translocation and persistence of diazinon in, in Japan, 2633; methylcarbamates against Homoptera on seedlings of, in Japan, 2635; Sogatella furcifera and Nilaparvata lugens on, in India, 2672; Spodoptera frugiperda on, in Venezuela, 3006; insect pests of, in Fiji, 3035; resistance of varieties of, to Chilo suppressalis in Philippines, 3041; varietal resistance of, to Chlorops oryzae in Japan, 3053; outbreaks of planthoppers on, in Japan, 3054; forecasting second generations of Laodelphax striatella and Nephotettix cincticeps on, in Japan, 3055; Laodelphax striatella and stripe virus of, in Japan, 3056; Nilaparvata lugens on, in Japan, 3057;

Rhopalosiphum rufiabdominalis on, in Japan, 3061: injuriousness of Cnaphalocrocis medinalis on, in India, 3085; absorption and translocation of diazinon by, from soil and water in Philippines, 3210; Gryon flavipes parasitising Leptocorisa oratorius on, in Sarawak, 3345; parasites of stem borers on, in Sara-wak, 3346; effect of potash applied to, on incidence of *Pachydiplosis oryzae* in India, 3381; Steneotarsonemus madecassus on, in Madagascar, 3389; Chilo suppressalis on in Japan, 3909; estimation of numbers of Nephotettix cincticeps in fallow field of, in Japan, 3911; vamidothion in, 3915; lipid and fatty acid composition in larvae of Chilo suppressalis reared on, 3916; virus disease of transmitted by Sesselia pusilla in Kenya, 3952; insect pests of, 3955; insects on, in Spain, 3957; Maliarpha separatella on, in Madagascar, 3958; Sogatella furcifera on, in India, 3979; Diatraea saccharalis reared on cut stalks of, 3991

Rice (Stored), effect of degree of milling and variety on insect development in, 223; in rearing medium for Tribolium castaneum, 434; effects of varieties of, on Sitotroga cerealella in California, 936; Coleoptera associated with, in Australia, 1007; factors influencing the tolerances of, to fumigants, 1357; insecticide treatment of, against insect pests, 1727; varietal susceptibility of, to Sitophilus and Rhizopertha spp. in Egypt, 2052, 2053, 2054, 2055; development of Acarus siro on polished, 3708; effect of, on oviposition, fecundity and development of Ephestia cautella, 3922

Rice Mealy-bug (see Heterococcus rehi)

Rice Stem-borers, new records of parasites of, in India, 2677

richardsoni, Coccinella tranversoguttata richteri, Solenopsis saevissima

ricini, Indoseius; Pericallia; Samia cynthia Ricinoleic Acid, effects of, applied to larvae of

Drosophila melanogaster, 2177

Ricinus, Helopeltis bergrothi on, in Africa, 3963 Ricinus communis, development of Achaea janata on, 81; damage to, by Achaea spp. in South Africa, 1060; effect of, on development, as food plant for Diacrisia obliqua, 1359; as food for Amblyseius limonicus, 1383; Phytoseiidae on, in India, 1581; characters of, associated with resistance to Empoasca flavescens in India, 2099; Trichogramma achaeae sp.n. parasitising Achaea janata on, in India, 2150; Lymantria ampla on, in India, 2203; biology of Euproctis lunata on, 2511; fentin hydroxide as antifeedant for Lepidopterous larvae on, in India, 2673; catalase and auxins of varieties of, and resistance to Empoasca flavescens, 2841; preference of varieties of, for feeding and oviposition by Empoasca flavescens in India, 3081; development of Agistemus exsertus on pollen of, 3403; Helopeltis orophila on, in Congo, 3963

Rickettsiae, possible use of, for microbial control of insects, 2260

Rickettsiella cetonidarum sp.n., disease caused by, in Cetoniid larvae in Madagascar, 2151 Rickettsiella grylli, infection of Gryllus bimaculatus and Gryllus capitatus by, 1092

riehmi. Therioaphis rigidana, Rhyacionia rileyi, Sathrobrota rimosa, Okanagana riparia, Labidura

Ripersia oryzae (see Heterococcus rehi)

roberti, Ceutorhynchus

Robin (see Turdus migratorius)

Robinia pseudacacia, Chrysopa spp. on, shelterbelts in Poland, 732; effect of fertile sation of, on population density of *Parthen* olecanium corni, 1142

robiniarium, Eulecanium corni (see Parther olecanium corni)

Robinson Mercury Vapour Light Trap, adapta tion of, 1558 roborator, Ephialtes; Euzophera

robusta, Hypsipyla; Stiphra robustella, Tetralopha

Rock Phosphate, against grain storage pests, 9 roddi, Eurytoma

Rodents, mites in stored products spread bill 1540

rodeos. Frankliniella

Rodolia cardinalis, as predator of Icerya pw chasi in Hawaii, 951

Rodolia fumida, as natural enemy of Drosicia stebbingi in India, 2671 Roeselia lugens (see Uraba lugens)

Rogas, parasitising larvae of Heliothis armige and Earias biplaga, 1205;

Rogas nolophanae, parasitising Plathypen scabra on lucerne and soy bean, and parasit. of, in Missouri, 1752

Rogor (see Dimethoate)

optrocerus eccoptogastri, parasitising parandicollis on pine logs in Georgia, 371 Roptrocerus parasitising Dendroctonus frontalis in Georgie 3721

Roptrocerus xylophagorum, parasitising Ips spanie on pine in Virginia, 1988

rorellus, Yponomeuta

Rosa, Campylomma verbasci on, 3621

Rosa canina, Edwardsiana spp. overwinterin on, in U.S.S.R., 1100; hatching of Leptina tarsa decemlineata coinciding with full bloom of, in Poland, 1840

rosa, Ceratitis

Rosaceae, Capnodis tenebrionis on, in Hungar 291; Osphranteria coerulescens on, in Iran 1928

Rosaceae Branch Borer (see Osphranter coerulescens)

rosaceana, Choristoneura

rosae, Arge (see A. ochropus); Edwardsiam Eurytoma; Macrosiphum; Psila

rosanus, Archips

Rose, development of Achaea janata on, 8 Pseudocneorhinus bifasciatus on, in Indian 413; Frankliniella spp. on, in U.S.A., 58 attractiveness of traps near, to bees, 60 Tetranychus telarius on, in Britain, formetal ate not toxic, to, 815; Aonidiella aurantii o in Israel, 1089, 1090; Macrosiphum ros and Tetranychus cinnabarinus on, in Isra 1090; Aonidiella aurantii on, in Israel, 207 method of extracting Frankliniella tritiform, 2802; attacked by Pegomya rubivoral Norway, 3540; insects and mites on, in Soviet

nion, 3566; Selenothrips rubrocinctus on, in razil, 3833; Aonidiella aurantii on, in Brazil,

Je Oxide, attractancy of, to Anthonomus randis, 1710

e-perfume Oil, attractiveness of, to bees, 600 ipennis, Nabis

wata, Aelia

renone, effect of, on mitochondrial electron ansport in insect muscle, 1022; selective exicity of, between mammal, fish and insect, 520; effect of, on cultures of insect cells,

" ndata, Megachile undatus, Pissodes

igh Pigweed (see Amarantus retroflexus)

-ki, Habrolepis ani, Telenomus

...ion (see Dimethoate)

stoczol p 20 (see Chlorfenson)

11,679 (see 5-Benzyl-3-furylmethyl d-trans-

(thanochrysanthemate)

ber, termite control in plantations of, in ndia, 89; pests and diseases of, 1141

ber, Pará (see Hevea brasiliensis) cula, Apanteles

, Amphorophora; Lasioptera

ia cordifolia mungista, as primary winter bod-plant for Aphis gossypii in Japan, 3913 sicola, Neotetranychus

cunda, Anisota (see Heterocampa biundata);

Mahanarva

wora, Pegomya wrum, Aphis

👆 a, Helopeltis schoutedeni; Myrmica

escens, Heliothis ciceps, Altermetoponia

"inervis, Helopeltis bergrothi

mioculus, Bryobia

wocinctus, Selenothrips vus neglectus, Tetranychus mcdanieli on, in

ontario, 2988 rus occidentalis, gene in, for resistance to

rrains of Amphorophora rubi, 1803

us palmatus, effect of, on haemolymph roteins of larvae of Hyphantria cunea reared In. 2634

us parviflorus, Masonaphis maxima on, in sritish Columbia, 1674, 1675

bsaamenia, affecting cone crops of Pinus 2sinosa in seed-production areas in U.S.A.,

Elene (see Crufomate)

ppelli, Sphaerophoria in. Formica

abdominalis, Rhopalosiphum

crus, Apanteles dens, Ascogaster

vmanus, Bruchus (pennis, Dendroctonus (see D. obesus)

pes, Aphodius; Harpalus

oventris, Anomala; Microplitis

mbrunnea, Oncopera vcastanea, Strigilina

omaculatum, Rhopalosiphum

tulum, Parthenolecanium

icollis, Minthea inodis, Myrmica vulipennis, Lygus

rugulosus, Scolvtus

Rumania, Schizaphis graminum on sorghum in, 264; flight and spread of Anoxia villosa in, 265; Agrotis ipsilon on maize in, 267; overwintering possibilities of pests of stored wheat in, 268; Anisopteromalus calandrae as parasite of Sitophilus oryzae in, 269; Tychius flavus on lucerne in, 271; Scrobipalpa ocellatella on beet in, 272; Cydia delineana on Cannabis sativa in, 273; Phyllocoptes vitis on grape vine in, 274; Panonychus ulmi on plum in, 275; Cydia funebrana in, 276; Anarsia lineatella on peach and apricot in, 277; effect of soil insecticides on beet plants in, 278; toxicity of insecticides to bees in, 279; pests of plum in, 280; Urophora sirunaseva on Centaurea solstitialis in, 506; pests attacking cones of Picea abies in, 2207; transmission of yellow stunt of wheat in, 2607; Mamestra brassicae on cabbage in, 3441; diseases and pests of Gerbera jamesonii in, 3442; use of microorganisms against Thaumetopoea pityocampa in, 3496

Rumex, Hypera exemius on, in Missouri, 113; Costelytra zealandica on, in New Zealand, 1891; Spodoptera littoralis reared on, 2081

Rumex crispus, in diet for Peridroma saucia, 650; Aphis sambuci on, in Germany, 3407 Rumex obtusifolius, Aphis sambuci on, in

Germany, 3407 rumicis, Apatele; Hypera

Rumohra, insect moulting-hormone activity in,

in New Zealand, 3872 ruralis, Voria

ruricolella, Agriphila

rusci, Ceroplastes russicus, Semanotus

russoi, Calepitrimerus

Rust, Southern Cone (see Cronartium strobilinum)

rusticus, Arhopalus

Rutabaga (see Swede)

rutilla, Eucarcelia (see Carcelia obesa) Rutin (see Quercetin-3-rutinoside)

Ryania, controlled alteration of populations of phytophagous mites with, 1995; soil treatments with, against sugar-cane pests, 2094; in sprays against Cydia pomonella, effect of, on Campylomma verbasci, 3621; against Cydia pomonella, 3904

Rye, in rearing medium for Tribolium castaneum, 434; loss of yield caused by Meromyza americana to, in South Dakota, 595; Chrysopa spp. preying on aphids on, in Poland, 732; Leiophron sp. parasitising Lygus rugulipennis on, in Poland, 737; pests and diseases of, 1141; cultural control of Hylemya coarctata on, in Britain, 1642; overwintering of Leptinotarsa decemlineata coinciding with emergence of, in Poland, 1840; Simyra henrici on, in Illinois, 2385; grown in rotation with tobacco, 2471; applications of insecticides to, as cover crop for tobacco, 2785; effects of fractions of water extract of germinating seed of, on biting by Ctenicera destructor, 3303; development of Pieris brassicae in relation to harvesting of, in Poland, 3586; rice yellow mottle virus transmitted mechanically to, in Kenya, 3952; sex index of thrips on, in Finland, 4105 Ryegrass, Italian (see *Lolium multiflorum*)

Ryegrass, Perennial (see Lolium perenne)

Ryukyu Archipelago, Cicadidae of, 1324; muscardine fungus attacking Cylas formicarius in, 2493; Adelencyrtus miyarai parasitising Aulacaspis takarai in, 3968

S

Sabah, Drosophila of, 2226

Sabal, Caryobruchus gleditsiae in seeds of, in Florida, 1232

Sabal palmetto, inflorescences of, destroyed by larvae of Litoproscopus futilis, 2186

sabulifera, Anomis sabulosa, Ectropis

saccharalis, Diatraea

sacchari, Acanthomytilus (Lepidosaphes)

saccharicida, Perkinsiella saccharicaulis, Odonaspis

saccharina, Eldana sacchariphagus, Chilo

saccharivora, Saccharosydne

Saccharomyces cerevisiae, in diet for Chrysopa carnea, 2473

Saccharomyces fragilis, proprietary preparation of, in diet for Cydia molesta, 1682; in diet for

Chrysopa carnea, 2473
Saccharosydne saccharivora, effect of nutrient status and variety of sugar-cane on fecundity of, in Jamaica, 348; ecology and parasites of, on sugar-cane in Jamaica and British Honduras, 2666

sacharovi, Acridomyia

Sacks, stored-products insects associated with, 2657

Sadofos (see Malathion) saevissima, Solenopsis

Safflower (see Carthamus tinctorius)

Sahlbergella singularis, infestation and natural enemies of, on cacao on Ghana, 1080; behaviour of, in relation to environmental factors, 1416; seasonal fluctuations in populations of, on cacao in Cameroun Republic, 2039; assessment of chemicals for control of, on cacao in West Africa, 2288; on cacao in Ghana, 2291; insecticides against, on cacao in Ivory Coast, 3959, 3960

St. Helena, terrestrial fauna of, 3964

Saintpaulia, Tarsonemus pallidus on, in Britain, 1645

Saissetia, control of, on Citrus, by natural enemies, in Florida, 2417

Saissetia miranda, on Citrus in Florida, 2417 Saissetia neglecta, on Citrus in Florida, 2417

Saissetia oleae, on Citrus in Florida, 2417; pheno-immunity in food-plants of, 2813; bionomics, and control of, in Italy, 3489

saissetiae, Gahaniella

Salebria mesozonella, infesting sorghum in the Cameroun, 1394

Salebria semirubella, insecticides against, on lucerne in Bulgaria, 3450

salentialis, Ostrinia salicifoliae, Eriophyes salicis, Taeniothrips

Salinity Threshold, for *Teredo navalis*, **450**Salithion (see 2-Methoxy-4H-1,3,2-benzodioxe

phosphorin-2-sulphide)

Salix, Melanophila picta on, in Greece, 7418
Aphis farinosa on, 1123; Saperda concolor organin Canada, 1666

Salix alaxensis, effect of, as food-plant of Choristoneura conflictana in Alaska, 3625
Salix alba, Yponomeuta rorellus on, in Sovie

Union, 3097

Salix babylonica, Cavariella aegopodii over wintering on, in Argentina, 1288

Salix purpurea, galls of Rhabdophaga ramicole on, 1166

Salix subopposita, effect of, on haemolympa protein of Hyphantria cunea reared on, 2636 Salmo gairdneri, possible DDT mortality in 3886

Salmo salar, DDT residues in, 2998

Salmon, Atlantic (see Salmo salar)

Salmon, King (see Oncorhynchus tshawytscha) Salmon, DDT residues in, 2455

Salpichroa, feeding preference for, in Lem trilineata daturaphila, 964

Salpingogaster nigra, parasitising Mahanaru posticata, in Brazil, 1283

Salpingogaster pygophora, parasitising Maho narva posticata, in Brazil, 1283

Salt, Mineral, in diet for Cydia pomonella, 14no feeding stimulant properties in, for Lygu hesperus, 583; chemoreceptory cells sensitiv to, in Lepidoptera, 753; in diet for Rhagu letis cerasi, 4068

Salt Mixture, in diet for *Dioryctria abietivorella* 382; in diet for *Agrotis* spp., 719; in diet for *Itoplectis conquisitor*, 3287

Salticella fasciata, bionomics, and geographic distribution of, 854

Salticidae, preying on Heliothis zea on cotto in Arkansas, 563

salticus, Oxyopes

Saltpetre, alone or with insecticides, again Rhopalosiphum padi, 1163

saltuarius, Cryphalus

Salvador, Aschersonia aleurodis infecting Divleurodes citrifolii on Citrus in, Maruca testilalis on beans in, 2014; virus of beans in, 375. Salvinia, insects attacking, in Trinidad, Guyanand Brazil, 2723

sambuci, Aphis

sambucina, Aphis sambuci

Sambucus canadensis, attractiveness of lure associated with, to Popillia japonica, 176

Sambucus nigra, Aphis sambuci on, in German 3407; development of Pieris brassicae: relation to ripening of fruits of, in Polan 3586

Sambucus racemosus Aphis sambuci sambucis on, in Germany, 3407

Sambucus sieboldiana, effect of, on haemolymp proteins of larvae of Hyphantria cunea rear on, 2634

Samia cynthia, action of ecdysone on dispausing pupae of, 308; artificial diet for, 65 Samia cynthia ricini, bacteria isolated from 541; toxicities of crystal serotypes of Bacilly thuringiensis for larvae of, in Scotland, 222

pling, a new method of sequential, to obtain appulation estimates with fixed levels of recision, 2627

worni, Macrosiphum

cassania krameri, fumigants against, in aked-wheat preparations in India, 472

111, use of, for protection of pulses against vallosobruchus chinensis, 64

1 dal (see Santalum indicum)

Manis, Sympiesis

doz 6538 (see O,O-Diethyl O-(2-Quinoxa-1yl) Phosphorothioate)

n uinea, Cycloneda; Oligosita · uineiventris, Cenocoelius

vuineus, Helopeltis

vuinipes, Melanoplus; Pimpla

vuinolenta, Aceratagallia; Cercopis www. Neodusmetia

sninoidea (see Aegeria)

: valum indicum, Coelidia indica as vector of ike disease of, 878

onensis, Reticulitermes lucifugus

Tomé, insects and arthropods found in. 10: Parandaspis castelbrancoi gen. et sp.n. :1 coffee on, 2044; Helopeltis lemosi on ucao in, 3963

"lerda concolor, bionomics of, in Canada, 1666 erda inornata, life tables and mortality facors for, on *Populus tremuloides* in Michigan,

194 paphis (see Dysaphis)

tromyzarum, Histiostoma

irronins, as possible factors of resistance of gume seeds to attack by insects, 334

stogensis, Aphrophora

lawak, insects and other animals of economic inportance in, 1569; Gryon flavipes paratising Leptocorisa oratorius on rice in, 3345; arasites of rice stem borers in, 3346 cophaga bullata, Mesopolobus bruchophagi

ropagated on, 374

dinia, Phoracantha semipunctata on Eucalypus rostrata in, 3477; Semanotus laurasi on uniperus oxycedrus macrocarpa in, 4021 viicus, Anthrenus

nd A. genistae on, in Britain, 356; Sitona rgensteinensis on, 3988

son (see Brassica campestris sarson)

okatchewan, occurrence of Dendroctonus implex in, 1664; Saperda concolor in, 1666; 'issodes terminalis in, 2005; Blissus canaensis sp.n. in, 3630

safras albidum, attractiveness of lures asso-iated with, to Popillia japonica, 176

hrobrota rileyi, husk and kernel resistance to,

n maize hybrids, 171 urniidae, possible role of antennal proteins

11 olfaction in, 1239 cia, Peridroma teri, Sepedon

vdust, use of, in protection of stored grain gainst Callosobruchus chinensis, 64; survival nd behaviour of subterranean termites in,

i, Chlorochroa

phos (see Menazon) P-1382 (see Resmethrin) P-1390 (see Bioresmethrin) Scab, sprays against, on apple in Germany, 2142

1175

Scabbia batterica, Rhizoglyphus echinopus as vector of, on Gladiolus in Italy, 1128

scabra, Plathypena scabricollis, Lixus scabrinodis. Myrmica scabripennis, Octotoma Scaeva (see Lasiophthicus)

scalaris, Megaselia Scale Insects, additions and corrections to

annotated list of generic names of, 845; from grasses in Georgia, 1224; in Japan, 1572; microbial control of, 2269

Scambus (see Ephialtes)

Scandium, Radioactive, labelling Eyprepocnemis plorans with, 3405

Scaphoideus littoralis, transmitting golden flavescence disease to bean in France, 2608; transmission of golden flavescence of vines by, in France, 4046; insecticide treatments and recovery of vines affected by golden flavescence in France, 4047

Scaphytopius acutus, on soy bean in Mississippi,

1771

Scaphytopius frontalis, on soy bean in Mississippi, 1771

scapulalis, Ostrinia

Scarabaeidae, Rhadinaphelenchus cocophilus not found in, on coconut in Venezuela, 2018; taken in traps in Massachusetts, 2399; on cotton in New South Wales, 3030; attacking groundnut in Queensland, 3312; in Iran, 3935 Scarites, released against Oryctes rhinoceros in

South Pacific area and Mauritius, 504 Scarites dubiosus, released against

rhinoceros in South Pacific area, 504 Scatophaga stercoraria, effect of windbreak on pattern of infestation of, on wheat in Britain, 836

Scelionidae, Halyomorpha annulicornis attacked by, in Ghana, reared from Mirids on cacao in Ghana, 1080; parasitic upon Rhynocoris albopunctatus, 1182

Scents, attractiveness of trail-laying, to termites, 2303

schach, Deois

schaufussi, Formica pallidefulva

Schedorhinotermes intermedius breinli, infesta-tion and control of, in Queensland, 3025

Schinus latifolius, Liogenys cribricollis attacking, in Brazil, 2356

Schistocerca americana, parasitism of, by Acridomyia sacharovi, 395; in manuscript of 18th century relating to Paraguay, 995

Schistocerca gregaria, experimental jar for maintaining, 28; function of mouth-part receptors in relation to feeding in, 40; factors affecting population density of, in India, 63; movements and control of, in India, 67; natural enemies of, in India, 69; Oedaleus senegalensis associated with, in India, 72; Schouwia purpurea as habitat of, in Niger Republic, 109; induced radioactivity in blood of, 341; anatomy of circulatory system of, 418; responses of metathoracic extensor tibial muscles of, 420; metabolism of food components by males of, during adult development, 582; temperature-induced quiescence

in eggs of, 588; responses of, to wind-borne grass odour, 747; role of mouthpart receptors in feeding behaviour of, 756; water availability in soil and egg development in, 847; probable pheromone-secreting cells in epidermis of males of, 851; effect of ecdysones of Pteridium aquilinum on, 1168; innervation and electrical activity of flight muscles of, 1176; changes in enzymes associated with lipogenesis in development of, 1240; water uptake and exchange in eggs of, 1242; feeding activity, respiration, and lipid and carbo-hydrate content of male, 1245; effects of Mermis nigrescens on, 1380; penetration of malathion into, 1530; effect of Gregarines on growth of, 1538; preparedness for control of, in Nigeria, 2042; on cereal crops in Turkey, 2084; locomotory behaviour of, towards light, 2232; epidermis and propagations of the company o mone production in males of, 2660; effects of implanted endocrine organs on neuroendocrine system of nymphs of, 2726; histology of giant fibre system of, 2994; aggregation response in ovipositing females of, pheromone production in, 3759; utilisation of food by adult females of, 3994

Schizaphis graminum, reactions of varieties of sorghum to attack by, in Rumania, 264; take-off and post-flight behaviour of, 370-371; chemical control of, on sorghum in Kansas, 624; biological control of, by Phidippus audax on barley in Oklahoma, 689; flight behaviour of, 938; insecticides against new biotype of, on Sorghum bicolor in U.S.A., 1743; synthetic diet for, 2325; anatomy, histology and cytology of, in relation to factors responsible for resistance in barley and wheat, 2337; comparative susceptibility of maize to, 2364; foliar and soil treatments for control of, on sorghum in Kansas, 2403; biotypes of, cultured on resistant and susceptible spp. of sorghum, 2407; effects of terramycin or tetracycline on, in Oklahoma, 2446; not transmitting yellow stunt of wheat, 2607; transmission of barley yellow dwarf virus by, 2896; parasitism of, by Aphelinus asychis in Oklahoma, 2913, 2925; parasitism of, by Aphelinus asychis, 2969; insecticides against, on cereals in Oklahoma, 3236; light and temperature thresholds for take-off by. 4082

Schizaphis hypersiphonata sp.n., in India, 1582 Schizolachnus piniradiatae, population fluctuations of, on *Pinus resinosa* in Quebec, 903; oviposition habits of, on *Pinus resinosa* in Quebec, 1981

Schizomyia orientalis, bionomics and parasites of, on Acacia leucophloea in India, 2091

schlechtendali, Aculus

schneideri, Aphis

schoenherri, Anagyrus

schoenobii, Tetrastichus

schoenobivorus, Rhaconotus

schoutedeni, Helopeltis

Schouwia purpurea, role of, as habitat of Schistocerca gregaria in Niger Republic, germination and growth of, 109 Schradan, soil treatment with, against Panol nychus citri, as constituent of Sytam (q.v. 2577

schuetzeella, Dioryctria schultzei, Frankliniella

schwarzi, Pissodes

Sciaphobus squalidus, on berry-fruit bushes i Soviet Union, 3571

Sciara annulata, control of, on seedlings cucumber and annual flowers in New Zealand, 3860

Sciarids, on pot plants in Britain, 455; species of, reared on cones of *Picea abies* in Sovie Union, 2568

Sciomesa biluma, biological control of, or sugar-cane, maize and rice in Madagascan 1392

Sciomyzidae, review of the genus *Pteromicre* 1204; collected in rice-fields in Asia, 1343 distribution of, in Britain, 2646

Sciopithes obscurus, infesting berry crops and ornamental plants in North America, insecut cides against, in Washington State, 679 sciromatis, Eurytoma

Scirpophaga nivella, control of, with thiometor applied to sugar-cane in India, 2094

Scirtothrips bispinosus, on pea in India, 1049 is scitella, Leucoptera

scitula, Aegeria; Eublemma

Scleron latipes, effect of different insecticide used in tests against, damaging tobacces seedlings in Andhra Pradesh, 1368

Scolia, sp. of, parasitising Oryctes elegans in Iran, 3929

Scolia azurea, released against Oryctes rhim.

Scolia quadripustulata barmanica, reared fro-Oryctes rhinoceros in India, released again Oryctes rhinoceros in South Pacific area, 50 Scolothrips acariphagus, attacking cotton pes

in Afghanistan, 4137
Scolothrips sexmaculatus, preying on Tetran

chus telarius in California, 149 scolvmi, Larinus

Scolytidae, new species, synonymy and record of, 1174; list of species with collection record of, in Israel, 1390; in Territory of Papua are New Guinea, 1897; type species of, in Zood logical Institute of Academy of Sciences; Leningrad, 2570; attracted to ultraviolet lightraps, 2748; type specimens in Eggers collection of, 3001; and desiccation in Pinion sylvestris in Yugoslavia, 3467; attacked Lonchaea zetterstedti, 3634; Temnochil coerulea preying on, in pine wood in Spair 4031

Scolytoidea, morphology and taxonomy of, Territory of Papua and New Guinea, 100 of 1017; of South Africa and Mascarene It 1405; of New Guinea, 1406; morphology are taxonomy of, 1897

Scolytoplatypus, control of, infesting trunks fruit trees in Kashmir, 66

Scolytus amygdali attacking fruit trees Portugal, 3505

Scolytus multistriatus, toxicity of DDT as methoxy-DDT to, 1733; aerial sprays again on elms in Michigan, 1919; Dendroson protuberans as control agent for, in Michigan

196; effect of cold storage on feeding Esponse of, 3220

lytus nitidus, control of, infesting trunks of

uit trees in Kashmir, 66

nytus rugulosus, bionomics of, on cherry in rgentina, 1289; attacking fruit trees in ortugal, 3505

vytus ventralis, responses of Abies grandis to Attack by, in Washington State, 906; histoathology of, infected by Sulphuretylenchus ongatus, 935; overwintering populations of, duced by cold temperatures in Idaho, 971; arasitised by Sulphuretylenchus elongatus in Vashington State, 1679; effect of resin flow n attack behaviour and brood survival of, Abies grandis in Idaho, 3283

spelodes sp., defoliating cacao flush in Papua

1d New Guinea, 2640 speuma (see Scatophaga)

repions, attacking Schistocerca gregaria in

ndia, 69 ria (see Agrotis)

itland, Orgyia antiqua damaging heather in,

ts pine (see Pinus sylvestris)

sphipalpa heliopa, distribution map of, 314 sphipalpa ocellatella, bionomics, and control f, on beet in Rumania, 272

"bipalpula absoluta, bionomics of, on potato

i Colombia, 1798 Supulosa, Teleonemia Aderella, Phyllonorycter

wellaris, Apanteles; Cassida; Crematogaster wellata, Sturmia

wellatus, Gonipterus

tellista cyanea, attacking Gascardia destrucor in South Africa, 1307; parasitising l'aissetia spp. on Citrus in Florida, 2417; reying on eggs of Parthenolecanium corni puliae in Italy, parasitised by Pachyneuron p. in Italy, 3482; preying on Saissetia olea In Italy, adverse effects of sprays on, 3489; arasitising Ceroplastes sinensis in New touth Wales, 3897

viigera, Pectinophora

etigerella immaculata, infestation and control on Asparagus immaculata in Denmark, :51; trichloronate dips protecting broccoli from, in Oregon, 694; Lamyctes sp. preying n, in New York State, 911; on maize in indiana, 927; mass rearing of, 3228 mnus, sensitivity of, to insecticides, 2781

mnus coccivora, preying on Ferrisia virgata

in India, 86

vmnus frontalis, as predator of thrips, 1438 mnus interruptus, seasonal abundance of, in

Egypt, 2694

reyed on by, in France, 2149

mnus syriacus, seasonal abundance of, in Egypt, 2694 phophorus interstitialis, insecticides against, on Agave sisalana in Tanzania, 1064-1066

als, Fur (see Callorhinus ursinus)

tweed, effect of extract of, applied to lima beans infested with Tetranychus telarius and

Amblyseius fallacis, 693 alis, Trechus

undus, Euderomphale

Sedges, eggs of Numicia viridis collected on, in Swaziland, 3947

Sedoheptulose, feeding response of Sitona cylindricollis to, 129

segetum, Agrotis, Anisoplia

segregata, Exorista (see E. fasciata)

seiuncta, Chrysocharis Selatosomus (see Ctenicera) selecta, Aeneolamia; Bessa

selenaria, Ascotis

Selenocephalus, Nephotettix virescens described in. 1887

Selenothrips rubrocinctus, damaging cacao in Ghana, 1080; on plants of economic importance in Brazil, 3833

Selepa celtis, insecticides against, on Solanum melongena in East Pakistan, 3252

Semanotus laurasi, on Juniperus oxycedrus macrocarpa in Sardinia, 4021

Semanotus russicus, bionomics of, on Juniperus spp. in Italy, 4021

semiflavus, Aphelinus (see A. asychis)

semifumatum, Trichogramma semipiceus, Paraivongius

semipunctata, Phoracantha semipurpurana, Croesia

semirubella, Salebria

Senecio jacobaea, insects and mites on, in California, 956

Senecio vulgaris, as source of yellows virus for aphids in Belgium, 3522

Senegal, Rhyparochromus sordidus attacking groundnuts in, 108; Trogoderma granarium in, 1069; rice pests in, 3956

senegalensis, Oedaleus seniculum, Apion separata, Mythimna

separatella, Maliarpha

Sepedon macropus, introduced against Lymnaea ollula in Hawaii, distribution of, 1345

Sepedon sauteri, distribution and parasitism of, in Asia, 1345; winter diapause of, in Japan, 1349

Sephadex, use of, for pheromone isolation in Aonidiella aurantii, 3771

septemfasciata, Nomadacris

septempunctata, Chrysopa; Coccinella

Septomyxa affinis, spores of, ingested by Hylemya coarctata in Britain, 344

Sequoia sempervirens, feeding responses of subterranean termites to, in Mississippi, 389

Serbia, Prospaltella perniciosi in, 1512; parasites of Eulecanium prunastri in, 1513; Neotetranychus rubicola in, 1514 seredensis, Helopeltis

serena, Agrotis exclamationis

Serenoa, Caryobruchus gleditsiae in seeds of, in Florida, 1232

Sergentomyia minuta parroti, Brevipalpus phoenicis on, in Tunisia, 1083

seriatus, Psallus

sericea, Blastothrix

sericeicornis, Sympiesis

sericeus, Metamasius hemipterus

Sericothrips occipitalis, attacking flowers of Vigna unguiculata in Uganda, 2679

Sericothrips variabilis, not transmitting tobacco ringspot virus, 2889

serinopa, Nephantis

Serratia, isolation of, from Dendroctonus fron-

talis, 682

Serratia marcescens, Tephritid flies in laboratory attacked by, 207; in Leptinotarsa decemlineata, 1425; infecting Malacosoma americanum and M. disstria, 200; insects infected by, 3923

serratus, Microcerotermes

serricorne, Lasioderma

Serropalpus substriatus, reared from felled spruce trees in British Columbia, 1668 sertifer, Neodiprion

Sesame, in tests with Heliothis zea, 2799

Sesame (see Sesamum indicum)

Sesamex, increasing sterilising action of ecdysone analogue in Anthonomus grandis, 124; effect of, on aldrin in pea plants, 331; as synergist, effect on potency and metabolism of insecticides in Tribolium castaneum, 464; effects of, on Drosophila melanogaster, 2177; juvenile hormone activity resulting from, application of to pupae of *Tenebrio* molitor, 2421; and toxicity of pyrethrin 1, malathion and malaoxon to Oncopeltus fasciatus, 2803; with organophosphorus insecticides, 3613

sesami, Asphondylia

Sesamia, insecticides against, on sorghum in India, 2098

Sesamia calamistis, biological control of, on sugar-cane, maize and rice in Madagascar, 1392; insecticides against, on maize in Mozambique, 1397; parasites of, in Mauritius, 2536; rearing of natural enemies for release against, in Réunion, 3945; on rice in Madagascar, 3958

Sesamia cretica, evaluation of sorghum cultivars for resistance to, in Israel, 2083; on cereal crops in Turkey, 2084; on maize in Yugoslavia, 3152

Sesamia inferens, insecticides against, on rice in Laos, 235; insecticides against, on rice in Philippines, 492; Ichneumonid parasites of, in Asia, 1343; Braconid parasites of, 1344; sprays against, on rice in Philippines, 1567; Bracon gelechiae reared from, on Eleusine coracana in India, 1577; insecticide applied to water against, on rice in Philippines, 3042; parasites of, on rice in Sarawak, 3346; Tetrastichus inferens parasitising pupae of, in Formosa, 3639; infected by Serratia marcescens, 3923

Sesamia nonagrioides, attacking maize in Togo,

Sesamia nonagrioides botanephaga, bionomics of, on maize in Ghana, 2689

sesamiae, Apanteles

Sesamum, Asphondylia sesami on, in India, 3920 Sesamum indicum, pests of, in Tanzania, 90; effect of, on development, as food plant for Diacrisia obliqua, 1359; as trap reducing incidence of aphid-borne infection in papaya in Venezuela, 980: Tetranychus yusti on, in Venezuela, 986

Sesamum Oil, in diets for Tribolium castaneum and Corcyra cephalonica, 859

Sesbania bispinosa (aculeata), effect of, on development, as food plant for Diacrisia obliqua, 1359

Sesselia pusilla, virus disease transmitted by, one rice in Kenya, 3952

sessile, Tapinoma

Setaria faberii, Systena frontalis on, 2394 Setaria glauca, Paroudablis graminis sp.n. on in Ukraine, 2559

setifacies, Lypha setigera, Habrolepis setigerus, Pediobius Sevin (see Carbaryl)

Sevithion, as mixture of carbaryl and methylparathion, 3242

Sex Attractant, of Lymantria dispar, activitis enhanced by m-chloroperbenzoic acid, 24292 of Trichoplusia ni, in maze trap, 2431

Sex Pheromone, female, blocking of reception of, by males of Antheraea pernyi, 12395 electroantennograms from males of Trichot plusia ni, stimulated with, 1247; release of by females of Trichoplusia ni, quantification and circadian regulation of, 2341; produced by laboratory-reared females of Anarsia lineatella, 2425; synthetic, attractiveness q slow-release formulations of, to Anthonomus grandis, 2435

Sex-pheromone Glands, presence of, in Dacud spp., 2751

sexdentatus, Ips

sexmaculatus, Menochilus; Scolothrips

sexnotatus, Macrosteles

sexta, Manduca

Seychelles, Scolytoidea of, 1405; Ichneumon unicinctus in, 2536 shafqati, Anomala

Shallots, Thrips tabaci on, in Ghana, 1408

shameemae, Abdullahius Sheep, insecticide residues in, 1889; oral toxic

city of insecticides to, 2106; poisoning of with aldrin in Uzbekistan, 2558; DDT restar dues in body fat and milk of, 3878; toxicity of fensulfothion to, insecticide residues in the 3882, 3883

Sheep Nuts (pelleted food supplement), in did in for Epiphyas postvittana, 893

sheldoni, Aceria

Shell SD-17250 (see N-((Methylcarbamoyl)oxy thioacetimidic Acid Ester, with 3-mercapto propionitrile, syn isomer)

Shellac, effect of, on parasitism of eggs (Heliothis zea by Trichogramma pretiosum) 1734

Shellfish, DDT residues in, 2455

Shelterbelts, effect of, on numbers of Leptinus tarsa decemlineata in potato fields, 433

Shisham (see Dalbergia sisoo)

Shoot Borers, soil insecticides controlling, a sugar-cane in India, 2094

Shortleaf pine (see Pinus echinata)

sibiricus, Dendrolimus (see D. superans)

Sicily, Tetrastichus miridivorus parasitisim Calocoris trivialis in, 3165; controlling an in, 3485; Callosobruchus maculatus on Cici arietinum in, 3486; Macrosiphum spp. ii 3488

siculum, Pachyneuron

Sida cordifolia, alternative food Bemisia tabaci in Transvaal, 2687 alternative food-plant

sidae, Dysdercus

Ta Leone, grasshoppers in, 482; Acraea deedon feeding on Commelina sp. in, 1535; elopeltis in, 3963; swollen-shoot disease of cao in, 3977

ata, Protohystricia Maticollis, Cyclocephala tum, Trypodendron

ipennis, Chaetanaphothrips (see Thysanus)

on glaberrima, infestation and control of, on each in Venezuela, misidentified as S. andula in South America, 3003

37 pendula, S. glaberrima misidentified as,

: South America, 3003

/a Aerogels SG 68, use of, in grain protecon, 93

Ca Dust, in mixtures with insecticides, 2794 i a Gel-Silver Nitrate, use of, for pheromone olation in Aonidiella aurantii, 3771

Lic Acid, use of, for pheromone isolation in

Vonidiella aurantii, 3771

Fler Nightshade (see Solanum elaeagnifolium) vertop, Capsus simulans causing, of Poa vatensis in Minnesota, 2424

vstrii, Macrosiphum

isar 510 Tree Killer, containing cacodylic pid, 3247

lis, Diprion; Eriophyes; Perilampus; Tyro-

daensis, Tricaudatus polygoni

iolex, Dendroctonus, Melanagromyza; Taenothrips; Trogoderma

vilans, Capsus vilata, Rhyacionia

tyra henrici, effect of temperature on derelopment, survival and bionomics of, 2384; ionomics of, in Illinois, host plants of, 2385 . nsis, Ceroplastes

gapore, Atherigona oryzae on rice in, 494

ularis, Phyllobaenus; Sahlbergella

hazylon spp., control of, on newly felled trees n W. Pakistan, 1376

Enzylon anale, control of, on newly felled rees in W. Pakistan, 1376 Yoxylon sudanicum, attacking habits of, on

trees in Egypt, 2720 wata, Winthemia

watus, Phyllobius tha flava, effect of rainfall on population of, n sugar-cane in Puerto Rico, 362; Aphelinus sychis as parasite of, in Oklahoma, 2913, 925; parasitism of, by Aphelinus asychis,

1969

ex (see also Urosirex) ex, parasitised by Rhyssa persuasoria, 830 ex cyaneus, Ibalia drewseni as parasite of, 50; Ibalia gigantea associated with, in Alberta, 2996; on fir in Greece, 3466

ex fantoma, trap logs and sprays against, in rugoslavia, 3476

ex juvencus, attractiveness of fungal sym-piont of, to Rhyssa persuasoria, 830; Ibalia trewseni as parasite of, 850; Deladenus siricidicola sp.n. from, on Picea abies in Hungary, 2866; trap logs and sprays against, n Yugoslavia, 3476; taxonomy and bionomics of, in Finland, 4110

X-ray method for following ex noctilio, X-ray method for following parasitism of, by Rhyssa persuasoria in wood in Tasmania, 513; introduction of *Ibalia* drewseni for release against, in Tasmania, Ibalia drewseni as parasite of, 850; treatments rendering Pinus radiata attractive to, in Tasmania, 1886; trap logs and sprays against, in Yugoslavia, 3476

siricidicola, Deladenus

siro, Acarus

sirunaseva, Urophora siva, Nadiasa (Taragama)

Sisal (see Agave sisalana)

sissu, Apoderus

Sisymbrium irio, migration of Nysius raphanus from, to grape vines in California, 604

Sitao (see Vigna sesquipedalis) Sitao, Bush (see Vigna unguiculata)

sitchensis, Pissodes

Siteroptes graminum, associated with white-ear of grasses in Eastern Germany, 2842; and silver top disease of grass in Poland, 3105

Siteroptes reniformis, association of, with Nigrospora oryzae in lint rot of cotton bolls in California, 2730, 2890

Sitobion (see Macrosiphum)

Sitodiplosis mosellana, attacking wheat in France, 2860; cultural methods for control of, on wheat and other cereals in India, 3369 Sitona, insecticides against, on lucerne in Bul-

garia, **3131**

Sitona cylindricollis, effect of plant nitrate content of sweet clover on resistance to, in Nebraska, 116; feeding response of, to sugars and related compounds, 129; sprays against, on Melilotus in Nebraska, 208

Sitona humeralis, on lucerne in Czechoslovakia, 738; on cultivated plants in Victoria, 3323;

spread of, in Australia, 3330

Sitona lineatus, effect of crop rotation on population density of, on pea in Germany, 745; no resistance in pea to, in Finland, 781; incidence of, in soil in lucerne fields in Poland, 3585

Sitona regensteinensis, dispersal and migration

of, in Britain, 3988

Sitophilus, effectiveness of derris powders against, 3518; insecticides against, in stored

maize in Brazil, 3812

Sitophilus granarius, overwintering possibilities of, in stored wheat in Rumania, 268; comparative residual actions of, allethrin and pyrethrins against, 303; control of, in stored grain by cooling, 810; effectiveness of 5-benzyl-3-furylmethyl *d-trans*-ethano-chrysanthemate against, 820; anatomy and histology of ovaries and genitalia of females of, 1088; insecticides against, 1503; insecticides against, in stored grain, 1584; effect of atmospheric gases alone or together on mortality of, 1742; varietal susceptibility of cereals to, in Egypt, 2052, 2053, 2054, 2055; fungi tested as food for, 2359; mode of action of Lethane 70 on adults of, 2597; infestation and control of, in header-harvesters in Victoria, 3031; toxicity of methallyl chloride to, 3122; effectiveness of (+)-trans-chrysanthemate of (\pm) -allethrolone against, 3181; susceptibility of, to methyl bromide, 3301; methods of applying insecticides against, in barge holds, 3513; malathion

in wheat grain against, in Denmark, pesticides for control of, in Denmark, 3539; control of, by microwave power, 3594; daily rhythm of activity of, in Poland, 4121; effect of temperature on action of insecticides

against, 4126

Sitophilus oryzae, evaluation of grain protectants against, in Egypt, 93; effect of degree of milling and rice variety on development of, in milled rice, 223; overwintering possibilities of, in stored wheat in Rumania, 268; Anisopteromalus calandrae as parasite of, in stored cereals in Rumania, 269; control of, in stored maize in Togo, 1395; insecticides against, in stored rice, 1727; effect of atmospheric gases alone or together on mortality of, 1742; infestation of maize and beans by, in field in Uganda, 1819; varietal susceptibility of wheat, maize, barley and rice to, in Egypt, 2052, 2053, 2054, 2055; dispersion of, in temperature gradient, 2082; multiplication of, on varieties of wheat, oats and barley in laboratory, 2386; effect of temperature and humidity on toxicity of BHC dusts to, 2512; susceptibility of wheat varieties to, in India, 2518; infestation and control of, in headerharvesters in Victoria. 3031; Amphibolus venator as predator of, in India 3386; pesticides for control of, in Denmark, 3539; infesting stored maize in Brazil, 3848; field infestation of, in wheat in Queensland, 3889; parasitised by Lariophagus distinguendus in Israel, 4005

Sitophilus zeamais, toxicity of isomers of nicotine to, 55; husk and kernel resistance to, in maize hybrids, 171; dispersal of adults of, from maize storage bin to maize field in Louisiana, 635; fumigation of stored maize against, in Nigeria, 1075, 1076; suitability of polythene bags for protection of stored products against, in Nigeria, 1079; phosphine fumigation against, in maize, 1410; host attractants for, 1607; infestation of maize and beans by, in field in Uganda, 1819; method of obtaining free immature stages of 2233; multiplication of, on varieties of wheat, oats and barley in laboratory, 2386; attractiveness of Helianthus annuus to, in Louisiana, 2408; effects of initial infestations of, in stored maize on subsequent damage, in Louisiana, 2768; resistance to, in maize, 3191; susceptibility of maize to, 3834; effect of γ -radiation on, 3840, 3842

β-Sitosterol, effect of, in diet on development and reproduction in Heliothis spp., 619; in diets for Saturniids and Pediasia teterrella, 632-633; fucosterol as intermediate in conversion of, to cholesterol, 3616; in diet for

Trogoderma granarium, **3767**

Sitotroga cerealella, effect of y-radiation on eggs and early instars of, 165; use of, in selection of high-amylose maize in Missouri, 169; mathematical model of reproduction of, 270; effects of rice varieties on, in California, 936; infesting harvested and stored sorghum in the Cameroun, 1394; eggs of, as food for *Chrysopa carnea*, 1450; infesting sorghum in field in Uganda, 1819; imported uniparental race of Trichogramma pretiosum reared in eggs of,

in U.S.A., 1955; male response of, to female we sex pheromones, 2188; in maize infested with Sitophilus zeamais, 2768; susceptibility o maize to, 3834; infesting stored maize in Brazil, 3848; causing rise of temperature and humidity in stored maize, 3949

Sitta europea, preying on insects on Quercus ilex, 4028

sjostedti, Podagrica; Stictococcus; Taeniothrips) is SKF-525-A (see β-Diethylaminoethyl Diphenyl propylacetate Hydrochloride or 2-Diethyl aminoethyl 2,2-Diphenyl-n-pentanoate)

Sloe, Panonychus ulmi on, in Greece, 3132 Slovakia, Aelia acuminata on wheat in, 2728 Riccardoella limacum on, in Britain 2545, 2546; control of, on lettuce in Holland 2861

smaragdina, Oecophylla smaragdula, Nezara viridula Smartweed (see Polygonum)

smerinthi, Eulophus (see E. pallipes) Sminthurinus, in cultivated fields and grain in

debris in Canada, 2765 Sminthurus viridis, attacking pasture in Victoria in

smithi, Aphidius; Casca; Clemora

Smithiavirus, relationships among, and other insect viruses, 424

Smithiavirus agrotidis sp.n., in Noctua pronubal 3590

Smithiavirus pityocampae, use of, in micro biological control of Thaumetopoea pityo campa, 4030

Smooth Brome (see Bromus inermis)

Smynthurodes betae, in traps in Venezuela, 283 Snails, attacking Myriophyllum spp. in Pakistara 508; parasitised by Salticella fasciata, 854 attacked by Sciomyzids, 1345; attacked by Sciomyzids in Sweden, 1638; distribution c Sciomyzid parasites of, in Britain, 2646

Snails (see also individual names)

Snap Bean (see Bean, Snap) Soap, in sprays against Edwardsiana spp., and nicotine sulphate, 1100; applied to trunk and branches against Cerambyx dux, 3043 sobrinus, Pheropsophus (see P. hilaris sobrinus) soccata, Atherigona varia

sodalis, Pimpla

Sodium, Radioactive, labelling Eyprepocnem plorans with, 3405

Sodium Arsenate, effect of, on cultures of insect cells, 3992

Sodium Benzoate, in diet for Dacus cucurbitate 1778; in rearing medium for Ceratific capitata, 2056; in diet for Heliothis armigered 4011

Sodium Chloride, use of, in determining infest; tion by Bruchus pisorum in peas, 123; used il method for separating eggs of Ctenicen destructor from soil, 537

Sodium Ferric Ethylenediamine Tetraacetatil initial and residual toxicity of, to Tetranychi

telarius, 153

Sodium Fluosilicate, in baits against Chrote gonus trachypterus, 71; in bran bait again Spodoptera littoralis, 260

Sodium Hydroxide, sampling winter larvae Choristoneura fumiferana by washing foliagi of Abies balsamea in, 2975

num Hypochlorite, disinfection of eggs of grotis ipsilon by soaking in, 190; used in ethod for separating eggs of Ctenicera structor from soil, 537; treatment of eggs Lymantria dispar with, 3651

dum Methyldithiocarbamate, (as soil fumiint), against Pleocoma spp., 631; against

hizoglyphus echinopus, 1128

Matella furcifera, on rice in Fiji, 237; infestaon and control of, on rice in India, 864; fect of climatic conditions on occurrence ration of effectiveness of insecticides gainst, 2199; tests of insecticides against, rice in Japan, 2504; damaging rice in ndia, parasitised by Pachygonatopus, 2523; atural enemies of, on rice in India, 2528; foccinella arcuata predacious on, in India, 572; on rice in Fiji, 3035; parasitised by nagrus on rice in Japan, 3348; on rice in 1dia, 3979

atodes orizicola, selected for ability to trans-

hit hoja blanca disease of rice, 984 1, insecticide residues in, 2; estimation of intertime temperatures of, 120; insecticide sidues in, 142; moisture of, not affecting sistance of lucerne to *Therioaphis trifolii*, 55; fate of aldicarb in, 175; residues of Idicarb in, 183; grease-film extraction of rthropods from, 188; adsorption of γBHC "om solutions on different types of, 333; asecticide residues in, 444; effect of, on nests f Formica polyctena, 449; leaching of virus if Trichoplusia ni from, 543; insecticides pplied to, 631; effect of, on efficacy of isulfoton and menazon, 636; effect of Mucor ·lternans on persistence of insecticides in, 638; nsecticides applied to, 657, 730; application of nsecticides to, 802, 803; types of, in substrata or rearing Popillia japonica, 955; extractor for ollecting Coleoptera from, 1109; insecticides pplied to, 1128; selective removal of particles f, by ants, 1413; insecticides residues in, 690, 1889; insecticides applied to, 2094; aiffusion of y-BHC in, 2193, 2194; influence of organic matter content of, on insecticidal 2370; ontrol of Melanotus communis, esidues of organochlorine pesticides and their metabolites in, in Britain, 2641; effect of moisture in, on Pectinophora gossypiella, \$700; persistence of insecticide residues and their metabolites in, in Nova Scotia, 2758; lelative susceptibilities of Coptotermes fornosanus to insecticides applied to, 2778; insecticides applied to, for control of Euxoa nessoria, 2785; insecticides applied to, 2960; pioassay of insecticide residues in, 2964 ensecticide residues in, 2992; analysis of pentachlorophenol in, 3014; extraction of lieldrin from, 3015, 3016; treatment of, with insecticides, 3043; carbon reducing uptake of insecticides from, 3214; role of microorganisms in degradation of insecticides in, 3215; insecticides applied to, 3245; uptake of DDT from, by plants, 3434; application of insecticides to, 3446; insecticides applied to, 3456; type of, affecting development of Contarinia medicaginis, 3511; conference on sorption and transport processes in, 3537;

injurious insects in, in Moldavia, 3564; sampling of, for insects, 3573; insects in, 3585; long term persistence of parathion in, 3604; insecticides applied to, 3730-3735; insecticide residues in, 3732, 3742, 3751; DDT residues in sheep from ingestion of, 3878; movement of insecticides in, 4087; persistence of insecticides in, 4097; types of, in relation to populations of Phylloxera vitifoliae, 4155

Solanaceae, yellows-type and related diseases

of, transmitted by insects, 4035

solani, Macrosiphum

Solanum, resistance in, to Myzus persicae, Macrosiphum euphorbiae and Empoasca fabae.

Solanum carolinense, feeding preference of Leptinotarsa decemlineata for, 1145; as foodplant of Zonosemata electa in Ontario, other insects found on, in Ontario, 2984

Solanum dulcamara, as transitory food-plant for Psylla pyricola, 117; Leptinotarsa decem-lineata distinguishing between young and senescent leaves of, 764; feeding preference of Leptinotarsa decemlineata for, 1145

Solanum elaeagnifolium, Zonosemata vittigera infesting, in California, 2771

Solanum luteum, oviposition response to, by Leptinotarsa decemlineata, L decemlineata not feeding on, 1145 Leptinotarsa

Solanum melongena, Leucinodes orbonalis and other pests of, in India, 73; pests and diseases of, 1141; Hyalesthes obsoletus transmitting virus to, 1508; attractiveness of extracts of, to Spodoptera littoralis, 1852; ovipositional response to, in Earias vittella in India, 2074; Caliothrips indicus on, in India, 2102; attempt to rear Lysiphlebus testaceipes in Aphis gossypii on, 2514; Euzophera osseatella on, in Egypt, 2714; pests of, in East Pakistan, 3252; Centrococcus insolitus on, in India, 3388; Phthorimaea operculella on, in Venezuela, 3796; Aphis gossypii on, in Japan, 3913; varietal resistance in, to Tetranychus telarius in India, 3924; determination of malathion on, 4096

Solanum nigrum, Leptinotarsa decemlineata not feeding on, 1145

Solanum nigrum americanum, Scrobipalpula absoluta on, in Colombia, 1798

Solanum rostratum, feeding preference of Leptinotarsa decemlineata for, 1145

Solanum torvum, new strain of cucumber mosaic virus in Puerto Rico, 2894

Solanum verbascifolium, Halyomorpha reflexa on, in Ghana, 1080

Soldep (see Trichlorphon)

Sole, insecticide residues in ova of, 3728

soleiger, Typhlodromus

Solenopsis saevissima, pheromone associated

with brood tending in, 2163

Solenopsis saevissima richteri, predation by, on populations of Rhyacionia frustrana in Louisiana, 167; bionomics of, in Georgia, 558; effect of eradication programme against in Florida, 921; gustatory response by, to electrolytes, 937; alternative carrier for mirex in baits for control of, in U.S.A., 1770;

bait for control of, in Mississippi, 2411; bibliography of, 3715 solstitiale, Amphimallon

Solvirex (see Disulfoton) Somalia, Chilo partellus in, 3979

somniaria, Lambdina fiscellaria somnulentella, Bedellia Sonchus oleraceus, yellow vein virus of, in Amphorophora lactucae, 423, 976, 3663

sonia, Rhyacionia sonorus, Deltocephalus sorbi, Phyllonorycter

Sorbic Acid, in diet for Epiphyas postvittana, 893; in diet for Ips calligraphus, 1705; in diet for Heliothis zea, 1756; in diet for Anarsia lineatella, 2425; in diet for Cydia pomonella, 3221; in diet for Scutigerella immaculata, 3228; in medium for Cephus cinctus, 3248; in diet for Spodoptera littoralis, 3938

Sorbitol, nutritive value of, to *Hylemya brassicae*, **41**; production of, in hibernating insects, **2661**; in diet for *Myzus persicae*, **3764**

Sorbose, repellency of, to Hylemya brassicae, 41; feeding response of Sitona cylindricollis to, 129; in diet for Myzus persicae, 3764
Sorbus, Malacosoma neustria on, in U.S.S.R.,

Sorbus aucuparia, Hoplocampa crataegi not ovipositing on, in Poland, 1114; development of *Pieris brassicae* in relation to ripening of fruit of, in Poland, 3586

sordida, Hadena

sordidus, Cosmopolites; Rhyparochromus

sorghicola, Contarinia

Sorghum, reactions of varieties, lines and hybrids of, to attack by Schizaphis graminum in Rumania, 264; relation between Taylorilygus vosseleri and, in Uganda, 351; Atherigona oryzae on, 494; attacked by Plodia interpunctella, 495; phytotoxic effects of insecticides on varieties of, in Texas, 618; effect of insecticide treatment of, on grain yield, Schizaphis graminum on, in Kansas, 624; Phidippus audax feeding on insect pests of, in Oklahoma, 689; increasing infestations of Atherigona varia on, in Uganda, 692; thrips on, in Argentina, 701; translocation of BHC from soil to, in India, 877; pests and diseases of, 1141; resistance to Contarinia sorghicola in, in Georgia, 1227; factors influencing the tolerances of, to fumigants, 1357; effect of, on development, as food plant for Diacrisia obliqua, 1359; Atherigona as pest of, in India, 1361; infestation, and varietal susceptibility to Lepidopterous larvae of, in Cameroun, 1394; resistance to Chilo partellus in, in Uganda, 1704; infestation of, in field by stored product insects in Uganda, 1819; pests of, in Uganda, 1820; X-ray detection of *Contarinia sorghicola* in spikelets of, 1877; resistance in cultivars of, to Sesamia cretica in Israel, 2083; squirrels preying on Hieroglyphus spp. on, in India, 2096; effect of insecticides on yield of, pests of, in India, 2098; biological control of pests of, by Misumenops celer, 2333; control of Contarinia sorghicola on, in Texas, 2380; control of Schizaphis graminum on, 2403; species and varieties of, resistant to biotypes of Schizaphis graminum, 2407; Atherigona varia soccata one in India, 2807; relationship between sowing date and damage to, by Contarinia sorghicola. 2884; Aphelinus asychis introduced agains aphids on, in Oklahoma, 2913; catches of Pectinophora gossypiella in traps in, 29161 effect of soil fertility on damage by Chile partellus to, 3243; Corcyra cephalonica feeding on grain of, 3387; Chilo partellus on, is Mozambique, 3391; Oligonychus sp. on, is Mozambique, 3392; effect of soil treatment with insecticides on yield of, 3446; aphidion, in Bulgaria, 3446; effect of, on oviposition fecundity and development of Ephestia cautella, 3922; rice yellow mottle virut transmitted mechanically to, in Kenya, 395%. Sorghum almum, preventing removal of seeds of, by ants in Queensland, 1316

Sorghum bicolor, new biotype of Schizaphili graminum on, in North America, 1743; control of Schizaphis graminum on, 2403

Sorghum Shoot Fly (see Atherigona vari soccata)

Sorghum (Stored), polyethylene bags for handling of, in Nigeria, 1079; heat treatment of, against insect pests in India, 13566 infestation, and varietal susceptibility to Lepidopterous larvae of, in Cameroun, 13940 distribution of fumigants in, 2420

Sosylus, Nigerian species of, 243

Sound, analysis of, produced by stridulator, organ of *Lema trilineata daturaphila*, 11929 effects of, on Pyralids, 2331; recording of produced by *Toxoptera aurantii*, 2665

South Africa, Aonidiella aurantii and other pests of Citrus in, 350; natural regulation of Locus tana pardalina in, 354; Hakea spp. in, 1005 virus isolated from Pachypasa capensis iri 1059; Achaea catella, A. finita and Anw tirhaca in, 1060; Ascotis selenaria recipro caria on Citrus in, 1067; Gascardia destructo and its natural enemies in, 1307; insect introduced from, to Madagascar, distribution of foraging holes of Hodoterme mossambicus in, 1401; apple rootstock susceptible to woolly aphid in, 1402; insect cides against pests of stored maize in, 1404 Psyllechthrus oophagus in, 2043; Euchromis formosa recorded from, 2246; influence c temperature and relative humidity Trinervitermes trinervoides and Hodoterme. mossambicus in, 2543; new genera and spp. c Acridoidea from, 2544; Lema bilineata ou tobacco in, 2685; influence of temperatural and humidity on weight loss of workers c Anoplolepis custodiens in, 2686; Trialeurodes vaporariorum possibly not vector of leaf-cu! disease of tobacco in, 2687; pesticide regu lation in, 2855; Colias electo on lucerne in 3278; Habrolepis and Adelencyrtus pare sitising Coccids in, 3968

South America, Liogenys macropelma in, 2356

Tydeid mites in, 3825

South Asia, list of Elaterid beetles from, 308 South Australia, Coleoptera associated with stored products in, 1007; Cardiaspina deresitexta in, 1015; bionomics and control Cydia pomonella in orchards in, 1303; aeration of stored grain in, 1309; Amphorophorus

ictucae as vector of virus disease of lettuce 1, 1310; Cardiaspina densitexta on Eucalypis fasciculosa in, 1872; weight loss of Irido-yrmex detectus under laboratory conditions 1. 2543; weight loss of workers of Iridoyrmex detectus during summer and winter 2686; Aphodius tasmaniae on pasture in, 329; Sitona humeralis in, 3330; Halotydeus estructor on pasture in, 3331; tristeza virus Citrus in, 3334; Comperiella bifasciata arasitising Aonidiella spp. in, 3901; apple ests in, 3904; Isoneurothrips australis on ucalyptus spp. in. 3989

th Carolina, Coptotermes formosanus in, 408; nthonomus grandis on cotton in, 616; phosholipids in Dendroctonus frontalis in, 1933; etermination of spring emergence of Anthoomus grandis in, 2388; deposits from sprays f monocrotophos in, 2413; Anthonomus Fandis on cotton in, 2936; DDT residues in rdocoileus virginianus in, 2974; insect resisnnce in sweet potatoes in, 3238; Noctuid rvae on tomatos in, 3242; Rhyacionia onia on pine in, 3664; Anthonomus grandis in cotton in, 3687; Winthemia manducae arasitising Manduca sexta in, 3688; traps or Anthonomus grandis in, 3707

I th Dakota, Hypera postica on lucerne in, 22; Meromyza americana on cereal crops in, 95; Megachile rotundata for lucerne pollitation in, 698; of Diabrotica undecimpunctata owardi in, 2375; Medetera aldrichii on Pinus onderosa in, 2463; Carabidae in cropland in 1933; insecticides in pheasants in, 3749

th Pacific, production and pests of cocoa h, 1290; exotic plant pests and diseases in, 291

thern corn rootworm (see Diabrotica un-

ecimpunctata howardi)
thern Cowpea Weevil (see Callosobruchus vaculatus)

iet Union, Noctuidae in, 426; Coccids in, 27; harmful and beneficial insects in, 428; ermites and their extermination in, 429; Dendrolimus superans in, 430; Ostrinia spp. 1, 526; Leptinotarsa decemlineata on potato 1, 704, 705; Eurygaster integriceps damaging theat in, 706; Pemphigus fuscicornis on beet nd Chenopodium in, 707; Lamellicorn larvae in beet fields in, 708; wireworms on maize 709: bacterial preparations against Malacosoma neustria on apple and oak in, 10; Scolytids infesting spruce slash in, 11; Thaumetopoea processionea on oak in, 12; Tydeus vitis on grape vines in, 713; Quadraspidiotus perniciosus on apple in, 714, 15; wireworm fauna of, 716; suitability f Perilloides bioculatus for introduction gainst Leptinotarsa decemlineata in, 717; Discestra trifolii on clover in, 718; pro-ection of trees and shrubs in towns in, 721; ests of seeds of ornamental and fodder lants in, 1097; Parlatoria oleae in, 1099; dwardsiana spp. on apple in, 1100; Agriotes onticus and Melanotus fusciceps in, 1101; Agrilus ater on poplar in, 1102; Cydia funerana and natural enemies on plum in, 1104; Bruchid fauna of, 1105; Tachinid fauna of, 106; Marchalina caucasica sp.n. in, 1107;

Lepidosaphes beckii and other pests attacked by Hemisarcoptes dzhashii sp.n. in, 1108; pests of elm trees in, 1110; biological control of aphids in, 1123; Monoctonia pistaciaecola parasitising Pemphigus and Forda in, 1124; Leptinotarsa decemlineata on potato in, 1420; Hoplocampa testudinea on apple in, 1421; Ostrinia nubilalis on maize in. 1422; Yponomeuta padellus on apple in, 1423; studies on Euproctis chrysorrhoea in, 1426; Beauveria bassiana and Leptinotarsa decemlineata on potato in, 1427, 1428; Cydia pomonella on apple in, 1429; Leptinotarsa decemlineata in, 1431; Ostrinia nubilis in. 1432; Boverin and Bothynoderes punctiventris in, 1433; insecticides against Cydia pomonella in, 1434; method for large-scale culturing of Beauvaria bassiana in, 1435; pesticides and germination of Beauveria bassiana in, 1436; Hylemya brassicae in, 1440; Pseudococcus comstocki in, 1441; Cydia pomonella in Black Sea coastal area of, 1444; control of Tetranychus telarius in, 1445; forecasting of flightdates of Agrotis segetum in, 1446; Locusta migratoria in, 1449; Oscinella frit in, 1452; Epilachna vigintioctomaculata in, 1459; Cydia molesta in, 1460; Aradus cinnamomeus in, 1461; effect of parasites on insect pests in, 1465; injurious locusts and grasshoppers of, 1470; geographical aspects of mountain forestry and silviculture in, 1475-1484; schedules and fumigation methods quarantine and non-quarantine pests of stored products in, 1542; Malacosoma neustria in, 1841; granulosis virus of Agrotis segetum in, 1842; Bacillus spp. against Dendrolimus superans in, 1843; arthropod pests of fruit trees and bushes in, 1844; use of insecticides in, 1845; handbook on pesticides in, 1846; Caryedon lisaeae sp.n. in, 1880; forecasting and warning against insect pests in plant protection in, 2112; pests and diseases of field crops in, 2135; pests and diseases of vegetable and cucurbit crops and of potato in, 2136; resistance in pine to needle-feeding pests in, 2137; Paroudablis graminis sp.n. on Triticum and Setaria in Uktaine, 2559; Mamestra brassicae in, 2560; Coleoptera collected from nests of small mammals in, 2566; species of Apion associated with wild Leguminosae in, 2567; Sciaridae reared on cones of Picea abies in, 2568; Aleyrodid fauna of Central Asia and Kazakhstan, 2569; type specimens of Scolytidae in Zoological Institute in Leningrad, 2570; Typhlocybinae from Soviet Maritime Territory of, 2601; pesticide residues and tolerance levels in foodstuffs in, 2853; pests of spruce seed and cone in, 2863; Auchenorrhyncha in, 2864; seasonal behaviour of Perilloides bioculatus in, 3088; Gryllotalpa gryllotalpa in, 3090; Tetranychus viennensis in, 3091; insect fauna of pea in, 3092; Heliothis armigera on tomato in, 3093; transfer of Pexicopia malvella to cotton in, 3094; Eriophyid mites of pome fruits in, 3095; Capnodis tenebrionis in, 3096; Yponomeuta rorellus on Salix alba in, 3097; leafhoppers of group of Psammotettix striatus in, 3098; Cinara piceae infesting Abies nord-

manniana in, 3101; Tarsonemus sp. on strawberry in, 3104; Gastropacha quercifolia in, 3208: Dendroctonus micans on Picea orientalis in, 3417; insect enemies of pests subjected to quarantine measures in, 3544; biological methods of control against insects and weeds in, 3543, 3544, 3545; biological control of Eurygaster integriceps in, 3554; biological control of Parlatoria blanchardii in, 3555; research on entomogenous fungi in, 3557; development of entomological studies in, 3558; aphid fauna of trees, shrubs and herbaceous plants in Moldavia, 3559; Pemphigus fuscicornis in, 3560; Psyllopsis spp. on Fraxinus excelsior in, 3562; Altica quercetorum on oak in, 3563; distribution of injurious soil insects in, 3564; wireworms in, 3565; insects and mites on rose in, 3566; mites on grape vine in, 3567; parasites of injurious forest insects in, 3568; aphids on oak and beech in, 3569; bark-beetles in, 3570; insects on currant and gooseberry in, 3571; resistance in plum to Quadraspidiotus perniciosus in, 3572; sampling soil for insects in, 3573; Calepitrimerus vitis on grape vine in, 3574; varrosis and braullosis of honey bees in, 3575, 3576; predacious activity of sawflies in, 3577; parasitic entomophagous insects in, 3578-3582; trunk pests of forests in, 3589; Cydia pomonella on apple in, 4138; Phyllonorycter pyrifoliella on apple in, 4139; Sparganothis pilleriana on vines in, 4140; Cecidophyopsis ribis and Anthocoptes ribis on currant in, 4141; Hydraecia micacea on hops in, 4142; Leptinotarsa decemlineata in, 4143; biological control of Tetranychus telarius persimilis in, 4144; Agrotis segetum in, 4145; Eurygaster integriceps on wheat in, 4146; reservoirs of wheat streak mosaic virus in, 4147; pests of stored grain in, 4148; Zabrus tenebroides on wheat in, 4149; Cydia molesta in, 4150; Trissolcus grandis as parasite of Eurygaster integriceps in, 4151; Steneotarsonemus panshini on wheat in, 4152; Phylloxera vitifoliae on grape vine in, 4153-4159; leaf galls caused by aphids on poplar and elm in, 4156 Sowthistle (see Sonchus oleraceus)

Soxhlet Extractor, soil extraction of dieldrin in, 3016

Soy Bean, insect pests of, in Tanzania, 92; Pseudaulacaspis pentagona on, in Georgia, 196; Bradysia impatiens on, in Missouri, 364; photometric device for measuring foliage loss caused by Plathypena scabra on, 383; attacked by Plodia interpunctella, development of Pseudoplusia includens on, in Georgia, 555; thrips on, in Argentina, 701; pests and diseases of, 1141; in media for Agrotis spp., 1326; parasites of Plathypena scabra on, in Missouri, 1752; survey of leafhoppers on, in Mississippi, 1771; extract of leaves of, fed to Heliothis zea, 2189; carbaryl against Popillia japonica on, 2376; Acrosternum hilare feeding on seeds of, in Kansas, 2419; in tests with Heliothis zea. 2799; transmission of tobacco ringspot virus by Thrips tabaci on, 2889; Heliothis spp. and reduction of yields of, in Alabama, 2971; effect of, on Tetranychus telarius in Japan, 3047; virus disease of Spodoptera litura on, in Japan, 3063; Heliothis zea on, in Alabamar 3259; insecticide residues in, in Mississippini insecticide residues in, in South Carolina, 3733; insecticide residues in in Texas, 3734

Soy-bean Flour, commercial preparation con: taining, in diet for Heliothis zea, 1756

Soy-bean Hydrolysate, in bait-traps for Ceratitis capitata, 2030; in baits for Rhagoletis pomore ella, and 89Sr, 3226; replaced by germinating chickpeas in diet for Dacus oleae, 3501

Soy-bean Meal, in diet for Pegomya betae, 344 Soy-bean Oil, alternative carrier for mirex and in baits for control of Solenopsis saevissima 1770

Soy-bean Protein, in diet for Popillia japonicu

952 Spain, thermal constant for Cydia pomonelles in, 2111; Lymantria dispar acid in, 24292 pests and diseases of olive in, 2859; predatoroi of Thaumetopoea pityocampa in, 3495; use o microorganisms against Thaumetopoea pitya campa in, 3496; control measures against Thaumetopoea pityocampa in, 3497, 3498) Arhopalus spp. in, 3499; pests of beet in the 3500; overwintering of Dacus oleae in, 3503() insects on rice in, 3957; Opius concola released against Dacus oleae in, 4023; Lixw spp. on beet in, 4024; Plusia chalcites of tomato in, 4025; Pieris brassicae on Brassica crops in, 4026; pests of Pinus pinea in, 4027 Sitta europea preying on insect pests c Quercus ilex in, 4028; infestation of dwelling by Attagenus megatoma and Supella longi palpa in, 4029; forest insects of, 4031

Sparganothis pilleriana, bionomics and contro of, on vines in Soviet Union, 4140

Sparganothis sulphurana, effect of trap height o catches of, on cranberry in Massachusettil

spartii, Arytaina (see A. spartiophila)

spartiophila, Arytaina

Spathius curvicaudis, parasitising Melanophil picta in Greece, 741

Spathius pallidus, parasitising Ips spp. on pini i in Virginia, 1988; parasitising Dendrocton frontalis in Georgia, 3721

Spathius radjabii sp.n., parasitising Sphenopter davatchii on Prunus in Iran, 3515

Spearmint (see Mentha spicata)

spectabilis, Dendrolimus

Spectrometry, Mass, identification of insect cides in mixtures by, 335; identification c polychlorinated biphenyls and DDT in mixton tures by, 2162

Spectrophotometry, of residues of hexachlorous butadiene in wine, 4160

Spectroscopy, of insecticide residues, 3017

spectrum, Xeris

specularis, Megastigmus

Spergula arvensis, Aphis sambuci sambuci on, Germany, 3407

Spermatophore, of Lytta nuttalli, structure and function of, 2321

speyeri, Mycophila

Sphaerolecanium prunastri (see Eulecanium pri nastri)

verolophus, preying on Altica carduorum in Hinada, 1683

rerophoria, species of, including new syno-

my, 1637

(see S. rueppelli)

werophoria menthastri, preying on aphids d other insects in Tunisia, 1082

verophoria rueppelli, 1637

veropsis dalmatica, Prolasioptera berlesiana sociated with, on olive in Yugoslavia, 437 veeus, Enoclerus

synarches caffer, as pest of legume seed crops

Queensland, 3022

"noptera davatchii, Spathius radjabii sp.n. rasitising, on Prunus in Iran, 3515

vinorhina liturata var. ruforivulata misidentid as Mahanarva fimbriolata, in Brazil, 1287 igis, Telenomus

sodromantis viridis, parasitism of, by Poda-

vion meridionale, 460

spracephala hearseiana, reared from galls of vdia tricentra on Crotalaria juncea in India,

naria, attacking Ceutorhynchus rapae on emp in Italy, 1121

ata, Pseudonapomyza Atus, Chlorocytus

ers, attacking Schistocerca gregaria in adia, 69; preying on Rhyacionia frustrana in buisiana, 167; in São Tomé and Principe, 10; attacking Anania verbascalis in West akistan, 502; preying on Heliothis zea on otton in Arkansas, 563; use of, to assess ifect on forest-floor arthropods, of aerial oraying of insecticides against Choristoneura miferana, in Ontario, 1257; abundance of, a Citrus in Japan, 1329; on lucerne in Virnia, 2402; as predators of pests of Pinus olvestris in Ohio, 2418; as predator of etranychus mcdanieli in Ontario, 2988; preyg on Phyllonorycter blancardella on apple Ouebec, 3642

conota laricana, as secondary host for ulophid parasites of Zeiraphera diniana in

witzerland, 458

onota ocellana, injurious to fruit trees in rance, 1161; integrated control of, on apple n British Columbia, 1672; larvae of, paratised by Ascogaster quadridentata in Holand, 2249; on oil-bearing rose in Soviet Union, 3566; on apple in Poland, 4117

hach, attractiveness of extracts of, to podoptera littoralis, 1852; oviposition by

segomya betae on, 3440

videns, Ips

iferus, Aleurocanthus

vipennis, Plagiohammus osus, Jalysus

raea, Pseudocneorhinus bifasciatus on, in ndiana, 413

raea hypericifolia, Aphis spiraecola on, in Brazil, 2023

raea latifolia, Kleidocerys on, 1170

aecola, Aphis aeoides, Aleyrodes

ifex, Steneotarsonemus

sicornis, Coleophora isus, Catantops

endens, Philonthus

Spodoptera cilium latebrosa, Microplitis rufiven-

tris parasitising in Egypt, 2712

Spodoptera eridania, toxicity of pyrethroids to, on cotton in Texas, 221; control of, by *Bufo* spp. in greenhouses in U.S.A., 2447; metabolism of 6,7-dihydroisodrin by, 2873; insecticides and pathogens against, on tomato South Carolina, 3242; microsomal oxidases in larvae of, 3781

Spodoptera exempta, virus isolated from Pachypasa capensis causing mortality in, 1059; survey of problem of controlling, in East Africa, 1063; control of, by aerial drift spraying in Kenya, 1817; effect of lunar cycle

on trap-catches of, 2658

Spodoptera exigua, parasitism of, by Leschenaultia adusta, 587; Eucelatoria armigera parasitic in, 606, external morphology of antennae of, 1183; toxicity of insecticides to, 1698; toxicity of petroleum oils to, on cotton in Texas, 1699; plant feeding by Geocoris punctipes preying on, 1740; females of, as bait, in maze trap, 2431; Microplitis demolitor introduced into Egypt against, 2712; susceptibility of, to Biospore 2802, 2851; on cotton in New South Wales, 3030; effect on competitive ability of males of, sterilisation with tepa, 3099; mass rearing of. 3100; Bacillus thuringiensis against, 3400; susceptibility of, to nucleopolyhedrosis virus, 3659; substance in, eliciting host-seeking response by Microplitis croceipes, 3697: effects of γ-radiation on, 3784; sprays against, on clover in Iran, 3943; in light-traps in lucerne field in Iran, 3944; rearing and effects of inbreeding on, 4037; long-range migrations of, in Europe, 4084

Spodoptera frugiperda, toxicity of pyrethroids to, on cotton in Texas, 221; susceptibility of, to Neoaplectana glaseri, 226; heat production and wing-beat frequency in, 561; varietal resistance in Pennisetum typhoides to, in Georgia, 666; effects of γ-radiation in flight activity of, in Georgia, 1219; insecticides without significant effect on, on sorghum in U.S.A., 1743; effects of mating sequentially with normal and sterilized males of, 1706; not controlled by light traps on maize in North Carolina, 1759; resistance in Cynodon dactylon to, in Georgia, 1766; responses of larvae of, to light and gravity, 1768; effects of γ-radiation on reproduction of, 2187; extraction of nucleic acid from nuclear polyhedral bodies in, 2223; control of, on maize in Georgia, 2396; resistance in groundnut foliage influencing control of, in Georgia, 2398; effect on *Plodia interpunctella* of exposure to synthetic sex pheromone of, 2881; insecticides against, on cereals Venezuela, 3006; no anticompliment no anticomplimentary activity of haemolymph from, 3647; substance in, eliciting host-seeking response by Microplitis croceipes, 3697; resistance of maize to, in Brazil, 3811; effect of temperature on storage of pupae of, 3808

Spodoptera latebrosa (see S. cilium latebrosa) Spodoptera littoralis, insecticides against, on cotton in Egypt, 94, 96; insecticide sprays against, on Corchorus olitorius in Egypt, 98;

susceptibility of larvae of, to toxaphene, 103; parasites of, on cotton in Israel, 253; infestation and control of, on groundnut in Israel, 260: insecticide control of, on cotton in Egypt, 819; eggs of, as food for Amblyseius limonicus, 1383; light-traps catches of, in Northern Nigeria, 1411; toxicity of Nacylcarbamates to resistant strains of, 1702; feeding stimulants for larvae of, 1852; sterilisation of, with y-radiation from radioactive caesium, 1903; forecasting outbreaks of, on cotton in Egypt, 2045; methods for detecting resistance to insecticides in, 2061; effects of crowding on colour, size and larval activity of, 2081; cholinesterase activity in nerve cord in, 2295; evaluation of insecticides against, on lucerne in Cyprus, 2389; fentin hydroxide as antifeedant for, on Ricinus communis, in India, 2673; biology of, on cotton in Egypt, 2707; Microplitis demolitor introduced into Egypt against, 2712; susceptibility of, to Biospore 2802, 2851; antifeeding properties of hexamethylditin for, 3045; Amblyseius spp. feeding on eggs of, 3349; Bacillus thuringiensis against, 3400; Agistemus exsertus feeding on eggs of, 3409; on vegetables in Jordan, 3424; haemocytes of healthy and infected larvae of, in Israel, 3648, 3654; parasites attacking, on cotton in Israel, 3702; effects of diet on development and reproduction of, 3938; effects of sublethal doses of insecticides on, 3941; insecticides against, on cotton in Egypt, 3966, 3967; method for detection and measurement of insecticidal resistance in, 3978; temperature dependence

of populations of, in Israel, 4003

Spodoptera litura, effect of temperature on development of nuclear polyhedrosis in, 45; control of, on cotton in Western Australia, 1321; semi-synthetic media for, 1326; fentin hydroxide as antifeedant for, on Ricinus communis, 2673; estimation of damage to tobacco caused by, in India, 2681; as pest of legume seed crops in Queensland, 3022; on cotton in New South Wales, 3030; oviposition of, in Japan, 3050; nuclear polyhedrosis virus of, on soybean in Japan, 3063; attacking tobacco in Queensland, 3311

Spondias, parasites of bark beetles on, in Costa Rica, 3720

Sporotrichum carnis, Hypogastrura tullbergi feeding on, in laboratory, 2765

Spray, ultra-low volume ground equipment for, on cotton, 127; effect of size of ULV droplets on deposits of, 589; efficiency of, in ultra low volume, 792; ultra low volume application of dilute oil based formulations in, 793; effect of meteorological conditions on distribution of, 795; ultra low volume application of, 797; safety in ultra low volume application of, 798; applied by aircraft and ground equipment on irrigated cotton, 1055; sweep-net method in tests of, on potato, 1980; deposits of monocrotophos from, applied aerially or from ground equipment, 2413; determination of deposits of, on insects and foliage, 2880; comparison between effects of, on insects, 3933, 3943; for reaching under harvested crop, 4146

Spray Deposits, evaluation of, from low volume spray nozzles, 2618

Spray Droplets, collection and measurement of 1259

Spray Nozzles, evaluation of spray deposition from low-volume, 2618

Spruce, Dendrolimus superans on, in Soviet Union, 430; Scolytids on slash from felling in plantations of, in U.S.S.R., 711; basis beetles infesting logs of, in Finland, 1625 insects as vectors of root-rot fungus in, in Finland, 1628; Rhynchaenus fagi overwinter ing in stands of, in Denmark, 1634; Dendra limus superans on, in U.S.S.R., 1843; pessent attacking cones of, in Rumania, 220 and Adelges and Pineus spp. attacking, in Britain 2240; insects infesting seeds and cones of, Soviet Union, 2863; Adelges tardus on, Belgium, 3517 (see also Picea pungens)

Spruce, Black (see *Picea mariana*)
Spruce, Norway (see *Picea abies*)
Spruce, Oriental (see *Picea orientalis*)
Spruce, Sitka (see *Picea sitchensis*)

spumarius, Philaenus sputator, Agriotes

squalidus, Leptopius; Sciaphobus Squash, DDT and endrin residues in, 1226 彻

THE SHEET

54

Squirrels (see Funambulus palmarum) stabulans, Muscina

Staley no. 7 (see Protein Hydrolysate)

Starch, failure of, as feeding stimulant for Sitona cylindricollis, 129; effect of, in diet control of the state of the st

starki, Apanteles; Chelonus

Starlings, insecticide residues in, 3736

Stathmopoda auriferella, infesting harvested au stored sorghum in the Cameroun, 1394

Statistics, in ecology and entomology, 892
Stauffer, N-2596 (see O-Ethyl S-p-Chlorophere

Ethylphosphonodithioate)
Stauffer N-2599 (see O-Ethyl O-p-Chlorophen

Ethylphosphonothioate)
Stearic Acid, in larvae of Heliothis zea, 934

stebbingi, Drosicha
Stegasta basqueella, control of, on groundnu in Brazil, 3809

Stegobium paniceum, as pest of seeds of orne mental plants in U.S.S.R., 1097

Steiner Trap, for Ceratitis capitata, 1709, 2797 Stellaria media, as source of yellows virus f aphids in Belgium, 3522

stellenboschensis, Nythobia

stellifera, Vinsonia

stemmator, Xanthopimpla

Steneotarsonemus, and silver top disease grass in Poland, 3105

Steneotarsonemus madecassus, sp.n. infesting rice in Madagascar, 3389

Steneotarsonemus panshini sp.n., on wheat Soviet Union, 4152

Steneotarsonemus spirifex, associated win white-ear of grasses in Eastern German 2842; and silver top disease of grass Poland, 3105

steniella, Bissetia

Stenocorynus neglectus (see S. subfasciatus)

wocorynus subfasciatus, as pest of legume ed crops in Queensland, 3022

ibcranophilus quadratus, parasitising Sacvarosydne saccharivora, 2666

derus, Pheropsophus mae, Apanteles

momalina muscarum, parasitising Ceutorhyn-

us rapae on hemp in Italy, 1121 otus affinis, on maize in Ghana, 1080

hanitis globulifera (see S. takeyai) hanitis pyri, on apple in Turkey, 2086 chanitis pyrioides, systemic insecticides ainst, on broadleaf evergreens in Con-

ricticut, 697

hanitis rhododendri, systemic insecticides ainst, on broadleaf evergreens in Con-

cticut, 697

hanitis takeyai, systemic insecticides against. broadleaf evergreens in Connecticut, 697 hanitis typica, seasonal abundance of, on oconut in India, 3919

hanoderes hampei (see Hypothenemus)

Coraria, Scatophaga

orea, Typhea

... non-preference for, by Rhyssa per-

vasoria, 830

fle-male Technique, for insect control, 2556 Ina hirundo, DDE levels in eggs of, and productive success in, in Alberta, 3304

nale, Trogoderma malis, Eumasicera

inochetus mangiferae, mortality of, in manis treated by dielectric heating in Hawaii,

ols, in diet for Leptinotarsa decemlineata d Pieris brassicae, 762; utilisation of by rvae of Drosophila melanogaster, 1241; letabolism of, in insects, 1472

span Plastic, use of, as artificial nesting

aterial for ants, 2977

whorus picipes, preying on Tetranychus tela-

us in California, 149

whorus punctillum, preying on Tetranychids apple in Bulgaria, effect of DDT on, 3458; tacking cotton pests in Afghanistan, 4137 thorus punctum, cage for use in study of host-nding by, 224; toxicity of acaricides and

secticides to, 670 icalis, Loxostege igrapta, Characoma

stocephala (see Ceresa) stococcus sjostedti, on cacao in Ghana, 2291 na, Chilocorus

masterol, in diet for Trogoderma granarium,

naterus, Hemerobius

natica, Corrhenes

natipennis, Sympiesis

mella malella, bionomics and control of, on ople in Bulgaria, 285; Cirrospilus vittatus ; parasite of, in Holland, 1146, 3526, 3527 mella subtrimaculella, Cirrospilus vittatus ared from, on poplar in Holland, 3526 pestrol, effect of, on reproduction of

strinia nubilalis, 2140

hra robusta, on guava in Brazil, 3818

ellus bicolor, on maize in South Carolina, 221

Stirellus obtutus, on maize in South Carolina,

Stizolobium urens, Neodryocoetes hubbardi in-festing seeds of, strung as necklaces, 3294

Stochastic Process Theory, applicability of, to

movement of insects, 2621

stombleri, Heliothis

Stored Products, losses due to pests of, 785; insect control in, by airtight containers or by cooling, 810; list of insects associated with, in Israel, 1385; insect pests of, in Nigeria, 2042; insects associated with sacks in England and Wales, 2657; fauna of, in granaries in Egypt, 2713; economic importance of pests of, 3588

strachani, Lagosinia

Strawberry, parasites of whiteflies on, in California, 225; extracts of leaves of, applied to filter paper stimulating probing by Capitophorus fragaefolii, 373; Otiorhynchus spp. on, 668; Tetranychus telarius on, in Britain, insecticide residues in, 817; Pandemis dumetana on, in Switzerland, 1130; Tarsonemus pallidus on, in Germany, 1139; pests and diseases of, 1141; effect of plant nitrogen on resistance of, to *Tetranychus telarius*, 1723; Aleyrodes proletella on, in Germany, 1831; Aphrodes bicinctus on, in Ontario, 2468; responses of Tetranychus spp. to extracts and responses of *Tetranycinas* spp. to extracts and essential oils of foliage of, 2761, 2762; Phytoseiidae on, in California, 2767; *Tarsonemus fragariae* on, in Poland and Soviet Union, 3104, 3106; Tarsonemids on, in Poland, 3106; *Aphis forbesi* on, in Yugoslavia, 3148; natural enemies of Tortricids on, in Italy, 3481; insecticide residues in, 3832

Strawberry Seed-eating Beetle (see Harpalus rufipes)

Strepsiptera, book on, 2310

Streptomyces griseus, as food for storedproduct insects, 2359

Streptomyces mobaraensis, Piericidin A and B isolated from, 1022-1023

Streptomycin Sulphate, detrimental effect of, in diet for Pseudosarcophaga affinis, 3291; effect of, on development of progeny of Dacus oleae, 3401

striatalis, Diatraeophaga striatella, Laodelphax striaticorne, Polynema striatus, Psammotettix strictus, Curculio

Stridulation, in Lema trilineata daturaphila,

Striga, Eulocastra argentisparsa on, in India, 501 Strigilina rufocastanea, defoliating cacao flush in Papua and New Guinea, 2640

striolata, Phyllotreta

Strobane, alone and with methyl-parathion, in sprays against Heliothis zea and H. virescens, 923; against Tineola bisselliella, 3538

strobi, Pissodes

strobilella, Cydia

strobilobius, Megastigmus

Stromatinia, Rhizoglyphus echinopus as vector of, on Gladiolus in Italy, 1128

Strongwellsea castrans, attacking Hylemya coarctata in Britain, 344

Strontium, Radioactive, Rhagoletis pomonella labelled with, 3226; labelling Eyprepocnemis plorans with, 3405

Strumeta (see Dacus)

stultana, Platynota

Sturmia bella, parasitising Plusia chalcites on beans in Italy, 3484

Sturmia scutellata, parasitising Dendrolimus pini on pine in Hungary, 2138

Sturmiopsis inferens, rearing and release of, against rice stem borers in Philippines, 492 stygia, Hispa

Stylosanthes gracilis, in pasture leys in Uganda, 1182

Styphlosoma granulatum, Hymenopterous parasites of, in Costa Rica, 3720

Styrax japonica, effect of, on haemolymph proteins of larvae of Hyphantria cunea reared on, 2634

Styropor (see Polystyrene) subapterus, Eupteromalus subclavatus, Endasvs

Subcoccinella vigintiquattuorpunctata, insecticides against, on lucerne in Bulgaria, 3131, 3450

subcorticalis, Tarsonemus subdecurtella, Aristotelia subfasciatus, Stenocorynus; Zabrotes subflava, Euproctis (see E. flava) subflavus, Physcus subflexa, Heliothis sublatus, Cratichneumon submarginatus, Campoplex submetallicus, Protyndarichus submuticus, Chelonus subsignarius, Ennomos substriatus, Corticeus; Serropalpus subterranea, Pulvinaria subtropica, Rhyacionia subumbrata, Tephrinopsis

succincta, Patanga

Sucrose, nutritive value of, to Hylemva brassicae, 41; in diet for Laodelphax striatella, 53; feeding response of Sitona cylindricollis to, 129; in diet for Cydia pomonella, 144; in diet for Ceratitis capitata, 185; applied to paper not effective in stimulating probing by Capitophorus fragaefolii, 373; no feeding stimulant properties in, for Lygus hesperus, 583; in diets for Saturniids and Pediasia teterrella, 632-633; in diet for Leptinotarsa decemlineata and Pieris brassicae, 762; in artificial diet for Myzus persicae, 1243; as feeding stimulant for Homadaula anisocentra, 1948; in diet for Anarsia lineatella, 2425; in diet for Hypera postica, 2930; in diet for Zonosemata electa, 2985; in baits for Anthonomus grandis, 3213; in diet for Cydia pomonella, 3221; in diet for Hylemya bras-sicae, 3230; in medium for Cephus cinctus, 3248; omission of, from diet for Dacus oleae, 3501; in diet for Hylemya antiqua, 3633; in diet for Macrosiphum pisum, 3682, 3698; in diet for Myzus persicae, 2764; in diet for Toxoptera aurantii, 3765; effect of, on feeding in Costelytra zealandica, 3871; in diet for Oncopeltus fasciatus, 3985; in diet for Rhagoletis cerasi, 4068; in diet for Dacus oleae, 4072 Suction Trap, for collecting segregated insect of samples in liquid, 571; for aphids, 1648; for operophtera brumata, 2236

Sudan, Pectinophora gossypiella and Earias insulana on cotton in, 97; cotton pests in 796; Caryedon sudanensis in, 1880; biology of Epilachna chrysomelina on pumpkin in, 26921 Chilo partellus in, 3979

sudanensis, Caryedon sudanicum, Sinoxylon suffusella, Phyllocnistis

Sugar, ingestion of, by Pieris rapae crucivorant 51; in diet for Anastrepha spp., 361; in died for Dioryctria abietivorella, 382; in diet for Peridroma saucia, 650; chemoreceptory celk as sensitive to, in Lepidoptera, 753; stimulating feeding in insects, 771; brown, in bait for a Cydia molesta also attracting Aegeria sppow 1761; in diet for Dacus cucurbitae, 1778; it diet for Ostrinia nubilalis, 2140; in over wintering prepupae of Trichiocampus popula 3338, 3341; as attractant for Dasineura citri 3366; effect of, on lifespan of Callosobruchu v maculatus, 3486; in diet for Dacus oleae 3501; in diet for Heliothis armigera, 4011 in diet for Ceratitis capitata, 4020; in diet for m Rhagoletis cerasi, 4068

Sugar-beet, evaluation of injury to, by lean cutting insects, 1469; pests of, in Soviet Union, 2135; sprays suppressing virus yellow of, 2485; recommendation against use of the heptachlor in seed dressings for, 2641; pro

tection of, against aphids and viruses, 26523 Sugar-cane, extracted, in diet for Cerative capitata, 185; effect of nutrient status of, c fecundity of Saccharosydne saccharivora it Jamaica, 348; Sipha flava on, in Puerto Riciari 362; Altermetoponia flava sp.n. on, Queensland, 523; resistance in, to insect pesm 770; as trap crop reducing incidence aphid-borne virus infection in papaya Venezuela, 980; insects pest of, in Camerou. Republic, 1068; pests and diseases of, 1146 insects attacking setts of, and impairing germination of, 1175; natural enemies Mahanarva posticata on, in Brazil, 1284 in Cercopidae on, in Brazil, 1287; biologic control of Chilo sacchariphagus, Sesam calamistis and Sciomesa biluma Madagascar, 1392; Perkinsiella saccharicio on, in Colombia, 1797; list of arthropods a limit in Jamaica, 2011; economics of soil treads ments of, in India, 2094; Latoia bicolor a bin in India, 2097; correlation between attack | | Chilo infuscatellus and yield in, in Indida 2100; Trichogramma parasites of Chinfuscatellus on, in India, 2150; Chinsacchariphagus on, 2152; Diaprepes abbre atus on, in West Indies, 2186; insect pests and their biological control, in Mauritin 2536; natural enemies of Aulacaspis spp. 0 1991 in East Africa, A. tegalensis on, in Mauriti 12537; ecology of Saccharosydne saccharive on, 2666; Cicadulina niger sp.n. on, Kenya, 2668; Diatraea saccharalis on, Cuba, 2725; genetic behaviour of resistant in, to Diatraea saccharalis, 2731; nature enemies of pests of, in India, 3084; damage by Rhopaea magnicornis, 3321; mosaic virtu

1 in Madagascar, 3390; Chilo partellus on, Mozambique, 3391; Migdolus morretesi in Brazil, 3801; Syntermes grandis and er termites on, in Brazil, 3843; Aeneolamia ecta on, in Brazil, 3845; Numicia viridis on, Swaziland, 3947, 3948; rice yellow mottle as transmitted mechanically to, in Kenya, 32; Adelencyrtus miyarai parasitising Aulapis spp. on, in Ryukyu Is. and Mauritius,

stulus, Curculio

.tus, Dendrosoter; Gnathotrichus; Otiorhyn-

xide, as synergist with pyrethrins, 1587; mainst Tineola bisselliella, 3538

manilamide, effect of, in diet on developent and fertility in Heliothis spp., 619 .hur, in dusts against Raoiella indica, 65; ainst grain storage pests, 93; in sprays ainst Brevipalpus spp., 227; against ainst Brevipalpus spp., 227; against nonychus ulmi and Brevipalpus lewisi, 296; ect of, on populations of Eotetranychus rpini vitis, 786; in dusts controlling Calerimerus vitis, 970; effect of, in dusts on tton yields, and DDT, and YBHC, 1062; ganic, as insect attractants, 1596; in sprays ainst Brevipalpus phoenicis, 1775; against (spa orientalis, and BHC, and DDT, 2064; sprays against Phyllocoptruta oleivora, 65; aerial application of, in dusts against eliothis zea, and carbaryl, 2070; in dusts ainst powdery mildew, 3203; against eliothis zea, and carbaryl, 3204; in sprays

vis ribis, 4141 wurana, Sparganothis

murea, Frankliniella huretylenchus elongatus, histopathology of olytus ventralis infected by, 935; parasitisig Scolytus ventralis in Washington State, 79

ainst Aceria sp., 3856; against Cecidophyo-

phuric Acid, Anoplolepis custodiens con-

led by solutions of, 2686

ralin (see Oils)

mer oil, emulsion of, against *Panonychus* mi, 2786

ish, Bluegill (see Lepomis macrochirus)

Mower (see Helianthus annuus)

Nower Moth (see Homoeosoma electellum) nhemp (see Crotalaria juncea)

Themp Shoot Borer (see Cydia tricentra) shine, effect of, on abundance of Stephanitis pica, 3919
blla longipalpa, resistance in, following

iposure to γ-radiation, 3695; infestation of

wellings by, in Spain, 4029

ella supellectilium, as synonym of S. longinlpa, 4029

ellectilium, Supella

rans, Dendrolimus

erphosphate, insecticides combined with,

30 racide (see Methidathion)

pressalis, Chilo

nam, gall midges in, 1278; contamination f Rhynchophorus palmarum with red ring ematode in, 1800

namensis, Huradiplosis; Oryzaephilus

Survey Methods, selected references of, 1791, 1793

suspensa, Anastrepha

Susumia exigua, on rice in Fiji, 237, 3035 suturalis, Adelphocoris ticinensis; Opius swainei, Neodiprion

Swaziland, Numicia viridis on sugar-cane in, 3947, 3948

Swede, in experiments for control of Hylemya brassicae, 2459; uptake and toxicity of fensulfothion in, 3216; in diet for Hylemya brassicae, 3230

Swede (Stored), residues of fensulfothion in,

3216

Sweden, Myelophilus piniperda in pine logs in, 1629; dispersal of Dasyneura brassicae in, 1631; snail-killing flies in, 1638; forecasting and warning service in, 2119; determination of pesticide residues in fruit and vegetables in, 2547; viruses of cereals transmitted by Macrosteles laevis and Psammotettix striatus in, 3541

Sweet Pea (see Lathyrus odoratus)

Sweet Potato, Phytoseius plumifer failing to develop on, 38; Megacerus discoideus attacking seeds of, in Ontario, 505; pests and diseases of, 1141; Agrotis spp. reared on, 1326; attractiveness of extracts of, to Spodoptera littoralis, 1852; Caliothrips indicus on, in India, 2102; insect resistance in, in South Carolina, 3238; development of Agistemus exsertus feeding on leaves of, 3409; Aspidomorpha dissentanea and other pests on, in Angola, 3954

Sweetsop (see Annona squamosa)

Swietenia, attacked by Hypsipyla grandella in Costa Rica, 233

Swietenia macrophylla, Hypsipyla grandella on, in Costa Rica, 1275

swirskii, Amblyseius

Switzerland, Eulophid parasites of Zeiraphera diniana on larch in, 458; sharka virus disease in, 774; aphids as vectors of sharka disease of apricots in, 1129; Pandemis dumetana on strawberry in, 1130; Lepidoptera on larch in, 1131; Empoasca flavescens damaging vines in, 1549; Clytus arietis infesting vines in, 1550; plant protection warnings in, 2118; integrated control methods in fruit orchards in, 2158; studies on respiratory mechanism of spider mite eggs in, 2852; Contarinia pisi on pea in, 3491; Rhagoletis cerasi on cherry in, 4074; beneficial wood ants in, 4103

Sycamore (see Acer pseudoplatanus)

Sycamore Aphid (see Drepanosiphum platanoides)

sycophanta, Calosoma

Sycophilomorpha gen.n., on Ficus bengalensis in India, 1579

Sycoscapteridea guruti sp.n., on Ficus bengalensis in India, 1579

Sylepta clytusalis, use of dicrotophos against, in New South Wales, 3892

sympatrica, Afroccidens

sympatricus, Nephotettix

Symphyta, food-plants of, in Japan, 3912 Symphytum officinale, Aphis gossypii over-

wintering on, in Japan, 3913

Sympiesis aburianus, parasitising Coe menodera elaeidis in Ivory Coast, 2040 Coelaeno-

Sympiesis acalle, parasitising Zeiraphera diniana on larch in Switzerland, 458

Sympiesis acrobasidis sp.n., records of, in U.S.A., 359

Symplesis bimaculatipennis, S. meteori as synonym of, in North America, 359; attacking Phyllonorycter blancardella on apple in Quebec, 3642

Sympiesis conica, Sympiesis nigripes and S. massasoit as synonyms of, in North America, 359; attacking Phyllonorycter blancardella on

apple in Quebec, 3642

Sympiesis fragariae sp.n., records of, in North

America, 359

Sympiesis gordius, parasitising Phyllonorycter pyrifoliella on apple in Soviet Union, 4139 Sympiesis massasoit, as synonym of S. conica, 359

Sympiesis meteori, as synonym of S. bimaculati-

pennis, 359

Symplesis nigripes, as synonym of S. conica,

Symplesis punctifrons (see S. acalle)

Sympiesis sandanis, parasitising Tortricids in

Italy, 3481

Symplesis sericeicornis, parasitising Tortricids 3481; parasitising Phyllonorycter in Italy. pyrifoliella on apple in Soviet Union, 4139

Sympiesis stigmatipennis, parasitising Keiferia lycopersicella on tomato in California, 623 Sympiesis tischeriae (see Pnigalio flavipes)

Synanthedon (see also Aegeria)

Synanthedon coccidivora sp.n., preying on Ceroplastes caesalpiniae on Acacia tortuosa in Venezuela, 3665; description of larvae of, 3666

Synergism, of micro-organisms and chemical insecticides, 2267

Synergists, for carbamates potential of, as pest control agents, 1617

Syngamia haemorrhoidalis, establishment of, against Lantana camara in Queensland, 3023

syngenesiae, Phytomyza

Synharmonia conglobata, Degeeria luctuosa as parasite of, in Germany, 1103; preying on Altica quercetorum in Soviet Union, 3563

Syntermes grandis, on sugar-cane in Brazil, 3843 Syria, list of insects and mites of, 2534; list of insect fauna of, 2535; bionomics of insect pests of Pistacia in, 2706; insect pests in, 3599

syriacus, Arhopalus; Retithrips; Scymnus

vulgaris, oviposition of Leptinotarsa decemlineata coinciding with end of flowering of, in Poland, 1840

Syringopais temperatella, on cereal crops in Turkey, 2084; on wheat and barley in

Jordan, 3424

Syrphidae, attacking Anuraphis spp. in Bulgaria, 739; toxicity of insecticides to larvae of, 1112; attacking aphids in Japan, 1341; list of Italian, 2245; as predators of pests of Pinus sylvestris in Ohio, 2418; in Chelm area of Poland, 2573; of Krkonošký National Park, Czechoslovakia, 2585; results of studies on, in Czechoslovakia, 2586 larvae of, predacious on aphid pests in West Bengal, 2675; attacking Macrosiphum

pisum on pea in Soviet Union, 3092; cold lected from galls of Psyllopsis fraxinus on ask in France, 3516; mortality in larvae of, from sprays against Aphis gossypii in Iran, 3940 (Syrphinae, list of, in Holland, 2247

Syrphus, preying on Eriosoma lanigerum of apple in Argentina, 703; seasonal abundanc

of, in Egypt, 2694

Syrphus balteatus, locomotory behaviour c larvae of, after contact with aphids, 318 preying on aphids and other insects i Tunisia, parasitism of, 1082; Syrphus corollae, preying on aphids and other

insects in Tunisia, 1082

Syrphus ribesii, attacking aphids in Polanci 4115

Syrphus vitripennis, attacking aphids in Polane 4115

Syrups, as baits for Tapinoma sessile, 1758 Systasis encyrtoides, parasitising Contarini medicaginis in France, 3511

Systena elongata, resistance to, in sweet potat in South Carolina, 3238

Systena frontalis, biology of, on maize in Iowi 2394

Systox (see Demeton)

Sytam, effect of, on mite populations, 2577

T

2,4,5-T (see 2,4,5-Trichlorophenoxyacetic Acid tabaci, Bemisia; Thrips

Tabor Oak (see Quercus ithaburensis)

tachardiae, Eupelmus

338: Tachinidae, parasitic on Acrididae, U.S.S.R., 1106; from Japan, 1342; reares from Cidaria juniperata in Ontario, 2004 types of Australasian, Oriental and Ethiopiasia spp. described by Macquart and Bigot, 217. seasonal dynamics of, of Kováčov mountain Czechoslovakia, 2590; reproduction and embryonic development in, 3507; parasitisin-Pimelephila ghesquierei in Ivory Coast, 3961 attacking Hydraecia micacea in Soviet Unioi 4 4142

Tachycines asynamorus, chlordecone baide against, in Britain, 855

taedae, Neodiprion

Taeniothrips inconsequens, in Ukraine, 1438 Taeniothrips latis, in Ukraine, 1438

Taeniothrips nigricornis, attacking beans Queensland, 3024; control of, on beans Queensland, 3317

Taeniothrips salicis, in Ukraine, 1438

Taeniothrips simplex, control of, on Gladiolus de New South Wales, 3320; attacking crops are ornamental plants in Victoria, 3326 Taeniothrips sjostedti, attacking flowers Vigna unguiculata in Uganda, 2679

Taiwan, Sepedon sauteri in, 1345; insect position of rice in, 1396; Phytoseiid mites in, 1576 Thysanofiorinia leei sp.n. on Nephelium sp. i 1882; list of Hemiptera from, 2507; Tetril stichus inferens sp.n. parasitising Sesam inferens in, 3639

takarai, Aulacaspis takeyai, Stephanitis

as diluent for derris powder, 3518; malaon with, against Sitophilus granarius, 3539 ord (see 1-(2'-Cyanoethylthio)ethanaldme N-Methylcarbamate)

ile, Tarsonemus

Grack (see Larix laricina) tetarium, Macrosiphum

scetum vulgare, Anthocoris pilosus preying aphids on, in Poland, 4123

simecus dilaticollis, seed treatment with lecticides against, 1495; on cereal crops in rkey, 2084; insecticides against, in Bulia, 3128; on maize in Yugoslavia, 3152

mecus palliatus, on oil-bearing rose in

viet Union, 3566

ctarsus dissimilis, effect of water pH on onomics of, in U.S.A., 2000

ania, pest complex attacking sesame in. t pests of cotton in, 91; insect pests of soy ran in, 92; Physcus subflavus recorded from chlacaspis tegalensis in, 345; Achrysocharis purissatus on coffee in, 349; hoppers of madacris septemfasciata in, 352; Scyphoorus interstitialis on Agave sisalana in, 1064-56; Ascotis selenaria reciprocaria on coffee 1 1067; legislation on protection of stored oducts from insect pests in, 1069; parasites Leucoptera spp. on coffee in, 1818; Acanmia spp. damaging beans and Cajanus an in, 1821; pests of sugar-cane in, 2537; ect associations with Acacia spp. in, 2691; rlopeltis spp. in, 3963; Chilo partellus in, 79

moma sessile, poison baits against, 1758

wkae, Macrosiphum

applied to trunks and branches against

trambyx dux, 3043

Distillate, in sprays against Tydeus vitis, 713 esgama siva (see Nadiasa)

wamae, Apanteles

.vdus, Oxyrhachis

exacum officinale, in diet for Agrotis spp., 9; emergence of Leptinotarsa decemlineata inciding with full-bloom of, in Poland, 40; Aphrodes bicinctus on, in Ontario, Mamestra brassicae fed on, in labora-68; y, 2560

e's, Adelges

Intula (see Alopecosa)

ionia haloxyloni, redescription of, 2719

isionia longilobus (see Aspidaspis)

whium cleoni, infecting Bothynoderes puncti-

entris, 3474

(see Colocasia esculenta)

phagus proserpina, biology and predators on Colocasia esculenta in Hawaii, 1292 aulins, for covering groundnuts, 1073

ılis, Melichares

onemidae, co-existing in habitats with inae, 1254; on strawberry and other berry-

iit bushes in Poland, 3106

onemini, species of, associated with whiter of grasses in eastern Germany, 2842 onemus, correlation between spp. of, and vironmental factors in bulk grain ecosysms, 2625; and silver top disease of grass in bland, 3105

onemus endophloeus, associated with bark-

etles in conifers, 1254

Tarsonemus fragariae, on strawberry in Poland and Soviet Union, 3104, 3106

Tarsonemus fusarii, infestation and control of, in fungus cultures in Germany, 742

Tarsonemus ips, associated with bark-beetles in conifers, 1254

Tarsonemus oryzae, damage by Steneotarsonemus madecassus to rice first attributed to, in Madagascar, 3389

Tarsonemus pallidus, sprays against, on strawberry in Germany, 1139; infesting chrysanthemums in Britain, 1645; on cyclamen in Poland and Holland, 3104

Tarsonemus setifer, on cashew in Mozambique,

3392

Tarsonemus subcorticalis, associated with barkbeetles in conifers, 1254

Tarsonemus talpae, on strawberry in Poland, 3106

Tarsonemus triarcus, associated with barkbeetles in conifers, 1254

Tarucus theophrastus, bionomics of, on Ziziphus

jujuba in India, 80 Tasmania, Rhyssa persuasoria parasitising Sirex noctilio in wood in, 513; Ibalia drewseni introduced for release against Sirex noctilio in, 850; evaluation of different insecticides against Aphodius pseudotasmaniae in pastures in, 1294, 1295, 1296; insecticides against Oxycanus fuscomaculatus in pastures in, 1297; insecticides against Oncopera in pastures in, 1297, 1301; insecticides against Epiphyas postvittana on apple in, 1299, 1300; Adoryphorus couloni damaging pasture in, 1302; Sirex noctilio on Pinus radiata in, 1886; Megacoccus tasmaniensis in, 3680; apple pests in, 3904; Oncopera rufobrunnea in, 3905

tasmaniae, Aphodius; Austromicromus

tasmaniensis, Megacoccus

Taxodium distichum, feeding responses of subterranean termites to, in Mississippi, 389

Taxus cuspidata, insect moulting hormone activity in extract of, 1474

Taylorilygus vosseleri, ecology and food plant relations of, in Uganda, 351

TD-5032 (see Hexamethylditin)

TD-8550 (see S-(N-Methoxycarbonyl-N-methylcarbamoylmethyl) Dimethyl Phosphonothiolthionate)

TDE (see DDD)

Tea, mites on, in India, 58; pests and diseases of, in India, 59; conservation of natural enemies of pests of, in India, 60; Adoxophyes orana on, in Japan, 1018, 1019; Xylosandrus germanus and X. compactus on, in Japan, 1024; pests of, in India, 1049; biological control of Toxoptera aurantii on, 1123; pests and diseases of, 1141; Tetranychus kanzawai on, in Japan, 1333; natural enemies of Cydia leucostoma and Gracillaria theivora on, in India, 2093; tolerance and susceptibility of clones of, to Xyleborus fornicatus in Ceylon, 2198; Ketumala thea on, in South India, 2669; pests of, 2865; Homona coffearia on, in Ceylon, 3044; Demotina fasciculata on, in Japan, 3071; mites on, in India, 3378; mites on, in Mozambique, 3392; Helopeltis bergrothi on, in Africa, 3963

Techniques: optical planimeter for measuring leaf areas in estimating populations of aphids, 146; adjustable holder for microinjection of insects, 159; trap for testing response of insects to different light intensities, 203; post trap for determining number of aphids over reflective surfaces, 206; use of cage to study host-finding by Stethorus punctum, 224; survey methods in studies on insects, 322, 323; preparation of Lepidopterous genitalia for visibility of female sex pheromone gland, 394; use of sound-synchronised high-speed photography, for studying stridulation in Orthoptera, 399; adaptation of non-stereoscopic microscope for stereoscopic viewing of small parts of insects, 846; for assessing tolerance of cacao to swollen-shoot virus, 1150; for cold solvent extraction of fumigant residues in wheat and flour, 2171; for extracting termite colonies from living trees, 2211; for rearing diseasefree insects in laboratory, 2281; for rearing Hyphantria cunea, 2354; for evaluating response of Tetranychidae to acaricides, 2437; plastic cage for study of insects on plants, 2452; olfactometer for bioassay of attractants for Trypodendron lineatum, 2470; for estimating individual numbers of insect population, entering each stage, 2494; micro-topical, to determine toxicity of insecticides to rice planthoppers, 2504; for mass rearing of Heliothis armigera, 2513; for rearing Physicus sp., 2536; for analysis of pesticide residues, in presence of polychlorobiphenyls, 2548; method of analysis of organochlorine pesticides in foods and feeds, 2549; for testing respiratory protective devices, 2794; for aerial release of sterile males of Ceratitis capitata, 2797; for studying responses of small arthropods to moisture gradients in food, 2801; for extracting Frankliniella tritici from roses, 2802; for rearing Atherigona varia soccata, 2807; fluorescent particle spray droplet tracer method, to determine number and size of spray droplets, 2880; embedding procedure for study of aphid stylets in leaves, 2939; for evaluating postplanting insecticidal treatments, 3256; for detection and control of grain insects by means of high frequency electric fields, 3594; stochastic models applicable to studies on population dynamics of insects, 4076; method for testing for synchronisation between populations of insects and their parasites, 4079; for collecting and rearing leaf-mining larvae, 4136; for determination of hexachlorobutadiene in wine,

Tectocoris diophthalmus, on cotton in New South Wales, 3030; bionomics of, on cotton in Queensland, 3888

tectus, Ptinus

Tedion V-18 (see Tetradifon) Teepol, and insecticides, 3395

tegalensis, Aulacaspis

Tegonotus, on olive in Greece, 3979

Tegonotus hassani, population study of, on olive in Egypt, 2693; on olive in Greece, 3979 Tegonotus oleae, on olive in Greece, 3979 telarius, Tetranychus

Telea polyphemus, effect of juvenile hormone of synthesis and accumulation of blood protein in, 336; artificial diet for, 632; preyed upor by Dendrocopos, 1199; proteins eluted from male antennae of, 1239; biosynthesis of cyte, chrome C in, 2732

Telenomus, parasitic upon Rhynocoris albanunctatus, 1182; parasitising eggs of Chrysop carnea, 2694; parasitising eggs of Sesamo inferens in Sarawak, 3346; parasitising Lambdina punctata in Utah, 3685

Telenomus bombycis, parasitising Dendrolimu pini on pine in Hungary, 2138

Telenomus coelodasidis, parasitising complex a Heterocampa guttivitta in Vermont, 643

Telenomus dendrolimi, parasitising Dendrolimi e spectabilis on pine in Japan, 1327, 1328 Telenomus dendrolimusi, as synonym of dendrolimi, 1327

Telenomus dignus, parasitising eggs of Chiles suppressalis in Sarawak, 3346

Telenomus rowani, parasitising eggs of Traporyza spp. in Sarawak, 3346

Telenomus sphingis, marking of host eggs by, 9. Telenomus utahensis, development of, in relation to temperature and host age, 2928; parassitism of Chlorochroa uhleri and C. sayi bin Arizona, 3694

Teleogryllus commodus, morphology of, 1562 hybridisation in, cytology of, 1563, 1563 diapause in eggs laid by T. oceanicus matu with, in Australia, 1871, 1878; evaluation genetic method for population suppression of, in Victoria, 1878; attacking pasture: Victoria, 3034

Teleogryllus oceanicus morphology of, 156i hybridisation in, cytology of, 1563, 156i diapause in eggs laid by, 1871, 1878

Teleonemia scrupulosa, establishment of, agair. Lantana camara in Queensland, 3023

Telodrin (see Isobenzan)

Temelucha (see also Cremastus)

Temelucha epagoges, as parasite of Rhyacion frustrana on Pinus taeda in Mississippi, 56% temeraria, Polynema

Temik (see Aldicarb)

Temnochila coerulea, preying on Buprestic Bostrychids, Scolytids and other beetles; pine wood in Spain, 4031

Temnochila virescens var. chlorodia, response to synthetic pheromones of Dendrocton brevicomis, 2766

Temnorhinus (see Conorhynchus)

Temnoschoita quadripustulata, attacking suga cane in Cameroun Republic, 1068

temperatella, Syringopais

Temperature, effect of, on development of viring in Spodoptera litura, 45; effect of, on insepopulation of lucerne, 88; effect of, on to city of insecticides to cotton, 96; estimation, of, of soil during winter, 120; increasing sterilising action of ecdysone analogue. Anthonomus grandis, 124; storage of eggs Plodia interpunctella at low, 130; effect of, resistance of lucerne to Therioaphis trifol 155; effect of, on development of Ectomyele ceratoniae, 257; effect of, on flight of Anoxyvillosa, 265; effect of, on development of Agrotis ipsilon, 267; effect of, on Tychy

ivus, 271; effect of, on Scrobipalpa ocellatella 2; effect of, on development of Cydia nebrana, 276; effect of, on sterilants in hids and moths, 300; effect of, on mortality winter eggs of Aphis donacis, 305; effect of, behaviour of Taylorilygus vosseleri, 351; ectromagnetic sense of, in Heliothis zea, 6; effect of, on development of Rachiplusia 406; effect of on susceptibility of Trilium castaneum to pyrethrins, 434; effect , on populations of Anuraphis persicae, 440; ject of, on populations of Teredo navalis, 0; effect of, on nuclear polyhedrosis virus Neodiprion sertifer, 456; effects of, on xicity of fumigants to Acarid mites, 466; ject of, on Diaeretiella rapae, 509; models Ir development and survival of Hyphantria nea in relation to, 525; effect of, on developent and diapause in Aptesis basizona, 529; ect of, on development of *Pseudoplusia* cludens, 555; effect of, on development of *Pseudoplusia* schenaultia adusta, 587; inducing quiescence eggs of Schistocerca gregaria, 588; effect on development of Eucelatoria spp., 606; rect of, on populations of Anthonomus andis, 616; effect of, on distribution of vogoderma spp., 628; effect of, at soil surface 1 survival of Anthonomus grandis in fallen otton squares, 639; requirements of Perilvides bioculatus in relation to, 717; effect of, h development of Discestra trifolii, 718; fect of, on activity of grasshoppers, 749; fect of, on Aceria sheldoni, 837; effect of, on ze of Macrosiphum pisum, 852; effect of, on rproduction in Macrosiphum pisum, 853; fect of, on toxicity of insecticide deposits i Tribolium castaneum, 858; effect of, on xicity of insecticides to Tribolium castaneum, i9; effect of, on fumigants against stored sect pests, 876; effect of, on Melanoplus nguinipes, 918; effect of, on flight behaviour Schizaphis graminum, 938; effect of, on ght of Ips pini, 940; effect of, on developent of Bradysia impatiens, 954; effect of, on verwintering populations of Scolytus venalis, 971; maturation of females of Dacus evoni in relation to, 1013; effect of, on oviosition in Nilaparvata lugens, 1042; effect of, in virus infection in Nephotettix cincticeps, 1944; effect of, on activity of Oecophylla inginoda, 1080; effect of, on development of griotes ponticus and Melanotus fusciceps, 101; effect of, on Agrilus ater, 1102; varia-ons in preferences of, in Chrysomelids, 113; effect of, on Perilloides bioculatus, 119; effect of, on populations of Macrophum pisum and Therioaphis trifolii, 1126; fect of, on feeding by Leptinotarsa decem-neata, 1145; ecological significance of, and imple device for producing fluctuating, 1201; fect of, on flight activity of Gnathotrichus h Oregon, 1251; effects of, on immature cages of Mythimna unipuncta, 1256; in relaon to aeration of stored grain, 1309; effect of, on occurrence of planthopper pests, 1332; affect of, on development of *Tetranychus anzawai*, 1333; effect of, on stored product nites, 1540; effect of, on insecticides, 1567; ffect of, on breakdown of diazinon, 1568;

effect of, on termination of diapause in Cydia strobilella, 1632; effect of, on termination of hypopial stage of Caloglyphus mycophagus, 1659; effect of, on greenhouse acarine predator-prey population, 1660; effect of, on larvae of Lasioderma serricorne, 1725; effect of, on predation on Tetranychids by Amblyseius fallacis, 1729; effect of, on development of Lygus spp., 1773; acclimation to, in insects, 1804; effect of, on response of Epiphyas postvittana to sex pheromone, 1869; effect of, on diapause and post-diapause development in Halotydeus destructor, 1873, 1874; effect of, on diapause induction in *Chilo suppressalis*, 1902; effect of, on activity of *Nephotettix cincticeps*, 1904; effect of, on longevity and fecundity in Lygus hesperus, 1927; effect of, on transmission of pea enation mosaic virus by Macrosiphum pisum, 1945; in relation to development of Panonychus ulmi, 1982; effect of, on hatching of eggs of Dendroctonus ponderosae, 1998; effect of, on reproduction in Aphis pomi, 1999; in relation to developmental rates of Dendroctonus spp., 2010; effect of, on fruit-flies, 2026; in relation to incidence of Spodoptera littoralis, 2045; effects of, on dispersal of stored product insects, 2082; as factor in pest forecasts, 2110; emergence of *Cydia pomonella* in relation to, 2111; effect of, on pupation and flight of *Hylotrupes bajulus*, 2300; regulation of, by blood in *Manduca sexta*, 2346; effects of, on development and survival of Simyra henrici, in Illinois, 2384; effects of, on biological activity of four biotypes of *Macrosiphum pisum* on lucerne, 2400; effect of, on distribution of fumigants in stored grain, 2420; and development of Diabrotica balteata, 2461; and seasonal activity of Hylobius pales, 2465; effect of, on hatching of eggs of Operophtera brumata, 2469; effect of, on development of Agrotis spp., 2501; effect of, on toxicity of BHC dust to Sitophilus oryzae, 2512: influence of, on laboratory breeding of Lysiphlebus testaceipes, 2514; effects of, on oviposition by Corcyra cephalonica, 2515; influence of, on weight loss and survival of Trinervitermes trinervoides and Hodotermes mossambicus, in South Africa, 2543; effect of, on relations between arthropods and environmental variables in bulk grain ecosystems, 2625; influence of, on weight loss of workers of Anoplolepis custodiens, and Iridomyrmex detectus, 2686; effect of, on Pectinophora gossypiella, 2700; effect of, on developmental periods of Ephestia kuehniella, 2717; effect of, on induction of diapause in Aelia acuminata, 2728; phorate degradation in soil dependent on, 2747; effect of, on response of Noctuid larvae to Biospore 2802, 2851; effect of, on plant virus propagation in Laodelphax striatella, 2874; effect of, on hatching of sod webworm eggs, 2917; effect of, on development of Lygus hesperus, 2920; effect of, on Aphelinus asychis, 2925; effect of, on development of Telenomus utahensis, 2928; effect of, on reproduction and survival of Hypera postica, 2930; effect of, on residues of fumigant mixture in cereals, 3013; effect of, on

population of Anaphothrips flavicinctus, 3083: effect of, on population of Diaphorina citri, 3086; effect of, on diapause in Neodiprion sertifer, 3144; effect of, on Prays oleae, 3146; in parts of cotton plants, 3222; effect of, on postdiapause development of Cephus cinctus, 3246; effect of, on susceptibilities of stored product insects to fumigants, 3301; effect of, on Trichocampus populi, 3338, 3340, 3341, 3342; effect of, on Ostrinia nubilalis, 3343; effect of, on populations of Dasineura citri, 3367; effect of, on larvae of *Udumbaria* nainiensis, 3373; effect of, on malathion against *Trogoderma granarium* in stored wheat, 3385; effect of, on flight activity in Carcelia obesa, 3413; effect of, on mortality and diapause in Pegomya betae, 3440; effect of, on lifespan of Callosobruchus maculatus, 3486; effect of, on diapause in Contarinia pisi, 3491; effect of, on Thaumetopoea pityocampa, 3492; effect of, on Contarinia medicaginis, 3511; effect of, on development of Psyllopsis fraxinus, 3516; effect of, on Bupalus piniarius, 3523; effect of, on spore discharge in Entomophthora grylli, 3529; effect of, on Macro-siphum festucae, 3532; effect of, on develop-ment in Calepitrimerus vitis, 3574; effect of, on population growth of Pectinophora gossypiella, 3678; effect of, on rate of evaporation of lauryl acetate, 3683; effect of, on sex pheromone release by Trichoplusia ni, 3701; limiting flight of Dendroctonus ponderosae, 3710; role of, in induction of pupal diapause in Heliothis zea, 3761; effect of, on storage of pupae of Spodoptera frugiperda, 3808; effect of, on distribution of Halotydeus destructor, 3902; effect of, on development of Aleurocanthus spiniferus, 3910; effect of, on abundance of Stephanitis typica, 3919; in relation to population dynamics of Myzus persicae, 3937; effect of, on fungal infections in aphids, 3972; effect of, on populations of Aphytis spp., 3973; in relation to acclimation and survival in Ptinus tectus and Tenebrio molitor, 3986; effect of, on populations of Spodoptera littoralis, 4003; effect of, on development of Hylemya platura, 4007; effect of, on diapaues in Lobesia botrana, 4044; effect of, on nutritional reserves of Ceratitis capitata, 4051; takeoff thresholds of, for aphids, 4082; effect of. on take-off activity of Myelophilus piniperda, 4106; effect of, on action of insecticides against Sitophilus granarius, 4126; effect of, on winter-egg numbers of aphids, 4134

Tenebrio molitor, circadian rhythm of locomotor activity and susceptibility to methylparathion of, 941; protein synthesis in fat body of, 1238; survival of learning acquired by larvae in adults of, 1537; juvenile hormone activity of nitrogen-containing terpenoids for, 1724; fluorescence of diseased prepupae of, 1779; maturation of response of males of, to female sex pheromone, 1951; method for sexing living pupae and adults of, 1952; dispersion of, in temperature gradient, 2082; retention of conditioned avoidance response after metamorphosis, 2184; juvenile hormone activity of acetals applied to pupae of, 2421; radiation damage and subsequent repair in

larvae of, 2734; juvenile-hormone activity of mixed ethers against, 2759; changes induced by exposure of, to radiofrequency energy 2968; frass acting as juvenile hormone of 3660; electrophoretic properties of tissues of 3758; effects of scent on reproductive maturation in females of, 3760; effect of acclimation survival of, at low temperatures, 3986; electrophysiological responses to light incompound eyes of, 3995

tenebrioides, Zabrus
Tenebrionidae, preyed on by Sitta europea a
Quercus ilex in Spain, 4028

tenebrionis, Capnodis

Tenebroides fuscus, in rotting wood in Spain 4031

Tenebroides maroccanus as synonym of T. fuscus

Tenebroides maroccanus, as synonym of T. fuscus 4031

Tenebroides mauritanicus, uptake of oxygen by 39; fumigants against, in stored cacao Nigeria, 1070, 1071; feeding on starch-base stored products in Spain, 4031

tenellus, Circulifer
Tennessee, Acrobasis caryae on Carya tomentosin, 112; effect of carbofuran and disulfotor on burley tobacco in, 2404; effect of carbofuran and disulfoton on parasitism of Madduca sexta and Heliothis virescens on tobaccin, 2409; Frankliniella tritici on roses in 2802; flight aggregation of Ips grandicoliand I. avulsus in pine plantations in, 2824 pesticide residues in river sediment and water in, 3729

Tenthredinidae, of Germany, 2599; predacionactivity of adults of, in Soviet Union, 3577 tenthredinis, Mesoleius (see M. aulicus)
Tenthredinoidea, leaf-mining, of Finland, d.

tribution and food-plants of, 2252 tenuicornis, Frankliniella

Tenuipalpidae, in Missouri, 228

Tenuipalpus granati, new record of, on pompagranate in India, 1576

Tenuipalpus pacificus, control of, on Orchi aceae and Polypodiaceae in Florida, 1232 ! tenuipes, Diopsis

tenuis, Aceria
Tepa, effect of, on Psylla pyricola, 143; steriling effect of, on aphids and moths, 300; activity of males of Manduca sexta sterilised with 691; sterilisation of honey bee spermatozy with, 879; effect on host of eggs of Diaereties rapae sterilised with, 1085; effects on mation of sterilisation with, in Spodoptera frugiperal 1706; reduced sexual aggressiveness of male of Cydia pomonella treated with, 173 effects of, on Panonychus citri, 2378; sterilisation of males of Agrotis segetum, Spood ptera exigua and Heliothis armigera with 3099; use of, in sterilisation of Dacus oleidatory.

tephragramma, Diparopsis

Tephrinopsis subumbrata, damaging Cerator siliqua in Argentina, 999

TEPP, cholinesterase inhibition by, in Tobolium castaneum, 648

tepperi, Oncothrips

terebellum, Hyphantidium terebrans, Ephialtes (Dolichomitus) v lo navalis, effect of environment on distrition of, in inner waters in Denmark, 450 Vlia fuscicornis, infestation and parasitism on Cynara scolymus in Greece, 3135

Tres (see Odontotermes)

minalia catappa, Selenothrips rubrocinctus 1, in Brazil, 3833

Minalis, Pissodes

vinifera, Chortoicetes

hites, in India, 57; soil drenches against, in bber plantations in India, 89; and their termination in Soviet Union, 429; in kistan, 512; common names for, 744; combsition and size of colonies of, in Arizona d Mexico, 959; preservative treatments ainst, in Puerto Rico, 979; control of, in dia, 2092; soil insecticides controlling, on gar-cane in India, 2094; microbial control 2270; behaviour of, towards trail-laying bstances, 2303; possibility of paralysis rus in, in Australia, 2317; biology and evention of attack of, in buildings in Conecticut, 2351; bibliography of, 2615; resistice of plastics to, in Australia, 3335; on gar-cane in Brazil, 3843

Initidae, composition and size of colonies of, Arizona and Mexico, 959; reaction of, to ail-laying substances, 2303

nitinae, of temperate Australia, 3903

benes, of conifers, response of Enoclerus contei and Temnochila virescens chlorodia 2766; attractiveness of, with :rbenol, to Dendroctonus ponderosae, 2774 erpineol, attraction of Myelophilus piniperda

oinyl Acetate, as attractant in bait-traps for rydia molesta, 990; in bait for Cydia molesta

so attracting Aegeria spp., 1761

vereginae, Amrasca

ramycin, effect of, on Schizaphis graminum, 146; application of, as curative treatment r yellow withering of lavender, 2605 ea, Deois

vilochus carinifer, released against Oulema selanopus in Michigan, 1755

vellata, Euxoa

manni, Mesohomotoma

Vulatus, Ctenomorphodes

vacea, Aphis frangulae; Malacosoma neustria

vaceipes, Lysiphlebus vaceus, Pseudophilus widinea, Hoplocampa

Vilalis, Maruca

mocera clara, attacking Pallifera and Philoviyeus spp. in U.S.A., 392

mocera elata, attacking slugs in Sweden,

mocera plebeja, attacking Deroceras spp. in

anocera valida, attacking Deroceras spp. in

J.S.A., 392

rrella, Pediasia ra puerariae, as sp.n. from Georgia, 2736 rachlorocyclopropene (as fumigant), against

tored-product insects, 1765

rachlorvinphos, against Cydia molesta, 293; ffect of, in sprays on Cydia pomonella and ther pests and beneficial species on pear, 03; and diazinon, 620; toxicity of, to strains of Metaseiulus occidentalis, 622; in dusts against Heliothis zea, 659; toxicity of, to Stethorus punctum, 670; soil treatment with. ineffective against Otiorhynchus sulcatus, 678; susceptibility to, in Trogoderma spp., 1717; in aerial sprays against Alsophila pometaria, 1757; against Wiseana spp., 1892; against Epitrix hirtipennis, 2192; sprays of, against Spodoptera littoralis, 2389; against Lepidoptera on maize in Georgia, 2396; against Homoeosoma electellum, 2415; against Archips argyrospilus, 2467; resistance in Amblyseius fallacis to, 2752; applied as mothproofing agent to woollen cloth, 2795; (cisand trans-isomers of), methods for analysis of residues of, 3184; (cis- and trans-isomers of), residues of, on crops, 3185, 3186; in baits for Noctuid larvae, 3242; as protectant of material against Attagenus megatoma, 3250; in dusts against Sitophilus spp., 3812

Tetracycline, effect of, on Schizaphis graminum, 2446; preventing transmission of yellows by

Cicadellids, 3509

Tetracycline Hydrochloride, reaction of papaya infected with bunchy top disease to, 2892; effect of, on leafhopper transmission of aster yellows, 2901

cis-9-Tetradecen-1-yl Acetate, inhibited response to sex pheromone in Plodia interpunctella previously exposed to, 2881

cis-11-Tetradecen-1-yl Acetate, as sex pheromone of Argyrotaenia velutinana, 36; trap baited with, for control of Argyrotaenia velutinana, 147; mating of Ostrinia nubilalis inhibited by, 174; attractiveness of, to Choristoneura rosaceana, 2165; inhibited response to sex pheromone in Plodia interpunctella previously exposed to, 2881

Tetradecyl Acetate, reducing attractiveness of sex attractant to males of Pectinophora

gossypiella, 3212

Tetradifon, against mites, 58; in dips against winter eggs of Panonychus ulmi, deposits of, on apple, 95; with carbaryl, toxicity of, to cotton, against mites, 96; Drosophila melanogaster as test organism for screening of, 100; Tyrophagus casei not sensitive to, 101; decline of residues of, on forage, 617; in sprays against Tydeus vitis, 713; resistance to, in Panonychus ulmi, 791; alternative acaricide to, against resistant mites, 817; against Agistemus exsertus, 2366; against Tetranychids, 2577; against Oligonychus ilicis, 2879; toxicity of, to eggs of Tetranychus telarius, 3108; against Panonychus ulmi, 3111; against mites, 3378, 3567

Tetragnatha laboriosa, on lucerne in Virginia,

2402

5,6,7,8-Tetrahydro-1-naphthyl Methylcarbamate, against Diabrotica undecimpunctata howardi, 2426

3,4,5,6-Tetrahydrophthalimidomethyl Chrysanthemate (see Tetramethrin)

Tetralopha robustella, Sympiesis fragariae recorded from, in U.S.A., 359

Tetramethrin, effectiveness of, against cotton

pests, 221; guide to, 1854 Tetramethyl (dithiodimethylene) diphosphonate,

toxicity of, to Tephritids, 1694

Tetraneura, study of, 3164

Tetraneura caerulescens, chemical analysis of galls of, on elm in Soviet Union, 4156

Tetraneura ulmi, on maize in Yugoslavia, 3152; holocyclic development of, in Italy, 4014; chemical analysis of galls of, on elm in Soviet Union, 4156

Tetranychidae, insecticides against, on cotton in Egypt, 94; control of, on cotton in Egypt, 96; in Missouri, 228; sex determination and karyotypic evolution in, 477; Indoseius ricini gen. et sp.n. associated with, in India, 1581; toxicity of resmethrin to, 1587; effect of pesticides on, in apple orchards in Poland, 2577; autoradiographic search for fertilisation site in, 2746; Amblyseius duncansoni associated with on apple, 2824; preyed on by Amblyseius finlandicus in Poland, 3102; on apple and pear in Mozambique, 3951; increase in, following treatments with carbaryl, 4138

Tetranychoidea, in Missouri, 228

Tetranychus, sensitivity of, to thiometon, 101; malathion against, on cotton in Middle East and Africa, 796; transmission of tobacco ringspot virus by, in Texas, 2483; attacking beans in Queensland, 3024; control of, on beans in Queensland, 3317

Tetranychus atlanticus (see T. turkestani)

Tetranychus cinnabarinus, Phytoseius plumifer fed on different stages of, 38; Galecron against, on carnations in Britain, 817; effects of Piericidin A-related compounds on, 1023; aldicarb effective against, on roses in Israel, 1090; as food for Amblyseius limonicus, 1383; fungicides controlling, on carnations in France, 2145; as prey of *Amblyseius gossipi*, 2296; evaluation of acaricides against, 2437; new systemic insecticides against, 2705; effectiveness of Agistemus exsertus as eggpredator of, in Egypt, 2843; use of, for testing aldicarb for soil applications, 2960; development and reproduction of Amblyseius largoensis on, 3225; Amblyseius spp. feeding on, 3349; development and reproduction of Agistemus exsertus reared on, 3403, 3409

Tetranychus desertorum, preyed on by Ambly-

seius fallacis, 1729

Tetranychus elsae, sp.n. on Festuca in New Zealand, 3866

Tetranychus eyrewellensis, sp.n. on Carmichaelia robusta in New Zealand, 3866

Tetranychus hydrangeae, in Greece, 3464

Tetranychus kanzawai, bionomics and control of, on tea in Japan, 1333

Tetranychus lambi, as pest of legume seed crops in Queensland, 3022

Tetranychus lobosus (see T. yusti)

Tetranychus ludeni, on cotton in New South Wales, 3030

Tetranychus mcdanieli, effect of insecticides against Cydia pomonella on populations of, on apple in British Columbia, 620; effect on, of predation by Metaseiulus occidentalis, in Washington, 1200; on apple in British Columbia, 2467; effect of predators on, in Ontario, 2988; insecticides for use in integrated control of, 3621

Tetranychus mexicanus, control of, on cacao h Brazil, 988, 3828

Tetranychus moutensis, sp.n. on Phormius tenax in New Zealand, 3867

Tetranychus neocaledonicus, as pest of legun seed crops in Queensland, 3022

Tetranychus pacificus, evaluation of acaricidii against, 2437; control of, on grape vine California, 3203; Metaseiulus occidentalis predator of, distribution of, in vineyards & California, 3206; acaricides against, grapevine in California, 3234

Tetranychus telarius, integration of Phytoseiulu !persimilis with native predators for control of # on rhubarb in California, 149; toxicity v sodium ferric ethylenediamine tetraacetat to, 153; pyrethroid not toxic to, on cotton to Texas, 221; infestation and control of, to vines in Hungary, 297; fat in midgut way of overwintering females of, 400; femare sterile factor in, 402; bionomics and contrib of, on pear in Oregon, 570, 597; effect of insecticides against Cydia pomones on populations of, on pear in California 603; insecticides against, on beans Washington State, 610; greater numbrille of, in carbaryl-treated apple orchard in New Jersey, 645; method for feeding of, on liquid formulations, 662; insecticides against, + 14 Mentha piperita in Oregon, 686; seawed extract spray against, with and without association of Typhlodromus fallacis on limbeans in West Virginia, 693; effect of form tanate on, in Britain, 815; Galecci against, on strawberry in Britain, 817; effet in of fenazaflor on mitochondria isolated fro 827; cannibalism on males and predation adult females of Panonychus ulmi by adult males of, 1011; control of, by Phytoseia. In persimilis on clover in Japan, 1350; Phy. is seiulus attacking, in Soviet Union, 144; effects of dimethyldithiocarbamates again. 1588; use of Phytoseiulus persimilis againi on cucumber in Britain, 1640, 1650; effect temperature on control of, by *Amblyse fallacis* in greenhouses, in Canada, 166 effect of nitrogen content on resistance strawberry to, 1723; preyed on by Ambi seius fallacis, 1729; effect of insecticides reproductive potential of, 1769; toxicity a. anticholinesterase activity of carbamates 2077; insecticides against, on beans Turkey, 2088; evaluation of acaricides again 2437; field tests for control of, on cotton Mississippi, 2450; phenylphenol derivativ tested against, 2499; comparative studies predation by Metaseiulus occidentalis as a Phytoseiulus persimilis on, 2626; organophilis phorus resistance in, susceptible to Omite a Plictran, 2752; evidence of sex pheromone 2753; males of, attracted to female quiesco deutonymphs, 2754; responses of, to extra and essential oils of strawberry folia in Kentucky, 2761, 2762; control on pear in Oregon, 2786; respirate mechanism of eggs of, 2852; toxicity of 2786; respirate (mercaptomethyl)phthalimide-S-(O-alk). alkylphosphonodithioates and thiolates 3012; on cotton in New South Wales, 301

ect of food-plant species on reproduction, evelopment and susceptibility to acaricides in Japan, 3047; embryonic development 3107; toxicity of ovicides in relation to gs of, 3108; sprays against, on walnut in lifornia, 3205; inbreeding in mite pre-tors of, 3282; Diaphnidia capitata as pretor of, 3289; on fruit trees in Victoria. ;22; host range of, in India, 3383; resistance .. insecticides in, 3404; on Gerbera jamesonii Rumania, 3442; on crops in Bulgaria, :57; Phytoseiulus persimilis preying on, on cumber in Britain, 3531; on oil-bearing se in Soviet Union, 3566; insecticides ainst, on strawberry in, 3832; susceptiity of apple varieties for, in Queensland, :87; population fluctuations of, in apple chards in Queensland, 3891; integrated ntrol of, on apple in Australia, 3904; rietal resistance in vegetables to, in India, 24; sprays against, on bean in Iran, 3942; olive in Greece, 3979; natural enemies and entrol of, on cotton in Afghanistan, 4137;

anychus turkestani, responses of, to extracts d essential oils of strawberry foliage, in entucky, 2761, 2762; on maize in Yugo-avia, 3152; on crops in Bulgaria, 3457; in

ological control of, with Phytoseiulus per-

reece, 3464

. anychus urticae (see T. telarius)

bnilis in Soviet Union, 4144

mychus viennensis, on apple in Turkey, :86; biology of, in Soviet Union, 3091; in

reece, 3464

canychus yusti, on Sesamum indicum in enezuela, 986; preyed on by Amblyseius llacis, 1729; bionomics of, reared on naseolus vulgaris in Florida, food-plants of,

aponera penzigi, association with Acacia :epanolobium in Tanzania and Kenya, 2691

serhodus, Capitophorus

iastichus, reared from Cydia funebrana in S.S.R., 1104; parasitising Schizomyia ientalis in India, 2091; parasitising Saccharodne saccharivora, 2666; attacking Phyllovrycter blancardella on apple in Quebec, :42; rearing and release of, against sugarne borers in Réunion, 3945

astichus ceroplastae, attacking Gascardia estructor in South Africa, 1307

astichus cirsii, parasitising Terellia fuscibrnis in Greece, 3135

astichus inferens sp.n., parasitising pupae of esamia inferens in Formosa, 3639

astichus inunctus, as parasite of Thomasiniva theobaldi, 1499

astichus israeli, parasitising Chilo spp. and esamia inferens in Sarawak, 3346

astichus julis, establishment of, against ulema melanopus in Michigan, 1755

astichus miridivorus, bionomics of, in Sicily, 165

astichus nyemitawus, parasitising Atherigona a wheat in India, 2525

astichus schoenobii, parasitising eggs of ryporyza in Sarawak, 3346

astichus tymber, parasitising Lasioptera ibi on raspberry in Yugoslavia, 441

Tetrasul, in sprays against Tarsonemus pallidus, 1139; controlling Panonychus ulmi in orchards in Nova Scotia, 1264; controlled alteration of populations of phytophagous mites with, 1995; in sprays against Panonychus ulmi, 3443

Tetropium castaneum, bionomics of, 1482; infesting cedar pine in Transbaikalia, 1484

Tetropium cinnamopterum, reared from felled spruce trees in British Columbia, 1668

Tetropium velutinum, YBHC against, on Larix occidentalis in British Columbia, 1670; logs preferred by, in Canada, 2976

Tettigella viridis, on rape infected with disease in Hungary, 2141; Mymarid parasites reared from eggs of, in stems of Juncus spp. in Wales,

Tettigometra obliqua, on maize in Yugoslavia,

3469

Tettigoniidae, attacking tobacco in Queensland,

Tettigonioidea, Gregarine parasites of, 337

Texas, Anthonomus grandis on cotton in, 118, 131; cotton strains resistant to Psallus seriatus in, 134; Heliothis spp. in, 163; cotton pests in, 189; Heliothis spp. on cotton in, 209; Homoeosoma electellum on sunflower in, 210; Bucculatrix thurberiella on cotton in, 215; releases of sterilised adults of Pectinophora gossypiella in, 216; cotton pests in, 221; Coccus hesperidum and Eutetranychus banksi on Citrus in, 378; Coptotermes formosanus in, 408; Thanasimus dubius preying on Dendroctonus frontalis in, 578; Eucelatoria sp. in, 606; phytotoxic effects of sprays on sorghum in, 618; insect pests of cotton in, 630; Anthonomus grandis on cotton in, 652; Acanthoscelides tridenticulatus sp.n. on Mimosa strigillosa in, 916; cotton pests in, 1698, 1699; Anthonomus grandis on cotton in, 1738; Schizaphis graminum and other insects on sorghum in, 1743; Heliothis zea and H. virescens on cotton in, 1747; continuous generations of Heliothis zea in, 1792; seasonal rates of increase of Anthonomus grandis in, 1942; seasonal movement of Anthonomus grandis in, 2362; Anthonomus grandis on cotton in, 2369; control of Contarinia sorghicola on grain sorghum in, 2380; test for control of larvae of Homoeosoma electellum in, 2391; insecticide residues in soil in, 2405; tests with Coccus hesperidum on Citrus seedlings in, 2414; light traps for Pectinophora gossypiella in, 2439; insecticides against Pemphigus populitransversus on cabbage in, 2444; release of sterilised Pectinophora gossypiella in, 2445; transmission of tobacco virus by Tetranychus sp. in, 2483; diets for tagging Pectinophora gossypiella in, 2760; Zonosemata vittigera in, 2771; Heliothis spp. on cotton in, 2783; effect on juice quality of sprays against pests of orange in, 2793; insect associates of *Dendroctonus frontalis* and *Ips* spp. on Pinus taeda in, 2911; control of Curculio caryae in, 2963; Ips hoppingi in, 2993; insecticide residues in plants in, 3734

TH 113-M (see 2-sec-Butyl-4,6-dinitrophenyl

2-Chlorobutyrate)

TH 184-F (see Pentachlorophenyl Tetramethyl phosphorodiamidate)

TH 367-1 (see Fluenetil)

TH 471-I (see N-α-Cyanoisopropyl O,O-Diethyl

Thiophosphorylacetamide)

TH 7465 (see 2-Methyl-1-naphthyl Thiocyanate) Thailand, Sepedon macropus and Sepedon sauteri in, 1345

thalassina, Bathycoelia thalassinus, Aiolopus

thalictri, Calpe (Calyptra) Thamnosphecia (see Aegeria)

Thanasimus dubius, chemical basis of prey perception by, preying on Dendroctonus frontalis in Texas, 578

Thanasimus formicarius, attacking Myelophilus

piniperda, 1492

Thaneroclerus buqueti, fumigants against, in stored cacao in Nigeria, 1070, 1071 Thanite, against Mylabris pustulata, 2520

thatcheri, Pseudoparasitus

Thaumetopoea pityocampa, Bacillus thuringiensis against, in Yugoslavia, 3142; effect of climatic factors on development and on population numbers of, 3492; determination of critical density of, on pine, 3493; parasites of, in France, 3494; predators of, in Spain, 3495; micro-organisms pathogenic for, 3496; chemical and mechanical measures against, in Spain, 3497; proposals for integrated control operation against, in Spain, 3498; parasitised by Villa brunnea, 3556; microbiological control of, on pines in France, 4030

Thaumetopoea processionea, bionomics of, on oak in U.S.S.R., 712

Thaumetopoea wilkinsoni, viruses and bacteria for control of, in Israel, 3496

thea, Ketumala

theae, Acaphylla; Fiorinia

Theba pisana, parasitised by Salticella fasciata, 854

thebaicae, Halimococcus

The codiplosis brachyntera, ecology of, 2583

theivora, Gracillaria theobaldi, Thomasiniana

theobroma, Distantiella theobromae, Hemilecanium

Theocolaxia pityophthori, parasitising beetles in Costa Rica, 3720

theophrastus, Tarucus Thera (see Cidaria)

Therioaphis maculata (see T. trifolii)

Therioaphis riehmi, factors influencing produc-

tion of sexuales of, 2338

Therioaphis trifolii, effect of temperature, photoperiod and soil moisture on resistance of lucerne to, 155; new severe strain of, infesting resistant lucerne in California, 611; population dynamics of, on lucerne in Czechoslovakia, 1126; behavioural responses of, to attack by Charips victrix, 1198; biotypes of, in United States, 1711; suitability of parasites of, for development of *Charips victrix* in California, 1922; hyperparasitism of, by Charips victrix, 1924; factors influencing production of sexuales of, 2338; longevity, reproduction and nymphal development of, on lucerne clones in Nevada and Arizona, 2401; evaluation of lucerne cultivars for resistance to biotypes of, in Arizona, 2788; effect of, on yield of lucerne in Nebraska, 3227; effect of

excision on resistance of lucerne cuttings to 3235; control of, on lucerne in U.S.A., 3717 parasitism of, by Monoctonus paulensis i California, 3777

Therion circumflexum, parasitising Dendrolime

pini on pine in Hungary, 2138

Thermobia domestica, site of uptake of water

from atmosphere by, 422, 1536
Thimbleberry (see Rubus parviflorus)
Thin-layer Chromatography, determination a s insecticides by, 2; analysis of amino-acids My Anthonomus grandis by, 3699; use of, fe pheromone isolation in Aonidiella auraning 3771

Thiocron, against Lixus juncii, 1516

Thiodan (see Endosulfan)

Thiodemeton (see Disulfoton)

Thiometon, against mites, 58; against pest conplex attacking sesame, 90; with carbary in toxicity of, to cotton, 96; Tyrophagus casa not sensitive to, 101; toxicity of, to hone bees, 102, 105; in sprays against Anurapir devecta and A. plantaginea, 739; in sprayagainst Anuraphis helichrysi, 872; against insect pests of cotton, 873; against Edward iana spp., 1100; toxicity of, to natural enemical of aphids, 1112; against Macrosiphum pisum 2033; soil treatment with, controlling Scirpop aga nivella, 2094; against Ragmus importunita in 2510; against Mylabris pustulata, 2520; again Tetranychids in orchards, 2577; again Trialeurodes vaporariorum and Myzus per w sicae, 2705; inhibiting germination of sarson seeds, 3007; residues of, in cauliflower, 308% against Panonychus ulmi, 3111; in spray against insect vectors of plum pox virus, 314 against Oligonychus coffeae, 3378; resistanto, in Tetranychus telarius, 3404; toxicity c to Coccinella septempunctata, 4119; toxicis of, to primary and secondary aphid parasite 4127; toxicity of, to Chrysopa carnea, 4128

Thionazin, toxicity of, to Aphis fabae, 2; granules against Frankliniella spp., 16 residues of, in carrots, 180; soil treatment with, against Hylemya brassicae, 654; toxici: of, to Otiorhynchus ovatus, 668; soil treas ment with, giving intermediate results again Otiorhynchus sulcatus, 678; effectiveness against Sciopithes obscurus, 679; in granule against Hylemya brassicae, 799; soil treak ment with, against Rhizoglyphus echinopy and nematodes, 1128; against Heteroper pygmaea and Mycophila speyeri, 164 164 against Hylemya brassicae, 2459; phyt. toxicity of, to orange and olive, 3463; toxicit of soil treatments with, to mites and ApA

gossypii, 3531 Thioquinox, controlling Pygmephorus, 742; sprays against Tarsonemus pallidus, 113 toxicity of, to eggs of Tetranychus telaria

3108 Thiotepa, use of, for chemosterilisation Carpomya pardalina, 1455

Thiovit (see Sulphur)

Thiram, seed treatments mixed with, as fungil cide applied to lima beans, 195; toxicity of to Trichogramma cacoeciae, 1137; seed treat ments with, against Urocystis colchici at Hylemya antiqua, 1920; seed treatments will

extures of insecticides and, 1979; effect of, mite populations, 2577; seed treatment h mixture of insecticides and, 4145

: International Pesticides Congress, review insect pest control methods at, 2555

illes (see Cirsium arvense)

i.pi arvense, not resistant to Rhopalosiphum simi pseudobrassicae in Iowa, 614; as arce of yellows virus for aphids in Belgium,

inasiniana lavandulae, control of, on laven-

r in France, 2605

nasiniana theobaldi, morphology and biomics of, in Poland, 1499

wcica, Diopsis

Sicicus, Trachyderes

poctenoides gaussi, in Ukraine, 1438

os, YBHC against, on cucumber in Britain, :50; Amblyseius duncansoni associated with, apple, 2824; collected from galls of villopsis fraxinus on ash in France, 3516 hs betulicola, in Ukraine, 1438

bs flavus, in Ukraine, 1438 bs fuscipennis, in Ukraine, 1438

os imaginis, attacking crops and ornamental ants in Victoria, 3326; on apple in New buth Wales, 3904

os lini, in Ukraine, 1438

195 physapus, in Ukraine, 1438

os tabaci, effect of cultural practices on ifestation of cotton seedlings with, in Egypt, th; insecticides against, on beans in Washgton State, 610; on garlic and onion in regentina, 701; insecticides against, on nions in Ghana, 1408; infesting tips of paragus spears in British Columbia, 1671; sceptibility of varieties of cotton to, in gypt, 1823; threshold of damage by, to otton seedlings in Egypt, 2047; insecticides rainst, on cotton in Egypt, 2048; as vector

Lycopersicum virus 3 of tobacco, control easures for, in Poland, 2574; transmission tobacco ringspot virus by, on soybean, 389; on cotton in New South Wales, 3030; tacking crops and ornamental plants in cictoria, 3326; natural enemies and control

, on cotton in Afghanistan, 4137

vpticus, damaging Eichhornia crassipes in buth America, 3793

ella, Argyresthia:

ia, Argyresthia thuiella on, in Connecticut,

ja plicata, effect of crude ether extract of ood of, on Malacosoma californicum Yuviale, 914; juvenile hormone activity in ood and bark extracts of, in Canada, 1262 beriella, Bucculatrix

firicide, commercial spore preparation of Pacillus thuringiensis, 2070, 2886, 3124, 3204,

uricide S7-150, commercial preparation of

Racillus thuringiensis, 547 rricide 90 TS, commercial preparation of

Pacillus thuringiensis, 547, 930, 2031

malus limbatus, in Spain, 4031

melicus lineola, parasitism of, in Canada, 43

mus, Hyssopus ridopterigis, Habrocytus Thyropygus, descriptions and bionomics of, in India, 1372

Thyropygus poseidon, description and bionomics

of, in India, 1372

Thysanofiorinia leei sp.n., taxonomy of, on Nephelium sp. in Hong Kong and Formosa, 1882

Thysanoptera, on lucerne in Czechoslovakia, 738; effect of crop rotation on population density of, on pea in Germany, 745; of Japan, 841; bionomics, taxonomy and morphology of, in India, 1374; inducing galls on Acacia in Australia, 2231; feeding apparatus of, 2664; species of, attacking Vigna unguiculata in Uganda, 2679; collected in India, 3375; preyed on by sawflies, 3577

Thysanura, on St. Helena, 3964

Thysanus aleyrodis, parasitising whiteflies on strawberry in California, 225

tibialis, Liogenys; Tomicobia ticinensis, Adelphocoris

Ticks, insecticide resistance in, in Australia, 516; microbial control of, 2268

Tiguvon (see Fenthion)

Tilia parvifolia, entry of larvae of Leptinotarsa decemlineata into soil coinciding with flowering of, in Poland, 1840

tiliae, Eulecanium (Lecanium)

tiliarius, Eotetranychus

Tillandsia usneoides, Pseudoparlatoria tillandsiae from, in Georgia, 384

tillandsiae, Pseudoparlatoria

Timber, termites attacking, in Mississippi, 389, 390; Coptotermes formosanus attacking structural, 409; Rhyssa persuasoria parasitising Sirex spp. in, 830; infestation of, by bark beetles, 1625; insect pests of, in Territory of Papua and New Guinea, 1899; termites in-festing, in Queensland, 3025; *Bradysia* sp. on, in Kansas, 3529; effect of liquid eradicants in preventing emergence of Anobium punctatum from, 3530; adaptations in insects boring in, 3533

Timber Beetles, of Israel, 1390

Timothy Grass (see Phleum pratense)

tindalei, Oncopera

Tinea, Perthida formerly referred to as, 1008 Tinea columbariella, as pest of imported duck feathers in Germany, 1135

Tinea pellionella, distinguishing characters of, 1135

Tineidae, list of West German spp. of, 2600

Tineola bisselliella, iodophenphos proofing woollen cloth against, 2406; preparations sprayed on woollen material against, in Denmark, 3538; insecticidal strips against, pesticides for control of, in Denmark, 3539 Tinocalloides montanus gen. et sp.n., in India,

1582

Tiofenit (see Parathion) Tiofos (see Parathion)

Tiphia, in West Indies, 3675

Tipula, chemical control of, in spring cereals

in Britain, 787; damage to grassland by, in Britain, 814

Tipula aino, effect of granular insecticides on, in Japan, 3060

Tipula Iridescent Virus, in Galleria mellonella, 975

Tipula paludosa, Megaselia paludosa parasitising, in Britain, 2651

tipuliformis, Aegeria

Tipulinae, development and present position of faunistic research on, in Czechoslovakia, 2579

Tiracola plagiata, parasitised by Trichogramma achaeae sp.n. in India, 2150; defoliating cacao flush in Papua and New Guinea, 2640

tirhaca, Anua

Tischeria aenea, infestation and control of, on blackberry in Florida, 567

tischeriae, Pnigalio Tmetocera (see Spilonota) Toads (see Bufo; Pelobates)

Tobacco, pests of, in Florida and Georgia, 141; Manduca spp. on, in Kentucky, 152; uptake and translocation of carbofuran in, 179; activity of sterilised males of Manduca sexta on, in North Carolina, 691; selection of, for oviposition by Manduca sexta, 748; use of Bacillus thuringiensis on, 809; Phthorimaea operculella on, in Rhodesia, 1057; Agriotes ponticus injurious to, in U.S.S.R., 1101; pests and diseases of, 1141; resistance to Heliothis virescens in flue-cured varieties of, 1218; economic consequences of restriction of use of organochlorine insecticides on, in U.S.A., 1229; effect of different insecticides used in to control Mesomorphus villiger. Opatroides frater and Scleron latipes, damaging seedlings of, in India, 1368; Phthorimaea operculella on, in Madagascar, 1392; biological control of Phthorimaea operculella on, in Madagascar, 1393; Orosius argentatus transmitting yellow dwarf virus of, in Australia, 1561; leaf consumption of Manduca sexta on, in Kentucky, 1745; mortality of non-phytophagous insects on, grown in insecticide-treated soil, 1780; insecticides against Epitrix hirtipennis on, 2192; preference of Lasioderma serricorne for fresh and stored 'Lanka', 2200; overwintering and spring emergence of Epitrix hirtipennis on, in Virginia, 2381; control of Heliothis virescens on, in Georgia, 2387; control of Heliothis virescens on, in North Carolina, 2392; effect of carbofuran and disulfoton on Burley, in Tennessee, 2404; effect of insecticides on parasitism of Manduca sexta and Heliothis virescens on, 2409; Heliothis zea and H. virescens on, in Florida and Georgia, 2448; Euxoa messoria on, in Ontario, 2471; transmission of ringspot virus of, by Tetranychus 2483; Spodoptera litura on, in India, 2681; Lema bilineata on, in South Africa, 2685; Bemisia tabaci on, in Transvaal, Trialeurodes vaporariorum on, in South Africa, 2687; effects of insecticides on beneficial insects on, 2738; insecticides for control of Euxoa messoria on, 2785; in tests with Heliothis zea, 2799; ringspot virus of, transmitted by Thrips tabaci to soy bean plants, 2889; Heliothis armigera on, in Bulgaria, 3130; Epitrix hirtipennis on, in Maryland, 3258; odours of, affecting oviposition by Lasioderma serricorne on muslin, 3261; Jalysus spinosus preying on eggs of Manduca sexta on, 3263; pests of, in seed-beds in Queensland, 3311; effect of nicotine in, and Lasioderma serricorne, 3398; effects of varieties of, on damage by Heliothis virescens, 3717 insecticide residues in, in the Carolinas, 3733; Phthorimaea operculella on, in Venera zuela, 3796; Aphis gossypii on, in Iran, 394; Tobacco (see also Nicotiana tabacum)

Tobago, butterflies of, 1273

Todea, insect moulting-hormone activity in, New Zealand, 3872

Togo, test and survey of maize granarie treated with insecticides in dusts in, 1398 Helopeltis plebejus in, 3963; swollen-should disease of cacao in, 3977

Toluene, extraction of pentachlorophenol from soil and fish with, 3014

m-Tolyl Methylcarbamate, against Nephotetting cincticeps, 2680

tomaspidis, Centrodora

Tomaspis flavopicta, attacking pasture grasss in Brazil, 1795

Tomato, residues of bromide fumigants in, 13. Epitrix hirtipennis on seedlings of, in Call fornia, 199; Trichogramma sp. parasitisis Heliothis zea on, in California, 360; Bemiss tabaci and yellow leaf curl virus of, 421 Keiferia lycopersicella on, in California, 606 p 609, 623; Phyrdenus muriceus on, in Argentini 702; selection of, for oviposition by Mandul sexta, 748; Agriotes ponticus injurious to, U.S.S.R., 1101; pests and diseases of, 114 Leptinotarsa decemlineata unable to develo on, 1145; Heliothis virescens Texas, 1188; DDT and endrin residues abses from, 1226; Glischrochilus quadrisignatus o 1270; control of Heliothis armigera on, 1411 Phthorimaea operculella on, in Egypt, 2050 releases of Trichogramma for control of pesq a of, in California, 2787; evaluation of, resistance to Heliothis zea in Alabama, 288 traps for fruit-piercing moths on, in Japan 3076; determining carbanolate residues i 3018; Heliothis armigera on, in Soviet Union 3093; Heliothis armigera on, in Bulgaria, 313. Noctuid larvae on, in South Carolina, insect cides causing injury to, 3242; Aculops lycpersici on, in Victoria, 3327; transmission yellows by Cicadellids injected with extrace of diseased tissue of, 3509; Phthoriman operculella on, in Venezuela, 3796; New leucinodes elegantalis on, in Brazil, 3808 Aculops lycopersici on, in Greece, 4011 Plusia chalcites on, in Spain, 4025; determined the control of the cont mination of malathion on, 4096

tomentosicollis, Acanthomia

tomentosus, Byturus (see B. urbanus)

Tomicobia tibialis, parasitising Ips spp. on pin in Virginia, 1988

tonsipes, Atta colombica

Toona ciliata australis, immunity of, to attact by Hypsipyla grandella in Costa Rica, 23. Hypsipyla grandella on, in Costa Rica, 127 topiaria, Chrysoteuchia

Torbidan, containing toxaphene, DDT and methyl-parathion, 234

toreuta, Cydia

tortricella, Tortricodes

Tortricids, on apple in New York State, 290

inicodes tortricella, presence of larval webs initiating oviposition by Lypha dubia, 2645 Lix dinota, bionomics, parasitism and con-

Il of, on coffee in Kenya, 357

ix viridana, Formica polyctena feeding on. 3; attractiveness to males of Phaeogenes lisor of shells of pupae of, from which nales of P. invisor have emerged, 831; 1 dy on development of eggs of, in Czechovakia, 1490; population numbers of, in itain, 2161; presence of larval webs of, tiating oviposition by Lypha dubia, 2645; 'ta europea preying on, on Quercus ilex in ain, 4028

cmus macropterus, parasitising Lasioptera

White Ear Condition, caused in pasture lasses by Oscinella frit, 2596

Ineyella liriodendri, collection of honeydew

bm, 3709

aphene, in dusts against Chrotogonus achypterus, 71; treatment of storage recepcles with, 75; and azinphos-methyl against tton pests, 94; residues of, on Corchorus itorius, 98; susceptibility of larvae of bodoptera littoralis to, 103; in sprays against tton insects, 160; against cotton insects, 39; against Epitrix hirtipennis, 199; diethyl sulfoxide not improving toxicity of, Anthonomus grandis, 201; against Heliothis rescens and H. zea, 209; against Bucculatrix urberiella, 215; and methyl-parathion, in rays against Hellula phidilealis, 234; against orchius flavus, 271; harmless to bees, 279; and DT, effect of, on egg production of Anthomus grandis, 411; with DDT, persistence of eposits of, against Keiferia lycopersicella,)8; soil treatment with, against Lachnosterna onsanguinea, 657; with DDT and methylfarathion, in sprays against Heliothis zea and v. virescens, 923; on-target deposits from erial application of, 1767; seed treatments ith, against Thrips tabaci, 2048; toxicity of, honey bees, 2063; aerial application of, gainst Heliothis zea, 2070; against Lygus esperus, 2373; mode of action of, on adults if Sitophilus granarius, 2597; risks arising rom persistent use of, in Britain, 2641; with DDT and methyl-parathion against Heliothis p., 2779; against Spodoptera frugiperda, 006; with DDT and monocrotophos against Heliothis zea, 3204

kins, micro-organisms as new sources of, 2262 coptera aurantii, on cacao in Ghana, 1080; iological control of, on Citrus and tea in oviet Union, 1123; on cacao in Ghana, 291; recording of sound produced by, 2665; Cycloneda sanguinea limbifer preying on, on Citrus in Cuba, 2727; in traps in Venezuela, 830; development and reproduction of 1mblyseius largoensis on honeydew of, 3225; Menochilus sexmaculatus preying on, ndia, 3380; rearing of, on chemically defined

liets, 3765

xoptera citricida, as possible vector of suspected virus in Citrus in Argentina, 993; ailure to obtain transmission of decline lisease of Citrus by, in Brazil, 2020; associated with Citrus decline in India, 2105; spread of tristeza virus of Citrus transmitted by, in Australia, 3334

Toxotrypana curvicauda, on Carica papaya in Venezuela, 983; attacking papaya and mango in Florida, 3723

Trace Minerals, in artificial diets for Myzus persicae, 1243

Trachyderes thoracicus, control of, in Brazil,

trachypterus, Chrotogonus

Trachysphyrus albatorius, incidence of, following outbreak of Oporinia autumnata in Finland, 4109

Tranid (see exo-5-Chloro-6-oxo-endo-2-norbornane Carbonitrile O-(Methylcarbamoyl)-

oxime)

transitella, Amyelois (Paramyelois)

Transvaal, occurrence of Bemisia tabaci on tobacco in, 2687

Trap Bands, for Cydia junebrana, 1104

Trap Plants, for larvae of Euxoa messoria, 2471 Traps (see also Adhesive-, Bait-, Grid-, and

Light-traps)

Traps, effect of formalin on numbers of Coleoptera caught in, 27; for Anthonomus grandis, 118; for aphids and Cicadellids, 122; for aphids, 133; for insects, 322, 323; for Trichoplusia ni, 593; for Anthonomus grandis, 685; for Altermetoponia rubriceps, 1312; for Oncopera spp., 1313; sex-scent, for Lymantria dispar, 1511; for Hylemya coarctata, 1639; for insects, 1791, 1793; for Vespa orientalis, 2064; for Anthonomus grandis, 2358; bait traps for determining spring emergence of Anthonomus grandis, 2388; for determining activity and populations of Argyrotaenia velutinana, 2393; natural sex attractant of Lymantria dispar in survey, 2429; use of pheromones in, for Trichoplusia ni, 2756; effect of colour and design of, on captures of Popillia japonica and Bombus spp., 2775; for Ceratitis capitata, 3003; for Siricids, for Anthonomus grandis, 3687, 3707; for Tetranychus telarius, 3891; for Anastrepha ludens, 4069

Traps, Light, for Trichoplusia ni, 2433; for Pectinophora gossypiella in Arizona and Texas, 2439; review of principles of design of, 2619; response of Acalymma vittatum and Diabrotica undecimpunctata howardi to,

2770

Traps, Moericke, aphids in, in Venezuela, 2830 Traps, Pheromone-maze, for Trichoplusia ni, 2431

Traps, Robinson Light, modified for segregating samples at predetermined intervals, 2658 Traps, Sex, use of, in determining time of male

activity of Cydia pomonella, 2808
Traps, Sticky, for detection and survey of Tephritids, 2374

Traps, Suction, aphids taken in, in southern

Germany, 2840

Traps, Ultra-violet, for aphids in Georgia, 1222; Manduca sexta, 2363; for Heliothis zea and *H. virescens*, 2448; Scolytidae and Platypodidae attracted to, 2748; baited with females to capture males of Manduca sexta 2809

Traps, Yellow Pan, for aphids in Georgia, 1222

Trechnites insidiosus, parasitising Psylla pyricola in Nova Scotia, 1994

Trechus secalis, incidence of, in soil in lucerne

fields in Poland, 3585

Trehalose, in diet for Laodelphax striatella, 53; metabolism of, by males of Schistocerca gregaria, 582; activity of, in tissues of Manduca sexta, 1931; in overwintering prepupae of Trichio campus populi, 3338; in diet for Myzus persicae, 3764

trellesi, Haplothrips tremulae, Chrysomela

Tretamine, mating activity and mortality in males of Oncopeltus fasciatus sterilised with, 675; effects of, on Drosphila melanogaster, 2763; behavioural effects of, on males of Drosophila melanogaster, 2776
Trialeurodes, parasites of, on strawberry in
California, 225

Trialeurodes vaporariorum, effect of juvenile hormones on eggs of, 164; control measures against, on cucumber in Britain, 1640; Encarsia formosa against, on cucumber in Britain, 1650; parasitism of, by Encarsia formosa in greenhouse, 1660; possibly not vector of leaf-curl disease of tobacco in South Africa, 2687; tests of organophosphorus insecticides against, on peppers, 2705; on Gerbera jamesonii in Rumania, 3442

Trialeurodes variabilis, virus disease of papaya not transmitted by, in Venezuela, 980

Triamiphos, toxicity of, to Trichogramma cacoeciae, 1137; effect of, on Cirrospilus vittatus, 1146

Triamphos (see Triamiphos)

Trianthema, Hymenia recurvalis on, in Delhi, 1367

triarchus, Tarsonemus

Triaspis obscurellus, parasitising Ceutorhynchus

rapae on hemp in Italy, 1121
Tribolium, fumigation of bagged groundnuts against, in railway waggons in Nigeria, 1074; site of water uptake from subsaturated atmospheres in, 1536; effectiveness of derris

powder against, 3518

Tribolium castaneum, evaluation of grain protectants against, in Egypt, 93; methyl bromide fumigation of groundnuts against, 405; effect of ecological factors on susceptibility of, to pyrethrins, 434; effect of synergists on potency and metabolism of insecticides in, 464; test method for detecting insecticide resistance in, 469; linkage and elimination of deleterious mutant genes from populations of, 478; in vivo cholinesterase inhibition by organophosphates in, 648; effect of temperature and humidity on contact toxicity of insecticide deposits to, 858; dietary efficiency of natural foods for growth and development of, 859; effect of temperature and humidity on insecticides against, 869; fumigants against, in wheat column in India, 876; egg hatch of, in different carbon dioxide and nitrogen atmospheres, 948; fumigants against, in stored cacao in Nigeria, 1070, 1071; fumigation of stored groundnuts against, in Nigeria, 1073; fumigation of stored maize against, in Nigeria, 1075, 1076; plastic strips impregnated with dichlorvos against, in

grain storehouse in Nigeria, 1077; suitabiling in of polythene bags for protection of stored products against, in Nigeria, 1079; preyes upon by Xylocoris flavipes in Georgia, 12231 phosphine fumigation against, in maize 1410; biochemical genetics of, 1552; simus lation of populations of, 1553, 1554; stabiling of pyrethrum examined by biological technical niques with, 1583; insecticides against, i stored grain, 1584; repellency of selected compounds to, 1721; method for detecting insecticide resistance in. 1794; dispersal in 1850; dispersion of, in temperature gradient 2082; insecticide resistance in, 2170; influence of age and radiation dose-rate on effects of gamma radiation on, 2324; controlled atmos spheres to eliminate infestations of, i stored grain and groundnuts, 2330; effect c larval age range on survival of two strains of 2622; cholinesterase levels in life stages of 2888; toxicity of new insecticidal isomer BHC to, 2868; genetic analyses of selection in two populations of, 2955; population parameters of two strains of, 2623; depth distribution of two strains of, in flour, 2628. infestation and control of, in header-han, vesters in Victoria, 3031; toxicity of methally chloride to, 3122; effectiveness of (+)-trans chrysanthemate of (\pm) -allethrolone against 3181; methods of applying insecticide against, in barge holds, 3513; effects (malnutrition on, parasitised by Nosemul

Tribolium confusum, use of, to assess nutritive value of barley varieties, 34; toxicity to dichlorvos to, 172; effect of degree of millir and rice variety on development of, in mille! rice, 223; comparative residual actions o allethrin and pyrethrins against, 303; effectivit of 5-benzyl-3-furylmethyl d-tran ethanochrysanthemate against, 820; est hatch of, in different carbon dioxide ar. nitrogen atmospheres, 948; as pest of seeds ornamental plants in U.S.S.R., 1097; embryonic development of, 1187; Xylocom flavipes preying upon, in Georgia, 122... insecticides against, 1503; simulation populations of, 1554; insecticides against, stored rice, 1727; fumigants against, in store wheat, 1765; effect of components of components ditioned medium on behaviour in, 1845 dispersal in, 1850; controlled atmospheres s eliminate infestations of, in stored grain and groundnuts, 2330; sterilisation of radusensitive males of, in Illinois, 2800; infests tion and control of, in header-harvesters, Victoria, 3031; control of, by microway power, 3594; use of faecal uric acid measuring utilisation of food by, 3766

Tribulus terrestris, supporting populations Schistocerca gregaria in India, 63

Tribuphon (see Butonate)

Tributyltin Oxide, insecticidal activity against Diparopsis castanea, 857; not pm venting emergence of Anobium punctatud from wood, 3530

Tricaudatus polygoni simlaensis subsp.n., Polygonum amplexicaule in India, 82

tricentra, Cydia

chiocampus populi, freezing injury in fatbody cells of, 1532; frost resistance in, 3338, 340, 3341; fat-cells in overwintering preupae of, 3339, 3340; termination of preupal diapause in, by body freezing, 3342 chloroethylene, residue of, in cereals at different temperatures, 3013

",5-Trichloro-2-hydroxy-3-biphenylcarboxalilide, sprays of, in cottonseed oil against

Teliothis virescens, 1747

chloronate, seed treatment with, against Vylemya platura, 195; seed treatment with, gainst Hylemya antiqua and Psila rosae, 302; bed treatment with, against Oscinella frit, :04; toxicity of, to Otiorhynchus ovatus, 668; oil treatment with, giving intermediate esults against Otiorhynchus sulcatus, 678; as ransplant dip against Scutigerella immacunta, 694; residues of, in carrots, 1164; in orays against Oxycanus fuscomaculatus in astures in Tasmania, 1297; in sprays against Dncopera intricata on pasture and field crops h Tasmania, 1301; persistence of, in soil, 527; against Hylemya brassicae, 2459; sprays of, on soil and cover crop for control of Euxoa messoria, 2785; residues of, in plants, oil treatment with, against Hylemya brassiae, 3520; determination of residues of, in rops, 4100

,5-Trichlorophenoxyacetic acid, effect of, in liet on development and reproduction in

Heliothis spp., 619

2',4',5'-Trichlorophenyl)ethan-1-ol, residues

of, on crops, 3185, 3186

chlorphon, enzymic dehydrochlorination of, by digestive juice of Bombyx mori, 56; with azinphosmethyl and endrin, against cotton pests, 94; ineffective against Spodotera littoralis, 96; against Pectinophora possypiella and Earias insulana, 97; residues of, on Corchorus olitorius, 98; toxicity of, to noney bees, 105, 106; against Epitrix hirti-pennis, 199; against Hellula phidilealis, 234; toxicity of, to bees, 279; against Cydia molesta, 293; in sprays against Archips occidentalis and Tortrix dinota, 357; safety periods for cherry after treatment with, against Rhagoletis cerasi, 445; in sprays against Hoplocampa crataegi, 1114; against Exoteleia dodecella, 1138; soluble powder rcontaining, used against Mesomorphus villiiger, Opatroides frater and Scleron latipes, damaging tobacco seedlings in India, 1368; effect of, on Beauveria bassiana, 1436; with Beauveria against Leptinotarsa decemlineata, 1437; in sprays against sorghum pests, 1820; against Phthorimaea operculella, 2059; de-composition of, during storage, 2060; persistence of, in sprays against Ceratitis capitata, 2066; ineffective against Ceratitis capitata, 2067; relatively ineffective against Spodoptera littoralis, 2295; against Agistemus exsertus, 2366; against Hypsipyla grandella, 2488; in tests against rice leafhoppers, 2504; effect of, on mite populations, 2577; sprays of, against Ostrinia nubilalis on Cynara scolymus, 2699; in tests against Cycloneda sanguinea limbifer, 2727; toxicity of, to predacious arthropods, 2781; against Plutella xylostella, 3005;

against Spodoptera frugiperda, 3006; metabolism of, in insects, rats and cotton, 3008; in dusts and sprays against termites, 3025; in sprays against Heliothis armigera, 3093; with parathion, and carbaryl, against Capnodis tenebrionis, 3096; and BHC, toxicity of, to beet weevils, 3128; against Heliothis armigera, 3130; against Subcoccinella vigintiquattuorpunctata and Sitona sp., 3131; against Drosophila and Carpophilus spp., 3202; against bean pests, 3317; against Agrotis spp., 3319; in bait-sprays against Dacus oleae, 3410; against lucerne pests, 3450; effects of sublethal doses of, on Eurygaster integriceps, 3445, 3451; toxicity of, to honey bees, 3453; against Aegeria tipuliformis, 3571; against Spodoptera littoralis, 3966, 3967; toxicity of, to Chrysopa carnea, 4128; against Phyllonorycter pyrifoliella, 4139; against Sparganothis pilleriana, 4140; against Anthocoptes ribis, 4141; against Eurygaster integriceps, 4146

Trichobaris trinotata, on Solanum carolinense in

Ontario, 2984

Trichoderma, isolation of, from Dendroctonus frontalis, 682

Trichoderma lignorum, response of Acarus siro to, 2909

Trichodesma indicum, consumption of, by Utetheisa pulchella, 1340

Trichogramma, parasitising eggs of Heliothis armigera and Earias insulana, 1205; Sciomyzids as alternative hosts for, 1345; species of, parasitising Hylesinus oleiperda, 1509; overwintering habits of, in Missouri, 2379; species of, parasitising Hypsipyla grandella, 2489; mass releases of, for control of tomato pests, 2787; parasitising eggs of Chilo suppressalis and Tryporyza in Sarawak, 3346; parasitising Chilo partellus in Mozambique, 3391; intraspecific differentiation of, and its utilisation, 3551; biological control of Agrotis segetum with, 4145

Trichogramma achaeae sp.n., parasitising Achaea janata, Tiracola plagiata and Heliothis

armigera in India, 2150

Trichogramma cacoeciae, susceptibility of, to fungicides, 1137

Trichogramma chilotraeae sp.n., parasitising Chilo infuscatellus on sugar-cane in India, 2150

Trichogramma dendrolimi, parasitising Dendrolimus spectabilis on pine in Japan, 1327, 1328

Trichogramma evanescens, reproductive compatibility of, with other Trichogramma spp., 360; introduction and release of, against Pieris rapae in Missouri, 945; reared from Cydia funebrana in U.S.S.R., 1104; parasitising Pieris rapae and Trichoplusia ni, in Missouri, 1195; parasitising Dendrolimus pini on pine in Hungary, 2138; overwintering of, 2379; host-finding by, in Georgia, 2810; released against Pieris rapae in Missouri, 3240; parasitism of Pieris spp. by, in Poland, 4130

Trichogramma flandersi sp.n., parasitising Chilo infuscatellus on sugar-cane in India, 2150

Trichogramma japonicum, Sepedon sauteri parasitised by, attacking rice stem borers, in Japan, 1345

Trichogramma minutum, reproductive compatibility of, with other Trichogramma spp., 360; overwintering habits of, 2379; parasitising Diatraea saccharalis in sugar-cane in Cuba, 2725; parasitising Acleris gloverana in Alaska,

3286

Trichogramma pretiosum, assessment of, as parasite of Heliothis zea, 177; identification of, in California, 360; parasitising eggs of insect pests of cabbage in California, 573; effects of adhesives and egg location on parasitism of Heliothis zea by, in California, 1734; effect of light on biology of, 1947; identity of imported uniparental race of, in U.S.A., 1955; parasitising eggs of tomato pests in California, 2787

Trichogramma semifumatum, reproductive compatibility of, with other Trichogramma spp.,

Trichogrammatoidea nana, attacking eggs of Archips occidentalis and Tortrix dinota on coffee in Kenya, 357

tricholaenae, Catarhinus

Trichomma enacator, parasitising overwintering larvae of Cydia pomonella on apple in Germany, 1836

Trichoplusia, key to, in Florida, 567

Trichoplusia ni, response of males of, to synthetic pheromone isomers and congeners, 119; weight distributions of larvae of, reared on artificial diet, 135; disulfoton against, on tobacco in Florida and Georgia, 141; outbreak of, on maize in Florida, 197; used as host in studies involving Trichogramma spp., 360; effect of environmental and seasonal factors on captures of males of, in pheromone-baited traps in California, 386; short range visual orientation by pheromone-stimulated males of, 387; histopathology of nuclear polyhedrosis virus in, 539; leaching of nuclear polyhedrosis virus of, from soil in Ontario, 543; on cabbage in California, parasites of, 573; not parasitised by *Leschenaultia adusta*, 587; light and synthetic sex pheromone as attractants for males of, in California, 593; Eucelatoria parasites of, 606; light: dark cycle regulation and light inhibition of sex pheromone release by females of, 957; external morphology of antennae of, 1183; parasitised by Trichogramma evanescens in Missouri, 1195; antennae of males of, stimulated by sex pheromones, 1247; natural occurrence of viruses of, in Canada, 1260; toxicity of petroleum oils to, on cotton in Texas, 1699; responses of larvae of, to light and gravity, 1768; seasonal mortality of, in North Carolina, 1934; toxicological studies on, 1963; essential fatty acids in, 1965; male sex pheromone in, 2182; influence of nuclearpoly-hedrosis virus infections on, 2215; quantification and circadian regulation of sex pheromone release by females of, 2341; vector capabilities of Geocoris punctipes in relation to nuclear polyhedrosis virus of, 2342; pheromone-maze trap for, in Arizona, 2431; feeding activity of, on Abelia grandiflora in Virginia, 2433; pheromone traps for males of, in California, 2756; host-plant preferences for oviposition of, and efficiency of Apanteles marginiventris as parasite of, in 18 Mississippi, 2769; Trichogramma pretiosum, parasitising eggs of, 2787; size and number of spray droplets on, 2880; insecticides against, on cabbage and collards in Georgia, 2886; insecticides and pathogens against, on tomato in South Carolina, 3242; diet of sterilized by y-radiation, 3249; activity of strains of Bacillus against, 3643; no anticomplimentary activity of haemolymph from, r 3647; susceptibility of, to viruses in California, 3652; susceptibility of, to nucleopoly-, hedrosis virus, 3659; microbial decomposition of polyhedra of virus of, 3661; haemolymph) proteins in developing larvae and pupae of 11 in Pennsylvania, 3679; scent apparatus of n male of, 3681; rate of evaporation of model em compound of sex pheromone of, 3683; sub-ofm stance in, eliciting host-seeking response by Microplitis croceipes, 3697; effects of temperature and photoperiod on circadian rhythms 1 mg of sex pheromone release by, 3701; effects of) y-radiation on mechanisms of sperm transfer: in, 3772; Noctuid referred to as, damaging vegetables in Venezuela, 3797; infected by Serratia marcescens, 3923; habituation of response to sex pheromone in, 3983

Trichosanthes anguinea, as host plant of Aulacophora foveicollis, 861

Trichospilus diatraeae, introduction of, into Mauritius, 2536; rearing and release of, against sugar-cane borers in Réunion, 3945 Trichothecium, infecting Macrosiphum pisum on pea, 3092

Triclistus pallipes, parasitising Acleris gloverana in Alaska, 3286

Tricyclohexyltin Hydroxide, against Eotetranychus carpini borealis, 597; toxicity of, to strains of Metaseiulus occidentalis, 622; toxicity of, to organophosphorus-resistant strains of Amblyseius fallacis, 2752; selective action of, against Panonychus ulmi and Aculus schlechtendali, 3638; effect of, on fermentation of grape juice, 4099

tridenticulatus, Acanthoscelides

trifasciata, Mocis

trifolii, Apion; Discestra; Liriomyza; Therioaphisi Trifolium, Hypera spp. on, in Missouri, 113;1 pests of, in Victoria, 3900

Trifolium alexandrinum, Apion arrogans on, in 1 Israel, 256; Caliothrips indicus on, in India, 2102; response of Noctuid larvae on, too

Biospore 2802, 2851

Trifolium hybridum, unsuccessful attempt to rear Euchromius ocelleus on, 664; Macrosteles fascifrons infected with agent of clover proliferation obtained from, in Canada, 1936; Aphrodes bicintus on, in Ontario, 2468; Berytinus minor on, in New York State, 2476

Trifolium pratense, Hypera spp. on, in Missouri, 113; aphids transmitting bean yellow mosaic virus from, to beans, 122; resistance in, to Acyrthosiphon pisum in Finland, 782; not infected with red leaf virus in Victoria, 1304; Apion trifolii migrating from, to beans in Britain, 1644; Costelytra zealandica on, into New Zealand, 1891; Aphrodes bicinctus on, into Ontario, 2468; Berytinus minor on, in New

ork State, 2476; interaction of Bradysia sp. ith Fusarium spp. on, in United States, 181; Apion spp. on, in Yugoslavia, 3137

olium repens, not infected with red leaf virus Victoria, 1304; Phytoseiulus persimilis reying on Tetranychus telarius on, in Japan, 350; effects of Wiseana spp. on, in New Lealand, 1888; sheep feeding on, treated with secticides in New Zealand, 1889; Costelytra salandica on, in New Zealand, 1891; damage by Costelytra zealandica in New Zealand, 394; Berytinus minor on, in New York ate, 2476; Apion seniculum on, in Yugoavia, 3137; transmission of yellows to by icadellids, 3509; Bracon variegator paratising Coleophora spp. on, in New Zealand, 361

curcata, Cerotoma

irona, factor determining castes in, 311

18,14-Trihydroxy-5β-cholest-7-en-6-one, terilising adults of Anthonomus grandis, 124 neata daturaphila, Lema

medlure, as bait for Ceratitis capitata, 1709, 1030, 3003; high concentrations of, in traps

epelling Ceratitis capitata, 3254

11-Trimethyl-7,11-dihydrodichloro-2- doecenic Acid, effect of methyl ester, of, on mbryogenesis in *Pyrrhocoris apterus*, 4114 11-Trimethyl-1,6,10-dodecatrien-3-ol, effect f, in diet on development and fecundity in *Heliothis* spp., 619

•11-Trimethyl-2,6,10-dodecatrien-1-ol, effect if, in diet on development and fecundity in Heliothis spp., 619; attractancy of, to Anthoromus grandis, 1710; effects of, applied to arvae of Drosophila melanogaster, 2177; in

rass of *Tenebrio molitor*, 3660 5-Trimethylphenyl Methylcarbamate, soil reatment with, in granules against *Dia- rotica* spp., 644; mixture of, against *Dia- protica undecimpunctata*, 2426; in sprays

ligainst Mirids, 3959

nervitermes trinervoides, influence of temperature and relative humidity on weight loss and survival of, in South Africa, 2543

vervoides, Trinervitermes

inidad, Hellula phidilealis on cabbage in, 234; Paratheresia rhynchophorae as parasite of Rhynchophorus palmarum in, 503; butterflies of, 1273; insects attacking Salvinia in, 2723; first record of Icerya purchasi in, 2724; insects and mites damaging Eichhornia crassipes in, 3793; potential biological control agents of Eupatorium odoratum in, 3794

notata, Trichobaris

odiae, Nasutitermes

iol (see 2β,3β,14-Trihydroxy-5β-cholest-7-en-

iolein, attractiveness of, to Agriotes spp., 808; phagostimulatory effect of, on Ctenicera destructor, 3302

ioxys angelicae, parasitising Toxoptera auranti in Soviet Union, 1123; attacking aphids

in Poland, 4115

ioxys complanatus, associated with Charips victrix, 1198; parasitised by Charips victrix, 1923, 1924

Trioza erytreae, as doubtful host of Psyllechthrus oophagus in Africa, 2043; as vector of greening disease of Citrus, 3979

Trioza machilicola sp.n. on Machilus thunbergii

in Japan, 2506

Trioza nigricornis, bionomics of, on vegetables and conifers in Bulgaria, 3459

Triphaena pronuba (see Noctua pronuba)

Triphenyllead Acetate, effects of, on Diparopsis castanea, 857

Triphenyllead Hydroxide, effects of, on *Diparopsis castanea*, 857

Triphyenyllead Sulphide, effects of, on Diparopsis castanea, 857

Triphenylmethane, incorporated into carpet

yarns during dyeing, 3538
Triphenyltin, determination of residues of, in

potatoes, 4091

Triphenyltin Acetate (see Fentin Acetate)
Triphenyltin Hydroxide (see Fentin Hydroxide)
Triphleps minutus (see Orius minutus)

Triphleps niger (see Orius niger)

Triphoturus mexicanus, residues of DDT in, 2179

Triplochiton scleroxylon, Diclidophlebia sp. as pest of, 1412; Diclidophlebia spp. on, in Nigeria, 3980

Tripropylene Glycol Monomethyl Ether in aerosols against Choristoneura occidentalis

2796

Tripsacum dactyloides, maize stunt virus unable to persist in, Dalbulus maidis on, in U.S.A., 656

Trisaccharide, effect of, on feeding in *Costelytra* zealandica, 3871

trisecta, Pediasia

Trisetum flavescens, larvae of Oscinella frit causing yellow heart condition of, 2596

Trisodium Phosphate, in baits for Anthonomus grandis, 3213

Trissolcus grandis, effect of population density on sex ratio of, parasitising Eurygaster integriceps, 4151

tristicolor, Orius tristis, Perilampus

tristriata, Pachygnatha
Trithion (see Carbophenothion)

tritici, Contarinia; Frankliniella; Margarodes

Triticum aestivum, damage to, by Eurygaster integriceps and Aelia nostrata in Turkey, 2085; multiplication of stored-product insects on, 2386; spread of Agropyron mosaic virus to, in Ontario, 2480; Paroudablis graminis sp.n. on, in Ukraine, 2559

Triticum dicoccum, multiplication of some stored-product insects on, 2386

Triticum durum, damage to, by Eurygaster integriceps and Aelia rostrata in Turkey, 2085; multiplication of some stored product insects on, 2386

Triticum vulgare (see T. aestivum)

Tritium, sperm of Choristoneura fumiferana labelled with, 3211

Tritox 30, containing DDT, BHC and methoxy-DDT, 1138

trivialis, Calocoris

Trochosa terricola, use of, to assess effect on forest-floor arthropods, of aerial spraying of

insecticides against Choristoneura fumiferana in Ontario, 1257

Trogodendron fasciculatum, possible use of, for control of Phoracantha semipunctata

Sardinia, 3477

Trogoderma glabrum, distribution of, in relation to climate in California, 628; scent of females of, attractive to males of T. granarium, 1237; susceptibility of, to insecticides, 1717; growth and retrogression in larvae of, 2922

Trogoderma granarium, survival of, under winter storage conditions in Rumania, 268; fumigants against, in wheat column in India, 876; legislation regarding infestation by, in East Africa, foci and control of, in West Africa, 1069; plastic strips impregnated with dichlorvos against, in grain storehouse in Nigeria, 1077; infesting maltings breweries in Britain, 1156; behaviour of, with special reference to assembling scent, in Israel, 1237; as pest of stored wheat in India, 1354; dispersion of, in temperature gradient, 2082; malathion applied to stored wheat against, in India, 3385; Amphibolus venator as predator of, in India, 3386; sterol requirements of, 3767; localisation of pheromone excretion in female of, 3993; electrophysiological responses to light in compound eyes of, 3995 Trogoderma grassmani, distribution of, in rela-

tion to climate in California, 628; suscepti-

bility of, to insecticides, 1717

Trogoderma inclusum, distribution of, in relation to climate in California, 628; malathion protecting dried raisins against, 615; scent of females of, attractive to males of T. granarium, 1237; susceptibility of, to insecticides, 1717

Trogoderma ornatum, distribution of, in relation

to climate in California, 628

Trogoderma parabile (see T. variabile)

Trogoderma simplex, distribution of, in relation to climate in California, 628; susceptibility of, to insecticides, 1717

Trogoderma sternale, distribution of, in relation to climate in California, 628; susceptibility of,

to insecticides, 1717

Trogoderma variabile, distribution of, in relation to climate in California, 628; susceptibility of, to insecticides, 1717; Coccidian pathogen of, in Canada, 3272

Trogoderma versicolor, incidence of, in Mali,

Trogoxylon aequale, infestation and control of, in dried roots of Derris elliptica, 3518

Tropaeolaceae, Phyllotreta spp. feeding on, in

New York State, 388

Tropilaelaps clareae, record of, from bee colonies in India, 3037; in colonies of Apis dorsata and A. mellifera in Philippines, 3038; in colonies of Apis mellifera in Vietnam and India, 3039

Trotteria, taxonomic problems of the genus, 2582

Trout, Rainbow (see Salmo gairdneri)

truncatellum, Copidosoma

tryoni, Dacus

Trypeta angustigena, on Senecio jacobaea and Chrysanthemum morifolium in California, 956 Trypetidae, identification of eggs, larvae and pupae of, from western Carpathians, 2587; occurrence of, in territory of Tatra National Park, 2588; host plants of some spp. of, in

west Carpathian area, 2589

Trypodendron lineatum, site of pheromone production in, 915; bionomics of, 1482; infestings cedar pine in Transbaikalia, 1484; bioassava of attractants for, 2470; secondary attraction. after attack by females of, on Pseudotsugas menziesii in British Columbia, 2477; ethanol as primary attractant for, in Douglas fir in British Columbia, 2820

Trypodendron signatum, as vector of root-rop fungus in Finland, 1628

Tryporyza incertulas, insecticides against, on rice in Philippines, 492; Ichneumonid parasites of, in Asia, 1343; Braconid parasites of, 1344; attacked by *Trichogramma japonicum* in Japan, 1345; parasitised by *Apanteles*. chilonis, 1348; sprays against, on rice in he Philippines, 1567; new records of parasites of, in India, 2677; insecticide applied to waters & against, on rice in Philippines, 3042; parasitese of, on rice in Sarawak, 3346

Tryporyza innotata, Ichneumonid parasites of in Asia, 1343; Braconid parasites of, 1344; parasites of, on rice in Sarawak, 3346

Tsuga, strands of, coated with cement asal deterrent to termite infestation, 661; Scutigerella immaculata reared on ground bark of

Tsuga canadensis, Lambdina fiscellaria lugubrosas reared on branches of, 2007

Tsuga heterophylla, juvenile hormone activity in wood and bark extracts of, in Canada, 1262: attractants in, for Trypodendron lineatum. 2820; host selection behaviour of Gnathotrichus sulcatus in relation to, 2959

tsugana, Epinotia

Tsumacide, (see m-Tolyl Methylcarbamate)

Tuckerellidae, review of, 228

Tulipa, Aphis sambuci sambuci on, in Germany. 3407

tulipae, Aceria tullbergi, Hypogastrura tumicolella, Dioryctria tumidus, Tetranychus

Tumulitermes marcidus, infestation and contro di of, in Queensland, 3025

Tungro Virus, possible occurrence of, on rice iri Mysore State, 2204

Tunisia, Phoracantha semipunctata on Eucalyptus in, 1081; Syrphids in, 1082; Phlebotomids as mechanical vectors of Brevipalpus phoenicis in, 1083; pests and diseases of olive in, 2859 release of sterile adults of Ceratitis capitata in 10 4057

Turbellaria, as predators of Odontotermed latericius in Zambia, 2542

turcicus, Cryptolestes

Turdus migratorius, DDT residues in, 2992

turkestani, Tetranychus

Turkey, cotton pests in, 796; Ibalia drewsen parasitising Siricidae in, 850; Marchaling hellenica in, 1107; insect pests attacking cereal crops in, 2084; Eurygaster integricep and Aelia rostrata on wheat in, 2085; pests of apple in, 2086; Ceresa bubalus in, 2087 Tetranychus telarius on beans in, 2088

delges nordmannianae on Abies bornmülriana in, 2848

nip, probing behaviour of Capitophorus agaefolii on, 373; DDT and endrin residues 1, 1226; Myzus persicae reared on, in sritain, 1646; cabbage virus transmission to, y Myzus persicae, 1875; pests of, in Victoria, B24; insecticide residues in, 3730; insecticide bsidues in, in Virginia, 3735 (see also

rassica rapa) hip Greens, DDT and endrin residues in,

226 nip Rape, Dasineura brassicae on, in

weden, 1631 raea vogeli, Helopeltis orophila nigra on, in . ongo, 3963

ita, Acrida la, Rhopalicus

een 20, in bait for Cydia molesta also attractng Aegeria spp., 1761

chius flavus, bionomics and control of, on icerne in Rumania, 271

leids, in South America, 3825

Yeus californicus, response of populations of, 'n orange to cessation of spraying in Egypt, 10; in Portugal, 3504

'eus interruptus, correlation between, and nvironmental factors, in bulk grain ecosysems, 2625

'eus vitis, bionomics and control of, on rape vines in U.S.S.R., 713

. ber, Tetrastichus

mpanic Organ, structure of, in some Pyralid hoths, 2332

ra (see Mesohomotoma)

ha, Simyra henrici on, in Illinois, 2385 hea stercorea, fumigation of bagged grounduts against, in railway waggons in Nigeria, 1074

"hlocyba pomaria, effect of insecticides on, on pple in British Columbia, 620

bhlocybinae, new and little known species of, rom Soviet Maritime Territory, 2601

phlodromus, use of, as natural enemy of Thrips tabaci, 2574; low toxicity of tricyclonexyltin hydroxide to species of, 3638 ohlodromus arboreus, species close to, preying

on phytophagous mites on apple in British Columbia, 3638

ohlodromus corticis, on apple in Nova Scotia,

ohlodromus drori, sp.n., description of, from srael, 3997

chlodromus finlandicus (see Amblyseius) ohlodromus floridanus, response of, to prey

lensity in California, 2462;

chlodromus occidentalis (see Metaseiulus) chlodromus pyri, effect of insecticides on, on apple in Nova Scotia, 1995; effect of pesticides on, in apple orchards in Poland, 2577; on apple in Nova Scotia, 2824; overwintering of, n Poland, 3103

ohlodromus rhenanus, effect of pesticides on, n apple orchards in Poland, 2577

phlodromus soleiger, overwintering of, in

Poland, 3103 phloseiopsis (see Typhlodromus)

vica, Stephanitis nographus, Ips

tyrannus, Adris

Tyria jacobaeae, on Senecio jacobaea in California, 956

Tyroglyphus farinae (see Acarus siro)

Tyrophagus, on cucumber in Germany, 3433 Tyrophagus brauni, infestation and control of, in fungus cultures in Germany, 742

Tyrophagus casei, as test organism for screening acaricides, 101

Tyrophagus dimidiatus (see T. similis)

Tyrophagus longior, in stored sugar-beet seed

in Poland, 3123

Tyrophagus putrescentiae, methyl bromide and phosphine as fumigants against, 466; fumigants against, in baked wheat preparations in India, 472; infestation and control of, in stored products, 1540; host attractants for, 1607; action of high frequency electric fields and convection heat on, 3114; development of, on fungi, 3115; effects of X-rays on, 3116; effect of ionising radiation on, 3121; in stored sugar-beet seed in Poland, 3123

Tyrophagus similis, not affecting Diabrotica

balteata, 663

Tytthus mundulus, possible introduction of against Numicia viridis in Swaziland, 3947

TZ-67 (mixture of phorate and thionazin), against Clivina impressifrons, 2416

IJ

U-12927 (see Carbanolate)

ubiquitus, Pronematus

UC-8454 (see 5,6,7,8-Tetrahydro-1-naphthyl Methylcarbamate)

UC-10854 (see 3-Isopropylphenyl Methylcarbamate)

UC-20047 (see exo-3-Chloro-endo-6-cyano-2syn-O-(Methylcarbamoyl)norbornanone

UC-34096 (see 4(((Dimethylamino)methylene)amino)-m-tolyl Methylcarbamate Hydrochloride)

Udumbaria nainiensis, effect of rainfall on figs infected by, in India, 3372; effect of immersion in water on larvae of, 3373; in relation to

diseases of figs in India, 3374

Uganda, Azotus and Physcus spp. in, 345; Taylorilygus vosseleri and food plants in, 351; increasing infestations of Atherigona varia on sorghum in, 692; legislation on protection of stored products in, 1069; Rhynocoris albopunctatus predacious on Lepidoptera in cotton plantations in, 1182; natural enemies of Lepidopterous larvae on cotton in, 1205; insects introduced from, to Madagascar, 1392; Chilo partellus on maize and sorghum in, 1704; parasites of Leucoptera spp. on coffee in, 1818; infestation of cereals and pulses in field by stored-products insects in, new records of stored-product Coleoptera in, 1819; sprays against sorghum pests in, 1820; Melanagromyza bonavistae sp.n. in, 1885; pests of sugar-cane in, natural enemies of Aulacaspis spp. on sugar-cane in, 2537; Melanagromyza chalcosoma on Vigna unguiculata in, 2538; annotated list of forest

insects of, 2539; status of insect pests of Vigna unguiculata and their control in, 2679; Chilo partellus on sorghum in, 3243; Chilo partellus in, 3979

ugandaensis, Apanteles

uhleri, Chlorochroa

ulmi, Eriosoma; Lepidosaphes; Panonychus; Tetraneura

Ulmus americana, Scolytus multistriatus caged on twig crotches of, 3220

Ulmus campestris, Eriosoma lanuginosum and Phenacoccus aceris on, in Bulgaria, 3455

Ulmus effusa, Phenacoccus aceris on, in Bulgaria, 3455

Ulmus pumila, Pyrrhalta luteola on, in Arizona, 191 Ulmus scabra, Anthocoris gallarumulmi in galls

formed by Eriosoma ulmi on, in Poland, 2572

ultimus, Agrothereutes Ultracid 40 (see Methidathion)

Ultraviolet Light, in traps for Manduca spp., 152; in traps for Heliothis spp., 163; effect of, on take-off behaviour of Schizaphis graminum, 370; in traps for pecan insects, 557; in traps for Trichoplusia ni, 593; in traps for harmful and beneficial species on tobacco, 594; in traps for Cydia caryana, 642; in traps for Euchromius ocelleus, 664; in traps for cranberry moths, 665; in traps for Acrobasis vaccinii, 681; irradiation with, eliminating saprophytic fungi from dead bodies of Dendroctonus frontalis, 682; perception of, by Hyalopterus pruni, 750; effect of, on flight of Schizaphis graminum, 938; in traps for Adoxophyes orana, 1019; as attractant for stored-product insects, 1722; traps containing, not controlling Lepidopterous pests of maize, 1759; use of, in traps, 2809; effect of, on Psila rosae, 3416

Umbaspis regularis, on Chamaerops sp. in

Poland, 1115

Unaspis citri, natural enemies of, in Venezuela, 982; distribution of, on Citrus in Western Nigeria, 2430

Unaspis euonymi, preyed on by Chilocorus

kuwanae in Japan, 1900

Unaspis yanonensis, relation between ovarial development and appearance of, in Japan, 1338; control measures against, on Citrus in France, 2611; population estimation of, on Citrus in Japan, 3064; seasonal prevalence of, in Japan, 3066

undalis, Hellula

10-Undecenoic Acid, applied to larvae of Drosophila melanogaster, 2177

undecimpunctata, Coccinella; Diabrotica Unden (see Propoxur)

unica, Heydenia

unicinctus, Ichneumon unicolor, Bruchidius

unicolor, Bruchidius uniforma, Podagrica

Union Carbide 34096 (see 4-(((Dimethylamino)-methylene)amino)-m-tolyl Methylcarbamate Hydrochloride)

unionalis, Margaronia

unipuncta, Mythimna (Pseudaletia)

United Kingdom, Aphis fabae on broad beans in, 2; hazards to wild life from use of DDT in, 3; pesticide residues in foodstuffs in,

6: mercury content in total diet in, 7; pesti-t cides in forestry in, 14; pesticides and wild life in, 15, 16; Phyllonorycter spp. in, 20-21 Periplaneta americana preying on Calliphoran vomitoria in, 22; Carabids reducing oviposi-s tion by Oscinella frit in, 24; Cinara junipering on Juniperus horizontalis in, 342; synonymyr in Megastigmus spp. in, 343; Hylemyan coarctata in, 344; Arytaina spp. on broom in 356; Hymenopterous parasites of Apion spp. in, 454; Anthrenus sarnicus in, 453; Sciarids on pot plants in, 455; mites infecting farm grain stores in, 474; *Tipula* spp. on spring cereals in, 787; insecticide resistance in roots flies in, 788; Phytomyza syngenesiae in, 789; Panonychus ulmi in, 791; Rhopalosiphum insertum and Psylla mali on apple in, 7947 Hylemya brassicae on cauliflower and brusselse sprout in, 799; Hylemya brassicae in, 800; Hylemya brassicae on cauliflower and Brassicae crops in, 801; Psila rosae on carrot in, 802, 803; Cavariella aegopodii on carrot in, 803; control of insects by Bacillus thuringiensis in, 809; Panonychus ulmi on apple in 811; Hylemya coarctata on wheat in, 812. Aphis fabae on beans in, 813; Tipula spp. in grassland in, 814; insecticide usage in, 821. 822, 823, 825; Hylemya brassicae in, 826; mere cury residues in potato in, 828; Phaeogenes, invisor and Apanteles medicaginis in, 831 effect of windbreaks on insect distribution ini 836; Monomorium pharaonis, Tachycines, asynamorus and Acheta domesticus in, 855 1 Napomyza lonicerella in, 1117; Coccinellide ii as predators of aphids in, 1151; population 8 dynamics of Drepanosiphum platanoides ini 1153; Epiphyas postvittana in, 1155; survey of infestation in maltings and breweries in 1156; safe use of poisonous chemicals on the farm in, 1157; tests of systemic aphicides in 1523; control of *Myzus persicae* in glass houses in, 1524; movement of dieldric athrough soils in, 1525; fumigation species fications for control of stored product pests in, 1541; Hylemya coarctata in, 1639; Phytor seiulus persimilis against Tetranychus telariu. on cucumber in, 1640, 1650; Hylemya coard ctata on cereals in, 1642; Hylemya coarctatiin, 1643; Apion trifolii damaging beans iri 1644; Tarsonemus pallidus on chrysanthemuri in, 1645; Myzus persicae in, 1646; distribudh tion of aphids in cereal crops in, 1648 paedogenetic cecid larvae in mushroom bed in, 1649; cucumber pests in, 1650; Ips cemi 8 brae in, 1680; transmission of cabbage blace ringspot virus by Myzus persicae in, 1875 Abgrallaspis pictor sp.n. on orchids in, 1883 transmission of cabbage virus by Myzu persicae in, 1884; review of position relating to pesticides and ecology in, 1958; flea beetle. on radish in, 2078; predicting yields and yield losses from estimates of pest populations in the 2114; animal populations in relation to the food resources in, 2159-2161; population studies on Drepanosiphum platanoides in 2182; Bacillus thuringiensis against larvae Samia cynthia ricini in, 2220; Mymaridae para sitising eggs of Tettigella viridis in, 2235 behaviour and activity of males of Operation

wera brumata in, 2236; possible flight of otinotarsa decemlineata to, from France, 37; Panonychus ulmi damaging leaves of it trees in, 2238; control of Hylobius ietis and Hylastes spp. on pine seedlings in, 39; Adelges and Pineus spp. attacking uce and other conifers in, 2240; possible gration of Plutella xylostella to, from Finld, 2241; polychlorinated biphenyls in wild ds in, 2242; life-cycle of Riccardoella vacum in, 2545; seed-bed treatments against vlemya brassicae on transplanted cauliwers in, 2612; report on risks in use of rsistent organochlorine insecticides in, :41; bionomics and control of insect pests (wood in, 2642, 2643; wood breakdown and drogen utilisation by Anobium punctatum in nus sylvestris in, 2644; distribution of snailling flies in, 2646; Aleuropteryx juniperi w to, 2649; Megaselia paludosa parasitising pula paludosa in, 2651; protection of sugar et against aphids and viruses in, 2652; iophyes padi and E. simili on plum in, 2653; ila rosae resistant to aldrin, dieldrin and IC in, 2654, 2655; Mayetiola destructor maging winter wheat and spring barley in, :56; effect of Drepanosiphum platanoides on bowth of sycamore in, 2659; variation in otoperiodic response of Myzus persicae in, :63; Phaenobremia aphidovora recorded om, 2695; reduction of pesticide hazards to Ildlife in, 3046; Gastropacha quercifolia in, :08; review of natural history of insects in, :28; Anobium punctatum in wood in, 3530, .34, 3535; harmful and beneficial arthropods a cucumber in, 3531; Macrosiphum festucae a cereals and grasses in, 3532; Anthocoris p. as predators of Drepanosiphum platandes in, 3984; Sitona regensteinensis in, 3988; pha dubia parasitising Operophtera bruata in, 4078; method for testing for synronisation between host and parasite pulations in, 4079; food selection by horthippus parallelus in, 4080, 4086; repanosiphum platanoides on sycamore in, 181; Adalia bipunctata preying on Drepanophum platanoides in, 4085; pesticide resiies in potatoes in, 4091 led States of America, Hypera spp. in, 113; turytoma spp.n. in 115; Empoasca fabae on teerne in, 128; insecticide residues in soil and 59; Tetanocera spp. attacking slugs in, 392; hitability of Acridomyia sacharovi and laesoxipha lineata as parasites of grassoppers in, 395; Medetera aldrichii in, 401;

reerne in, 128; insecticide residues in soil and agarbeet in, 142; Liriomyza munda on agarbeet in, 142; Liriomyza munda on arysanthemum in, 211; Sympiesis spp.n. in; 59; Tetanocera spp. attacking slugs in, 392; hitability of Acridomyia sacharovi and laesoxipha lineata as parasites of grass-oppers in, 395; Medetera aldrichii in, 401; tie-table approach to analysis of insect apact on forests in, 403; alternatives to inventional insecticides for control of insect ests in, 404; Lasioderma serricorne damaging attress ticking in, 412; Hypoaspis krantzi in. associated with bark-beetles in, 560; lalbulus maidis on Tripsacum dactyloides and aize in, 656; losses and production cost tributed to insects in, 699; control of insects y Bacillus thuringiensis in, 809; Mastrus rgeae parasitising sawflies in, 1220; Messa ana on birch in, 1269; Tapinoma sessile in,

1758; insects affecting cone crops of Pinus resinosa in seed-production areas in, 1786; communicative behaviour of grasshoppers in, 1790; Heliothis zea in, 1792; list of intercepted plant pests in, 1917, 1918; comparative studies on strains of Metaseiulus occidentalis in, 1930; Acrobasis caryae and Acrobasis spp.n. in, 1939; Microctonus spp. parasitising Hypera postica in, 1950; identity of imported uniparental race of Trichogramma pretiosum in, 1955; common names of insects approved by Entomological Society in, 1956; effect of water pH on bionomics of Tanytarsus dissimilis in, 2000; DDE thinning eggshells of kestrels in, 2180; Engraulis mordax in, 2181; handbook of household pests of, 2185; nucleopolyhedrosis virus in Heliothis zea in, 2217; review of genus Polygraphus in, 2349; marking of Heliothis zea for release in, 2350; Pinus taeda and P. echinata in, 2352; rearing of Hyphantria cunea in, 2354; Liogenys macropelma not occurring in, 2356; report on grassland pests of, 2357; traps for Anthonomus grandis in, 2358; Microplitis croceipes parasitising Heliothis spp. in, 2360; tests with iodofenphos as moth-proofing agent in, 2406; distribution of Microctonus aethiops and M. colesi in, 2410; evaluation of groundnut for resistance to Diabrotica undecimpunctata howardi in, 2423; studies with sex attractants of Lymantria dispar in, 2429; Chrysopa carnea in tests for control of Heliothis spp. in, 2432; fungal control of Hylobius pales on pine seedlings in, 2438; assessment of damage by *Hypera postica* to first cutting of lucerne in, **2442**; *Bradysia* sp. on lucerne and Trifolium pratense in, 2481; Aceria ficus transmitting fig mosaic virus in, 2529; host-plant range of Liriomyza in, 2749; pesticide residues, and tolerances in, 2857: maize stunt in, 2893; nematode associates of Pissodes spp. in, 2924; insects damaging acorns of Quercus macrocarpa in, 2932; Corticeus substriatus in, 2938; Tetranychus mcdanieli in, 2988; Gerstaeckeria spp. in, 3201; Gastropacha quercifolia not known to occur in, 3208; Ostrinia nubilalis on maize in, 3209; candidiasis in Hemerocampa pseudotsugata in, 3277; food chain model for DDT kinetics in freshwater marsh in, 3612; DDT metabolised by microorganisms from Lake Michigan in, 3614; Ips spp. in, 3623; virus disease in Lymantria dispar in, 3651; Ennomos subsignarius in, 3677; Therioaphis trifolii on lucerne in, 3712; Lygus spp. on cotton in, 3713; Epilachna varivestis in, 3714; Solenopsis saevissima richteri in, 3715; insecticide residues in starlings in, 3736; insecticides in wings of mallards and black ducks in, 3737; pesticide residues in streams in, 3738; insecticide residues in eagles in, 3739; insecticide residues in fish in, 3740; insecticides in Great Lakes fish in, 3750; insecticide residues in soils and soil invertebrates in, 3751; ecological effects on hyperoids of biotypes of Ostrinia nubilalis in, 3789

Upper Volta, Trogoderma granarium in, 1069 Upupa epops, preying on Thaumetopoea pityocampa, 3495

Uraba lugens, dicrotophos injected into sapstream of trees against, in New South Wales, 3892; on Eucalyptus spp. in Australia, 3893 urbanus, Byturus; Gelis

Urbanus proteus, economic damage levels of, on snap beans in Florida, 3231

Urea, effect of, on cotton, alone or combined with other nutrients, 3926

Urea-formaldehyde Adhesive, containing insecticides for protection of plywood panels,

Urema lobata, flight activity of Podagrica on, in Nigeria, 1209

urenae, Aspidiotus hederae (see A. urenae)

Urocerus (see also Sirex)

Urocerus augur, on fir in Greece, 3466; trap logs and sprays against, in Yugoslavia, 3476

Urocerus augur augur, Ibalia drewseni as parasite of, 850

Urocerus gigas, Ibalia drewseni as parasite of, 850; trap logs and sprays against, in Yugoslavia, 3476; taxonomy and bionomics of, in Finland, 4110

Urocerus gigas flavicornis, Ibalia gigantea associated with, in Alberta, 2996

Urocystis colchici, control of, on onion in

Michigan, 1920 Uroobovella marginata, damage to cucumber by,

in Germany, 1835, 3433 Uroobovella pyriformis, on cucumber in Germany, 1835

Urophora quadrifasciata, attacking Centaurea

solstitialis, 506 Urophora sirunaseva, as agent of biological control of Centaurea solstitialis, 506

Uroplata girardi, establishment of, Lantana camara in Queensland, 3023 against

Uropoda orbicularis, attacking nematodes in compost in Germany, 1835

Urosirex gigas, on fir in Greece, 3466

urozonus, Eupelmus

urticae, Tetranychus (see T. telarius)

Uruguay, identification of Copidosoma uruguayensis sp.n. in, 1323

uruguayensis, Ćopidosoma

ustistriga, Melanchra

ustulatus, Agriotes

Utah, Typhlodromus occidentalis in, 367; Lambdina punctata on oak and maple in, 3685 utahensis, Telenomus Utetheisa lotrix, attacking Crotalaria juncea in

India, 2101

Utetheisa pulchella, food-plant preferences of, 1340; mode of ingestion in, 2670

utilis, Procecidochares

Uzbekistan, evaluation of slaughter products of animals poisoned with aldrin in, 2558

vaccinii, Acrobasis

Vaccinium, Miramella alpina on, in Yugoslavia,

vagabundus, Macrocheles vagella, Homoeosoma

Vagoiavirus melolonthae, infecting Melolontha melolontha, 1548; use of, for control of Melolontha melolontha in France, 2146,1 morphology and development of virus similar to, in Othnonius batesi, 2213; factors affecting transmission and effectiveness of, in Melolontha melolontha, 4038

Valanga gilbertensis, sp.n. on coconut in Gilbern

Islands, 2229

Valanga nigricornis, bionomics of, on oil palm in Western Malaysia, 1881

valens, Dendroctonus

Valentine Bean (see Phaseolus vulgaris)

valida, Tetanocera validirostris, Pissodes

Valine, in diet for Agrotis spp., 719; γ-radiation causing decrease of, in amino acids it Anthonomus grandis, 3773

L-Valine, effect of, on embryonic development of Empoasca fabae, 2904

valkenburgica, Patasson

Vanapa oberthuri, biology, ecology and control of, on Araucaria cunninghamii in New Guinea, 2638

vancouverella, Dioryctria pentictonella vanderysti, Helopeltis schoutedeni

Vanessa cardui, pathogenicity of commercia preparations of Bacillus thuringiensis for, 54% Vapam (see Sodium Methyldithiocarbamate)

Vapona (see Dichlorvos) vaporariorum, Trialeurodes varia, Anthela; Atherigona variabile, Trogoderma

variabilis, Phytonomus; Sericothrips; Trian 1 eurodes

varialis, Ostrinia variana, Acleris varians, Myzus varianus, Macremphytus

varicornis, Leptocorisa; Physcus

variegata, Adonia variegator, Bracon varipes, Aphelinus varivestis, Epilachna

Varnish, surface treatment of gourds with, 24 Varroa jacobsoni, in colonies of Apis melliferi in Vietnam, 3039; infestation and control o attacking honey bees in Soviet Union, 357:11 3576

Vasates (see Aculus)

Vaseline, insecticides in, applied to polytheral rain-guards for protection against crickets

vastator, Nipaecoccus V-C 13 (see Dichlofenthion)

VCS-506 (see O-Methyl O-4-Bromo-2,5-dchlorophenyl Phenylphosphonothioate)

Vegetables, book on pests of, in India, 137. life-history of major insect and allied pests c 2457

vegrandis, Eocader Velsicol VCS-506 (see O-Methyl O-4-Brom 2,5-dichlorophenyl Phenylphosphonothioatal velutinana, Argyrotaenia velutinum, Tetropium

Velvetleaf (see Abutilon theophrasti)

venator, Amphibolus

Venezuela, Aphidid insect vectors and viril diseases of Carica papaya in, 980; Chaen cnema macgillavryi on maize in, 981; nature enemies of Unaspis citri in, 982; insections

ssociated with Carica papaya in, 983; ogatodes orizicola and hoja blanca disease f rice in, 984; Mesograpta polita feeding on ollen on maize in, 985; Tetranychus yusti on esamum indicum in, 986; aphids of agri-altural importance in, 987; viruses and their ectors on papaya in, 2015; aphids in, 2016; sysdercus spp. in, 2017; Rhynchophorus almarum as carrier of nematode of 'red ring h, 2018; Antonina graminis in, 2034; aphids ansmitting groundnut mottle virus in. 2484: st of aphids taken in traps in, 2830; Disonyha glabrata damaging Passiflora quadranularis in, 2831; insects attacking peach, in 003; aphids in, 3004; Plutella xylostella on sabbage in, 3005; Spodoptera frugiperda on viereals in, 3006; Synanthedon coccidivora p.n. preying on Ceroplastes caesalpiniae in, 665, 3666; Phthorimaea operculella in, 3796; Noctuid damaging vegetables in, 3797

osatus, Proceras tralis, Scolytus tricosus, Pyemotes aturia (see Devorgilla) bascalis, Anania

basci, Anthrenus; Aphis; Campylomma

his-Verbenol, as attractant for Dendroctonus rontalis, 882; inducing aggregation of Dendroctonus frontalis, 966; with a-pinene, attractive to adults of Dendroctonus pondevosae, 2774

rbenone, inhibiting aggregating response in

Dendroctonus frontalis, 882

rmont, insecticides on forage in, 617; natural enemies of Heterocampa spp. in, Hypera postica on lucerne in, 658; Phyllonoycter spp. on apple in, 3642

ronica arvensis, Aphis gossypii overwintering

on, in Japan, 3913

ronica didyma lilacina, Aphis gossypii overvintering on, in Japan, 3913

ronica persica, Aphis gossypii overwintering on, in Japan, 3913

rsicolor, Meteorus; Quiscalus; Trogoderma suta, Graphocephala rticicladiella, sp. of, near V. huntii, in

mycangia of Dendroctonus adjunctus, 2919 rticillium lecanii, infecting Orthezia praelonga, 13836

sicularis, Eupelmella

'spa orientalis, traps for control of, in Egypt, 2064

spula, attractants for, selected from infra-red spectra, 254

suviana, Carpomyia etch (see Vicia sativa)

etch, Winter (see Vicia villosa)

burnum opulus, damaged by Grammadera

clara in Argentina, 996

eae, Megoura cia faba, Aphis fabae on, in Britain, 2; Apion arrogans on, in Israel, 256; take-off behaviour by Schizaphis graminum on, 371; Aphis fabae reared on, 833, 834; migration of Adalia bipunctata from juniper to, infested with Macrosiphum pisum, 919; red leaf virus of clover not affecting in Victoria, 1304; in tests of systemic aphicides, 1523; Bruchids on, in Egypt, 2051; effect of nutritive content of, on

reproduction of Aphis fabae, 2080; golden flavescence of vines transmitted to, 2608; distribution and movement of Aphis fabae and Macrosiphum pisum on, 2667; effect of, on Tetranychus telarius in Japan, 3047; aphid transmission of pea enation mosaic virus of. 3167; Acanthoscelides obtectus in seeds of, in Bulgaria, 3448; comparison of, and chemically defined diet as food source for Macrosiphum pisum, 3703; fungal infection in Aphis fabae on, in France, 3972

Vicia narbonensis, aphid transmission of pea

enation mosaic virus of, 3167

Vicia sativa, Apion arrogans on, in Israel, 256; Apion aestimatum on, in Yugoslavia, 3137; Aphis gossypii on, in Japan, 3913; parasites of Apion arrogans on, in Israel, 4002

Vicia villosa, damaged by Cnephasia longana in

Germany, 443

vicifoliae, Agromyza

vicinus, Bagous Victoria, Parlatoria pittospori on apples in, 517; Oligonychus digitatus on grasses in, 520; Coleoptera associated with stored products in, 1007; red leaf virus diseases of *Trifolium* subterraneum in, 1304; aeration of stored grain in, 1309; Orosius argentatus and tobacco yellow dwarf virus in, 1561; genetic method of population suppression of Teleogryllus commodus in, 1878; controlling insect pests of header-harvesters in, 3031; Orosius argentatus transmitting bean wilt disease in, 3032; protection of farm-stored grain from insects in, 3033; pasture pests in, 3034; pests of fruit trees in, 3322; weevil pests of plants in, 3323; pests of brassicas in, 3324; Noctuid larvae injuring pasture and crops in, 3325; thrips attacking crops and ornamental plants in, 3326; Eriophyid mites in, 3327; Sitona humeralis in, 3330; tristeza virus of Citrus in, 3334; pests of lucerne and clover in, 3900; apple pests in, 3904

victrix, Charips

viennensis, Tetranychus

Vietnam, mites in colonies of honey bees in, 3039

vigintioctopunctata, Henosepilachna vigintiquattuorpunctata, Subcoccinella

vigintiquinque, Pediobius

Vigna sesquipedalis, effect of, on bionomics of Aphis craccivora, 493; attacked by Plodia interpunctella, 495

Vigna sinensis (see V. unguiculata)

Vigna unguiculata, effect of, on bionomics of Aphis craccivora, 493; attacked by Plodia interpunctella, 495; transmission of mosaic virus of, by Epilachna varivestis in Nebraska, 695; effect of, on development, as food plant for Diacrisia obliqua, 1359; Melanagromyza bonavistae sp.n. on, in Uganda, 1885; resistance of selected lines of, to Chalcodermus and Callosobruchus spp., 1966; Callosobruchus unguiculata ovipositing on seeds of, 2490; Callosobruchus analis ovipositing on seeds of, 2491; Melanagromyza chalcosoma on, in Uganda, 2538; status of insect pests of, in Uganda, 2671; transmission of cowpea mosaic virus to and from, by Galerucinae, 2757; arrestant and feeding

stimulant for *Chalcodermus aeneus* in extracts of, 2885; *Callosobruchus analis* unable to develop in, stored in closed containers, 3827

Villa brunnea, parasitising Thaumetopoea pityocampa in France, 3494; as parasite of Thaumetopoea pityocampa, 3556

Villa hottentotta, V. brunnea previously known as, 3494

Villa quinquefasciata, V. brunnea previously known as, 3494

villiersi, Helopeltis

villiger, Mesomorphus

villosa, Anoxia

Vinca rosea, as transitory food-plant for Psylla pyricola, 117; transmission of yellows by Cicadellids injected with extracts of diseased tissue of, 3509

vindemiae, Pachycrepoideus

Vine, Grape, Phyllocoptes vitis on, in Rumania, 274; Eupoecilia ambiguella and Lobesia botrana on, in Hungary, 294; effect on mite populations of fungicides applied to, in Hungary, 296; mites on, in Hungary, 297; Nysius raphanus as pest of, in California, 604; Tydeus vitis on, in U.S.S.R., 713; effect of fungicides applied against mildew on, on populations of Eotetranychus carpini vitis in France, 786; Calepitrimerus vitis on, in California, 970; pests and diseases of, 1141: Eupoecilia (Clysia) ambiguella and Lobesia botrana on, in France, 1160; insecticide residues in, in Ontario, 1272; foliar deformations on, produced by Empoasca flavescens in Switzerland, 1549; infested by Clytus arietis in Switzerland, 1550; Panonychus ulmi on, in Germany, 2143; study of golden flavescence of, in France, 2608; Oligonychus vitis on, in Egypt, 2698; unsuccessful transfer of Melanaspis obscura from pin oak to, 2906; Drosophila and Carpophilus spp. as pests of, in California, 3202; Tetranychus pacificus on, in California, 3203; Metaseiulus occidentalis as predator of mites on, in California, 3206; Erythroneura elegantula and Tetranychus pacificus on, in California, 3234; Eriophyes vitis on, in Victoria, 3327; Phylloxera vitifoliae on, in Greece, 3463; Parthenolecanium corni apuliae on, in Italy, 3482; mites on, 3567; Calepitrimerus vitis on, 3574; Desmia funeralis on, in Florida, 3723; Migdolus morretesi on, in Brazil, 3801; Eriophyes vitis on, in Greece, 4012; transmission of golden flav-escence of, by Scaphoideus littoralis in France, 4046; Scaphoideus littoralis as vector of golden flavescence of, in France, 4047; effect of tricyclohexyltin hydroxide on fermentation of juice from, 4099; Sparganothis pilleriana on, 4140; Phylloxera vitifoliae on, 4153, 4154, 4155; leaf galls caused by Phylloxera vitifoliae on, 4156, 4157; amino acids in leaves and galls of varieties of, susceptible and resistant to *Phylloxera vitifoliae*, **4157**; nitrogen content in leaves and galls of, differing in resistance to *Phylloxera vitifoliae*. 4158; amino-acid composition in leaves and galls on, 4159

vinitor, Nysius

Vinsonia stellifera, infestation and control of on orchids in Florida, world distribution of 3201

vinsonioides, Ceroplastes

violescens, Didymuria virescens, Heliothis; Nephotettix; Temnochila

virgata, Ferrisia

virgaureana, Cnephasia virgifera, Diabrotica

Virgin Islands (U.S.), sterile-male release method against Heliothis zea in, 2454

Virginia, Eurytoma extremitatis on pine in, 115; parasites of Rhyacionia frustrana on pine in, 140; insects of, 565-566; aphids in, 1789; parasites of Ips spp. on pine in, 1988; studies on male sex pheromone of Trichoplusia ni in, 2182; Epitrix hirtipennis on tobacco in, 2192; overwintering and spring emergence of Epitrix hirtipennis on tobacco in, 2381; spider populations on lucerne in, 2402; control of Diabrotica undecimpunctata howard on groundnut in, 2426; Trichoplusia ni on Abelia grandiflora in, 2433; Alsophila pometaria on oak in, 3255; Rhyacionia frustrana on Pinus taeda in, 3722; insecticide residues in plants in, 3735

Virginia Creeper (see Parthenocissus quinque

folia)

virginianus, Neodiprion virginicus, Reticulitermes

virginiensis, Acarocheyla; Pieris

viridana, Tortrix

viridiaeneus, Paraivongius

viridigrisea, Empoasca

viridis, Agrilus; Choristoneura; Malachius; Numicia; Sminthurus; Sphodromantis; Tettigella; Xerophloea

viridula, Nezara

Viruses or Virus Diseases (of insects), effect of temperature on development of, in Spodoptera litura, 45; in Trichoplusia ni, 197; associated with Tephritid flies, 207; relationships among genera of, 424; effect of temperature on, in Neodiprion sertifer, 456; histopathology of, in Trichoplusia ni, 539; leaching of, in Trichoplusia ni, 197; associated with Tephritid flies, 207; relationships among genera of, 424; effect of temperature on, in Neodiprion sertification ni, 197; associated with Tephritid flies, 207; relationships among genera of, 424; effect of temperature on, in Neodiprion sertification ni, 197; associated with Tephritid flies, 207; relationships among genera of, 424; effect of temperature on, in Neodiprion sertification ni, 197; associated with Tephritid flies, 207; relationships among genera of, 424; effect of temperature on, in Neodiprion sertification ni, 197; associated ni, 197; as of Trichoplusia ni from soil, 543; in Hemerocampa pseudotsugata, 544; in Colias eury-theme, 549; in Peridroma saucia, 650; multiplication of, in whole-animal culture of Drosophila melanogaster, 973; electron microscopy of RNA of, in Bombyx mori, 977; in a Pachypasa capensis, 1059; polyhedrosis, affecting Heliothis armigera, 1205; cytoplasmic and nuclear polyhedrosis against Choristoneura and Malacosoma in Canada, 1 1253; of Trichoplusia ni, natural occurrence of, in Canada, 1260; in Hyphantria cunea, 1334; in Euproctis flava, 1337; control of Pachypasa capensis with, 1403; changes in Lymantria dispar induced by, 1494; in Panonychus ulmi, 1684; in aphids, 1825; in Agrotis segetum, 1842; in Trichoplusia ni,i 1934; in Malacosoma spp., 2001; in Diataraxia oleracea, 2153; ultrastructural observations on long branched rods of, in Plodia, Pieris and Melanchra, 2214; nuclear polyhedrosis not affecting Trichoplusia ni, 2215; nucleopolyhedrosis, quantitative estimates

If tracheal cells of larvae of Mythimna unif insects, 2218; use of, for microbial control f insects, 2257; Tipula iridescent, in Galleria rellonella, 2314; composition of inclusions f Melolontha poxvirus, 2315; paralysis, ossible occurrence of, in termites, 2317; cuclear polyhedrosis of *Trichoplusia ni*, entonophagous vector capabilities of Geocoris functipes in relation to, 2342; sprays of deliothis nuclear polyhedrosis virus and DDT for control of H. zea and Spodoptera rugiperda, 2396; sprays containing, for insect control, 2556; haemagglutination by, in Heliothis zea, 2876; in Malacosoma disstria, 967; in Spodoptera litura, 3063; polyhedra of, mixed with insecticides against Lymantria fispar, 3140; in Cydia pomonella, 3221; in Heliothis zea, 3242; in Anthela varia, 3266; ffect of, on haemocytes in Heliothis zea 267; effect of formaldehyde on, 3273; in Bombyx mori, 3274; in Colias electo, 3278; n Pseudaletia separata, 3352; in Hyphantria runea, Bombyx mori and Pieris rapae, 3468; polyhedra of, against Neodiprion sertifer, 1470; in Thaumetopoea pityocampa, 3496; roathogenicity of, in Lambdina fiscellaria, 1631; stability of, in Heliothis zea, 3644; nultiplication of, in Bombyx mori, 3645; description of, in Heliothis, 3649; in Lymantria dispar, 3651; in Trichoplusia ni, 3652, 3653; study of haemocytes of Spodoptera littoralis infected with, 3654; in Spodoptera exigua, Heliothis spp., and Trichoplusia ni, 3659; in Galleria mellonella, 4039; simultaneous inection with Microsporidia and, in Heliothis zea, 4129; in Hydraecia micacea, 4142 uses or Virus Diseases (of plants), transnission of, by Aphis craccivora, 61; transmitted by Circulifer tenellus, 186; in Amphoro-phora lactucae, 423; transmitted by Bemisia abaci, 425; transmitted by Rhopalosiphum padi, 480; insect vectors of, 492; transmitted by aphids, 524; transmitted by Eriophyes insidiosus, 627; transmitted by Epilachna varivestis, 695; transmitted by Piesma varivestis, 695; transmitted by Piesma quadratum and Aphis fabae, 723; insect vectors of, 774; transmitted by Aphis craccivora, 865; transmitted by Diaphorina citri, 871; transovarial passage of, in Amphorophora lacturae, 976; transmitted by Endria inimica, 978; transmitted by Sogatodes orizicola, 984; transmitted by Toxoptera citricida, 993; vectors of, of rice, 1037; isolation of, from diseased plants and viruliferous insects, 1039; transmitted by Laodel-phax striatella, 1043; harmful effects of, on Nephotettix cincticeps, 1044; transmitted by aphids, 1129; transmitted by Myzus persicae, 1140, 1147; methods for assessing tolerance and resistance in cacao to, 1150; barley yellow-dwarf, in Colombia, 1276; disease, of Trifolium subterraneum in Victoria, 1304 transmitted by Amphorophora lactucae, 1310; transmitted by Laodelphax striatella, 1322; transmitted by Laodelphax striatella, 1332; vectors

of, of cereals, 1462; transmitted by Orosius argentatus, 1561; transmitted by Myzus

of virulence of, in Heliothis zea, 2217;

luclear polyhedrosis, causing hypertrophy

persicae, 1646, 1651, 1824, 1875, 1884; transmitted by aphids, 1972; transmitted to rice in East Pakistan by Nephotettix virescens, 2197; of rice, transmitted by Nephotettix virescens in Malaysia, 2227; potato yellow dwarf, in cell cultures of leaf-hoppers, 2311; effect of dosage on incuba-tion period of sowthistle yellow vein, in Amphorophora lactucae, 2312; sowthistle yellow vein in cell cultures of Amphorophora lactucae, 2316; relationships between squash mosaic-like viruses and vectors in Galerucinae, 2329; cyclical transmission of barley yellow-dwarf, from oats by Macrosiphum avenae in Canada, 2479; Agropyron mosaic, transmitted by Abacarus hystrix in Ontario, 2480; aster yellows and barley yellow dwarf of wheat and oats, 2482; transmission of tobacco ringspot, by Tetranychus sp., 2483; aphids transmitting groundnut mottle, in Venezuela, 2484; sprays of mineral oil suppressing yellows, of sugar-beet, 2485; variable influence of alfalfa mosaic, on growth and survival of lucerne, 2486; fig mosaic transmitted by Aceria ficus in India, 2529; Lycopersicum virus 3, Thrips tabaci as vector of, in Poland, 2574; Aphis nasturtii transmitting virus Y, to potato in central Europe, 2598; transmission of chrysanthemum mosaic and aspermy in France, 2603; mosaic, of Buddleia davidii in southern France, 2604; inhibition of transmission of beet mosaic, and pea enation mosaic, by aphids, 2606; wheat dwarf, transmitted by *Psammotettix alienus* in Czechoslovakia, transmission of yellow stunt, to wheat in Rumania, 2607; protection of sugar-beet against, by cover crops and aluminium foil, 2652; insecticides controlling black-streaked dwarf, of rice and rice-stripe, 2680; leaf-curl, incidence and relation to *Bemisia tabaci* of, on tobacco in Transvaal, 2687; no specificity of transmission of cowpea mosaic, by species of Galerucinae, 2757; aphid vectors of, in southern Germany, 2840; transmitted by Laodelphax striatella, 2874, 2875; transmitted by Thrips tabaci, 2889; transmitted by Aphis craccivora, 2891; transmitted by aphids, 2894; use of aphids in separation of two strains of, 2895; transmitted by aphids, 2896; use of membrane feeding by Myzus persicae in determining properties of, 2898; transmitted by aphids, 2899; transmitted by Laodelphax striatella, 3056; transmitted by Psammotettix striatus, 3098; inter- and intraspecific aphid transmission of, 3167; transmitted by aphids, 3169; increasing susceptibility of maize to attack by Chilo partellus, 3253; transmitted by *Toxoptera citricida*, 3334; methods for determination of, 3521; transmitted by Macrosteles laevis and Psammotettix striatus, 3541; transmitted by Macrosiphum avenae, 3662; infection of Amphorophora lactucae by, 3663; transmitted by aphids, 3791; transmitted by Bemisia tabaci, 3795; transmitted mechanically and by Sesselia pusilla, 3952; transmitted by mealybugs, 3977; transmitted by Aceria spp., 4147

Viscous Polybutene, use of in collection and measurement of spray droplets, 1259

Vitamin A, in vision of Odontotermes redemanni, 3602

Vitamin C, effects of, on physiological condition of Mamestra brassicae, 2560

Vitamin D, DDT not affecting metabolism of, in birds, 881; in diet for Spodoptera littoralis, 3938

Vitamins D₂ and D₃, antagonistic to progeny production and survival in Xyleborus ferrugineus, 3755

Vitamin E, effects of, on physiological condition of Mamestra brassica, 2560

Vitamin H, effect of, in diet on reproduction and development in Heliothis spp., 619

Vitamin Mixture, in diet for Cydia pomonella,

Vitamins, in diet for Cydia pomonella, 144; in diet for Dioryctria abietivorella, 382; in diets for Saturniids and Pediasia teterrella, 632-633; in diet for Leptinotarsa decemlineata and Pieris brassicae, 762; in artificial diets for Myzus persicae, 1243; detection of, in larvae of Leptinotarsa decemlineata, 1473; in diet for Itoplectis conquisitor, 3287; in diet for Macrosiphum pisum, 3682; in diet for Heliothis armigera, 4011; in diet for Rhagoletis cerasi, 4068 viteana, Paralobesia

vitellinae, Phratora

vitis, Calepitrimerus; Eotetranychus carpini; Eriophyes; Oligonychus; Phyllocoptes; Tydeus

vitripennis, Nasonia; Syrphus

vittatum, Acalymma; Phaulacridium

vittatus, Cirrospilus vittella, Earias

vittigera, Zonosemata

Vitula edmandsii, sex pheromone gland of, resembling that of Trichoplusia ni, 2182

Vogtia malloi, bionomics of, on Alternanthera phylloxeroides in Argentina, 1190

Volck Supreme (see Oil Emulsions)

volgensis, Psammotettix volucre, Praon

vomitoria, Calliphora

Voria ruralis, parasitising insect pests on cabbage in California, 573; parasitism of Trichoplusia ni by, in North Carolina, 1934 vorontzowi, Ips

vosseleri, Taylorilygus

Vryburgia lounsburyi, parasites reared from, infesting ornamental plants in France, 481

vulgaris, Pterostichus

vulgata, Costalimaita ferruginea

vulgivagus, Metanastes

Wachtliella persicariae, on Polygonum amphibium, 768, 783

wagneri, Porphyrinia

Walkerella (see Polynema)

walkeri, Nasutitermes

Walnut, Scolytus nitidus on, in Kashmir, 66: Phytoseiidae on, in California, 2767; Panonychus ulmi on in Greece, 3132; Tetranychus telarius on, in California, 3205; Aceria erinea on, in Victoria, 3327; Euzophera bigella on, i in Iran, 3936; Aceria erinea and A. tristriatus on, in Greece, 4012

Walnut, Black (see Juglans nigra)

warreni, Neodiprion

Washington State, spread of bean yellow mosaic virus by aphids in, 122; Rhyacionia ubuoliana on pine in, 590; insects and mites on beans in, 610; Otiorhynchus sulcatus on container-grown spruce in, 679; Sciopithes obscurus on raspberry in, 678; Scolytus ventralis attacking Abies grandis in, 906; Dio-cryctria spp. in, 907, 908; Ips pini in, 940; Aphidius smithi parasitising Macrosiphum pisum in, 944; Sulphuretylenchus elongatus is parasitising Scolytus ventralis in, 1679:9 Heliothis stombleri sp.n. in, 1685; wireworms on summer potatoes in, 1732; Anarsia lineatella on peach in, 2425; DDT against s. Choristoneura occidentalis in, 2428; Gnathotrichus sulcatus in, 2959; Pissodes strobi on Picea sitchensis in, 3696; insecticide residues in seals in, 3744

Water, adsorption of γ-BHC from, on selected adsorbents, 333; uptake and exchange in in eggs of Schistocerca gregaria, 1242; uptakes of, from subsaturated atmospheres by insects, 1536; effect of pH of, on bionomics of Tanytarsus dissimilis, 2000; analysis of pentachlorophenol in, 3014; importance of, for use as pest control agent, 3619; surface slicks on, as concentrators of insecticides in marine? environment, 3743; insecticide residues in,

3748

Water Vapour, sorption of, by larvae of storedproduct beetles, 125

waterhousei, Helopeltis

Wax, secretion of, in Ceroplastes pseudoceriferus, 44; in diet for Galleria mellonella, 579: ceresin, as oviposition medium for Rhagoletis spp., 592; method for application of, inst work with insects, 920; as factor in insecticide resistance mechanism in Myzus persicae, 1539

Weeds, herbicides against, increasing injuriousness of soil insects, effect on, of use of soil, insecticides, 1134; insects for biological control of, 1861; ecology and insect colonisation for biological control of, 1870; Costelytrazealandica on, in New Zealand, 1891; review of biological control of, 2554; biotic agents: in control of, as important natural resource, 3175; biological control of, in Canada, 3306; biological control of, in Asian and Pacific Commonwealth countries, 3337; Altica caerulescens on, in India, 3363; biological control of, in Africa, 3397; biological control of, in Soviet Union, 3543

Weevils, attacking stored maize in Togo, 1395 Wesson's Salts, in diets for Saturniids and Pediasia teterrella, 632-633; in diet fou Anarsia lineatella, 2425

West Bengal, Eucosma critica and Oxyrhachis tarandus on Cajanus cajan in, 2674

West Indies, Diaprepes abbreviatus on Citrus and sugar-cane in, 2186; Gerstaeckeria spp. and Vinsonia stellifera in, 3201; Tiphia spp. in, 3675

t Pakistan, chemical pest control in, 856; pulation studies of Collembola in, 2195; ubborn disease of Citrus in, 3979 at Virginia, Tetranychus telarius and Typhloromus fallacis on lima beans in, 693 stern Australia, Coleoptera associated with ored products in, 1007; Perthida glyphopa on. n. on Eucalyptus marginata in, 1008; Perthida glyphopa on Eucalyptus in, 1014; ascardia destructor on Citrus in, 1307; ctomyelois ceratoniae in, 1318; Eriophyes yri on pear in, 1319; grasshoppers and beusts in, 1320; Spodoptera litura on cotton

it New Guinea, Heliothis spp. in, 2639

lalotydeus destructor in, 1873; rape and rthropod pests in, 3906, 3907 stern Corn Rootworm (see Diabrotica

h, 1321; barley yellow dwarf virus in, 1322;

Teleogryllus commodus in, 1562; diapause in

irgifera)

stern Samoa, Rhabdionvirus oryctes introuced against Oryctes rhinoceros in, 884 stern Wheatgrass (see Agropyron smithii) twoodii, Dicladocerus; Helopeltis

Ittable Sulphur, effect of, on mite populations,

577

leat, insecticide residues in, in Britain, 6; leed treatments of, against Oscinella frit. 04; Rhopalosiphum padi transmitting barley tellow dwarf virus in, in New Zealand, .80; importance, aphid vectors and control of barley yellow dwarf virus on, in New south Wales, 524; loss of yield caused by Meromyza americana on, in South Dakota, :95: unsuccessful attempt to rear Euchromius icelleus on, 664: damage to varieties of, by Eurygaster integriceps in U.S.S.R., 706; exract of, in diet for Locusta migratoria, 761; response of Dysdercus koenigii to, 769; varietal resistance in, to Oulema melanopus, 778; Fipula spp. on, in Britain, 787; Eurygaster integriceps on, in Iran, 796; feeding deterrents ipplied to seeds of, against Agriotes spp., 308: damage to, by Hylemya coarctata in Britain, 812; effect of windbreak on insect nfestation in, in Britain, 836; Empoasca nagpurensis on, 863; striate mosaic virus of, n Endria inimica, 978; in diet for Melanotus fusciceps, 1101; Agriotes ponticus injurious ito, in U.S.S.R., 1101; pests and diseases of, 1141; ability of races of Mayetiola destructor to survive on different cultivars of, 1201; Atherigona as pest of, in India, 1361; effect of parasites in controlling Pentatomidae in, 1464; cultural control of Hylemya coarctata on, in Britain, 1642; distribution of aphids on, in Britain, 1648; Agrotis orthogonia on, in Kansas, 1719; introduced parasites of Oulema melanopus on, in Michigan, 1755; outbreak of Chlorops pumilionis on, in Germany, 1829; damage to, by Eurygaster integriceps and Aelia rostrata in Turkey, 2085; tests for control of Haplodiplosis marginata on, 2298; resistance of, to Schizaphis graminum in, 2325, 2337; solvents for extracting dieldrin and γ-BHC residues from, 2372; Simyra henrici on, in Illinois, 2385; in diet for Anarsia lineatella, 2425; Schizaphis graminum on susceptible and

resistant varieties of, 2446; Macrosteles fascifrons transmitting aster vellows virus to, in Manitoba, 2482; Atherigona sp. on, in India, 2525; Psammotettix alienus transmitting wheat dwarf virus of, in Czechoslovakia, and transmission of yellow stunt of, in Rumania, 2607; recommendation against use of aldrin and heptachlor as seed dressings for, 2641; winter, Mayetiola destructor damaging, in Scotland, 2656; Aelia acuminata on, in Slovakia, 2728; Contarinia tritici and Sitodiplosis mosellana on, in France, 2860; temperature affecting transmission of maize rough dwarf virus of, by Laodelphax striatella, 2874; in diet for Alphitobius diaperinus, 2882; Oulema melanopus on, in Ontario, 2986; harvesters infested with insect pests of, in Victoria, 3031; Psammotettix striatus as vector of viruses of, and Psammotettix spp. on, in Soviet Union, 3098; Cecidomyiids on, in India, 3369; Chilo partellus on, in Mozambique, 3391; Haplodiplosis marginata on, in Germany, 3399; Syringopais temperatella on, in Jordan, 3424; damage to, by Hylemya coarctata in Germany, 3432; Haplodiplosis marginata on, in Germany, 3435; Aceria tulipae on, in Bulgaria, 3455; reproduction in *Macrosiphum* festucae on, 3532; viruses of, transmitted by Macrosteles laevis and Psammotettix striatus, 3541; in diet for Hylemya antiqua, 3633; field infestation of Sitophilus oryzae in, 3889; rice vellow mottle virus transmitted mechanically to, in Kenya, 3952; retention of insecticides on dressed seed of, 4092; sex index of Haplothrips aculeatus on, in Finland, 4105; effect of Lygus rugulipennis on yield and quality of, 4111; Eurygaster integriceps on, 4146; virus of, transmitted by Aceria sp., 4147; Zabrus tenebroides on, in Soviet Union, 4149; Steneotarsonemus panshini sp.n. on, 4152

Wheat (see also *Triticum*)
Wheat, Durum (see *Triticum durum*)
Wheat, Emmer (see *Triticum dicoccum*)
Wheat Bulb Fly (see *Hylemya coarctata*)

Wheat Flour, in rearing medium for *Tribolium* castaneum, 434; in diet for *Tribolium* castaneum and *Corcyra cephalonica*, 859; *Callosobruchus analis* not ovipositing on, 2491; odour of, affecting oviposition by *Lasioderma serricorne* on muslin, 3261; in diet for

Spodoptera littoralis, 3938

Wheat Germ, in diet for Cydia pomonella, 144; in diet for Ceratitis capitata, 185; in diet for Dioryctria abietivorella, 382; in diet for Heliothis zea, 596; in diets for Saturniids and Pediasia teterrella, 632-333; in diet for Heliothis zea, 934; in diet for Popillia japonica, 952; in diets for Achaea spp. and Anua tirhaca, 1060; in diet for Heliothis virescens, 1693; in diet for Ostrinia nubilalis, 2140; in diet for Anarsia lineatella, 2425; in diet for Cydia pomonella, 3221; development of Acarus siro on, 3708; in diet for Cydia pomonella, 4040; in diet for Rhagoletis cerasi, 4068

Wheat Germ Oil, in diet for Pediasia teterrella,

633

Wheat (Stored), evaluation of protectants for, in Egypt, 93; overwintering possibilities of pests of, in Rumania, 268; metabolic fate of dichlorvos on grains of, 465; fumigants against mites infesting baked preparations of, 472; insecticide treatment of, against insect pests at different ranges of temperature, 876; Coleoptera associated with, in Australia, 1007; aeration of, against insect pests in Australia, 1309; Trogoderma granarium on, in India, 1354; heat treatment of, against insect pests in India, 1356; factors influencing the tolerances of, to fumigants, 1357; fumigants against stored-product insects in, 1765; susceptibility of Egyptian varieties of, to Rhyzopertha and Sitophilus spp., 2052, fumigant residues in, 2171, 2390, 2420; development of stored-product insects on, 2386, 3922: susceptibility of varieties of, to Sitophilus oryzae 2518; wholesomeness of irradiated, 3595; insect pests of, in New South Wales, 3028; malathion applied to, against Trogoderma granarium in India, 3385; malathion in talc mixed in, 3539; control of insects in, by microwave power, 3594; in diet for Ceratitis capitata, 4050

White-ear, of grasses, Tarsonemini associated

with, in eastern Germany, 2842 White-oil Emulsion, with dimethoate, against

Unaspis yanonensis, 2611

Whitewash, application of, to trunks and branches against Cerambyx dux, 3043

Whitfieldia elongata, Helopeltis maynei on, in Africa, 3963

Whitfieldia longifolia, Panka spp.n. on, in Central African Republic, 1814

Wildlife, effects of use of organochlorine pesticides on, in Britain, 2641

wilkinsoni, Podacanthus willamettei, Eotetranychus

williamsi, Azotus Willow, Pristiphora acidovalva sp.n. on, in Canada, 532, 533; Psallus ambiguus as predator of Psylla mali and Bryobia spp. on, in Poland, 726; Meigenia mutabilis parasitising Phytodecta linnaeanus on, in Bulgaria, 1838; Simyra henrici on, in Illinois, 2385

Willow, Feltleaf (see Salix alaxensis)
Willow, Weeping (see Salix babylonica)
Willow, White (see Salix alba)

Willowsia, in cultivated fields and grain debris in Canada, 2765

wilsoni, Deladenus

Wind, effect of, on toxicity of insecticides to cotton, 96; effect of, on flight of Anoxia villosa, 265; nocturnal insect flight direction in relation to, 319; effect of, on post-release pattern of Anaphes flavipes, 385; effect of, on spray deposits, 589; effect of, on flight of Ips pini, 940; antennae sensitive to, in Locusta migratoria, 1810; effect of, on activity of Nephotettix cincticeps, 1904; effects of, on Panonychus ulmi, in Ontario, 2458; effect of, on dispersal of Lymantria dispar, dispersal of Phyllonorycter blancardella by, 3642; dispersal of *Cnephasia pumicana* by, 4045

Windbreaks, effect of, on distribution and abundance of Coccus hesperidum and Eute-

tranychus banksi on Citrus, 378; Chrysopat spp. in, 732; effects of, on insect distribution. 836: accumulation of insects in relation to all air movement near, 1647; Fenusa dohrni on Alnus glutinosa planted in, 3524
Wine, determination of hexachlorobutadiene pa

in, 4160

winkleyi, Ichneumon

Winter Wheat (see Triticum aestivum)

Winterwash (see DNC)

Winthemia, parasitising Lambdina punctata in il Utah, 3685

Winthemia datanae, separation of Winthemia

manducae from, 3670

Winthemia manducae sp.n., description of reared from Manduca sexta in North Carolina, 3670; bionomics of, in North and Southa Carolina, 3688

parasitising Lambdinan Winthemia occidentis,

punctata in Utah, 3685

Winthemia sinuata, parasitising Plathypenan scabra on lucerne and soy bean in Missouri, 1752; separation of *W. manducae* from, 36707 Wireworms, in U.S.S.R., 716; recommendation

against use of dieldrin sprays against, attacking potato, 2641; on maize in Yugoslavia, 3152; in Soviet Union, 3565; determination

of times for sampling soil for, 3573 Wisconsin, Empoasca fabae on bean varietiess in, 114; persistence of Dyfonate in soil in a 2427; infection of Hylobius rhizophagus by muscardine fungi in, 2812; Dasychira plagiatat in, 3195; carbon reducing uptake of insecticides from soil in, 3214

Wiseana, handling methods for eggs and larvaes of, 896; effects of, on grasses and clover ini-New Zealand, 1888; sprays against, in New

Zealand, 1892

Wiseana cervinata, effect of acoustical and electrical energy on behaviour of, 897

woglumi, Aleurocanthus

Wolbachia, rickettsia-like microorganism ini Dahlbominus fuliginosus resembling members of, 3298

Wood, Oryctes spp. reared on decaying pieces. of, 1086; review of pesticides and other toxici chemicals used to protect, in Britain, 2641

Wood (see also Timber)

Wood Protection, recent work on, 2642, 2643 woodi, Acarapis

Woodpecker, preying upon Saperda inornata ini Michigan, 1194; and larvae of Osphranterial coerulescens, 2782

Woodpecker, Hairy (see Dendrocopos villosus) Woodpecker Three-toed (see Picoides tridactylus)

Wool, review of pesticides and other toxicity chemicals used to protect, in Britain, 2641

Woollen Cloth, iodofenphos as moth-proofing agent for, 2406; tetrachlorvinphos applied to: as moth-proofing agent, 2795; treatment of against Tineola bisselliella, 3538

Wyoming, effect on grasshoppers of aerially sprayed rangeland in, 158; Choristoneura occidentalis on Pseudotsuga menziesii in 1708; oviposition response of Eurytoma roddi to chemicals occurring in lucerne in 1937

X

17 (see Alkylarypolyoxyethylene)

sthium strumarium, Anania verbascalis as nemy of, in West Pakistan, 502

thocera, Odinia

nthopimpla stemmator, parasitising Sesamia

uppressalis in Sarawak, 3346

lis spectrum, Ibalia drewseni as parasite of, 50; trap logs and sprays against, in Yugo-Mavia, 3476

ophloea viridis, on soy bean in Mississippi, 771

IC, (see 3,5-Xylyl Methylcarbamate)

vides corcyrensis, parasitising larvae of Osphranteria coerulescens, 2782

ays, effect of, on *Pectinophora gossypiella*, 178; use of, for following parasitism of *Sirex* voctilio by Rhyssa persuasoria in wood, 513; or determining pupal parasitism of Pieris japae, 1214; effect of, on Rhagoletis cerasi, 504; detection by, of Contarinia sorghicola n sorghum spikelets, 1877; fractionation of loses of, for sterilisation of Tribolium con-usum, 2800; effects of, on Tyrophagus putrescentiae, 3116

leborus (see also Xvlosandrus)

leborus, flight activity of species of, in Costa

.:Rica, 2487

leborus corniculatus, biology and nutrition

of, from cacao trunks, 3782

vleborus cuneatus, biology and nutrition of,

rom cacao trunks, 3582

leborus ferrugineus, distribution map of, 314; inolidic diet for aposymbiotic culture of, 962; sterol metabolism and mutualistic symbiosis in, 1534; sterol requirements of, for pupation, 3755; biology and nutrition of, from cacao rrunks, 3782

leborus fornicatus, on tea in India, 1049; colerance and susceptibility of tea clones to,

lin Ceylon, 2198

eleborus posticus, biology and nutrition of,

from cacao trunks, 3582:

vlitol, failure of, as feeding stimulant for Sitona cylindricollis, 129

vlocoris, fumigants against, in stored cacao in

Nigeria, 1070, 1071 vlocoris flavipes, preying upon stored-product

insects, in Georgia, 1223;

lol, used for detection of marked larvae of

Hyalophora cecropia, 1213 vlomelum pyriforme, Homoeosoma vagella on,

in Queensland, 3315 lophagorum, Roptrocerus

vlosandrus compactus, attacking tea in Japan,

symbiotic fungus, of, 1024 ylosandrus germanus, attacking tea and other plants in Japan, symbiotic fungus of, 1024

ylose, without nutritive value for Hylemya brassicae, 41; feeding response of Sitona cylindricollis to, 129; in cotton not affected by enzymes of Anthonomus grandis, 690; effect of, in diet on Callosobruchus chinensis, 2079; in diet for Myzus persicae, 3764

vlostei, Prociphilus vlostella, Plutella

4-Xylyl Methylcarbamate, against pests of rice, 2635

3,5-Xylyl Methylcarbamate, against pests of rice, 2635

Y

vanonensis, Unaspis

yapicola, Nephotettix nigropictus

yasumatsui, Oligota

Yeast, in medium for Drosophila melanogaster, ingested by Hylemya coarctata in Britain, 344; in diet for Anastrepha spp., 361; in rearing media for Tribolium castaneum, 434; in diet for Agrotis spp., 719; in diet for Tribolium castaneum and Corcyra cephalonica, 859; in diet for Popillia japonica, 952; in diets for Achaea spp. and Anua tirhaca, 1060; in diets for Drosophila melanogaster, 1246; in diet for Ips calligraphus, 1705; in diet for Heliothis zea, 1756; in diet for Dacus cucurbitae, 1778; extract of, in bait-traps for Ceratitis capitata, 2030; in rearing medium for Ceratitis capitata, 2056; in diet for Ostrinia nubilalis, 2140; with rolled oats, for rearing Oryzaephilus surinamensis, 2169; associated with prothoracic mycangia of Dendroctonus adjunctus, 2919; in diet for Spodoptera exigua, 3100; in diet for Hylemya brassicae, 3230; in diet for Pegomya betae, 3440; in diet for Dacus oleae, 3501; hydrolysate, in diet for Hylemya antiqua, 3633; in diet for Diatraea saccharalis, 3991; in diet for Heliothis armigera, 4011; and hydrolysate of, in diet for Ceratitis capitata, 4020; in diet for Rhagoletis cerasi, 4068; and hydrolysate of, in diet for Dacus oleae, 4072

Yeast-spot (see Nematospora coryli)

Yellow-dwarf Virus, possible occurrence of, on

rice in Mysore State, 2204

Yellow Heart Condition, caused by Hylemya coarctata and Oscinella frit in pasture grasses, 2596

Yellow Rocket (see Barbarea vulgaris)

Yemeni Arab Republic, list of plant pests of,

Yorkshire Fog (see Holcus lanatus)

vosemite, Pissodes

Yponomeuta padellus, Bacillus thuringiensis against, in hedgerows in Britain, 809

Yponomeuta padellus malinellus, injurious to fruit trees in France, 1161; on apple in Ukraine, 1423; Bacillus thuringiensis against, on apple in Bulgaria, 3443; infestation and control of, on apple in Yugoslavia, 3471

Yponomeuta rorellus, bionomics of, on Salix

alba in Soviet Union, 3097

Ypsolopha persicella, on peach in Hungary, 292 Yucca, Parlatoria oleae on, in U.S.S.R., 1099; Pseudococcus adonidum collected from, in

France, 4036

Yugoslavia, Acantholyda spp. in, 435; Auchenorrhyncha of, 436; Prolasioptera berlesiana on olive in, 437; Miramella alpina in, 438; Cydia lobarzewskii on plum in, 439; Anuraphis persicae on peach in, 440; Lasioptera rubi on raspberry in, 441; Urophora sirunaseva on Centaurea solstitialis in, 506; resistance in maize to Ostrinia nubilalis in, 780; interrelations between soil pests, weeds and control measures in, 1134; acclimatisation of Prospaltella perniciosi in, 1512; Ostrinia nubilalis in 1515; Leucoptera scitella in, 1517; Cicadetta montana damaging raspberry canes in, 1519; Pissodes notatus on pine in, 2305; pests and diseases of olive in, 2859; parasites of Rhyacionia buoliana on pine in, 3136 Apion spp. on clover and lucerne in, 3137; Phytodecta fornicata on lucerne in, 3139; control of plum pox virus in, 3141; Bacillus thuringiensis isolated from Lymantria dispar in, 3142, 3143; Neodiprion sertifer in, 3144; Hyphantria cunea in, 3145; Prays oleae on olive in, 3146; Byturus urbanus on raspberry in, 3147; Aphis forbesi on strawberry in, 3148; Cydia delineana on Cannabis sativa in, 3149; Melanospora parasitica as superparasite of Beauveria bassiana on Eurygaster sp. in, 3150; effects of Ostrinia nubilalis and Gibberella sp. on yield of hybrid maize in, 3151; protection of maize from pests, diseases and weeds in, 3152; survey of plant diseases and pests in border districts of, 3153-3159; causes of desiccation in Pinus sylvestris in, 3467; Auchenorrhyncha on maize in, 3469; virus in Neodiprion sertifer on pine in, 2470; Yponomeuta padellus malinellus on apple in, 3471; fungi affecting Bothynoderes punctiventris on beet in, 3474; wood wasps in, 3476; use of microorganisms against Thaumetopoea pityocampa in, 3496; Anaphes lemae sp.n. in, 3970

yusti, Tetranychus

Z

Z-50, tests of, against storehouse pests, 1503

Zabrotes interstitialis, feeding on seeds of Cassia grandis in Costa Rica, 3672

Zabrotes subfasciatus, susceptibility of, to pyrethrins and piperonyl butoxide in Kenya, 470; effect of γ-radiation on, 3841

Zabrus tenebrioides, on cereal crops in Turkey, 2084; infestation and control of, on wheat in Soviet Union, 4149

zacconi, Chilo

Zagrammosoma (see Cirrospilus)

zaguliaevi, Ostrinia

Zambia, predators of termites in, 2542; construction activity by *Odontotermes latericius* in, 3170

zamiae, Furchadiaspis

Zanzibar, legislation on protection of stored products from insect pests in, 1069

Zea mais (see Maize)

zea, Heliothis

Zeadiatraea grandiosella, birds preying on overwintering populations of, on maize stubble in Mississippi, 369; insecticides against, on maize in Mississippi, 613; growth and development of, on meridic diet, 3700

zealandica, Costelytra zealis, Ostrinia

zeamais, Sitophilus

Zectran, in sprays against Keiferia lycopersicella, 608; against Rhagoletis pomonella, 902; toxicity of, to Argyrotaenia citrana, 1703;

toxicity of, to Alopecosa kochi, 1720; contacti toxicity of, to Alsophila pometaria, 1757; against Phryganidia californica, 2397; in aerosols against Choristoneura occidentalis, 2796; selective toxicity to insects of, 4090 Zeidane (see DDT)

Zeiraphera diniana, Eulophid parasites of, on larch in Switzerland, 458

Zeiraphera hesperiana, defoliating trees in Oregon and Washington, 2428

zelebori, Bothrophora

zetterstedti, Lonchaea

Zetzellia mali, insecticide resistance in, on appleo in North Carolina, 599

Zeuzera pyrina, ecology, bionomics, and control of, on apple in Iran, 3930

zeylanoides, Candida

Zicrona caerulea, preying on Altica quercetorum in Soviet Union, 3563

zillae, Eremaspis (Pinnaspis) Zimioma (see Ostoma)

zimmermanni, Dioryctria

Zinc, effect of, on predacious mites, 1091; toxicity of, to Trichogramma cacoeciae, 1137; trace amounts of, in diet for Macrosiphumpisum, 3698

Zinc, Radioactive, labelling Eyprepocnemist plorans with, 3405; excretion of, as index to metabolic rate in Cryptocercus punctulatus,

3693

Zinc Naphthenate, not preventing emergence of *Anobium punctatum* from wood, **3530** Zinc Phosphide, in bait against *Gryllotalpa*

gryllotalpa, 3090

Zinc Propylenebisdithiocarbamate, effect of, on predacious mites, 1091; effect of, on Panony chus ulmi, 2143; controlling Tetranychus telarius, 2144

zinckenella, Etiella

Zineb, compatibility of, with insecticides against pests of plum, 280; effect of, on mite populations, 296; effect of, on populations of Eotetranychus carpini vitis, 786; not toxic to Trichogramma cacoeciae, 1137; Dithand M-45 containing, 2022; in sprays against Phyllocoptruta oleivora, 2065; and dimetho ate, against Heliothis armigera, 3093

Zinophos (see Thionazin)

Zizeeria (see Zizera)

Zizera otis labradus, on lucerne and clover in Victoria, 3900

Ziziphus, chemical control of Carpomyio vesuviana on, in India, 2517

Ziziphus jujuba, Tarucus theophrastus on, in India, 80; development of Achaea janata on 81; damaged by Grammadera clara in Argentina, 996

Ziziphus xylopyrus, notes on pests of, in Madhy: Pradesh, India, 2206

ziziphus, Parlatoria

Zolone (see Phosalone)

zonatus, Ectemnius; Leptoglossus

zonellus, Chilo (see C. partellus)

Zonosemata electa, infesting Solanum carolini ense in Ontario, 2984; rearing of, 2985

Zonosemata vittigera, in Mexico, Texas, Arizona and California, biology of, on Solanum elaeagnifolium, 2771

ogical Institute, Leningrad, types of | ralidae in, 2825

wermopsis angusticollis, wood-cement comsite as deterrent to attack by, 661; effect lodour on orientation of, 2299

donies of, in Arizona and Mexico, 959 lin (see BHC (\gamma\) isomer of))


Zulia entreriana, attacking pasture grasses in Brazil, 1795; control of, on forage grasses in Brazil, 3829


zwoelferi, Megastigmus (see M. atedius) Zygina pullula, on maize in Yugoslavia, 3469 Zygocactus truncatus, Pseudococcus obscurus


collected from, in France, 4036

Zyras, species of, preying on Odontotermes

atericius in Zambia, 2542







NOTICES

The annual subscription, payable in advance, to the Review of Applied Entomology, ries A (Agricultural) is £10.00 to subscribers in countries contributing to the Componwealth Agricultural Bureaux and £26.00 to those in non-contributing countries, est free; Series B (Medical and Veterinary) £4.00 and £10.00 respectively.

Orders and subscriptions should be sent to the Central Sales Branch, Commonwealth gricultural Bureaux, Farnham House, Farnham Royal, Slough SL2 3BN, England, through a bookseller.

Complete sets of back volumes are available; for details and prices, please apply the Central Sales Branch.

Secretaries of societies and editors of journals wishing to exchange their publications or those of the Institute are requested to communicate with the Director. Authors i papers on economic entomology, particularly those published in non-entomological purnals, are invited to send reprints to the Director for notice in the Review.

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory the Fair Copying Declaration, details of which can be obtained from the Royal ociety, 6, Carlton House Terrace, London SW1Y 5AG, England.

The Commonwealth Agricultural Bureaux Organization does not accept responbility for any trade advertisements in this Journal.

